

Cook County Bureau of Health Services



Communicable Disease Surveillance Summary **2003**

Cook County Department of Public Health
Protecting the health and environment of suburban Cook County
Affiliate, Cook County Bureau of Health Services
John H. Stroger, Jr., President, Cook County Board of Commissioners

COOK COUNTY BUREAU OF HEALTH SERVICES

Ruth M. Rothstein,
Chief, Cook County Bureau of Health Services

Stephen A. Martin, Jr., Ph.D., MPH
Chief Operating Officer, Cook County Department of Public Health

Stephanie W. Smith, MD, MPH
Director, Communicable Disease Control Unit

Steven M. Seweryn, MPH
Director

Elizabeth A. Bormann, MPH
Outcome and Evaluation Specialist
Epidemiology

Copyright Information

All material contained in this report is in the public domain and may be used and reprinted without special permission; citation as to source, however, is appreciated.

Suggested Citation

Cook County Department of Public Health.
Communicable Disease Surveillance Summary, 2003.
Oak Park, Illinois. 2004.

Communicable Disease Control Unit
Cook County Department of Public Health
Affiliate, Cook County Bureau of Health Services
1010 Lake Street, Suite 300
Oak Park, IL 60301

June 2004

Preface

The Communicable Disease Surveillance Summary, 2003 is submitted by the Communicable Disease Control Unit. This report was compiled by the Epidemiology Unit.

The Communicable Disease Surveillance Summary continues the series of profiles of communicable diseases reported in the Cook County Department of Public Health jurisdiction, Illinois. This report does not include data from Chicago, Evanston, Oak Park, Skokie, or Stickney Health Departments. This publication provides the latest available communicable disease data for 2003.

TABLE OF CONTENTS

| | |
|---|------|
| Preface..... | i |
| List of Figures..... | ii |
| List of Tables..... | .iii |
| Reportable Communicable Diseases In Suburban Cook County | 1 |
| Introduction..... | 2 |
| All Reported Communicable Diseases In Suburban Cook County, 1998-2003 | 3 |
| 2003 Leading Reported Communicable Diseases | 5 |

Frequency Distributions and Incidence Rates of the Following Selected Diseases by Demographic Characteristics, Town, and Health District

| | |
|---|----|
| AIDS/HIV..... | 6 |
| Sexually Transmitted Diseases | 10 |
| Bacteremia, Encephalitis & Meningitis | 14 |
| Enteric Infections..... | 18 |
| Vaccine Preventable Diseases..... | 22 |
| Viral Hepatitis..... | 26 |

LIST OF FIGURES

| | |
|---|----|
| Figure 1. Reported AIDS and HIV cases for 2002 and 2003 | 6 |
| Figure 2. Reported STD Cases for 2002 and 2003 | 10 |
| Figure 3. Reported Bacteremia, Encephalitis & Meningitis Cases for 2002 and 2003 | 14 |
| Figure 4. Reported Enteric Infection Cases for 2002 and 2003..... | 18 |
| Figure 5. Reported Vaccine Preventable Disease Cases for 2002 and 2003 | 22 |
| Figure 6. Reported Viral Hepatitis Cases for 2002 and 2003 | 26 |

LIST OF TABLES

| | |
|---|----|
| Table 1. Reported Cases of Selected Infectious Diseases for Suburban Cook County, 1998-2003..... | 3 |
| Table 2. 2003 Leading Reported Communicable Diseases In Suburban Cook County..... | 4 |
| Table 3. Reported AIDS and HIV Cases and Incidence Rate by Demographic Characteristics for 2003..... | 6 |
| Table 4. Reported AIDS and HIV Cases and Annual Incidence by Health District for 2003..... | 7 |
| Table 5. Reported AIDS Cases and Annual Incidence by Town for 2003..... | 7 |
| Table 6. Reported STD Cases and Incidence Rate by Demographic Characteristics for 2003..... | 10 |
| Table 7. Reported STD Cases and Annual Incidence by Health District for 2003..... | 11 |
| Table 8. Reported STD Cases and Annual Incidence by Town for 2003..... | 11 |
| Table 9. Reported Bacteremia, Encephalitis & Meningitis Cases and Incidence Rate by Demographic Characteristics for 2003..... | 14 |
| Table 10. Reported Bacteremia, Encephalitis & Meningitis Cases and Annual Incidence by Health District for 2003..... | 15 |
| Table 11. Reported Bacteremia, Encephalitis & Meningitis Cases and Annual Incidence by Town for 2003..... | 15 |
| Table 12. Reported Enteric Infection Cases and Incidence Rate by Demographic Characteristics for 2003..... | 18 |
| Table 13. Reported Enteric Infection Cases and Annual Incidence by Health District for 2003..... | 19 |
| Table 14. Reported Enteric Infection Cases and Annual Incidence by Town for 2003..... | 19 |
| Table 15. Reported Vaccine Preventable Disease Cases and Incidence Rate by Demographic Characteristics for 2003..... | 22 |
| Table 16. Reported Vaccine Preventable Disease Cases and Annual Incidence by Health District for 2003..... | 23 |
| Table 17. Reported Vaccine Preventable Disease Cases and Annual Incidence by Town for 2003..... | 23 |
| Table 18. Reported Viral Hepatitis Cases and Incidence Rate by Demographic Characteristics for 2003..... | 26 |
| Table 19. Reported Viral Hepatitis Cases and Annual Incidence by Health District for 2003..... | 27 |
| Table 20. Reported Viral Hepatitis Cases and Annual Incidence by Town for 2003..... | 27 |

Reportable Communicable Diseases in Suburban Cook County*

The following diseases must be reported to Cook County Department of Public Health.

Illinois Department of Public Health-- Reportable Diseases

Health care providers and hospitals must report any suspected or confirmed case of these diseases to the local health authority within the number of days or hours indicated in parentheses.

| | |
|--|---|
| Any suspected bioterrorism threat or event (immediately*) | Meningitis, meningococcal, meningococcemia, <i>H. influenzae</i> , other invasive disease (24h) |
| Any unusual case or cluster that may indicate a public health hazard (24h) | Mumps (7d) |
| AIDS (7d) | <i>Neisseria meningitidis</i> , meningitis, meningococcemia and other invasive (24h) |
| Amebiasis (7d) | Ophthalmia neonatorum (gonococcal) (7d) |
| Anthrax (immediately*) | Pertussis or whooping cough (24h) |
| Blastomycosis (7d) | Plague (immediately*) |
| Botulism, foodborne (immediately*) | Poliomyelitis (24h) |
| Botulism, infant, wound, other (24h) | Psittacosis (7d) |
| Brucellosis (7d) | Q fever (immediately*) |
| Campylobacteriosis (7d) | Rabies, human and potential human exposure (24h) |
| Chancroid (7d) | Reye syndrome (24h) |
| Chickenpox (7d) | Rheumatic fever (24h) |
| Chlamydia (7d) | Rocky Mountain spotted fever (7d) |
| Cholera (24h) | Rubella (7d) |
| Cryptosporidiosis (7d) | Salmonellosis, other than typhoid (7d) |
| Cyclosporiasis (7d) | Shigellosis (7d) |
| Diarrhea of the newborn (24h) | Smallpox (immediately*) |
| Diphtheria (24h) | <i>Staphylococcus aureus</i> infections in infants <28 days (7d) |
| Ehrlichiosis, human granulocytic or monocytic (7d) | <i>Staphylococcus aureus</i> infections with intermediate or high level vancomycin resistance (24h) |
| Encephalitis (7d) | Streptococcal acute glomerulonephritis (24h) |
| Enteric <i>E. coli</i> infections (O157:H7, STEC, EHEC, EPEC, ETEC) (24h) | Streptococcal infections, group A invasive (24h) |
| Foodborne or waterborne illness (24h) | Streptococcal infections, group B, invasive < 3 months (7d) |
| Giardiasis (7d) | <i>Streptococcus pneumoniae</i> , invasive with antibiogram (7d) |
| Glomerulonephritis, acute streptococcal (24h) | Streptococcal rheumatic fever (24h) |
| Gonorrhea (7d) | Syphilis (7d) |
| <i>Haemophilus influenzae</i> , invasive (24h) | Tetanus (7d) |
| Hantavirus pulmonary syndrome (7d) | Toxic shock syndrome, presumed staphylococcal (7d) |
| Hemolytic uremic syndrome, post diarrheal (24h) | Toxic shock syndrome, streptococcal (24h) |
| Hepatitis A, (24h), B (cases and carriers), C and other (7d) | Trichinosis (7d) |
| Histoplasmosis (7d) | Tuberculosis (7d) |
| HIV infection (7d)** | Tularemia (immediately*) |
| Legionnaires' disease (7d) | Typhoid fever (24h) |
| Leprosy (7d) | Typhus (24h) |
| Leptospirosis (7d) | Whooping cough or pertussis (24h) |
| Listeriosis (7d) | Yersiniosis (7d) |
| Lyme disease (7d) | |
| Malaria (7d) | |
| Measles (24h) | |
| Meningitis, aseptic (7d) | |

*immediately (within three hours)

**HIV reporting is by patient code number (PCN).
(As of April 1, 2001)

* Suburban Cook County refers to Cook County Department of Public Health jurisdiction

INTRODUCTION

Cook County Department of Public Health (CCDPH) is a state certified health department with jurisdiction in 125 communities and 28 townships of suburban Cook County (excluding the city of Chicago and the health departments for the towns of Burbank, Evanston, Forest View, Oak Park, Skokie, and Stickney). *From this point forward, suburban Cook County refers to CCDPH jurisdiction.*

CCDPH divides the suburbs into four geographic districts, North, West, Southwest, and South. In the following pages, reported communicable diseases for the CCDPH jurisdiction and for each of the four geographic districts are summarized for 2003.

The numbers of cases of the various infectious diseases listed in this summary should be considered as minimum estimates of the amount of disease within CCDPH jurisdiction. A proportion of individuals does not seek medical care and are not diagnosed, are diagnosed on a clinical basis without confirmatory or supportive laboratory testing, or are unreported diagnosed cases. Thus, these surveillance data are used to evaluate trends over time and disease distribution rather than to identify with precision the total number of cases occurring in CCDPH jurisdiction.

The reporting of infectious diseases by physicians, laboratory and hospital personnel is much appreciated. Without their cooperation, it would not be possible to publish this annual report. CCDPH hopes you find this information useful and welcomes any suggestions on additional information that should be included in this report.

SUMMARY

The number of infectious disease cases reported between 1998 and 2003 and the 5 year median between 1998 and 2002 are presented in Table 1. Chi-square significance tests were used to assess if the difference in number of reported cases between 2002 and 2003 were statistically significant at $p \leq 0.05$. Chi-square significance tests were also used to test if the difference between the 2003 reported cases and the 5 year median were statistically significant at $p \leq 0.05$.

- Over forty different communicable diseases were reported to CCDPH during 2003.
- Several diseases showed a statistically significant difference from 2002 to 2003 (Table 1). They were:
 - AIDS
 - HIV
 - Chlamydia
 - Aseptic Meningitis
 - H. influenzae
 - West Nile Virus
 - Other Bacteremia
 - Salmonellosis
 - Shigellosis
 - Measles
 - Mumps
 - Pertussis
 - Hepatitis B (Chronic)
 - Hepatitis C (Chronic)
 - Blastomycosis
 - Chicken Pox
 - Lyme

- The difference between 2003 reported cases and the 5 year median were statistically significant for the following diseases (Table 1):
 - AIDS
 - HIV
 - Chlamydia
 - Other Bacteremia
 - Other Meningitis
 - *E. coli O157:H7*
 - Giardiasis
 - Hepatitis A
 - Salmonellosis
 - Shigellosis
 - Measles
 - Mumps
 - Hepatitis B (chronic)
- The ten most frequently reported infectious diseases in suburban Cook County in 2003 were (Table 2):
 - Chlamydia
 - Gonorrhea
 - Chicken Pox
 - Hepatitis C (Chronic)
 - Aseptic Meningitis
 - Salmonellosis
 - Other Bacteremia
 - HIV
 - Hepatitis B (Chronic)
 - AIDS

Table 1. Reported Cases of Selected Infectious Diseases for Suburban Cook County, 1998-2003.

| | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2002 - 2003 Difference | 1998 – 2002 Median | 2003 vs. Median Difference |
|---|------|------|------|------|------|------|------------------------|--------------------|----------------------------|
| ACQUIRED IMMUNE DEFICIENCY SYNDROME/HUMAN IMMUNODEFICIENCY VIRUS | | | | | | | | | |
| AIDS | 158 | 212 | 199 | 139 | 211 | 156 | ✓ | 199 | ✓ |
| HIV | 90 | 125 | 251 | 133 | 256 | 184 | ✓ | 133 | ✓ |
| SEXUALLY TRANSMITTED DISEASES | | | | | | | | | |
| Chlamydia | 2513 | 3127 | 4863 | 5332 | 5348 | 5780 | ✓ | 4863 | ✓ |
| Gonorrhea | 1483 | 2188 | 2733 | 2573 | 2402 | 2491 | | 2402 | |
| Syphilis – Congenital | 7 | 7 | 5 | 3 | 2 | 2 | | 5 | |
| Syphilis – Early | 39 | 84 | 31 | 28 | 31 | 36 | | 31 | |
| BACTEREMIA, ENCEPHALITIS & MENINGITIS | | | | | | | | | |
| Aseptic/Viral Meningitis | 336 | 191 | 193 | 480 | 475 | 325 | ✓ | 336 | |
| H. influenzae (invasive) | 13 | 15 | 8 | 16 | 30 | 16 | ✓ | 15 | |
| H. Flu Bacteremia | 11 | 15 | 8 | 15 | 27 | 16 | | 15 | |
| H. Flu Meningitis | 2 | 0 | 0 | 1 | 3 | 0 | | 1 | |
| N. meningitidis (invasive) | 18 | 14 | 16 | 15 | 8 | 11 | | 15 | |
| Meningococcemia | 11 | 8 | 13 | 9 | 6 | 8 | | 9 | |
| Mening Meningitis | 7 | 6 | 3 | 6 | 2 | 3 | | 6 | |
| West Nile Virus | | | | | 306 | 6 | ✓ | | |
| Other Bacteremia | 63 | 96 | 102 | 191 | 261 | 193 | ✓ | 102 | ✓ |
| Other Meningitis | 32 | 48 | 22 | 24 | 13 | 8 | | 24 | ✓ |
| ENTERIC INFECTIONS | | | | | | | | | |
| Amebiasis | 9 | 3 | 8 | 8 | 5 | 6 | | 8 | |
| E. coli O157:H7 | 21 | 17 | 40 | 33 | 15 | 8 | | 21 | ✓ |
| Giardiasis | 202 | 206 | 155 | 147 | 57 | 76 | | 155 | ✓ |
| Hepatitis A | 131 | 186 | 184 | 73 | 43 | 28 | | 131 | ✓ |
| Salmonellosis | 356 | 285 | 309 | 223 | 98 | 232 | ✓ | 285 | ✓ |
| Shigellosis | 170 | 191 | 205 | 90 | 31 | 97 | ✓ | 170 | ✓ |
| Typhoid Fever | 9 | 4 | 4 | 3 | 9 | 6 | | 4 | |
| VACCINE PREVENTABLE DISEASES | | | | | | | | | |
| Measles | 9 | 18 | 26 | 15 | 9 | 1 | ✓ | 15 | ✓ |
| Mumps | 8 | 3 | 9 | 14 | 16 | 2 | ✓ | 9 | ✓ |
| Pertussis | 17 | 22 | 21 | 33 | 39 | 17 | ✓ | 22 | |
| Rubella | 1 | 2 | 1 | 0 | 0 | 0 | | | |

| | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2002 - 2003 Difference | 1998 – 2002 Median | 2003 vs. Median Difference |
|--------------------------------|------|------|------|------|------|------|------------------------|--------------------|----------------------------|
| VIRAL HEPATITIS | | | | | | | | | |
| Hepatitis B (Total) | | | | | | | | | |
| Acute | 58 | 41 | 7 | 31 | 29 | 19 | | 31 | |
| Chronic | 303 | 210 | 47 | 311 | 372 | 172 | ✓ | 302 | ✓ |
| Hepatitis C (Total) | | | | | | | | | |
| Acute | 5 | 11 | 0 | 0 | 0 | 0 | | | |
| Chronic | 630 | 813 | *** | 1321 | 711 | 548 | ✓ | | |
| OTHER SELECTED DISEASES | | | | | | | | | |
| Blastomycosis | 7 | 3 | 12 | 6 | 24 | 8 | ✓ | 7 | |
| Botulism | 0 | 0 | 1 | 0 | 0 | 0 | | 0 | |
| Brucellosis | 0 | 0 | 4 | 1 | 1 | 1 | | 1 | |
| Chicken Pox | 2482 | 2148 | *** | 1513 | 2073 | 2205 | ✓ | | |
| Cryptosporidiosis | 13 | 17 | 16 | 9 | 0 | 0 | | 13 | |
| Histoplasmosis | 2 | 2 | 4 | 3 | 6 | 4 | | 3 | |
| Legionellosis | 5 | 5 | 7 | 7 | 11 | 11 | | 7 | |
| Listeriosis | 6 | 9 | 4 | 1 | 1 | 1 | | 4 | |
| Lyme | 0 | 4 | 6 | 6 | 17 | 4 | ✓ | 6 | |
| Malaria | 9 | 5 | 10 | 8 | 7 | 5 | | 8 | |
| Psittacosis | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | |
| Taeniasis (Tape Worm) | 0 | 0 | 1 | 0 | 0 | 0 | | 0 | |
| Toxic Shock Syndrome | 4 | 4 | 2 | 0 | 4 | 2 | | 4 | |
| Tuberculosis (Active)** | 150 | 138 | 125 | 125 | 120 | 124 | | 125 | |

**Tuberculosis data for all of suburban Cook County provided by the Suburban Cook County Tuberculosis Sanitarium District.

***Data not available for this year.

✓ Statistically significant at $p \leq 0.05$.

Table 2. 2003 Leading Reported Communicable Diseases In Suburban Cook County.

| Rank | Disease | No. of Cases | Incidence Rate** |
|------|-----------------------|--------------|------------------|
| 1 | Chlamydia | 5780 | 25.7 |
| 2 | Gonorrhea | 2491 | 11.1 |
| 3 | Chicken Pox | 2205 | 9.8 |
| 4 | Hepatitis C (Chronic) | 548 | 2.4 |
| 5 | Aseptic Meningitis | 325 | 1.4 |
| 6 | Salmonellosis | 232 | 1.0 |
| 7 | Other Bacteremia | 193 | 0.9 |
| 8 | HIV | 184 | 0.8 |
| 9 | Hepatitis B (Chronic) | 172 | 0.8 |
| 10 | AIDS | 156 | 0.7 |

**Incidence per 10,000 population (2000 Census).

Acquired Immune Deficiency Syndrome (AIDS) / Human Immunodeficiency Virus (HIV)

Figure 1. Reported AIDS and HIV cases for 2002 and 2003.




Table 3. Reported AIDS and HIV Cases and Incidence Rate by Demographic Characteristics for 2003.

| | AIDS | | HIV Infection | |
|----------------|--------------|-----|---------------|-----|
| | No. of Cases | IR* | No. of Cases | IR* |
| TOTAL | 156 | 0.7 | 184 | 0.8 |
| SEX | | | | |
| Female | 43 | 0.4 | 54 | 0.5 |
| Male | 113 | 1.0 | 130 | 1.2 |
| AGE | | | | |
| Under 1 | 1 | 0.3 | | |
| 1 - 11 | | | | |
| 12 - 15 | | | | |
| 16 - 19 | 1 | 0.1 | 10 | 0.9 |
| 20 - 29 | 22 | 0.8 | 48 | 1.7 |
| 30 - 39 | 56 | 1.6 | 63 | 1.8 |
| 40 - 49 | 55 | 1.6 | 36 | 1.0 |
| > 50 | 21 | 0.3 | 27 | 0.4 |
| Unknown | | | | |
| RACE/ETHNICITY | | | | |
| Am. Indian | | | | |
| Asian | 3 | 0.3 | 2 | 0.2 |
| Black | 75 | 2.5 | 83 | 2.7 |
| Hispanic | 24 | 0.8 | 20 | 0.7 |
| White | 54 | 0.4 | 66 | 0.4 |
| Other | | | | |
| Unknown | | | 13 | |

*Incidence Rate per 10,000 population (2000 Census).

Table 4. Reported AIDS and HIV Cases and Annual Incidence by Health District for 2003.

| Health District | 2000 Census Population | Number of AIDS Cases | IR** | Number of HIV Cases | IR** |
|------------------------------|------------------------|----------------------|------------|---------------------|------------|
| North | 914112 | 46 | 0.5 | 44 | 0.5 |
| West | 508765 | 17 | 0.3 | 61 | 1.2 |
| Southwest | 352335 | 44 | 1.2 | 20 | 0.6 |
| South | 477167 | 49 | 1.0 | 56 | 1.2 |
| Burbank/Stickney/Forest View | | | | | |
| Unknown | | | | 2 | |
| Suburban Cook County | 2252379 | 156 | 0.7 | 183 | 0.8 |

**Incidence Rate per 10,000 population.

Table 5. Reported AIDS Cases and Annual Incidence by Town for 2003.

| Town | District* | 2000 Census Population | Number of AIDS Cases | IR** |
|--------------------|-----------|------------------------|----------------------|------|
| Alsip | SW | 19862 | 1 | 0.5 |
| Arlington Heights | N | 76098 | 4 | 0.5 |
| Barrington | N | 5640 | | |
| Barrington Hills | N | 2120 | | |
| Bartlett | N | 12181 | | |
| Bedford Park | SW | 562 | | |
| Bellwood | W | 20535 | 4 | 1.9 |
| Berkeley | W | 5245 | 1 | 1.9 |
| Berwyn | W | 54016 | 4 | 0.7 |
| Blue Island | SW | 23341 | 4 | 1.7 |
| Bridgeview | SW | 15368 | 3 | 2.0 |
| Broadview | W | 8301 | 5 | 6.0 |
| Brookfield | W | 19007 | | |
| Buffalo Grove | N | 14153 | | |
| Burnham | S | 4170 | 2 | 4.8 |
| Burr Ridge | W | 3699 | | |
| Calumet City | S | 38992 | 4 | 1.0 |
| Calumet Park | SW | 8569 | 2 | 2.3 |
| Chicago Heights | S | 33045 | 3 | 0.9 |
| Chicago Ridge | SW | 13878 | | |
| Cicero | W | 85616 | 10 | 1.2 |
| Country Club Hills | S | 16202 | 1 | 0.6 |
| Countryside | W | 5975 | 1 | 1.7 |
| Crestwood | SW | 11219 | 1 | 0.9 |
| Des Plaines | N | 58695 | 5 | 0.9 |
| Dixmoor | S | 4110 | 1 | 2.4 |
| Dolton | S | 25740 | 5 | 1.9 |
| East Hazel Crest | S | 1611 | | |
| Elgin | N | 20020 | | |
| Elk Grove Village | N | 34758 | 1 | 0.3 |

*N-North; W-West; SW-Southwest; S-South. **Incidence Rate per 10,000 population.

| Town | District* | 2000 Census Population | Number of AIDS Cases | IR** |
|------------------|-----------|------------------------|----------------------|------|
| Elmwood Park | W | 25405 | 1 | 0.4 |
| Evergreen Park | SW | 20821 | 3 | 1.4 |
| Flossmoor | S | 9295 | 1 | 1.1 |
| Ford Heights | S | 3499 | | |
| Forest Park | W | 15688 | 1 | 0.6 |
| Franklin Park | W | 19439 | | |
| Glencoe | N | 8827 | | |
| Glenview | N | 41679 | 2 | 0.5 |
| Glenwood | S | 9035 | 2 | 2.2 |
| Golf | N | 452 | | |
| Hanover Park | N | 20823 | 3 | 1.4 |
| Harvey | S | 30106 | 2 | 0.7 |
| Harwood Heights | W | 8226 | | |
| Hazel Crest | S | 14728 | 4 | 2.7 |
| Hickory Hills | SW | 13935 | | |
| Hillside | W | 8256 | | |
| Hinsdale | W | 2167 | | |
| Hodgkins | W | 2158 | | |
| Hoffman Estates | N | 50352 | 3 | 0.6 |
| Hometown | SW | 4467 | | |
| Homewood | S | 19493 | 4 | 2.1 |
| Indian Head Park | W | 3824 | | |
| Inverness | N | 6374 | | |
| Justice | SW | 12090 | | |
| Kenilworth | N | 2494 | | |
| La Grange | W | 15724 | 2 | 1.3 |
| La Grange Park | W | 13239 | 2 | 1.5 |
| Lansing | S | 28161 | | |
| Lemont | SW | 13177 | | |
| Lincolnwood | N | 12359 | 1 | 0.8 |
| Lynwood | S | 7342 | | |
| Lyons | W | 10135 | | |
| Markham | S | 12654 | 1 | 0.8 |
| Matteson | S | 12883 | 1 | 0.8 |
| Maywood | W | 26987 | 7 | 2.6 |
| McCook | W | 227 | | |
| Melrose Park | W | 23209 | 2 | 0.9 |
| Merrionette Park | SW | 1999 | | |
| Midlothian | S | 14222 | 1 | 0.7 |
| Morton Grove | N | 22452 | | |
| Mt. Prospect | N | 56706 | 5 | 0.9 |
| Niles | N | 30144 | 1 | 0.3 |
| Norridge | W | 14690 | | |
| North Riverside | W | 6733 | | |
| Northbrook | N | 33425 | 4 | 1.2 |
| Northfield | N | 5487 | | |

*N-North; W-West; SW-Southwest; S-South. **Incidence Rate per 10,000 population.

| Town | District* | 2000 Census Population | Number of AIDS Cases | IR** |
|------------------------------|-----------|------------------------|----------------------|------|
| Northlake | W | 11810 | 1 | 0.8 |
| Norwood Park | W | 606 | | |
| Oak Forest | S | 27955 | 2 | 0.7 |
| Oak Lawn | SW | 55391 | 1 | 0.2 |
| Olympia Fields | S | 4724 | 1 | 2.1 |
| Orland Hills | SW | 6860 | | |
| Orland Park | SW | 51103 | 1 | 0.2 |
| Palatine | N | 65156 | 3 | 0.5 |
| Palos Heights | SW | 11320 | | |
| Palos Hills | SW | 17755 | 1 | 0.6 |
| Palos Park | SW | 4524 | | |
| Park Forest | S | 20038 | 4 | 2.0 |
| Park Ridge | N | 37735 | 2 | 0.5 |
| Phoenix | S | 2145 | | |
| Posen | S | 4651 | | |
| Prospect Heights | N | 17541 | 1 | 0.6 |
| Richton Park | S | 12407 | 1 | 0.8 |
| River Forest | W | 11635 | | |
| River Grove | W | 10616 | | |
| Riverdale | S | 15002 | 4 | 2.7 |
| Riverside | W | 9120 | | |
| Robbins | S | 6553 | 1 | 1.5 |
| Rolling Meadows | N | 24618 | 1 | 0.4 |
| Roselle | N | 3428 | | |
| Rosemont | W | 4171 | | |
| Sauk Village | S | 10417 | | |
| Schaumburg | N | 74511 | 3 | 0.4 |
| Schiller Park | W | 11784 | 1 | 0.8 |
| South Barrington | N | 3729 | | |
| South Chicago Heights | S | 3975 | | |
| South Holland | S | 22278 | 3 | 1.3 |
| Steger | S | 4008 | 1 | 2.5 |
| Stone Park | W | 5108 | | |
| Streamwood | N | 36732 | 1 | 0.3 |
| Summit / Argo | SW | 10635 | | |
| Thornton | S | 2603 | | |
| Tinley Park | S | 46057 | | |
| Westchester | W | 16664 | | |
| Western Springs | W | 12621 | 2 | 1.6 |
| Wheeling | N | 34411 | 2 | 0.6 |
| Willow Springs | SW | 4941 | | |
| Wilmette | N | 27684 | 2 | 0.7 |
| Winnetka | N | 12388 | 2 | 1.6 |
| Worth | SW | 11153 | | |
| Burbank/Stickney/Forest View | | | | |
| Other/ Unknown | | | | |

*N-North; W-West; SW-Southwest; S-South. **Incidence Rate per 10,000 population.

SEXUALLY TRANSMITTED DISEASES (STDs)

Figure 2. Reported STD Cases for 2002 and 2003.




Table 6. Reported STD Cases and Incidence Rate by Demographic Characteristics for 2003.

| | No. of Cases | IR* | Syphilis | | | |
|--------------|--------------|-------|-----------|-----------|-------|------------|
| | | | Chlamydia | Gonorrhea | Early | Congenital |
| TOTAL | 5780 | 25.7 | 2491 | 11.1 | 36 | 0.2 |
| SEX | | | | | | |
| Female | 4232 | 36.4 | 1271 | 10.9 | 6 | 0.1 |
| Male | 1548 | 14.2 | 1219 | 11.2 | 30 | 0.3 |
| AGE | | | | | | |
| 0-4 | 6 | 0.4 | 3 | 0.2 | | 2 |
| 5-9 | 4 | 0.2 | 5 | 0.3 | | |
| 10-14 | 205 | 12.5 | 29 | 1.8 | | |
| 15-19 | 1623 | 109.9 | 682 | 46.2 | 2 | 0.1 |
| 20-29 | 3005 | 109.2 | 1226 | 44.5 | 11 | 0.4 |
| 30-39 | 636 | 18.6 | 355 | 10.4 | 10 | 0.3 |
| 40-49 | 119 | 3.4 | 149 | 4.2 | 9 | 0.3 |
| ≥50 | 36 | 0.6 | 31 | 0.5 | 4 | 0.1 |
| Unknown | 24 | | 11 | | | |

*Incidence Rate per 10,000 population (2000 Census). **Incidence Rate per 10,000 live-births.

Table 7. Reported STD Cases and Annual Incidence by Health District for 2003.

Sexually Transmitted Diseases

| Health District | 2000 Population | Chlamydia | | Gonorrhea | | Early Syphilis | | Congenital Syphilis | |
|------------------------------|-----------------|--------------|-------------|--------------|-------------|----------------|------------|---------------------|------------|
| | | No. of Cases | IR** | No. of Cases | IR** | No. of Cases | IR** | No. of Cases | IR** |
| North | 914112 | 800 | 8.8 | 197 | 2.2 | 11 | 0.1 | | |
| West | 508765 | 1305 | 25.7 | 392 | 7.7 | 10 | 0.2 | | |
| Southwest | 352335 | 516 | 14.6 | 180 | 5.1 | 1 | 0.0 | | |
| South | 477167 | 2735 | 57.3 | 1548 | 32.4 | 14 | 0.3 | 2 | 3.1 |
| Burbank/Stickney/Forest View | N/A | | | | | | | | |
| Other/Unknown | | 424 | | 174 | | | | | |
| Suburban Cook County | 2252379 | 5780 | 25.7 | 2491 | 11.1 | 36 | 0.2 | 2 | 0.6 |

Incidence Rate per 10,000 population. *Incidence Rate per 10,000 live-births.

Table 8. Reported STD Cases and Annual Incidence by Town for 2003.

Sexually Transmitted Diseases

| Town | District* Population | Chlamydia | | Gonorrhea | | Early Syphilis | | Congenital Syphilis | |
|--------------------|----------------------|--------------|------|--------------|------|----------------|-------|---------------------|------|
| | | No. of Cases | IR** | No. of Cases | IR** | No. of Cases | IR*** | No. of Cases | IR** |
| Alsip | SW 19862 | 20 | 10.1 | 14 | 7.0 | | | | |
| Arlington Heights | N 76098 | 44 | 5.8 | 21 | 2.8 | | | | |
| Barrington | N 5640 | 2 | 3.5 | 2 | | | | | |
| Barrington Hills | N 2120 | 1 | 4.7 | | | | | | |
| Bartlett | N 12181 | 14 | 11.5 | 2 | 1.6 | | | | |
| Bedford Park | SW 562 | | | | | | | | |
| Bellwood | W 20535 | 188 | 91.6 | 98 | 47.7 | 1 | 0.5 | | |
| Berkeley | W 5245 | 11 | 21.0 | 2 | 3.8 | | | | |
| Berwyn | W 54016 | 130 | 24.1 | 26 | 4.8 | 2 | 0.4 | | |
| Blue Island | SW 23341 | 101 | 43.3 | 38 | 16.3 | | | | |
| Bridgeview | SW 15368 | 15 | 9.8 | 5 | 3.3 | | | | |
| Broadview | W 8301 | 59 | 71.1 | 25 | 30.1 | | | | |
| Brookfield | W 19007 | 14 | 7.4 | 1 | 0.5 | | | | |
| Buffalo Grove | N 14153 | 8 | 5.7 | 5 | 3.5 | 1 | 0.7 | | |
| Burnham | S 4170 | 31 | 74.3 | 14 | 33.6 | 1 | 2.4 | | |
| Burr Ridge | W 3699 | 2 | 5.4 | | | | | | |
| Calumet City | S 38992 | 270 | 69.2 | 170 | 43.6 | | | | |
| Calumet Park | SW 8569 | 73 | 85.2 | 48 | 56.0 | | | | |
| Chicago Heights | S 33045 | 284 | 85.9 | 169 | 51.1 | | | | |
| Chicago Ridge | SW 13878 | 20 | 14.4 | 1 | 0.7 | | | | |
| Cicero | W 85616 | 274 | 32.0 | 42 | 4.9 | 1 | 0.1 | | |
| Country Club Hills | S 16202 | 125 | 77.2 | 68 | 42.0 | 1 | 0.6 | | |
| Countryside | W 5975 | 10 | 16.7 | | | | | | |
| Crestwood | SW 11219 | 17 | 15.2 | 5 | 4.5 | | | | |
| Des Plaines | N 58695 | 95 | 16.2 | 24 | 4.1 | 2 | 0.3 | | |
| Dixmoor | S 4110 | 33 | 80.3 | 10 | 24.3 | | | | |
| Dolton | S 25740 | 234 | 90.9 | 143 | 55.6 | | | | |
| East Hazel Crest | S 1611 | 5 | 31.0 | | | | | | |
| Elgin | N 20020 | 21 | 10.5 | 6 | 3.0 | | | | |
| Elk Grove Village | N 34758 | 20 | 5.8 | 5 | 1.4 | | | | |

*N-North; W-West; SW-Southwest; S-South. **Incidence Rate per 10,000 population. ***Incidence Rate per 10,000 live-births.

| Town | District* | 2000 Population | Chlamydia | | Gonorrhea | | Early Syphilis | | Congenital Syphilis | |
|------------------|-----------|-----------------|--------------|-------|--------------|------|----------------|-------|---------------------|------|
| | | | No. of Cases | IR** | No. of Cases | IR** | No. of Cases | IR*** | No. of Cases | IR** |
| Elmwood Park | W | 25405 | 26 | 10.2 | 12 | 4.7 | | | | |
| Evergreen Park | SW | 20821 | 26 | 12.5 | 10 | 4.8 | | | | |
| Flossmoor | S | 9295 | 9 | 9.7 | 3 | 3.2 | | | | |
| Ford Heights | S | 3499 | 54 | 154.3 | 34 | 97.2 | 1 | 2.9 | | |
| Forest Park | W | 15688 | 42 | 26.8 | 9 | 5.7 | | | | |
| Franklin Park | W | 19439 | 21 | 10.8 | 2 | 1.0 | | | | |
| Glencoe | N | 8827 | 3 | 3.4 | 3 | 3.4 | | | | |
| Glenview | N | 41679 | 28 | 6.7 | 5 | 1.2 | | | | |
| Glenwood | S | 9035 | 41 | 45.4 | 12 | 13.3 | | | | |
| Golf | N | 452 | | | | | | | | |
| Hanover Park | N | 20823 | 58 | 27.9 | 15 | 7.2 | | | | |
| Harvey | S | 30106 | 413 | 137.2 | 279 | 92.7 | 2 | 0.7 | 2 | 33.8 |
| Harwood Heights | W | 8226 | 4 | 4.9 | 1 | 1.2 | | | | |
| Hazel Crest | S | 14728 | 118 | 80.1 | 63 | 42.8 | 1 | 0.7 | | |
| Hickory Hills | SW | 13935 | 16 | 11.5 | | | | | | |
| Hillside | W | 8256 | 29 | 35.1 | 11 | 13.3 | | | | |
| Hinsdale | W | 2167 | | | 2 | 9.2 | | | | |
| Hodgkins | W | 2158 | 2 | 9.3 | | | 2 | 9.3 | | |
| Hoffman Estates | N | 50352 | 40 | 7.9 | 15 | 3.0 | | | | |
| Hometown | SW | 4467 | 6 | 13.4 | 2 | 4.5 | | | | |
| Homewood | S | 19493 | 21 | 10.8 | 12 | 6.2 | 1 | 0.5 | | |
| Indian Head Park | W | 3824 | | | | | | | | |
| Inverness | N | 6374 | | | | | | | | |
| Justice | SW | 12090 | 32 | 26.5 | 7 | 5.8 | 1 | 0.8 | | |
| Kenilworth | N | 2494 | | | | | | | | |
| La Grange | W | 15724 | 20 | 12.7 | 5 | 3.2 | 1 | 0.6 | | |
| La Grange Park | W | 13239 | 12 | 9.1 | | | | | | |
| Lansing | S | 28161 | 64 | 22.7 | 28 | 9.9 | | | | |
| Lemont | SW | 13177 | 4 | 3.0 | 1 | 0.8 | | | | |
| Lincolnwood | N | 12359 | 6 | 4.9 | 1 | 0.8 | | | | |
| Lynwood | S | 7342 | 35 | 47.7 | 15 | 20.4 | | | | |
| Lyons | W | 10135 | 22 | 21.7 | 3 | 3.0 | | | | |
| Markham | S | 12654 | 139 | 109.8 | 64 | 50.6 | 2 | 1.6 | | |
| Matteson | S | 12883 | 63 | 48.9 | 40 | 31.0 | 1 | 0.8 | | |
| Maywood | W | 26987 | 284 | 105.2 | 124 | 45.9 | 2 | 0.7 | | |
| McCook | W | 227 | | | | | | | | |
| Melrose Park | W | 23209 | 62 | 26.7 | 10 | 4.3 | 1 | 0.4 | | |
| Merrionette Park | SW | 1999 | 6 | 30.0 | 2 | 10.0 | | | | |
| Midlothian | S | 14222 | 32 | 22.5 | 9 | 6.3 | | | | |
| Morton Grove | N | 22452 | 7 | 3.1 | 3 | 1.3 | | | | |
| Mt. Prospect | N | 56706 | 62 | 10.9 | 14 | 2.5 | 3 | 0.5 | | |
| Niles | N | 30144 | 11 | 3.6 | 2 | 0.7 | | | | |
| Norridge | W | 14690 | 4 | 2.7 | 1 | 0.7 | | | | |
| North Riverside | W | 6733 | 6 | 8.9 | 1 | 1.5 | | | | |
| Northbrook | N | 33425 | 14 | 4.2 | 5 | 1.5 | | | | |
| Northfield | N | 5487 | 1 | 1.8 | 1 | 1.8 | | | | |

*N-North; W-West; SW-Southwest; S-South. **Incidence Rate per 10,000 population. ***Incidence Rate per 10,000 live-births.

| Town | District* | 2000 Population | Chlamydia | | Gonorrhea | | Early Syphilis | | Congenital Syphilis | |
|------------------------------|-----------|-----------------|--------------|-------|--------------|-------|----------------|-------|---------------------|------|
| | | | No. of Cases | IR** | No. of Cases | IR** | No. of Cases | IR*** | No. of Cases | IR** |
| Northlake | W | 11810 | 17 | 14.4 | 3 | 2.5 | | | | |
| Norwood Park | W | 606 | | | | | | | | |
| Oak Forest | S | 27955 | 23 | 8.2 | 9 | 3.2 | | | | |
| Oak Lawn | SW | 55391 | 67 | 12.1 | 25 | 4.5 | | | | |
| Olympia Fields | S | 4724 | 12 | 25.4 | 5 | 10.6 | | | | |
| Orland Hills | SW | 6860 | 5 | 7.3 | 3 | 4.4 | | | | |
| Orland Park | SW | 51103 | 21 | 4.1 | 8 | 1.6 | | | | |
| Palatine | N | 65156 | 92 | 14.1 | 18 | 2.8 | 3 | 0.5 | | |
| Palos Heights | SW | 11320 | 4 | 3.5 | 1 | 0.9 | | | | |
| Palos Hills | SW | 17755 | 18 | 10.1 | 4 | 2.3 | | | | |
| Palos Park | SW | 4524 | 4 | 8.8 | 1 | 2.2 | | | | |
| Park Forest | S | 20038 | 126 | 62.9 | 66 | 32.9 | 1 | 0.5 | | |
| Park Ridge | N | 37735 | 15 | 4.0 | 1 | 0.3 | | | | |
| Phoenix | S | 2145 | 16 | 74.6 | 15 | 69.9 | 1 | 4.7 | | |
| Posen | S | 4651 | 21 | 45.2 | 4 | 8.6 | | | | |
| Prospect Heights | N | 17541 | 15 | 8.6 | 2 | 1.1 | | | | |
| Richton Park | S | 12407 | 76 | 61.3 | 19 | 15.3 | | | | |
| River Forest | W | 11635 | 7 | 6.0 | 2 | 1.7 | | | | |
| River Grove | W | 10616 | 4 | 3.8 | | | | | | |
| Riverdale | S | 15002 | 207 | 138.0 | 131 | 87.3 | 2 | 1.3 | | |
| Riverside | W | 9120 | 5 | 5.5 | 1 | 1.1 | | | | |
| Robbins | S | 6553 | 88 | 134.3 | 70 | 106.8 | | | | |
| Rolling Meadows | N | 24618 | 35 | 14.2 | 7 | 2.8 | | | | |
| Roselle | N | 3428 | 5 | 14.6 | | | | | | |
| Rosemont | W | 4171 | 1 | 2.4 | | | | | | |
| Sauk Village | S | 10417 | 43 | 41.3 | 36 | 34.6 | | | | |
| Schaumburg | N | 74511 | 86 | 11.5 | 18 | 2.4 | | | | |
| Schiller Park | W | 11784 | 18 | 15.3 | 3 | 2.5 | | | | |
| South Barrington | N | 3729 | | | | | 1 | 2.7 | | |
| South Chicago Heights | S | 3975 | 1 | 2.5 | 2 | 5.0 | | | | |
| South Holland | S | 22278 | 114 | 51.2 | 46 | 20.6 | | | | |
| Steger | S | 4008 | | | | | | | | |
| Stone Park | W | 5108 | 13 | 25.5 | 3 | 5.9 | | | | |
| Streamwood | N | 36732 | 55 | 15.0 | 11 | 3.0 | | | | |
| Summit / Argo | SW | 10635 | 42 | 39.5 | 3 | 2.8 | | | | |
| Thornton | S | 2603 | 2 | 7.7 | 1 | 3.8 | | | | |
| Tinley Park | S | 46057 | 35 | 7.6 | 11 | 2.4 | | | | |
| Westchester | W | 16664 | 16 | 9.6 | 5 | 3.0 | | | | |
| Western Springs | W | 12621 | 2 | 1.6 | | | | | | |
| Wheeling | N | 34411 | 51 | 14.8 | 5 | 1.5 | | | | |
| Willow Springs | SW | 4941 | 5 | 10.1 | 1 | 2.0 | | | | |
| Wilmette | N | 27684 | 8 | 2.9 | 6 | 2.2 | 1 | 0.4 | | |
| Winnetka | N | 12388 | 3 | 2.4 | | | | | | |
| Worth | SW | 11153 | 14 | 12.6 | 1 | 0.9 | | | | |
| Burbank/Stickney/Forest View | | | | | | | | | | |
| Other/ Unknown | | | 424 | | 174 | | | | | |

*N-North; W-West; SW-Southwest; S-South. **Incidence Rate per 10,000 population. ***Incidence Rate per 10,000 live-births.

BACTEREMIA, MENINGITIS & WEST NILE VIRUS

Figure 3. Reported Bacteremia, Meningitis & West Nile Virus Cases for 2002 and 2003.




Table 9. Reported Bacteremia, Meningitis & West Nile Virus Cases and Incidence Rate by Demographic Characteristics for 2003.

| | Aseptic Meningitis | | H. influenzae | | N. meningitidis | | West Nile Virus | |
|--------------|--------------------|------|---------------|-----|-----------------|-----|-----------------|-----|
| | No. of Cases | IR* | No. of Cases | IR* | No. of Cases | IR* | No. of Cases | IR* |
| TOTAL | 325 | 1.4 | 16 | 0.1 | 3 | 0.0 | 6 | 0.0 |
| SEX | | | | | | | | |
| Female | 180 | 1.5 | 7 | 0.1 | 1 | 0.0 | 5 | 0.0 |
| Male | 139 | 1.3 | 9 | 0.1 | 2 | 0.0 | 1 | 0.0 |
| Unknown | 6 | | | | | | | |
| AGE | | | | | | | | |
| Under 1 | 43 | 14.3 | 1 | 0.3 | 1 | 0.3 | | |
| 1 - 11 | 45 | 1.2 | 1 | 0.0 | | | | |
| 12 - 15 | 13 | 1.0 | | | | | | |
| 16 - 19 | 17 | 1.5 | 1 | 0.1 | | | | |
| 20 - 29 | 57 | 2.1 | | | 2 | 0.1 | | |
| 30 - 39 | 45 | 1.3 | 1 | 0.0 | | | | |
| 40 - 49 | 42 | 1.2 | 2 | 0.1 | | | 2 | 0.1 |
| >50 | 61 | 0.9 | 10 | 0.2 | | | 4 | 0.1 |
| Unknown | 2 | | | | | | | |

*Incidence Rate per 10,000 population (2000 Census).

Table 10. Reported Bacteremia, Meningitis & West Nile Virus Cases and Annual Incidence by Health District for 2003.

| Health District | 2000 Population | BACTEREMIA, MENINGITIS & WEST NILE VIRUS | | | | | | | |
|-----------------------------|-----------------|--|------------|---------------|------------|-----------------|------------|-----------------|------------|
| | | Aseptic Meningitis | | H. influenzae | | N. meningitidis | | West Nile Virus | |
| | | No. of Cases | IR** | No. of Cases | IR** | No. of Cases | IR** | No. of Cases | IR** |
| North | 914112 | 116 | 1.3 | 6 | 0.1 | | | 1 | 0.0 |
| West | 508765 | 56 | 1.1 | 4 | 0.1 | 2 | 0.0 | 2 | 0.0 |
| Southwest | 352335 | 67 | 1.9 | 2 | 0.1 | | | | |
| South | 477167 | 85 | 1.8 | 4 | 0.1 | 1 | 0.0 | 3 | 0.1 |
| Unknown | | 1 | | | | | | | |
| Suburban Cook County | 2252379 | 325 | 1.4 | 16 | 0.1 | 3 | 0.0 | 6 | 0.0 |

** Incidence per 10,000 population.

Table 11. Reported Bacteremia, Meningitis & West Nile Virus Cases and Annual Incidence by Town for 2003.

| Town | District* | 2000 Population | BACTEREMIA, MENINGITIS & WEST NILE VIRUS | | | | | | | |
|--------------------|-----------|-----------------|--|------|---------------|------|-----------------|------|-----------------|------|
| | | | Aseptic Meningitis | | H. influenzae | | N. meningitidis | | West Nile Virus | |
| | | | No. of Cases | IR** | No. of Cases | IR** | No. of Cases | IR** | No. of Cases | IR** |
| Alsip | SW | 19862 | 6 | 3.0 | | | | | | |
| Arlington Heights | N | 76098 | 6 | 0.8 | 1 | 0.1 | | | | |
| Barrington | N | 5640 | | | | | | | | |
| Barrington Hills | N | 2120 | | | | | | | | |
| Bartlett | N | 12181 | 3 | 2.5 | | | | | | |
| Bedford Park | SW | 562 | | | | | | | | |
| Bellwood | W | 20535 | 4 | 1.9 | 1 | 0.5 | | | | |
| Berkeley | W | 5245 | | | | | | | | |
| Berwyn | W | 54016 | 12 | 2.2 | 1 | 0.2 | | | | |
| Blue Island | SW | 23341 | 5 | 2.1 | 1 | 0.4 | | | | |
| Bridgeview | SW | 15368 | 4 | 2.6 | | | | | | |
| Broadview | W | 8301 | 1 | 1.2 | | | | | | |
| Brookfield | W | 19007 | 2 | 1.1 | | | | | | |
| Buffalo Grove | N | 14153 | | | | | | | | |
| Burnham | S | 4170 | | | 1 | 2.4 | | | | |
| Burr Ridge | W | 3699 | | | | | | | | |
| Calumet City | S | 38992 | 4 | 1.0 | | | | | | |
| Calumet Park | SW | 8569 | 2 | 2.3 | | | | | | |
| Chicago Heights | S | 33045 | 11 | 3.3 | 1 | 0.3 | | | | |
| Chicago Ridge | SW | 13878 | 4 | 2.9 | | | | | | |
| Cicero | W | 85616 | 7 | 0.8 | 1 | 0.1 | | | | |
| Country Club Hills | S | 16202 | 4 | 2.5 | | | | | | |
| Countryside | W | 5975 | 1 | 1.7 | | | | | | |
| Crestwood | SW | 11219 | 2 | 1.8 | | | | | | |
| Des Plaines | N | 58695 | 9 | 1.5 | 2 | 0.3 | | | | |
| Dixmoor | S | 4110 | | | | | | | | |
| Dolton | S | 25740 | 3 | 1.2 | | | | | | |
| East Hazel Crest | S | 1611 | | | | | | | | |
| Elgin | N | 20020 | 3 | 1.5 | 1 | 0.5 | | | | |
| Elk Grove Village | N | 34758 | 2 | 0.6 | | | | | | |

*N-North; W-West; SW-Southwest; S-South. **Incidence Rate per 10,000 population.

| Town | District* | 2000 Population | Aseptic Meningitis | | H. influenzae | | N. meningitis | | West Nile Virus | |
|------------------|-----------|-----------------|--------------------|------|---------------|------|---------------|------|-----------------|------|
| | | | No. of Cases | IR** | No. of Cases | IR** | No. of Cases | IR** | No. of Cases | IR** |
| Elmwood Park | W | 25405 | | | | | | | | |
| Evergreen Park | SW | 20821 | 4 | 1.9 | | | | | | |
| Flossmoor | S | 9295 | | | | | | | | |
| Ford Heights | S | 3499 | 1 | 2.9 | | | | | | |
| Forest Park | W | 15688 | 1 | 0.6 | | | | | | |
| Franklin Park | W | 19439 | | | | | | | | |
| Glencoe | N | 8827 | | | | | | | | |
| Glenview | N | 41679 | 4 | 1.0 | | | | | | |
| Glenwood | S | 9035 | | | | | | | | |
| Golf | N | 452 | | | | | | | | |
| Hanover Park | N | 20823 | 5 | 2.4 | | | | | 1 | 0.5 |
| Harvey | S | 30106 | 14 | 4.7 | | | | | | |
| Harwood Heights | W | 8226 | | | | | | | | |
| Hazel Crest | S | 14728 | 4 | 2.7 | | | | | | |
| Hickory Hills | SW | 13935 | 2 | 1.4 | | | | | | |
| Hillside | W | 8256 | 1 | 1.2 | | | | | | |
| Hinsdale | W | 2167 | | | | | | | | |
| Hodgkins | W | 2158 | 1 | 4.6 | | | | | | |
| Hoffman Estates | N | 50352 | 7 | 1.4 | | | | | | |
| Hometown | SW | 4467 | | | | | | | | |
| Homewood | S | 19493 | | | 1 | 0.5 | | | | |
| Indian Head Park | W | 3824 | 1 | 2.6 | 1 | 2.6 | | | | |
| Inverness | N | 6374 | 1 | 1.6 | | | | | | |
| Justice | SW | 12090 | 4 | 3.3 | | | | | | |
| Kenilworth | N | 2494 | 1 | 4.0 | | | | | | |
| La Grange | W | 15724 | 2 | 1.3 | | | | | | |
| La Grange Park | W | 13239 | | | | | | | | |
| Lansing | S | 28161 | 2 | 0.7 | | | | | | |
| Lemont | SW | 13177 | 3 | 2.3 | | | | | | |
| Lincolnwood | N | 12359 | 1 | 0.8 | | | | | | |
| Lynwood | S | 7342 | | | | | | | | |
| Lyons | W | 10135 | 2 | 2.0 | | | | | | |
| Markham | S | 12654 | 1 | 0.8 | | | | | | |
| Matteson | S | 12883 | 3 | 2.3 | | | | | | |
| Maywood | W | 26987 | 4 | 1.5 | | | | | | |
| McCook | W | 227 | | | | | | | | |
| Melrose Park | W | 23209 | 4 | 1.7 | | | 2 | 0.9 | 1 | 0.4 |
| Merrionette Park | SW | 1999 | | | | | | | | |
| Midlothian | S | 14222 | 3 | 2.1 | | | | | | |
| Morton Grove | N | 22452 | 3 | 1.3 | | | | | | |
| Mt. Prospect | N | 56706 | 9 | 1.6 | | | | | | |
| Niles | N | 30144 | | | | | | | | |
| Norridge | W | 14690 | 1 | 0.7 | | | | | 1 | 0.7 |
| North Riverside | W | 6733 | | | | | | | | |
| Northbrook | N | 33425 | 3 | 0.9 | 1 | 0.3 | | | | |
| Northfield | N | 5487 | | | | | | | | |

*N-North; W-West; SW-Southwest; S-South. **Incidence Rate per 10,000 population.

| Town | District* | Population | Aseptic Meningitis | | H. influenzae | | N. meningitidis | | West Nile Virus | |
|-----------------------|-----------|------------|--------------------|--------------|---------------|--------------|-----------------|--------------|-----------------|--------------|
| | | | 2000 | No. of Cases | IR** | No. of Cases | IR** | No. of Cases | IR** | No. of Cases |
| Northlake | W | 11810 | 2 | 1.7 | | | | | | |
| Norwood Park | W | 606 | | | | | | | | |
| Oak Forest | S | 27955 | 7 | 2.5 | | | 1 | 0.4 | | |
| Oak Lawn | SW | 55391 | 10 | 1.8 | 1 | 0.2 | | | | |
| Olympia Fields | S | 4724 | | | | | | | | |
| Orland Hills | SW | 6860 | | | | | | | | |
| Orland Park | SW | 51103 | 16 | 3.1 | | | | | | |
| Palatine | N | 65156 | 17 | 2.6 | | | | | | |
| Palos Heights | SW | 11320 | | | | | | | | |
| Palos Hills | SW | 17755 | 1 | 0.6 | | | | | | |
| Palos Park | SW | 4524 | 1 | 2.2 | | | | | | |
| Park Forest | S | 20038 | 3 | 1.5 | | | | | | |
| Park Ridge | N | 37735 | | | | | | | | |
| Phoenix | S | 2145 | 1 | 4.7 | | | | | | |
| Posen | S | 4651 | 1 | 2.2 | | | | | | |
| Prospect Heights | N | 17541 | 4 | 2.3 | | | | | | |
| Richton Park | S | 12407 | 1 | 0.8 | | | | 1 | 0.8 | |
| River Forest | W | 11635 | 1 | 0.9 | | | | | | |
| River Grove | W | 10616 | | | | | | | | |
| Riverdale | S | 15002 | 3 | 2.0 | | | | | | |
| Riverside | W | 9120 | 2 | 2.2 | | | | | | |
| Robbins | S | 6553 | 1 | 1.5 | | | | 1 | 1.5 | |
| Rolling Meadows | N | 24618 | 6 | 2.4 | | | | | | |
| Roselle | N | 3428 | | | | | | | | |
| Rosemont | W | 4171 | 1 | 2.4 | | | | | | |
| Sauk Village | S | 10417 | 2 | 1.9 | | | | | | |
| Schaumburg | N | 74511 | 12 | 1.6 | | | | | | |
| Schiller Park | W | 11784 | 3 | 2.5 | | | | | | |
| South Barrington | N | 3729 | | | | | | | | |
| South Chicago Heights | S | 3975 | 1 | 2.5 | | | | | | |
| South Holland | S | 22278 | 4 | 1.8 | | | | | | |
| Steger | S | 4008 | 1 | 2.5 | | | | 1 | 2.5 | |
| Stone Park | W | 5108 | | | | | | | | |
| Streamwood | N | 36732 | 10 | 2.7 | | | | | | |
| Summit / Argo | SW | 10635 | 5 | 4.7 | | | | | | |
| Thornton | S | 2603 | | | | | | | | |
| Tinley Park | S | 46057 | 9 | 2.0 | 1 | 0.2 | | | | |
| Westchester | W | 16664 | 2 | 1.2 | | | | | | |
| Western Springs | W | 12621 | | | | | | | | |
| Wheeling | N | 34411 | 2 | 0.6 | | | | | | |
| Willow Springs | SW | 4941 | 2 | 4.0 | | | | | | |
| Wilmette | N | 27684 | 4 | 1.4 | 1 | 0.4 | | | | |
| Winnetka | N | 12388 | 1 | 0.8 | | | | | | |
| Worth | SW | 11153 | 2 | 1.8 | | | | | | |
| Other/ Unknown | | | | | | | | | | |

*N-North; W-West; SW-Southwest; S-South. **Incidence Rate per 10,000 population.

Enteric Infections

Figure 4. Reported Enteric Infection Cases for 2002 and 2003.




Table 12. Reported Enteric Infection Cases and Incidence Rate by Demographic Characteristics for 2003.

| | Amebiasis | | E. coli O157:H7 | | Giardiasis | | Hepatitis A | | Salmonellosis | | Shigellosis | | Typhoid Fever | |
|--------------|--------------|------|-----------------|------|--------------|------|--------------|------|---------------|------|--------------|------|---------------|------|
| | No. of Cases | IR* | No. of Cases | IR* | No. of Cases | IR* | No. of Cases | IR* | No. of Cases | IR* | No. of Cases | IR* | No. of Cases | IR* |
| TOTAL | 6 | 0.03 | 8 | 0.04 | 76 | 0.34 | 28 | 0.12 | 232 | 1.03 | 97 | 0.43 | 6 | 0.03 |
| SEX | | | | | | | | | | | | | | |
| Female | 3 | 0.03 | 4 | 0.03 | 29 | 0.25 | 13 | 0.11 | 120 | 1.03 | 47 | 0.40 | 2 | 0.02 |
| Male | 1 | 0.01 | 4 | 0.04 | 35 | 0.32 | 12 | 0.11 | 97 | 0.89 | 43 | 0.40 | 3 | 0.03 |
| Unknown | 2 | | | | 12 | | 3 | | 15 | | 7 | | 1 | |
| AGE | | | | | | | | | | | | | | |
| Under 1 | | | | | | | | | 11 | 3.65 | 1 | 0.33 | 1 | 0.33 |
| 1 - 11 | | | 1 | 0.03 | 21 | 0.58 | 5 | 0.14 | 66 | 1.83 | 49 | 1.35 | 2 | 0.06 |
| 12 - 15 | | | 3 | 0.23 | 5 | 0.39 | 3 | 0.23 | 8 | 0.62 | 7 | 0.54 | 1 | 0.08 |
| 16 - 19 | 1 | 0.09 | | | 2 | 0.17 | 1 | 0.09 | 12 | 1.04 | 3 | 0.26 | | |
| 20 - 29 | 2 | 0.07 | 1 | 0.04 | 5 | 0.18 | 3 | 0.11 | 37 | 1.34 | 12 | 0.44 | | |
| 30 - 39 | 1 | 0.03 | | | 22 | 0.65 | 4 | 0.12 | 28 | 0.82 | 12 | 0.35 | 2 | 0.06 |
| 40 - 49 | 2 | 0.06 | 1 | 0.03 | 10 | 0.28 | 7 | 0.20 | 17 | 0.48 | 4 | 0.11 | | |
| >50 | | | 2 | 0.03 | 11 | 0.17 | 5 | 0.08 | 52 | 0.81 | 8 | 0.12 | | |
| Unknown | | | | | | | | | 1 | | 1 | | | |

*Incidence Rate per 10,000 population (2000 Census).

Table 13. Reported Enteric Infection Cases and Annual Incidence by Health District for 2003.

| Health District | 2000 Population | Enteric Infections | | | | | | | |
|---|-----------------|--------------------|------------|--------------|------------|--------------|------------|---------------|------------|
| | | E Coli O157:H7 | | Giardiasis | | Hepatitis A | | Salmonellosis | |
| | | No. of Cases | IR** | No. of Cases | IR** | No. of Cases | IR** | No. of Cases | IR** |
| North | 914112 | 5 | 0.1 | 50 | 0.5 | 12 | 0.1 | 101 | 1.1 |
| West | 508765 | 2 | 0.0 | 13 | 0.3 | 11 | 0.2 | 32 | 0.6 |
| Southwest | 352335 | | | 2 | 0.1 | 2 | 0.1 | 39 | 1.1 |
| South | 477167 | 1 | 0.0 | 9 | 0.2 | 2 | 0.0 | 58 | 1.2 |
| Unknown | | | | 2 | | 1 | | 2 | 1 |
| Suburban Cook County | 2252379 | 8 | 0.0 | 76 | 0.3 | 28 | 0.1 | 232 | 1.0 |
| **Incidence Rate per 10,000 population. | | | | | | | | | |

Table 14. Reported Enteric Infection Cases and Annual Incidence by Town for 2003.

| Town | 2000 District* Population | Enteric Infections | | | | | | | |
|--------------------|---------------------------|--------------------|------|--------------|------|--------------|------|---------------|------|
| | | E Coli O157:H7 | | Giardiasis | | Hepatitis A | | Salmonellosis | |
| | | No. of Cases | IR** | No. of Cases | IR** | No. of Cases | IR** | No. of Cases | IR** |
| Alsip | SW 19862 | | | | | | | 1 | 0.5 |
| Arlington Heights | N 76098 | | | 5 | 0.7 | | | 6 | 0.8 |
| Barrington | N 5640 | | | 1 | 1.8 | | | 1 | 1.8 |
| Barrington Hills | N 2120 | | | | | | | | |
| Bartlett | N 12181 | | | | | | | 1 | 0.8 |
| Bedford Park | SW 562 | | | | | | | | |
| Bellwood | W 20535 | | | 1 | 0.5 | | | 3 | 1.5 |
| Berkeley | W 5245 | | | | | | | | |
| Berwyn | W 54016 | | | | | 2 | 0.4 | 1 | 0.2 |
| Blue Island | SW 23341 | | | | | | | 2 | 0.9 |
| Bridgeview | SW 15368 | | | | | | | 2 | 1.3 |
| Broadview | W 8301 | | | | | | | 1 | 1.2 |
| Brookfield | W 19007 | | | 2 | 1.1 | | | | |
| Buffalo Grove | N 14153 | | | 1 | 0.7 | | | 5 | 3.5 |
| Burnham | S 4170 | | | | | | | | 1 |
| Burr Ridge | W 3699 | | | | | | | | 2.4 |
| Calumet City | S 38992 | | | | | | | 2 | 0.5 |
| Calumet Park | SW 8569 | | | | | | | 1 | 1.2 |
| Chicago Heights | S 33045 | | | | | | | 1 | 0.3 |
| Chicago Ridge | SW 13878 | | | | | | | 1 | 0.7 |
| Cicero | W 85616 | | | 2 | 0.2 | 4 | 0.5 | 3 | 0.4 |
| Country Club Hills | S 16202 | | | 1 | 0.6 | | | 1 | 0.6 |
| Countryside | W 5975 | | | | | | | | |
| Crestwood | SW 11219 | | | | | | | | |
| Des Plaines | N 58695 | | | 5 | 0.9 | | | 10 | 1.7 |
| Dixmoor | S 4110 | | | | | | | 1 | 2.4 |
| Dolton | S 25740 | | | | | | | 4 | 1.6 |
| East Hazel Crest | S 1611 | | | | | | | | 5 |
| Elgin | N 20020 | | | 6 | 3.0 | | | 1 | 0.5 |
| Elk Grove Village | N 34758 | | | 1 | 0.3 | 1 | 0.3 | 9 | 2.6 |

| Town | District* | 2000 Population | E Coli O157:H7 | | Giardiasis | | Hepatitis A | | Salmonellosis | | Shigellosis | |
|------------------|-----------|-----------------|----------------|------|--------------|------|--------------|------|---------------|------|--------------|------|
| | | | No. of Cases | IR** | No. of Cases | IR** | No. of Cases | IR** | No. of Cases | IR** | No. of Cases | IR** |
| Elmwood Park | W | 25405 | | | | | | | 2 | 0.8 | 1 | 0.4 |
| Evergreen Park | SW | 20821 | | | | | | | | | | |
| Flossmoor | S | 9295 | | | | | 1 | 1.1 | 2 | 2.2 | 1 | 1.1 |
| Ford Heights | S | 3499 | | | | | | | 1 | 2.9 | 1 | 2.9 |
| Forest Park | W | 15688 | | | | | 1 | 0.6 | | | 1 | 0.6 |
| Franklin Park | W | 19439 | | | | | 1 | 0.5 | 1 | 0.5 | | |
| Glencoe | N | 8827 | | | 1 | 1.1 | | | 1 | 1.1 | | |
| Glenview | N | 41679 | 1 | 0.2 | 5 | 1.2 | 1 | 0.2 | 5 | 1.2 | | |
| Glenwood | S | 9035 | | | | | | | 1 | 1.1 | | |
| Golf | N | 452 | | | | | | | | | | |
| Hanover Park | N | 20823 | | | | | | | 3 | 1.4 | 2 | 1.0 |
| Harvey | S | 30106 | | | 1 | 0.3 | | | 2 | 0.7 | 7 | 2.3 |
| Harwood Heights | W | 8226 | | | | | | | | | | |
| Hazel Crest | S | 14728 | | | | | | | | | 4 | 2.7 |
| Hickory Hills | SW | 13935 | | | | | | | | | 1 | 0.7 |
| Hillside | W | 8256 | | | 1 | 1.2 | | | 1 | 1.2 | | |
| Hinsdale | W | 2167 | | | | | | | | | | |
| Hodgkins | W | 2158 | | | | | | | | | | |
| Hoffman Estates | N | 50352 | | | 1 | 0.2 | 1 | 0.2 | 7 | 1.4 | 1 | 0.2 |
| Hometown | SW | 4467 | | | | | | | | | | |
| Homewood | S | 19493 | | | 3 | 1.5 | | | 2 | 1.0 | | |
| Indian Head Park | W | 3824 | | | | | | | | | | |
| Inverness | N | 6374 | | | | | | | 2 | 3.1 | | |
| Justice | SW | 12090 | | | | | | | 2 | 1.7 | | |
| Kenilworth | N | 2494 | | | | | | | | | | |
| La Grange | W | 15724 | | | 2 | 1.3 | | | 3 | 1.9 | | |
| La Grange Park | W | 13239 | | | | | | | | | | |
| Lansing | S | 28161 | | | | | | | 3 | 1.1 | 4 | 1.4 |
| Lemont | SW | 13177 | | | | | | | 2 | 1.5 | 1 | 0.8 |
| Lincolnwood | N | 12359 | | | | | 1 | 0.8 | 1 | 0.8 | | |
| Lynwood | S | 7342 | | | | | | | | | | |
| Lyons | W | 10135 | | | | | 1 | 1.0 | 1 | 1.0 | 1 | 1.0 |
| Markham | S | 12654 | | | 1 | 0.8 | | | | | 1 | 0.8 |
| Matteson | S | 12883 | | | 1 | 0.8 | | | | | 1 | 0.8 |
| Maywood | W | 26987 | 1 | 0.4 | | | | | 5 | 1.9 | 3 | 1.1 |
| McCook | W | 227 | | | | | | | | | | |
| Melrose Park | W | 23209 | | | 1 | 0.4 | | | | | | |
| Merrionette Park | SW | 1999 | | | | | | | | | | |
| Midlothian | S | 14222 | | | | | | | 5 | 3.5 | | |
| Morton Grove | N | 22452 | | | 1 | 0.4 | | | 3 | 1.3 | | |
| Mt. Prospect | N | 56706 | | | 5 | 0.9 | 2 | 0.4 | 3 | 0.5 | 1 | 0.2 |
| Niles | N | 30144 | | | 2 | 0.7 | | | 3 | 1.0 | 1 | 0.3 |
| Norridge | W | 14690 | | | | | | | | | | |
| North Riverside | W | 6733 | | | | | 1 | 1.5 | | | | |
| Northbrook | N | 33425 | | | 3 | 0.9 | 1 | 0.3 | 7 | 2.1 | 1 | 0.3 |
| Northfield | N | 5487 | 1 | 1.8 | | | | | | | | |

*N-North; W-West; SW-Southwest; S-South. **Incidence Rate per 10,000 population.

| Town | 2000 District* Population | E Coli O157:H7 | | Giardiasis | | Hepatitis A | | Salmonellosis | | Shigellosis | |
|-----------------------|---------------------------|----------------|------|--------------|------|--------------|------|---------------|------|--------------|------|
| | | No. of Cases | IR** | No. of Cases | IR** | No. of Cases | IR** | No. of Cases | IR** | No. of Cases | IR** |
| Northlake | W 11810 | | | | | | | 2 | 1.7 | 2 | 1.7 |
| Norwood Park | W 606 | | | | | | | | | | |
| Oak Forest | S 27955 | | | | | | | 8 | 2.9 | | |
| Oak Lawn | SW 55391 | | | 1 | 0.2 | | | 1 | 0.2 | | |
| Olympia Fields | S 4724 | | | | | | | | | | |
| Orland Hills | SW 6860 | | | | | | | | | | |
| Orland Park | SW 51103 | | | 1 | 0.2 | 2 | 0.4 | 19 | 3.7 | | |
| Palatine | N 65156 | 1 | 0.2 | 4 | 0.6 | 2 | 0.3 | 6 | 0.9 | 2 | 0.3 |
| Palos Heights | SW 11320 | | | | | | | 1 | 0.9 | | |
| Palos Hills | SW 17755 | | | | | | | 4 | 2.3 | | |
| Palos Park | SW 4524 | | | | | | | 3 | 6.6 | | |
| Park Forest | S 20038 | 1 | 0.5 | | | | | 1 | 0.5 | | |
| Park Ridge | N 37735 | | | | | 1 | 0.3 | 2 | 0.5 | | |
| Phoenix | S 2145 | | | | | | | | | | |
| Posen | S 4651 | | | | | | | 1 | 2.2 | | |
| Prospect Heights | N 17541 | | | | | | | | | 1 | 0.6 |
| Richton Park | S 12407 | | | | | | | | | | |
| River Forest | W 11635 | | | 2 | 1.7 | 1 | 0.9 | 1 | 0.9 | 1 | 0.9 |
| River Grove | W 10616 | | | | | | | 1 | 0.9 | 1 | 0.9 |
| Riverdale | S 15002 | | | | | | | 4 | 2.7 | 1 | 0.7 |
| Riverside | W 9120 | | | | | 1 | 1.1 | 3 | 3.3 | 1 | 1.1 |
| Robbins | S 6553 | | | | | | | 1 | 1.5 | 1 | 1.5 |
| Rolling Meadows | N 24618 | | | 1 | 0.4 | 1 | 0.4 | 1 | 0.4 | 1 | 0.4 |
| Roselle | N 3428 | | | | | 1 | 2.9 | | | | |
| Rosemont | W 4171 | | | | | | | | | | |
| Sauk Village | S 10417 | | | | | | | 1 | 1.0 | | |
| Schaumburg | N 74511 | | | 4 | 0.5 | | | 7 | 0.9 | 2 | 0.3 |
| Schiller Park | W 11784 | | | | | | | | | | |
| South Barrington | N 3729 | | | | | | | | | | |
| South Chicago Heights | S 3975 | | | | | | | | | | |
| South Holland | S 22278 | | | | | 1 | 0.4 | | | | |
| Steger | S 4008 | | | | | | | 1 | 2.5 | | |
| Stone Park | W 5108 | | | | | | | | | 2 | 3.9 |
| Streamwood | N 36732 | | | 1 | 0.3 | | | 6 | 1.6 | 3 | 0.8 |
| Summit / Argo | SW 10635 | | | | | | | 2 | 1.9 | | |
| Thornton | S 2603 | | | | | | | 1 | 3.8 | 1 | 3.8 |
| Tinley Park | S 46057 | | | 2 | 0.4 | | | 14 | 3.0 | | |
| Westchester | W 16664 | | | | | | | 2 | 1.2 | 1 | 0.6 |
| Western Springs | W 12621 | 1 | 0.8 | 3 | 2.4 | | | 1 | 0.8 | | |
| Wheeling | N 34411 | | | 1 | 0.3 | | | 6 | 1.7 | 2 | 0.6 |
| Willow Springs | SW 4941 | | | | | | | | | | |
| Wilmette | N 27684 | 2 | 0.7 | 1 | 0.4 | | | 3 | 1.1 | 2 | 0.7 |
| Winnetka | N 12388 | | | 2 | 1.6 | | | 2 | 1.6 | 2 | 1.6 |
| Worth | SW 11153 | | | | | | | 1 | 0.9 | | |
| Other/ Unknown | | | | | | | | 1 | | 1 | |

*N-North; W-West; SW-Southwest; S-South. **Incidence Rate per 10,000 population.

Vaccine Preventable Diseases

Figure 5. Reported Vaccine Preventable Disease Cases for 2002 and 2003.




Table 15. Reported Vaccine Preventable Disease Cases and Incidence Rate by Demographic Characteristics for 2003.

| | Measles | | Mumps | | Pertussis | |
|--------------|--------------|-----|--------------|-----|--------------|-----|
| | No. of Cases | IR* | No. of Cases | IR* | No. of Cases | IR* |
| TOTAL | 1 | 0.0 | 3 | 0.0 | 17 | 0.1 |
| SEX | | | | | | |
| Female | | | 2 | 0.0 | 10 | 0.1 |
| Male | 1 | 0.0 | 1 | 0.0 | 7 | 0.1 |
| AGE | | | | | | |
| Under 1 | 1 | 0.3 | | | 1 | 0.3 |
| 1 - 11 | | | 2 | 0.1 | 8 | 0.2 |
| 12 - 15 | | | | | 2 | 0.2 |
| 16 - 19 | | | | | | |
| 20 - 29 | | | 1 | 0.0 | 1 | 0.0 |
| 30 - 39 | | | | | 1 | 0.0 |
| 40 - 49 | | | | | 2 | 0.1 |
| >50 | | | | | 2 | 0.0 |
| Unknown | | | | | | |

*Incidence Rate per 10,000 population (2000 Census).

Table 16. Reported Vaccine Preventable Disease Cases and Annual Incidence by Health District for 2003.

| Health District | 2000 Population | Vaccine Preventable Diseases | | | | | |
|-----------------------------|-----------------|------------------------------|------------|--------------|------------|--------------|------------|
| | | Measles | | Mumps | | Pertussis | |
| | | No. of Cases | IR** | No. of Cases | IR** | No. of Cases | IR** |
| North | 914112 | | | 1 | 0.0 | 10 | 0.1 |
| West | 508765 | | | 1 | 0.0 | 1 | 0.0 |
| Southwest | 352335 | 1 | 0.0 | | | 5 | 0.1 |
| South | 477167 | | | | | | |
| Other/Unknown | | | | 1 | 0.0 | 1 | |
| Suburban Cook County | 2252379 | 1 | 0.0 | 3 | 0.0 | 17 | 0.1 |

**Incidence Rate per 10,000 population.

Table 17. Reported Vaccine Preventable Disease Cases and Annual Incidence by Town for 2003.

| Town | District* | 2000 Population | Vaccine Preventable Diseases | | | | | |
|--------------------|-----------|-----------------|------------------------------|------|--------------|------|--------------|------|
| | | | Measles | | Mumps | | Pertussis | |
| | | | No. of Cases | IR** | No. of Cases | IR** | No. of Cases | IR** |
| Alsip | SW | 19862 | | | | | | |
| Arlington Heights | N | 76098 | | | | | 1 | 0.1 |
| Barrington | N | 5640 | | | | | 2 | 3.5 |
| Barrington Hills | N | 2120 | | | | | | |
| Bartlett | N | 12181 | | | | | | |
| Bedford Park | SW | 562 | | | | | | |
| Bellwood | W | 20535 | | | | | | |
| Berkeley | W | 5245 | | | | | | |
| Berwyn | W | 54016 | | | | | | |
| Blue Island | SW | 23341 | | | | | | |
| Bridgeview | SW | 15368 | | | | | | |
| Broadview | W | 8301 | | | | | | |
| Brookfield | W | 19007 | | | | | | |
| Buffalo Grove | N | 14153 | | | | | | |
| Burnham | S | 4170 | | | | | | |
| Burr Ridge | W | 3699 | | | | | | |
| Calumet City | S | 38992 | | | | | | |
| Calumet Park | SW | 8569 | | | | | | |
| Chicago Heights | S | 33045 | | | | | | |
| Chicago Ridge | SW | 13878 | | | | | | |
| Cicero | W | 85616 | | | 1 | 0.1 | 1 | 0.1 |
| Country Club Hills | S | 16202 | | | | | | |
| Countryside | W | 5975 | | | | | | |
| Crestwood | SW | 11219 | | | | | | |
| Des Plaines | N | 58695 | | | | | | |
| Dixmoor | S | 4110 | | | | | | |
| Dolton | S | 25740 | | | | | | |
| East Hazel Crest | S | 1611 | | | | | | |
| Elgin | N | 20020 | | | | | 2 | 1.0 |
| Elk Grove Village | N | 34758 | | | | | | |

*N-North; W-West; SW-Southwest; S-South. **Incidence Rate per 10,000 population.

| Town | District* | 2000 Population | Measles | | Mumps | | Pertussis | |
|------------------|-----------|-----------------|--------------|------|--------------|------|--------------|------|
| | | | No. of Cases | IR** | No. of Cases | IR** | No. of Cases | IR** |
| Elmwood Park | W | 25405 | | | | | | |
| Evergreen Park | SW | 20821 | | | | | 1 | 0.5 |
| Flossmoor | S | 9295 | | | | | | |
| Ford Heights | S | 3499 | | | | | | |
| Forest Park | W | 15688 | | | | | | |
| Franklin Park | W | 19439 | | | | | | |
| Glencoe | N | 8827 | | | | | | |
| Glenview | N | 41679 | | | | | | |
| Glenwood | S | 9035 | | | | | | |
| Golf | N | 452 | | | | | | |
| Hanover Park | N | 20823 | | | | | 1 | 0.5 |
| Harvey | S | 30106 | | | | | | |
| Harwood Heights | W | 8226 | | | | | | |
| Hazel Crest | S | 14728 | | | | | | |
| Hickory Hills | SW | 13935 | | | | | | |
| Hillside | W | 8256 | | | | | | |
| Hinsdale | W | 2167 | | | | | | |
| Hodgkins | W | 2158 | | | | | | |
| Hoffman Estates | N | 50352 | | | | | | |
| Hometown | SW | 4467 | | | | | | |
| Homewood | S | 19493 | | | | | | |
| Indian Head Park | W | 3824 | | | | | | |
| Inverness | N | 6374 | | | | | | |
| Justice | SW | 12090 | | | | | | |
| Kenilworth | N | 2494 | | | | | | |
| La Grange | W | 15724 | | | | | | |
| La Grange Park | W | 13239 | | | | | | |
| Lansing | S | 28161 | | | | | | |
| Lemont | SW | 13177 | | | | | | |
| Lincolnwood | N | 12359 | | | | | | |
| Lynwood | S | 7342 | | | | | | |
| Lyons | W | 10135 | | | | | | |
| Markham | S | 12654 | | | | | | |
| Matteson | S | 12883 | | | | | | |
| Maywood | W | 26987 | | | | | | |
| McCook | W | 227 | | | | | | |
| Melrose Park | W | 23209 | | | | | | |
| Merrionette Park | SW | 1999 | | | | | | |
| Midlothian | S | 14222 | | | | | | |
| Morton Grove | N | 22452 | | | | | | |
| Mt. Prospect | N | 56706 | | | | | | |
| Niles | N | 30144 | | | | | | |
| Norridge | W | 14690 | | | | | | |
| North Riverside | W | 6733 | | | | | | |
| Northbrook | N | 33425 | | | | | | |
| Northfield | N | 5487 | | | | | 1 | 1.8 |

*N-North; W-West; SW-Southwest; S-South. **Incidence Rate per 10,000 population.

| Town | District* | 2000 Population | Measles | | Mumps | | Pertussis | |
|-----------------------|-----------|-----------------|--------------|------|--------------|------|--------------|------|
| | | | No. of Cases | IR** | No. of Cases | IR** | No. of Cases | IR** |
| Northlake | W | 11810 | | | | | | |
| Norwood Park | W | 606 | | | | | | |
| Oak Forest | S | 27955 | | | | | | |
| Oak Lawn | SW | 55391 | | | | | 2 | 0.4 |
| Olympia Fields | S | 4724 | | | | | | |
| Orland Hills | SW | 6860 | | | | | 1 | 1.5 |
| Orland Park | SW | 51103 | | | | | 1 | 0.2 |
| Palatine | N | 65156 | | | | | 1 | 0.2 |
| Palos Heights | SW | 11320 | | | | | | |
| Palos Hills | SW | 17755 | 1 | 0.6 | | | | |
| Palos Park | SW | 4524 | | | | | | |
| Park Forest | S | 20038 | | | | | | |
| Park Ridge | N | 37735 | | | | | | |
| Phoenix | S | 2145 | | | | | | |
| Posen | S | 4651 | | | | | | |
| Prospect Heights | N | 17541 | | | | | | |
| Richton Park | S | 12407 | | | | | | |
| River Forest | W | 11635 | | | | | | |
| River Grove | W | 10616 | | | | | | |
| Riverdale | S | 15002 | | | | | | |
| Riverside | W | 9120 | | | | | | |
| Robbins | S | 6553 | | | | | | |
| Rolling Meadows | N | 24618 | | | | | | |
| Roselle | N | 3428 | | | | | | |
| Rosemont | W | 4171 | | | | | | |
| Sauk Village | S | 10417 | | | | | | |
| Schaumburg | N | 74511 | | | 1 | 0.1 | 1 | 0.1 |
| Schiller Park | W | 11784 | | | | | | |
| South Barrington | N | 3729 | | | | | | |
| South Chicago Heights | S | 3975 | | | | | | |
| South Holland | S | 22278 | | | | | | |
| Steger | S | 4008 | | | | | | |
| Stone Park | W | 5108 | | | | | | |
| Streamwood | N | 36732 | | | | | | |
| Summit / Argo | SW | 10635 | | | | | | |
| Thornton | S | 2603 | | | | | | |
| Tinley Park | S | 46057 | | | 1 | 0.2 | | |
| Westchester | W | 16664 | | | | | | |
| Western Springs | W | 12621 | | | | | | |
| Wheeling | N | 34411 | | | | | 1 | 0.3 |
| Willow Springs | SW | 4941 | | | | | | |
| Wilmette | N | 27684 | | | | | | |
| Winnetka | N | 12388 | | | | | | |
| Worth | SW | 11153 | | | | | | |
| Other/ Unknown | | | | | | | 1 | |

*N-North; W-West; SW-Southwest; S-South. **Incidence Rate per 10,000 population.

Viral Hepatitis

Figure 6. Reported Viral Hepatitis Cases for 2002 and 2003.




Table 18. Reported Viral Hepatitis Cases and Incidence Rate by Demographic Characteristics for 2003.

| | Hepatitis B | | | Hepatitis C | | |
|--------------|--------------|-----|--------------|-------------|--------------|-----|
| | Acute | | Chronic | | Chronic | |
| | No. of Cases | IR* | No. of Cases | IR* | No. of Cases | IR* |
| TOTAL | 19 | 0.1 | 172 | 0.8 | 548 | 2.4 |
| SEX | | | | | | |
| Female | 10 | 0.1 | 78 | 0.7 | 175 | 1.5 |
| Male | 9 | 0.1 | 93 | 0.9 | 349 | 3.2 |
| Unknown | | | 1 | | 24 | |
| AGE | | | | | | |
| Under 1 | | | | | | |
| 1 – 11 | 1 | 0.0 | 2 | 0.1 | 2 | 0.1 |
| 12 – 15 | | | | | 3 | 0.2 |
| 16 – 19 | 1 | 0.1 | 5 | 0.4 | 2 | 0.2 |
| 20 – 29 | 5 | 0.2 | 35 | 1.3 | 13 | 0.5 |
| 30 – 39 | 5 | 0.1 | 52 | 1.5 | 46 | 1.3 |
| 40 – 49 | 4 | 0.1 | 29 | 0.8 | 181 | 5.1 |
| >50 | 3 | 0.0 | 47 | 0.7 | 298 | 4.6 |
| Unknown | | | 2 | | 3 | |

*Incidence Rate per 10,000 population (2000 Census).

Table 19. Reported Viral Hepatitis Cases and Annual Incidence by Health District for 2003.

| Health District | 2000 Population | Viral Hepatitis | | | | | |
|-----------------------------|-----------------|-----------------|------------|-------------|------------|--------------|------------|
| | | Hepatitis B | | Hepatitis C | | | |
| | | Acute | Carrier | Carrier | Carrier | No. of Cases | IR** |
| North | 914112 | 4 | 0.0 | 72 | 0.8 | 117 | 1.3 |
| West | 508765 | 11 | 0.2 | 39 | 0.8 | 185 | 3.6 |
| Southwest | 352335 | 1 | 0.0 | 12 | 0.3 | 109 | 3.1 |
| South | 477167 | 3 | 0.1 | 48 | 1.0 | 136 | 2.9 |
| Unknown | | | | 1 | | 1 | |
| Suburban Cook County | 2252379 | 19 | 0.1 | 172 | 0.8 | 548 | 2.4 |

**Incidence Rate per 10,000 population.

Table 20. Reported Viral Hepatitis Cases and Annual Incidence by Town for 2003.

| Town | District* Population | Hepatitis B | | | | Hepatitis C | |
|--------------------|----------------------|-------------|---------|---------|---------|--------------|------|
| | | Acute | Chronic | Chronic | Chronic | No. of Cases | IR** |
| Alsip | SW 19862 | 1 | 0.5 | | | 4 | 2.0 |
| Arlington Heights | N 76098 | | | 5 | 0.7 | 10 | 1.3 |
| Barrington | N 5640 | | | 1 | 1.8 | 1 | 1.8 |
| Barrington Hills | N 2120 | | | | | | |
| Bartlett | N 12181 | | | | | 4 | 3.3 |
| Bedford Park | SW 562 | | | | | | |
| Bellwood | W 20535 | 1 | 0.5 | 2 | 1.0 | 12 | 5.8 |
| Berkeley | W 5245 | | | 1 | 1.9 | 2 | 3.8 |
| Berwyn | W 54016 | 1 | 0.2 | 7 | 1.3 | 12 | 2.2 |
| Blue Island | SW 23341 | | | 1 | 0.4 | 7 | 3.0 |
| Bridgeview | SW 15368 | | | 1 | 0.7 | 11 | 7.2 |
| Broadview | W 8301 | 1 | 1.2 | 1 | 1.2 | 11 | 13.3 |
| Brookfield | W 19007 | | | 1 | 0.5 | 9 | 4.7 |
| Buffalo Grove | N 14153 | | | 2 | 1.4 | 2 | 1.4 |
| Burnham | S 4170 | | | | | | |
| Burr Ridge | W 3699 | | | | | 3 | 8.1 |
| Calumet City | S 38992 | 1 | 0.3 | 8 | 2.1 | 12 | 3.1 |
| Calumet Park | SW 8569 | | | | | | |
| Chicago Heights | S 33045 | 1 | 0.3 | 5 | 1.5 | 18 | 5.4 |
| Chicago Ridge | SW 13878 | | | 1 | 0.7 | 4 | 2.9 |
| Cicero | W 85616 | | | 3 | 0.4 | 27 | 3.2 |
| Country Club Hills | S 16202 | | | 2 | 1.2 | 7 | 4.3 |
| Countryside | W 5975 | | | | | 3 | 5.0 |
| Crestwood | SW 11219 | | | 1 | 0.9 | | |
| Des Plaines | N 58695 | | | 3 | 0.5 | 21 | 3.6 |
| Dixmoor | S 4110 | | | | | 1 | 2.4 |
| Dolton | S 25740 | | | 1 | 0.4 | 9 | 3.5 |
| East Hazel Crest | S 1611 | | | | | | |
| Elgin | N 20020 | | | 4 | 2.0 | 6 | 3.0 |
| Elk Grove Village | N 34758 | 1 | 0.3 | 7 | 2.0 | 7 | 2.0 |

*N-North; W-West; SW-Southwest; S-South. **Incidence Rate per 10,000 population.

| Town | District* | 2000 Population | Hepatitis B | | Hepatitis C | |
|------------------|-----------|-----------------|-------------|---------|-------------|---------|
| | | | Acute | Chronic | Chronic | Chronic |
| Elmwood Park | W | 25405 | 1 | 0.4 | 2 | 0.8 |
| Evergreen Park | SW | 20821 | | | 2 | 1.0 |
| Flossmoor | S | 9295 | | | | 2 |
| Ford Heights | S | 3499 | | | | 2.2 |
| Forest Park | W | 15688 | 1 | 0.6 | 4 | 2.5 |
| Franklin Park | W | 19439 | | | 1 | 0.5 |
| Glencoe | N | 8827 | | | | 1 |
| Glenview | N | 41679 | | | 3 | 0.7 |
| Glenwood | S | 9035 | | | 1 | 1.1 |
| Golf | N | 452 | | | | |
| Hanover Park | N | 20823 | | | 2 | 1.0 |
| Harvey | S | 30106 | | | 4 | 1.3 |
| Harwood Heights | W | 8226 | | | | |
| Hazel Crest | S | 14728 | | | 3 | 2.0 |
| Hickory Hills | SW | 13935 | | | | 5 |
| Hillside | W | 8256 | 1 | 1.2 | 4 | 4.8 |
| Hinsdale | W | 2167 | | | 1 | 4.6 |
| Hodgkins | W | 2158 | | | | 1 |
| Hoffman Estates | N | 50352 | 1 | 0.2 | 5 | 1.0 |
| Hometown | SW | 4467 | | | | 2 |
| Homewood | S | 19493 | 1 | 0.5 | 2 | 1.0 |
| Indian Head Park | W | 3824 | | | | |
| Inverness | N | 6374 | | | | |
| Justice | SW | 12090 | | | | 10 |
| Kenilworth | N | 2494 | | | | 8.3 |
| La Grange | W | 15724 | | | 2 | 1.3 |
| La Grange Park | W | 13239 | | | | 12 |
| Lansing | S | 28161 | | | 1 | 0.4 |
| Lemont | SW | 13177 | | | | 4 |
| Lincolnwood | N | 12359 | | | 3 | 1.4 |
| Lynwood | S | 7342 | | | 1 | 2.4 |
| Lyons | W | 10135 | | | 2 | 1.4 |
| Markham | S | 12654 | | | | 6 |
| Matteson | S | 12883 | | | 2 | 5.9 |
| Maywood | W | 26987 | 3 | 1.1 | 4 | 1.6 |
| McCook | W | 227 | | | | 2 |
| Melrose Park | W | 23209 | | | 2 | 0.7 |
| Merrionette Park | SW | 1999 | | | 11 | 4.7 |
| Midlothian | S | 14222 | | | | 4 |
| Morton Grove | N | 22452 | | | 4 | 2.8 |
| Mt. Prospect | N | 56706 | | | 4 | 1.8 |
| Niles | N | 30144 | | | 6 | 0.7 |
| Norridge | W | 14690 | | | 2 | 1.1 |
| North Riverside | W | 6733 | | | 5 | 0.7 |
| Northbrook | N | 33425 | 1 | 0.3 | 5 | 3.4 |
| Northfield | N | 5487 | | | 1 | 1.5 |

*N-North; W-West; SW-Southwest; S-South. **Incidence Rate per 10,000 population.

| Town | District* | 2000 Population | Hepatitis B | | Hepatitis C | |
|------------------------------|-----------|-----------------|-------------|---------|-------------|---------|
| | | | Acute | Chronic | Chronic | Chronic |
| Northlake | W | 11810 | 1 | 0.8 | 2 | 1.7 |
| Norwood Park | W | 606 | | | | |
| Oak Forest | S | 27955 | | | | 5 1.8 |
| Oak Lawn | SW | 55391 | | 2 0.4 | 15 | 2.7 |
| Olympia Fields | S | 4724 | | | | 2 4.2 |
| Orland Hills | SW | 6860 | | | | |
| Orland Park | SW | 51103 | | 2 0.4 | 8 | 1.6 |
| Palatine | N | 65156 | 1 0.2 | 4 0.6 | 8 | 1.2 |
| Palos Heights | SW | 11320 | | | | 2 1.8 |
| Palos Hills | SW | 17755 | | 1 0.6 | 12 | 6.8 |
| Palos Park | SW | 4524 | | 1 2.2 | 5 | 11.1 |
| Park Forest | S | 20038 | | 1 0.5 | 8 | 4.0 |
| Park Ridge | N | 37735 | | 1 0.3 | 2 | 0.5 |
| Phoenix | S | 2145 | | | | 2 9.3 |
| Posen | S | 4651 | | | | 1 2.2 |
| Prospect Heights | N | 17541 | | 1 0.6 | 1 | 0.6 |
| Richton Park | S | 12407 | | 3 2.4 | 3 | 2.4 |
| River Forest | W | 11635 | 1 0.9 | | | 1 0.9 |
| River Grove | W | 10616 | | | | 4 3.8 |
| Riverdale | S | 15002 | | 3 2.0 | 6 | 4.0 |
| Riverside | W | 9120 | | 1 1.1 | 2 | 2.2 |
| Robbins | S | 6553 | | | | 3 4.6 |
| Rolling Meadows | N | 24618 | | | | 4 1.6 |
| Roselle | N | 3428 | | | | 1 2.9 |
| Rosemont | W | 4171 | | | | |
| Sauk Village | S | 10417 | | 2 1.9 | 3 | 2.9 |
| Schaumburg | N | 74511 | | 3 0.4 | 10 | 1.3 |
| Schiller Park | W | 11784 | | 1 0.8 | 1 | 0.8 |
| South Barrington | N | 3729 | | | | |
| South Chicago Heights | S | 3975 | | | | 2 5.0 |
| South Holland | S | 22278 | | 1 0.4 | 5 | 2.2 |
| Steger | S | 4008 | | | | 2 5.0 |
| Stone Park | W | 5108 | | | | 3 5.9 |
| Streamwood | N | 36732 | | 5 1.4 | 7 | 1.9 |
| Summit / Argo | SW | 10635 | | | | 5 4.7 |
| Thornton | S | 2603 | | | | |
| Tinley Park | S | 46057 | | 2 0.4 | 10 | 2.2 |
| Westchester | W | 16664 | | | | 5 3.0 |
| Western Springs | W | 12621 | | | | 1 0.8 |
| Wheeling | N | 34411 | | 3 0.9 | 4 | 1.2 |
| Willow Springs | SW | 4941 | | | | |
| Wilmette | N | 27684 | | 3 1.1 | | |
| Winnetka | N | 12388 | | | | |
| Worth | SW | 11153 | | | | 5 4.5 |
| Burbank/Stickney/Forest View | | N/A | | | | |
| Other/ Unknown | | | | 6 | 10 | |

*N-North; W-West; SW-Southwest; S-South. **Incidence Rate per 10,000 population.