



Ten Leading Causes of Death by Age Group, Race/Ethnicity, and Gender

Suburban Cook County 2006-2008

Suggested Citation: Cook County Department of Public Health. (2013). Ten Leading Causes of Death Tables 2008. Oak Forest, IL: Community Epidemiology and Health Planning Unit



**COOK COUNTY HEALTH
& HOSPITALS SYSTEM**
CCHHS

**Cook County Department
of Public Health**

Promoting health. Preventing disease.

Protecting you.

Table of Contents

All Suburban Cook County:

All Deaths

By Gender:

Females

Males

By Race/Ethnicity and Gender:

Hispanic

Hispanic Females

Hispanic Males

Non Hispanic Asian/Pacific Islander

Non Hispanic Asian/Pacific Islander Females

Non Hispanic Asian/Pacific Islander Males

Non Hispanic Black

Non Hispanic Black Females

Non Hispanic Black Males

Non Hispanic White

Non Hispanic White Females

Non Hispanic White Males

By District:

Cook County Department of Public Health Jurisdiction

North District

West District

Southwest District

South District

Resources:

District Map

Rankable Causes of Death

Rankable Causes of Infant Death

10 Leading Causes of Death by Age Group, Suburban Cook County, 2006-2008
(Counts/Percent of Total Deaths)

All Deaths

Rank	<1	1-4	5-17	18-24	25-34	35-44	45-54	55-64	65+	Total
1	Short Gestation	Unintentional Injury	Unintentional Injury	Unintentional Injury	Unintentional Injury	Malignant Neoplasms	Malignant Neoplasms	Malignant Neoplasms	Heart Disease	Heart Disease
	170 24.9%	24 23.8%	57 24.6%	196 37.0%	281 34.4%	300 19.2%	1,251 31.7%	2,489 38.9%	13,422 28.2%	16,345 26.4%
2	Congenital Anomalies	Congenital Anomalies	Homicide	Homicide	Homicide	Unintentional Injury	Heart Disease	Heart Disease	Malignant Neoplasms	Malignant Neoplasms
	127 18.6%	9 8.9%	44 19.0%	135 25.5%	102 12.5%	292 18.7%	941 23.9%	1,572 24.6%	11,011 23.1%	15,199 24.6%
3	Maternal Pregnancy Complications	Malignant Neoplasms	Malignant Neoplasms	Suicide	Heart Disease	Heart Disease	Unintentional Injury	Cerebrovascular Disease	Cerebrovascular Disease	Cerebrovascular Disease
	41 6.0%	9 8.9%	27 11.6%	68 12.8%	90 11.0%	266 17.0%	314 8.0%	233 3.6%	3,096 6.5%	3,521 5.7%
4	Placenta, Cord & Membranes Comp	Heart Disease	Heart Disease	Malignant Neoplasms	Malignant Neoplasms	Suicide	Liver Disease	Diabetes Mellitus	Chronic Lower Respiratory Disease	Chronic Lower Respiratory Disease
	34 5.0%	8 7.9%	15 6.5%	33 6.2%	76 9.3%	136 8.7%	148 3.8%	231 3.6%	2,348 4.9%	2,608 4.2%
5	SIDS	Homicide	Suicide	Heart Disease	Suicide	Homicide	Suicide	Chronic Lower Respiratory Disease	Alzheimer's Disease	Unintentional Injury
	21 3.1%	7 6.9%	14 6.0%	21 4.0%	58 7.1%	58 3.7%	137 3.5%	173 2.7%	1,630 3.4%	2,021 3.3%
6	Unintentional Injury	Septicemia	Congenital Anomalies	Congenital Anomalies	Cerebrovascular Disease	Liver Disease	Cerebrovascular Disease	Septicemia	Influenza & Pneumonia	Diabetes Mellitus
	21 3.1%	* -	12 5.2%	5 0.9%	18 2.2%	54 3.5%	132 3.3%	162 2.5%	1,460 3.1%	1,675 2.7%
7	Bacterial Sepsis	Cerebrovascular Disease	Chronic Lower Respiratory Disease	Influenza & Pneumonia	Diabetes Mellitus	HIV	Diabetes Mellitus	Unintentional Injury	Nephritis	Alzheimer's Disease
	19 2.8%	* -	5 2.2%	* -	14 1.7%	49 3.1%	113 2.9%	162 2.5%	1,365 2.9%	1,661 2.7%
8	Respiratory Distress	Influenza & Pneumonia	Influenza & Pneumonia	Septicemia	HIV	Diabetes Mellitus	Septicemia	Liver Disease	Diabetes Mellitus	Influenza & Pneumonia
	18 2.6%	* -	* -	* -	13 1.6%	41 2.6%	85 2.2%	155 2.4%	1,273 2.7%	1,629 2.6%
9	Necrotizing Enterocolitis	Perinatal Disease	Benign Neoplasms	Aortic Aneurysm & Dissection	Liver Disease	Cerebrovascular Disease	Chronic Lower Respiratory Disease	Nephritis	Septicemia	Nephritis
	16 2.3%	* -	* -	* -	13 1.6%	34 2.2%	58 1.5%	147 2.3%	1,053 2.2%	1,607 2.6%
10	Circulatory System Disease	Nephritis	Anemias	Benign Neoplasms	Influenza & Pneumonia	Septicemia	HIV	Suicide	Unintentional Injury	Septicemia
	14 2.0%	* -	* -	* -	12 1.5%	31 2.0%	51 1.3%	105 1.6%	674 1.4%	1,358 2.2%
Total	683	101	232	530	817	1,564	3,941	6,402	47,592	61,863

Key: Chronic Diseases and Conditions Infectious Agent Perinatal Period and Congenital Anomalies Violence and Injury Unclassified

Note: * Count suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events.

Source: IDPH Death Pull File 2006-2008

Cook County Department of Public Health, Epidemiology Unit

10 Leading Causes of Death by Age Group, Suburban Cook County, 2006-2008
(Counts/Percent of Total Deaths)

Females

Rank	<1	1-4	5-17	18-24	25-34	35-44	45-54	55-64	65+	Total
1	Short Gestation	Unintentional Injury	Unintentional Injury	Unintentional Injury	Unintentional Injury	Malignant Neoplasms	Malignant Neoplasms	Malignant Neoplasms	Heart Disease	Heart Disease
	74 23.2%	7 20.0%	22 25.0%	49 38.9%	46 21.9%	189 32.6%	658 40.6%	1,275 46.9%	7,561 27.9%	8,486 25.9%
2	Congenital Anomalies	Septicemia	Malignant Neoplasms	Suicide	Malignant Neoplasms	Heart Disease	Heart Disease	Heart Disease	Malignant Neoplasms	Malignant Neoplasms
	73 22.9%	* -	14 15.9%	16 12.7%	36 17.1%	79 13.6%	284 17.5%	513 18.9%	5,602 20.7%	7,790 23.8%
3	Maternal Pregnancy Complications	Congenital Anomalies	Homicide	Homicide	Heart Disease	Unintentional Injury	Unintentional Injury	Cerebrovascular Disease	Cerebrovascular Disease	Cerebrovascular Disease
	22 6.9%	* -	10 11.4%	13 10.3%	30 14.3%	78 13.5%	90 5.6%	109 4.0%	1,968 7.3%	2,165 6.6%
4	Placenta, Cord & Membranes Comp	Malignant Neoplasms	Heart Disease	Malignant Neoplasms	Cerebrovascular Disease	Suicide	Liver Disease	Diabetes Mellitus	Chronic Lower Respiratory Disease	Chronic Lower Respiratory Disease
	13 4.1%	* -	8 9.1%	12 9.5%	9 4.3%	33 5.7%	67 4.1%	93 3.4%	1,325 4.9%	1,441 4.4%
5	Unintentional Injury	Cerebrovascular Disease	Congenital Anomalies	Heart Disease	Septicemia	Liver Disease	Cerebrovascular Disease	Septicemia	Alzheimer's Disease	Alzheimer's Disease
	12 3.8%	* -	6 6.8%	5 4.0%	8 3.8%	18 3.1%	63 3.9%	79 2.9%	1,176 4.3%	1,196 3.6%
6	Bacterial Sepsis	Heart Disease	Suicide	Congenital Anomalies	Suicide	Diabetes Mellitus	Septicemia	Chronic Lower Respiratory Disease	Influenza & Pneumonia	Influenza & Pneumonia
	11 3.4%	* -	5 5.7%	* -	8 3.8%	16 2.8%	41 2.5%	77 2.8%	844 3.1%	904 2.8%
7	SIDS	Homicide	Anemias	Influenza & Pneumonia	Diabetes Mellitus	HIV	Diabetes Mellitus	Nephritis	Nephritis	Diabetes Mellitus
	11 3.4%	* -	* -	* -	6 2.9%	16 2.8%	38 2.3%	52 1.9%	708 2.6%	836 2.6%
8	Respiratory Distress	Anemias	Benign Neoplasms	Nephritis	Homicide	Cerebrovascular Disease	Suicide	Liver Disease	Diabetes Mellitus	Nephritis
	8 2.5%	* -	* -	* -	6 2.9%	14 2.4%	35 2.2%	51 1.9%	682 2.5%	793 2.4%
9	Necrotizing Enterocolitis	Influenza & Pneumonia	Chronic Lower Respiratory Disease	Benign Neoplasms	Influenza & Pneumonia	Homicide	Chronic Lower Respiratory Disease	Unintentional Injury	Septicemia	Septicemia
	7 2.2%	* -	* -	* -	5 2.4%	14 2.4%	30 1.9%	46 1.7%	603 2.2%	750 2.3%
10	Intrauterine Hypoxia & Birth Asphyxia	Perinatal Disease	Diabetes Mellitus	HIV	Benign Neoplasms	Septicemia	Nephritis	Benign Neoplasms	Unintentional Injury	Unintentional Injury
	5 1.6%	* -	* -	* -	* -	12 2.1%	19 1.2%	22 0.8%	321 1.2%	671 2.0%
Total	319	35	88	126	210	579	1,619	2,718	27,082	32,777

Key: Chronic Diseases and Conditions Infectious Agent Perinatal Period and Congenital Anomalies Violence and Injury Unclassified

Note: * Count suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events.

Source: IDPH Death Pull File 2006-2008

Cook County Department of Public Health, Epidemiology Unit

10 Leading Causes of Death by Age Group, Suburban Cook County, 2006-2008
(Counts/Percent of Total Deaths)

Males

Rank	<1	1-4	5-17	18-24	25-34	35-44	45-54	55-64	65+	Total
1	Short Gestation	Unintentional Injury	Unintentional Injury	Unintentional Injury	Unintentional Injury	Unintentional Injury	Heart Disease	Malignant Neoplasms	Heart Disease	Heart Disease
	95 26.2%	17 25.8%	35 24.3%	147 36.4%	235 38.7%	214 21.7%	657 28.3%	1,214 33.0%	5,860 28.6%	7,858 27.0%
2	Congenital Anomalies	Congenital Anomalies	Homicide	Homicide	Homicide	Heart Disease	Malignant Neoplasms	Heart Disease	Malignant Neoplasms	Malignant Neoplasms
	54 14.9%	6 9.1%	34 23.6%	122 30.2%	96 15.8%	187 19.0%	593 25.5%	1,059 28.7%	5,408 26.4%	7,408 25.5%
3	Placenta, Cord & Membranes Comp	Heart Disease	Malignant Neoplasms	Suicide	Heart Disease	Malignant Neoplasms	Unintentional Injury	Diabetes Mellitus	Cerebrovascular Disease	Cerebrovascular Disease
	21 5.8%	6 9.1%	13 9.0%	52 12.9%	60 9.9%	111 11.3%	224 9.6%	138 3.7%	1,128 5.5%	1,356 4.7%
4	Maternal Pregnancy Complications	Malignant Neoplasms	Suicide	Malignant Neoplasms	Suicide	Suicide	Suicide	Cerebrovascular Disease	Chronic Lower Respiratory Disease	Unintentional Injury
	19 5.2%	6 9.1%	9 6.3%	21 5.2%	50 8.2%	103 10.5%	102 4.4%	124 3.4%	1,023 5.0%	1,350 4.6%
5	Circulatory System Disease	Homicide	Heart Disease	Heart Disease	Malignant Neoplasms	Homicide	Liver Disease	Unintentional Injury	Nephritis	Chronic Lower Respiratory Disease
	10 2.8%	5 7.6%	7 4.9%	16 4.0%	40 6.6%	44 4.5%	81 3.5%	116 3.1%	657 3.2%	1,167 4.0%
6	Respiratory Distress	Influenza & Pneumonia	Congenital Anomalies	Septicemia	HIV	Liver Disease	Diabetes Mellitus	Liver Disease	Influenza & Pneumonia	Diabetes Mellitus
	10 2.8%	* -	6 4.2%	* -	11 1.8%	36 3.7%	75 3.2%	104 2.8%	616 3.0%	839 2.9%
7	SIDS	Nephritis	Chronic Lower Respiratory Disease	Aortic Aneurysm & Dissection	Liver Disease	HIV	Cerebrovascular Disease	Chronic Lower Respiratory Disease	Diabetes Mellitus	Nephritis
	10 2.8%	* -	* -	* -	10 1.6%	33 3.4%	69 3.0%	96 2.6%	591 2.9%	814 2.8%
8	Necrotizing Enterocolitis	Perinatal Disease	Influenza & Pneumonia	Cerebrovascular Disease	Cerebrovascular Disease	Diabetes Mellitus	Septicemia	Nephritis	Alzheimer's Disease	Influenza & Pneumonia
	9 2.5%	* -	* -	* -	9 1.5%	25 2.5%	44 1.9%	95 2.6%	454 2.2%	725 2.5%
9	Neonatal Hemorrhage	Cerebrovascular Disease	Septicemia	Congenital Anomalies	Diabetes Mellitus	Nephritis	HIV	Septicemia	Septicemia	Septicemia
	9 2.5%	* -	* -	* -	8 1.3%	21 2.1%	34 1.5%	83 2.3%	450 2.2%	608 2.1%
10	Unintentional Injury	Chronic Lower Respiratory Disease	Benign Neoplasms	Diabetes Mellitus	Influenza & Pneumonia	Cerebrovascular Disease	Homicide	Suicide	Unintentional Injury	Suicide
	9 2.5%	* -	* -	* -	7 1.2%	20 2.0%	31 1.3%	83 2.3%	353 1.7%	473 1.6%
Total	363	66	144	404	607	985	2,322	3,684	20,507	29,082

Key: Chronic Diseases and Conditions Infectious Agent Perinatal Period and Congenital Anomalies Violence and Injury Unclassified

Note: * Count suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events.

Source: IDPH Death Pull File 2006-2008

Cook County Department of Public Health, Epidemiology Unit

10 Leading Causes of Death by Age Group, Suburban Cook County, 2006-2008
(Counts/Percent of Total Deaths)

Hispanic

Rank	<1	1-4	5-17	18-24	25-34	35-44	45-54	55-64	65+	Total
1	Short Gestation	Unintentional Injury	Unintentional Injury	Unintentional Injury	Unintentional Injury	Unintentional Injury	Malignant Neoplasms	Malignant Neoplasms	Malignant Neoplasms	Malignant Neoplasms
	43 24.7%	10 40.0%	14 30.4%	33 35.5%	44 33.8%	36 22.8%	73 29.7%	116 37.9%	279 25.2%	518 22.7%
2	Congenital Anomalies	Septicemia	Homicide	Homicide	Homicide	Malignant Neoplasms	Heart Disease	Heart Disease	Heart Disease	Heart Disease
	35 20.1%	* -	9 19.6%	26 28.0%	16 12.3%	26 16.5%	44 17.9%	53 17.3%	268 24.2%	407 17.8%
3	Maternal Pregnancy Complications	Perinatal Disease	Malignant Neoplasms	Suicide	Malignant Neoplasms	Heart Disease	Unintentional Injury	Diabetes Mellitus	Cerebrovascular Disease	Unintentional Injury
	14 8.0%	* -	* -	10 10.8%	16 12.3%	21 13.3%	24 9.8%	19 6.2%	86 7.8%	192 8.4%
4	Placenta, Cord & Membranes Comp	Congenital Anomalies	Congenital Anomalies	Heart Disease	Heart Disease	Homicide	Cerebrovascular Disease	Cerebrovascular Disease	Diabetes Mellitus	Cerebrovascular Disease
	12 6.9%	* -	* -	9 9.7%	7 5.4%	12 7.6%	13 5.3%	17 5.6%	63 5.7%	123 5.4%
5	Respiratory Distress	Heart Disease	Heart Disease	Malignant Neoplasms	Suicide	Suicide	Septicemia	Liver Disease	Nephritis	Perinatal Disease
	6 3.4%	* -	* -	* -	7 5.4%	11 7.0%	10 4.1%	13 4.2%	46 4.2%	107 4.7%
6	SIDS	Homicide	Influenza & Pneumonia	Septicemia	Diabetes Mellitus	Diabetes Mellitus	Diabetes Mellitus	Unintentional Injury	Septicemia	Diabetes Mellitus
	6 3.4%	* -	* -	* -	* -	6 3.8%	9 3.7%	12 3.9%	38 3.4%	101 4.4%
7	Necrotizing Enterocolitis		Chronic Lower Respiratory Disease	Aortic Aneurysm & Dissection	Benign Neoplasms	Cerebrovascular Disease	Liver Disease	Septicemia	Alzheimer's Disease	Homicide
	5 2.9%		* -	* -	* -	5 3.2%	8 3.3%	9 2.9%	28 2.5%	70 3.1%
8	Atelectasis		Suicide	Congenital Anomalies	Cerebrovascular Disease	Nephritis	Suicide	Nephritis	Influenza & Pneumonia	Septicemia
	* -		* -	* -	* -	5 3.2%	8 3.3%	6 2.0%	22 2.0%	67 2.9%
9	Intrauterine Hypoxia & Birth Asphyxia			Influenza & Pneumonia	Chronic Lower Respiratory Disease	HIV	Nephritis	Chronic Lower Respiratory Disease	Chronic Lower Respiratory Disease	Nephritis
	* -			* -	* -	* -	7 2.8%	* -	21 1.9%	65 2.8%
10	Unintentional Injury				HIV	Liver Disease	Viral Hepatitis	Suicide	Unintentional Injury	Congenital Anomalies
	* -				* -	* -	* -	* -	15 1.4%	43 1.9%
Total	174	25	46	93	130	158	246	306	1,107	2,285

Key: Chronic Diseases and Conditions Infectious Agent Perinatal Period and Congenital Anomalies Violence and Injury Unclassified

Note: * Count suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events.

Source: IDPH Death Pull File 2006-2008

Cook County Department of Public Health, Epidemiology Unit

10 Leading Causes of Death by Age Group, Suburban Cook County, 2006-2008
(Counts/Percent of Total Deaths)

Hispanic Females

Rank	<1	1-17	18-44	45-64	65+	Total
1	Congenital Anomalies	Unintentional Injury	Malignant Neoplasms	Malignant Neoplasms	Heart Disease	Malignant Neoplasms
	21 27.6%	6 24.0%	24 25.0%	90 42.5%	121 23.0%	237 25.3%
2	Short Gestation	Congenital Anomalies	Unintentional Injury	Heart Disease	Malignant Neoplasms	Heart Disease
	16 21.1%	* -	18 18.8%	32 15.1%	121 23.0%	165 17.6%
3	Maternal Pregnancy Complications	Septicemia	Heart Disease	Cerebrovascular Disease	Cerebrovascular Disease	Cerebrovascular Disease
	8 10.5%	* -	11 11.5%	14 6.6%	44 8.3%	59 6.3%
4	Placenta, Cord & Membranes Comp	Homicide	Homicide	Diabetes Mellitus	Diabetes Mellitus	Diabetes Mellitus
	5 6.6%	* -	8 8.3%	10 4.7%	34 6.5%	48 5.1%
5	Atelectasis	Heart Disease	Suicide	Unintentional Injury	Alzheimer's Disease	Perinatal Disease
	* -	* -	7 7.3%	8 3.8%	23 4.4%	43 4.6%
6	Unintentional Injury	Influenza & Pneumonia	Diabetes Mellitus	Septicemia	Nephritis	Unintentional Injury
	* -	* -	* -	7 3.3%	22 4.2%	42 4.5%
7	Homicide	Malignant Neoplasms	HIV	Liver Disease	Septicemia	Septicemia
	* -	* -	* -	6 2.8%	17 3.2%	29 3.1%
8	Intrauterine Hypoxia & Birth Asphyxia	Perinatal Disease	Septicemia	Chronic Lower Respiratory Disease	Influenza & Pneumonia	Alzheimer's Disease
	* -	* -	* -	5 2.4%	12 2.3%	24 2.6%
9	Respiratory Distress		Benign Neoplasms	Influenza & Pneumonia	Chronic Lower Respiratory Disease	Congenital Anomalies
	* -		* -	* -	10 1.9%	24 2.6%
10	SIDS		Cerebrovascular Disease	Viral Hepatitis	Hypertension	Nephritis
	* -		* -	* -	7 1.3%	24 2.6%
Total	76	25	96	212	527	936

Key: Chronic Diseases and Conditions Infectious Agent Perinatal Period and Congenital Anomalies Violence and Injury Unclassified

Note: * Count suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events.

Source: IDPH Death Pull File 2006-2008

Cook County Department of Public Health, Epidemiology Unit

10 Leading Causes of Death by Age Group, Suburban Cook County, 2006-2008
(Counts/Percent of Total Deaths)

Hispanic Males

Rank	<1	1-17	18-44	45-64	65+	Total
1	Short Gestation	Unintentional Injury	Unintentional Injury	Malignant Neoplasms	Malignant Neoplasms	Malignant Neoplasms
	27 27.6%	18 39.1%	95 33.3%	99 29.1%	158 27.2%	281 20.8%
2	Congenital Anomalies	Homicide	Homicide	Heart Disease	Heart Disease	Heart Disease
	14 14.3%	8 17.4%	46 16.1%	65 19.1%	147 25.3%	242 17.9%
3	Placenta, Cord & Membranes Comp	Malignant Neoplasms	Heart Disease	Unintentional Injury	Cerebrovascular Disease	Unintentional Injury
	7 7.1%	* -	26 9.1%	28 8.2%	42 7.2%	150 11.1%
4	Maternal Pregnancy Complications	Heart Disease	Malignant Neoplasms	Diabetes Mellitus	Diabetes Mellitus	Cerebrovascular Disease
	6 6.1%	* -	21 7.4%	18 5.3%	29 5.0%	64 4.7%
5	Necrotizing Enterocolitis	Chronic Lower Respiratory Disease	Suicide	Cerebrovascular Disease	Nephritis	Perinatal Disease
	5 5.1%	* -	21 7.4%	16 4.7%	24 4.1%	64 4.7%
6	Respiratory Distress	Congenital Anomalies	Cerebrovascular Disease	Liver Disease	Septicemia	Homicide
	* -	* -	6 2.1%	15 4.4%	21 3.6%	57 4.2%
7	SIDS	Influenza & Pneumonia	Diabetes Mellitus	Nephritis	Chronic Lower Respiratory Disease	Diabetes Mellitus
	* -	* -	6 2.1%	12 3.5%	11 1.9%	53 3.9%
8	Bacterial Sepsis	Perinatal Disease	Nephritis	Septicemia	Influenza & Pneumonia	Nephritis
	* -	* -	5 1.8%	12 3.5%	10 1.7%	41 3.0%
9	Neonatal Hemorrhage	Suicide	HIV	Suicide	Liver Disease	Septicemia
	* -	* -	* -	11 3.2%	9 1.6%	38 2.8%
10	Circulatory System Disease		Septicemia	Viral Hepatitis	Parkinson's Disease	Suicide
	* -		* -	5 1.5%	8 1.4%	35 2.6%
Total	98	46	285	340	580	1,349

Key:



Chronic Diseases and Conditions



Infectious Agent



Perinatal Period and Congenital Anomalies



Violence and Injury



Unclassified

Note: * Count suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events.

Source: IDPH Death Pull File 2006-2008

Cook County Department of Public Health, Epidemiology Unit

10 Leading Causes of Death by Age Group, Suburban Cook County, 2006-2008
(Counts/Percent of Total Deaths)

Non Hispanic Asian/Pacific Islander

Rank	<1	1-4	5-17	18-24	25-34	35-44	45-54	55-64	65+	Total
1	Congenital Anomalies 8 23.5%	Malignant Neoplasms * -	Heart Disease * -	Unintentional Injury 9 47.4%	Unintentional Injury * -	Malignant Neoplasms 8 27.6%	Malignant Neoplasms 32 42.7%	Malignant Neoplasms 72 39.6%	Heart Disease 188 24.4%	Malignant Neoplasms 291 25.6%
2	Short Gestation 7 20.6%		Malignant Neoplasms * -	Suicide * -	Heart Disease * -	Suicide 6 20.7%	Heart Disease 14 18.7%	Heart Disease 39 21.4%	Malignant Neoplasms 173 22.4%	Heart Disease 251 22.1%
3	Maternal Pregnancy Complications * -		Benign Neoplasms * -	Cerebrovascular Disease * -	Malignant Neoplasms * -	Heart Disease * -	Cerebrovascular Disease * -	Diabetes Mellitus 12 6.6%	Cerebrovascular Disease 62 8.0%	Cerebrovascular Disease 74 6.5%
4	Circulatory System Disease * -		Congenital Anomalies * -	Influenza & Pneumonia * -	Suicide * -	Unintentional Injury * -	Diabetes Mellitus * -	Cerebrovascular Disease 6 3.3%	Diabetes Mellitus 53 6.9%	Diabetes Mellitus 69 6.1%
5	Atelectasis * -		Homicide * -	Malignant Neoplasms * -	Homicide * -	Aortic Aneurysm & Dissection * -	Unintentional Injury * -	Septicemia 6 3.3%	Nephritis 36 4.7%	Nephritis 42 3.7%
6	Chronic Respiratory Disease * -		Suicide * -	Pneumonitis Due to Solids & Liquids * -	Viral Hepatitis * -	Cerebrovascular Disease * -	Liver Disease * -	Liver Disease 5 2.7%	Influenza & Pneumonia 30 3.9%	Unintentional Injury 39 3.4%
7	Diseases of the Blood * -		Unintentional Injury * -			Diabetes Mellitus * -	Septicemia * -	Nephritis 5 2.7%	Chronic Lower Respiratory Disease 21 2.7%	Influenza & Pneumonia 34 3.0%
8	Gastritis * -					Viral Hepatitis * -	Suicide * -	Suicide 5 2.7%	Septicemia 16 2.1%	Septicemia 24 2.1%
9	Necrotizing Enterocolitis * -						Anemias * -	Hypertension * -	Unintentional Injury 16 2.1%	Chronic Lower Respiratory Disease 23 2.0%
10	Neonatal Hemorrhage * -						Aortic Aneurysm & Dissection * -	Benign Neoplasms * -	Alzheimer's Disease 14 1.8%	Suicide 21 1.9%
Total	34	*	10	19	13	29	75	182	772	1,135

Key: Chronic Diseases and Conditions Infectious Agent Perinatal Period and Congenital Anomalies Violence and Injury Unclassified

Note: * Count suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events.

Source: IDPH Death Pull File 2006-2008

Cook County Department of Public Health, Epidemiology Unit

10 Leading Causes of Death by Age Group, Suburban Cook County, 2006-2008
(Counts/Percent of Total Deaths)

Non Hispanic Asian/Pacific Islander Females

Rank	<1	1-17	18-44	45-64	65+	Total
1	Congenital Anomalies	Malignant Neoplasms	Unintentional Injury	Malignant Neoplasms	Heart Disease	Malignant Neoplasms
	* -	* -	8 29.6%	54 51.4%	105 25.7%	152 27.0%
2	Short Gestation	Benign Neoplasms	Malignant Neoplasms	Heart Disease	Malignant Neoplasms	Heart Disease
	* -	* -	7 25.9%	20 19.0%	89 21.8%	130 23.0%
3	Circulatory System Disease	Heart Disease	Suicide	Cerebrovascular Disease	Cerebrovascular Disease	Cerebrovascular Disease
	* -	* -	5 18.5%	5 4.8%	38 9.3%	43 7.6%
4	Diseases of the Blood	Homicide	Heart Disease	Hypertension	Diabetes Mellitus	Diabetes Mellitus
	* -	* -	* -	* -	25 6.1%	27 4.8%
5	Gastritis	Suicide	Viral Hepatitis	Septicemia	Nephritis	Nephritis
	* -	* -	* -	* -	20 4.9%	22 3.9%
6	Maternal Pregnancy Complications	Unintentional Injury		Benign Neoplasms	Influenza & Pneumonia	Unintentional Injury
	* -	* -		* -	12 2.9%	18 3.2%
7	Neonatal Hemorrhage			Diabetes Mellitus	Chronic Lower Respiratory Disease	Chronic Lower Respiratory Disease
	* -			* -	11 2.7%	12 2.1%
8	Renal Failure			Anemias	Alzheimer's Disease	Influenza & Pneumonia
	* -			* -	10 2.5%	12 2.1%
9				Chronic Lower Respiratory Disease	Septicemia	Septicemia
				* -	9 2.2%	12 2.1%
10				Liver Disease	Unintentional Injury	Alzheimer's Disease
				* -	8 2.0%	10 1.8%
Total	17	7	27	105	408	564

Key: Chronic Diseases and Conditions Infectious Agent Perinatal Period and Congenital Anomalies Violence and Injury Unclassified

Note: * Count suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events.

Source: IDPH Death Pull File 2006-2008

Cook County Department of Public Health, Epidemiology Unit

10 Leading Causes of Death by Age Group, Suburban Cook County, 2006-2008
(Counts/Percent of Total Deaths)

Non Hispanic Asian/Pacific Islander Males

Rank	<1	1-17	18-44	45-64	65+	Total
1	Congenital Anomalies	Congenital Anomalies	Unintentional Injury	Malignant Neoplasms	Malignant Neoplasms	Malignant Neoplasms
	* -	* -	9 26.5%	50 32.9%	84 23.1%	139 24.4%
2	Maternal Pregnancy Complications	Heart Disease	Suicide	Heart Disease	Heart Disease	Heart Disease
	* -	* -	6 17.6%	33 21.7%	83 22.9%	121 21.2%
3	Short Gestation	Malignant Neoplasms	Malignant Neoplasms	Diabetes Mellitus	Diabetes Mellitus	Diabetes Mellitus
	* -	* -	* -	13 8.6%	28 7.7%	42 7.4%
4	Atelectasis		Heart Disease	Suicide	Cerebrovascular Disease	Cerebrovascular Disease
	* -		* -	7 4.6%	24 6.6%	31 5.4%
5	Chronic Respiratory Disease		Cerebrovascular Disease	Liver Disease	Influenza & Pneumonia	Influenza & Pneumonia
	* -		* -	6 3.9%	18 5.0%	22 3.9%
6	Circulatory System Disease		Aortic Aneurysm & Dissection	Cerebrovascular Disease	Nephritis	Unintentional Injury
	* -		* -	5 3.3%	16 4.4%	21 3.7%
7	Necrotizing Enterocolitis		Diabetes Mellitus	Septicemia	Chronic Lower Respiratory Disease	Nephritis
	* -		* -	5 3.3%	10 2.8%	20 3.5%
8	Placenta, Cord & Membranes Comp		Homicide	Nephritis	Aortic Aneurysm & Dissection	Suicide
	* -		* -	* -	9 2.5%	14 2.5%
9			Influenza & Pneumonia	Unintentional Injury	Unintentional Injury	Aortic Aneurysm & Dissection
			* -	* -	8 2.2%	12 2.1%
10			Pneumonitis Due to Solids & Liquids	Influenza & Pneumonia	Septicemia	Septicemia
			* -	* -	7 1.9%	12 2.1%
Total	17	*	34	152	363	570

Key:



Chronic Diseases and Conditions



Infectious Agent



Perinatal Period and Congenital Anomalies



Violence and Injury



Unclassified

Note: * Count suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events.

Source: IDPH Death Pull File 2006-2008

Cook County Department of Public Health, Epidemiology Unit

10 Leading Causes of Death by Age Group, Suburban Cook County, 2006-2008
(Counts/Percent of Total Deaths)

Non Hispanic Black

Rank	<1	1-4	5-17	18-24	25-34	35-44	45-54	55-64	65+	Total
1	Short Gestation	Unintentional Injury	Homicide	Homicide	Homicide	Heart Disease	Malignant Neoplasms	Malignant Neoplasms	Heart Disease	Heart Disease
	68 29.2%	6 16.2%	30 41.1%	93 56.0%	74 26.4%	92 20.3%	308 29.7%	450 34.6%	1,245 28.6%	1,978 24.9%
2	Congenital Anomalies	Heart Disease	Unintentional Injury	Unintentional Injury	Unintentional Injury	Malignant Neoplasms	Heart Disease	Heart Disease	Malignant Neoplasms	Malignant Neoplasms
	31 13.3%	5 13.5%	18 24.7%	29 17.5%	58 20.7%	85 18.7%	235 22.7%	355 27.3%	1,088 25.0%	1,962 24.7%
3	Unintentional Injury	Homicide	Heart Disease	Suicide	Heart Disease	Unintentional Injury	Unintentional Injury	Cerebrovascular Disease	Cerebrovascular Disease	Cerebrovascular Disease
	10 4.3%	5 13.5%	* -	10 6.0%	36 12.9%	69 15.2%	77 7.4%	60 4.6%	295 6.8%	431 5.4%
4	Bacterial Sepsis	Influenza & Pneumonia	Malignant Neoplasms	Malignant Neoplasms	Malignant Neoplasms	Homicide	Cerebrovascular Disease	Nephritis	Nephritis	Unintentional Injury
	8 3.4%	* -	* -	5 3.0%	20 7.1%	34 7.5%	46 4.4%	60 4.6%	199 4.6%	338 4.3%
5	SIDS	Cerebrovascular Disease	Congenital Anomalies	Heart Disease	Cerebrovascular Disease	HIV	Diabetes Mellitus	Diabetes Mellitus	Diabetes Mellitus	Nephritis
	8 3.4%	* -	* -	* -	11 3.9%	28 6.2%	41 4.0%	49 3.8%	178 4.1%	304 3.8%
6	Maternal Pregnancy Complications	Congenital Anomalies	Chronic Lower Respiratory Disease	Nephritis	Suicide	Cerebrovascular Disease	HIV	Septicemia	Chronic Lower Respiratory Disease	Diabetes Mellitus
	7 3.0%	* -	* -	* -	11 3.9%	15 3.3%	35 3.4%	42 3.2%	167 3.8%	286 3.6%
7	Placenta, Cord & Membranes Comp	Malignant Neoplasms	Diabetes Mellitus	Aortic Aneurysm & Dissection	HIV	Diabetes Mellitus	Septicemia	Unintentional Injury	Septicemia	Homicide
	7 3.0%	* -	* -	* -	9 3.2%	13 2.9%	27 2.6%	35 2.7%	138 3.2%	271 3.4%
8	Respiratory Distress	Anemias	Legal Intervention	Cerebrovascular Disease	Chronic Lower Respiratory Disease	Septicemia	Nephritis	Chronic Lower Respiratory Disease	Alzheimer's Disease	Chronic Lower Respiratory Disease
	7 3.0%	* -	* -	* -	5 1.8%	12 2.6%	25 2.4%	26 2.0%	106 2.4%	229 2.9%
9	Necrotizing Enterocolitis	Chronic Lower Respiratory Disease	Parkinson's Disease	Chronic Lower Respiratory Disease	Septicemia	Suicide	Chronic Lower Respiratory Disease	Liver Disease	Influenza & Pneumonia	Septicemia
	5 2.1%	* -	* -	* -	5 1.8%	12 2.6%	24 2.3%	17 1.3%	99 2.3%	227 2.9%
10	Circulatory System Disease	Nephritis	Pneumonitis Due to Solids & Liquids	Diabetes Mellitus	Influenza & Pneumonia	Nephritis	Homicide	Influenza & Pneumonia	Hypertension	Influenza & Pneumonia
	* -	* -	* -	* -	* -	10 2.2%	23 2.2%	15 1.2%	60 1.4%	144 1.8%
Total	233	37	73	166	280	454	1,037	1,301	4,360	7,941

Key: Chronic Diseases and Conditions Infectious Agent Perinatal Period and Congenital Anomalies Violence and Injury Unclassified

Note: * Count suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events.

Source: IDPH Death Pull File 2006-2008

Cook County Department of Public Health, Epidemiology Unit

10 Leading Causes of Death by Age Group, Suburban Cook County, 2006-2008
(Counts/Percent of Total Deaths)

Non Hispanic Black Females

Rank	<1	1-17	18-44	45-64	65+	Total
1	Short Gestation	Homicide	Malignant Neoplasms	Malignant Neoplasms	Heart Disease	Malignant Neoplasms
	29 25.7%	8 24.2%	73 24.5%	404 39.0%	667 28.2%	1,016 26.4%
2	Congenital Anomalies	Unintentional Injury	Heart Disease	Heart Disease	Malignant Neoplasms	Heart Disease
	20 17.7%	7 21.2%	50 16.8%	216 20.8%	536 22.6%	937 24.3%
3	SIDS	Heart Disease	Unintentional Injury	Cerebrovascular Disease	Cerebrovascular Disease	Cerebrovascular Disease
	6 5.3%	* -	37 12.4%	52 5.0%	183 7.7%	250 6.5%
4	Unintentional Injury	Malignant Neoplasms	Homicide	Unintentional Injury	Diabetes Mellitus	Diabetes Mellitus
	6 5.3%	* -	19 6.4%	40 3.9%	107 4.5%	147 3.8%
5	Necrotizing Enterocolitis	Anemias	HIV	Septicemia	Nephritis	Nephritis
	5 4.4%	* -	15 5.0%	35 3.4%	97 4.1%	139 3.6%
6	Bacterial Sepsis	Cerebrovascular Disease	Cerebrovascular Disease	Diabetes Mellitus	Alzheimer's Disease	Septicemia
	* -	* -	14 4.7%	34 3.3%	79 3.3%	121 3.1%
7	Maternal Pregnancy Complications	Chronic Lower Respiratory Disease	Septicemia	Nephritis	Chronic Lower Respiratory Disease	Chronic Lower Respiratory Disease
	* -	* -	9 3.0%	34 3.3%	77 3.3%	108 2.8%
8	Respiratory Distress	Congenital Anomalies	Influenza & Pneumonia	Chronic Lower Respiratory Disease	Septicemia	Unintentional Injury
	* -	* -	7 2.3%	28 2.7%	76 3.2%	104 2.7%
9	Influenza & Pneumonia	Diabetes Mellitus	Nephritis	HIV	Influenza & Pneumonia	Alzheimer's Disease
	* -	* -	7 2.3%	12 1.2%	48 2.0%	81 2.1%
10	Placenta, Cord & Membranes Comp	Influenza & Pneumonia	Diabetes Mellitus	Hypertension	Hypertension	Influenza & Pneumonia
	* -	* -	5 1.7%	12 1.2%	38 1.6%	66 1.7%
Total	113	33	298	1,037	2,368	3,849

Key: Chronic Diseases and Conditions Infectious Agent Perinatal Period and Congenital Anomalies Violence and Injury Unclassified

Note: * Count suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events.

Source: IDPH Death Pull File 2006-2008

Cook County Department of Public Health, Epidemiology Unit

10 Leading Causes of Death by Age Group, Suburban Cook County, 2006-2008
(Counts/Percent of Total Deaths)

Non Hispanic Black Males

Rank	<1	1-17	18-44	45-64	65+	Total
1	Short Gestation	Homicide	Homicide	Heart Disease	Heart Disease	Heart Disease
	38 31.9%	27 35.1%	182 30.2%	374 28.7%	578 29.0%	1,041 25.4%
2	Congenital Anomalies	Unintentional Injury	Unintentional Injury	Malignant Neoplasms	Malignant Neoplasms	Malignant Neoplasms
	11 9.2%	17 22.1%	119 19.8%	354 27.2%	552 27.7%	946 23.1%
3	Bacterial Sepsis	Heart Disease	Heart Disease	Unintentional Injury	Cerebrovascular Disease	Homicide
	* -	6 7.8%	81 13.5%	72 5.5%	112 5.6%	235 5.7%
4	Placenta, Cord & Membranes Comp	Congenital Anomalies	Malignant Neoplasms	Diabetes Mellitus	Nephritis	Unintentional Injury
	* -	* -	37 6.1%	56 4.3%	102 5.1%	234 5.7%
5	Unintentional Injury	Malignant Neoplasms	Suicide	Cerebrovascular Disease	Chronic Lower Respiratory Disease	Cerebrovascular Disease
	* -	* -	30 5.0%	54 4.2%	90 4.5%	181 4.4%
6	Atelectasis	Influenza & Pneumonia	HIV	Nephritis	Diabetes Mellitus	Nephritis
	* -	* -	23 3.8%	51 3.9%	71 3.6%	165 4.0%
7	Circulatory System Disease	Cerebrovascular Disease	Cerebrovascular Disease	HIV	Septicemia	Diabetes Mellitus
	* -	* -	13 2.2%	35 2.7%	62 3.1%	139 3.4%
8	Homicide	Chronic Lower Respiratory Disease	Diabetes Mellitus	Septicemia	Influenza & Pneumonia	Chronic Lower Respiratory Disease
	* -	* -	12 2.0%	34 2.6%	51 2.6%	121 3.0%
9	Maternal Pregnancy Complications	Legal Intervention	Nephritis	Liver Disease	Alzheimer's Disease	Septicemia
	* -	* -	9 1.5%	25 1.9%	27 1.4%	106 2.6%
10	Respiratory Distress	Nephritis	Septicemia	Chronic Lower Respiratory Disease	Hypertension	Influenza & Pneumonia
	* -	* -	9 1.5%	22 1.7%	22 1.1%	78 1.9%
Total	119	77	602	1,301	1,992	4,091

Key: Chronic Diseases and Conditions Infectious Agent Perinatal Period and Congenital Anomalies Violence and Injury Unclassified

Note: * Count suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events.

Source: IDPH Death Pull File 2006-2008

Cook County Department of Public Health, Epidemiology Unit

10 Leading Causes of Death by Age Group, Suburban Cook County, 2006-2008
(Counts/Percent of Total Deaths)

Non Hispanic White

Rank	<1	1-4	5-17	18-24	25-34	35-44	45-54	55-64	65+	Total
1	Congenital Anomalies	Malignant Neoplasms	Unintentional Injury	Unintentional Injury	Unintentional Injury	Unintentional Injury	Malignant Neoplasms	Malignant Neoplasms	Heart Disease	Heart Disease
	47 22.4%	6 17.6%	24 24.2%	123 51.0%	173 44.7%	181 20.3%	830 32.8%	1,841 40.5%	11,611 28.3%	13,549 27.1%
2	Short Gestation	Unintentional Injury	Malignant Neoplasms	Suicide	Heart Disease	Malignant Neoplasms	Heart Disease	Heart Disease	Malignant Neoplasms	Malignant Neoplasms
	38 18.1%	6 17.6%	17 17.2%	44 18.3%	45 11.6%	176 19.7%	634 25.0%	1,099 24.2%	9,413 22.9%	12,347 24.7%
3	Maternal Pregnancy Complications	Congenital Anomalies	Suicide	Malignant Neoplasms	Malignant Neoplasms	Heart Disease	Unintentional Injury	Diabetes Mellitus	Cerebrovascular Disease	Cerebrovascular Disease
	14 6.7%	5 14.7%	11 11.1%	24 10.0%	38 9.8%	140 15.7%	205 8.1%	150 3.3%	2,632 6.4%	2,866 5.7%
4	Placenta, Cord & Membranes Comp	Heart Disease	Congenital Anomalies	Homicide	Suicide	Suicide	Liver Disease	Cerebrovascular Disease	Chronic Lower Respiratory Disease	Chronic Lower Respiratory Disease
	13 6.2%	* -	6 6.1%	11 4.6%	37 9.6%	104 11.7%	118 4.7%	146 3.2%	2,122 5.2%	2,306 4.6%
5	Bacterial Sepsis	Cerebrovascular Disease	Heart Disease	Heart Disease	Homicide	Liver Disease	Suicide	Chronic Lower Respiratory Disease	Alzheimer's Disease	Alzheimer's Disease
	7 3.3%	* -	6 6.1%	9 3.7%	11 2.8%	47 5.3%	117 4.6%	139 3.1%	1,473 3.6%	1,500 3.0%
6	SIDS	Nephritis	Homicide	Congenital Anomalies	Liver Disease	Diabetes Mellitus	Cerebrovascular Disease	Liver Disease	Influenza & Pneumonia	Unintentional Injury
	7 3.3%	* -	* -	* -	11 2.8%	20 2.2%	67 2.6%	118 2.6%	1,297 3.2%	1,428 2.9%
7	Neonatal Hemorrhage	Perinatal Disease	Chronic Lower Respiratory Disease	Benign Neoplasms	Diabetes Mellitus	HIV	Diabetes Mellitus	Unintentional Injury	Nephritis	Influenza & Pneumonia
	6 2.9%	* -	* -	* -	7 1.8%	17 1.9%	59 2.3%	113 2.5%	1,078 2.6%	1,403 2.8%
8	Unintentional Injury		Benign Neoplasms	Diabetes Mellitus	Influenza & Pneumonia	Septicemia	Septicemia	Septicemia	Diabetes Mellitus	Diabetes Mellitus
	6 2.9%		* -	* -	6 1.6%	16 1.8%	45 1.8%	103 2.3%	970 2.4%	1,207 2.4%
9	Circulatory System Disease		Influenza & Pneumonia	Influenza & Pneumonia	Cerebrovascular Disease	Influenza & Pneumonia	Influenza & Pneumonia	Suicide	Septicemia	Nephritis
	5 2.4%		* -	* -	5 1.3%	15 1.7%	34 1.3%	87 1.9%	848 2.1%	1,186 2.4%
10	Necrotizing Enterocolitis		Septicemia	Liver Disease	Benign Neoplasms	Cerebrovascular Disease	Chronic Lower Respiratory Disease	Nephritis	Unintentional Injury	Septicemia
	5 2.4%		* -	* -	* -	13 1.5%	32 1.3%	74 1.6%	597 1.5%	1,022 2.0%
Total	210	34	99	241	387	892	2,534	4,548	41,020	49,966

Key: Chronic Diseases and Conditions Infectious Agent Perinatal Period and Congenital Anomalies Violence and Injury Unclassified

Note: * Count suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events.

Source: IDPH Death Pull File 2006-2008

Cook County Department of Public Health, Epidemiology Unit

10 Leading Causes of Death by Age Group, Suburban Cook County, 2006-2008
(Counts/Percent of Total Deaths)

Non Hispanic White Females

Rank	<1	1-17	18-44	45-64	65+	Total
1	Congenital Anomalies	Unintentional Injury	Malignant Neoplasms	Malignant Neoplasms	Heart Disease	Heart Disease
	25 24.5%	14 25.5%	130 27.1%	1,375 46.7%	6,605 28.0%	7,182 26.4%
2	Short Gestation	Malignant Neoplasms	Unintentional Injury	Heart Disease	Malignant Neoplasms	Malignant Neoplasms
	20 19.6%	11 20.0%	109 22.7%	522 17.7%	4,830 20.5%	6,346 23.3%
3	Maternal Pregnancy Complications	Heart Disease	Heart Disease	Liver Disease	Cerebrovascular Disease	Cerebrovascular Disease
	8 7.8%	5 9.1%	48 10.0%	99 3.4%	1,689 7.2%	1,795 6.6%
4	Bacterial Sepsis	Congenital Anomalies	Suicide	Cerebrovascular Disease	Chronic Lower Respiratory Disease	Chronic Lower Respiratory Disease
	6 5.9%	* -	40 8.3%	97 3.3%	1,217 5.2%	1,294 4.8%
5	Placenta, Cord & Membranes Comp	Suicide	Liver Disease	Unintentional Injury	Alzheimer's Disease	Alzheimer's Disease
	5 4.9%	* -	17 3.5%	86 2.9%	1,056 4.5%	1,073 3.9%
6	Hydrops Fetalis	Anemias	Diabetes Mellitus	Diabetes Mellitus	Influenza & Pneumonia	Influenza & Pneumonia
	* -	* -	13 2.7%	84 2.9%	766 3.2%	802 3.0%
7	SIDS	Benign Neoplasms	Influenza & Pneumonia	Septicemia	Nephritis	Diabetes Mellitus
	* -	* -	10 2.1%	75 2.5%	566 2.4%	610 2.2%
8	Unintentional Injury	Cerebrovascular Disease	Septicemia	Chronic Lower Respiratory Disease	Diabetes Mellitus	Nephritis
	* -	* -	10 2.1%	72 2.4%	513 2.2%	603 2.2%
9	Circulatory System Disease	Chronic Lower Respiratory Disease	Cerebrovascular Disease	Suicide	Septicemia	Septicemia
	* -	* -	8 1.7%	52 1.8%	493 2.1%	580 2.1%
10	Necrotizing Enterocolitis	Homicide	Congenital Anomalies	Nephritis	Unintentional Injury	Unintentional Injury
	* -	* -	8 1.7%	33 1.1%	289 1.2%	501 1.8%
Total	102	55	480	2,942	23,601	27,181

Key:



Chronic Diseases and Conditions



Infectious Agent



Perinatal Period and Congenital Anomalies



Violence and Injury



Unclassified

Note: * Count suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events.

Source: IDPH Death Pull File 2006-2008

Cook County Department of Public Health, Epidemiology Unit

10 Leading Causes of Death by Age Group, Suburban Cook County, 2006-2008
(Counts/Percent of Total Deaths)

Non Hispanic White Males

Rank	<1	1-17	18-44	45-64	65+	Total
1	Congenital Anomalies	Unintentional Injury	Unintentional Injury	Malignant Neoplasms	Heart Disease	Heart Disease
	22 20.4%	16 20.5%	368 35.4%	1,296 31.3%	5,005 28.7%	6,366 27.9%
2	Short Gestation	Malignant Neoplasms	Heart Disease	Heart Disease	Malignant Neoplasms	Malignant Neoplasms
	18 16.7%	12 15.4%	146 14.0%	1,211 29.3%	4,582 26.3%	6,000 26.3%
3	Placenta, Cord & Membranes Comp	Congenital Anomalies	Suicide	Unintentional Injury	Cerebrovascular Disease	Cerebrovascular Disease
	8 7.4%	7 9.0%	145 13.9%	232 5.6%	943 5.4%	1,071 4.7%
4	Maternal Pregnancy Complications	Suicide	Malignant Neoplasms	Suicide	Chronic Lower Respiratory Disease	Chronic Lower Respiratory Disease
	6 5.6%	7 9.0%	108 10.4%	152 3.7%	905 5.2%	1,012 4.4%
5	Neonatal Hemorrhage	Heart Disease	Liver Disease	Liver Disease	Influenza & Pneumonia	Unintentional Injury
	* -	* -	42 4.0%	137 3.3%	531 3.0%	927 4.1%
6	SIDS	Homicide	Homicide	Diabetes Mellitus	Nephritis	Influenza & Pneumonia
	* -	* -	28 2.7%	125 3.0%	512 2.9%	601 2.6%
7	Chronic Respiratory Disease	Chronic Lower Respiratory Disease	HIV	Cerebrovascular Disease	Diabetes Mellitus	Diabetes Mellitus
	* -	* -	17 1.6%	116 2.8%	457 2.6%	597 2.6%
8	Circulatory System Disease	Influenza & Pneumonia	Diabetes Mellitus	Chronic Lower Respiratory Disease	Alzheimer's Disease	Nephritis
	* -	* -	15 1.4%	99 2.4%	417 2.4%	583 2.6%
9	Intrauterine Hypoxia & Birth Asphyxia	Septicemia	Influenza & Pneumonia	Septicemia	Septicemia	Septicemia
	* -	* -	12 1.2%	73 1.8%	355 2.0%	442 1.9%
10	Necrotizing Enterocolitis	Benign Neoplasms	Nephritis	Nephritis	Unintentional Injury	Alzheimer's Disease
	* -	* -	12 1.2%	57 1.4%	308 1.8%	427 1.9%
Total	108	78	1,040	4,140	17,417	22,783

Key: Chronic Diseases and Conditions Infectious Agent Perinatal Period and Congenital Anomalies Violence and Injury Unclassified

Note: * Count suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events.

Source: IDPH Death Pull File 2006-2008

Cook County Department of Public Health, Epidemiology Unit

10 Leading Causes of Death by Age Group, Suburban Cook County, 2006-2008
(Counts/Percent of Total Deaths)

Cook County Department of Public Health Jurisdiction

Rank	<1	1-4	5-17	18-24	25-34	35-44	45-54	55-64	65+	Total
1	Short Gestation	Unintentional Injury	Unintentional Injury	Unintentional Injury	Unintentional Injury	Unintentional Injury	Malignant Neoplasms	Malignant Neoplasms	Heart Disease	Heart Disease
	158 25.2%	24 25.3%	56 25.3%	182 36.9%	267 35.0%	270 19.0%	1,122 31.2%	2,299 39.2%	12,233 28.3%	14,905 26.5%
2	Congenital Anomalies	Congenital Anomalies	Homicide	Homicide	Homicide	Malignant Neoplasms	Heart Disease	Heart Disease	Malignant Neoplasms	Malignant Neoplasms
	117 18.7%	9 9.5%	43 19.5%	129 26.2%	100 13.1%	269 19.0%	867 24.1%	1,424 24.3%	9,997 23.2%	13,819 24.6%
3	Maternal Pregnancy Complications	Malignant Neoplasms	Malignant Neoplasms	Suicide	Heart Disease	Heart Disease	Unintentional Injury	Diabetes Mellitus	Cerebrovascular Disease	Cerebrovascular Disease
	34 5.4%	9 9.5%	25 11.3%	66 13.4%	82 10.8%	249 17.6%	292 8.1%	213 3.6%	2,805 6.5%	3,198 5.7%
4	Placenta, Cord & Membranes Comp	Heart Disease	Heart Disease	Malignant Neoplasms	Malignant Neoplasms	Suicide	Liver Disease	Cerebrovascular Disease	Chronic Lower Respiratory Disease	Chronic Lower Respiratory Disease
	31 5.0%	6 6.3%	14 6.3%	29 5.9%	67 8.8%	126 8.9%	135 3.8%	212 3.6%	2,131 4.9%	2,357 4.2%
5	Unintentional Injury	Homicide	Suicide	Heart Disease	Suicide	Homicide	Suicide	Unintentional Injury	Alzheimer's Disease	Unintentional Injury
	20 3.2%	6 6.3%	14 6.3%	20 4.1%	52 6.8%	55 3.9%	127 3.5%	154 2.6%	1,470 3.4%	1,875 3.3%
6	SIDS	Septicemia	Congenital Anomalies	Congenital Anomalies	Cerebrovascular Disease	Liver Disease	Cerebrovascular Disease	Chronic Lower Respiratory Disease	Influenza & Pneumonia	Diabetes Mellitus
	19 3.0%	* -	11 5.0%	* -	16 2.1%	48 3.4%	124 3.4%	151 2.6%	1,270 2.9%	1,531 2.7%
7	Bacterial Sepsis	Cerebrovascular Disease	Chronic Lower Respiratory Disease	Influenza & Pneumonia	Diabetes Mellitus	HIV	Diabetes Mellitus	Septicemia	Nephritis	Alzheimer's Disease
	18 2.9%	* -	* -	* -	13 1.7%	41 2.9%	102 2.8%	147 2.5%	1,251 2.9%	1,495 2.7%
8	Respiratory Distress	Influenza & Pneumonia	Influenza & Pneumonia	Septicemia	HIV	Diabetes Mellitus	Septicemia	Liver Disease	Diabetes Mellitus	Nephritis
	17 2.7%	* -	* -	* -	13 1.7%	34 2.4%	81 2.3%	138 2.4%	1,167 2.7%	1,471 2.6%
9	Circulatory System Disease	Perinatal Disease	Benign Neoplasms	Aortic Aneurysm & Dissection	Liver Disease	Cerebrovascular Disease	Chronic Lower Respiratory Disease	Nephritis	Septicemia	Influenza & Pneumonia
	14 2.2%	* -	* -	* -	12 1.6%	33 2.3%	48 1.3%	136 2.3%	943 2.2%	1,416 2.5%
10	Necrotizing Enterocolitis	Nephritis	Pneumonitis Due to Solids & Liquids	Cerebrovascular Disease	Influenza & Pneumonia	Septicemia	HIV	Suicide	Unintentional Injury	Septicemia
	13 2.1%	* -	* -	* -	11 1.4%	25 1.8%	45 1.3%	93 1.6%	610 1.4%	1,220 2.2%
Total	626	95	221	493	762	1,418	3,600	5,860	43,168	56,244

Key: Chronic Diseases and Conditions Infectious Agent Perinatal Period and Congenital Anomalies Violence and Injury Unclassified

Note: * Count suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events.

Source: IDPH Death Pull File 2006-2008

Cook County Department of Public Health, Epidemiology Unit

10 Leading Causes of Death by Age Group, Suburban Cook County, 2006-2008
(Counts/Percent of Total Deaths)

North District

Rank	<1	1-4	5-17	18-24	25-34	35-44	45-54	55-64	65+	Total
1	Congenital Anomalies	Unintentional Injury	Unintentional Injury	Unintentional Injury	Unintentional Injury	Malignant Neoplasms	Malignant Neoplasms	Malignant Neoplasms	Heart Disease	Heart Disease
	38 23.6%	* -	22 28.6%	74 52.1%	75 42.6%	72 18.8%	359 35.5%	793 43.7%	4,601 26.9%	5,315 25.4%
2	Short Gestation	Congenital Anomalies	Malignant Neoplasms	Suicide	Heart Disease	Heart Disease	Heart Disease	Heart Disease	Malignant Neoplasms	Malignant Neoplasms
	32 19.9%	* -	18 23.4%	25 17.6%	18 10.2%	71 18.6%	220 21.7%	394 21.7%	3,956 23.1%	5,233 25.0%
3	Maternal Pregnancy Complications	Malignant Neoplasms	Suicide	Malignant Neoplasms	Malignant Neoplasms	Unintentional Injury	Unintentional Injury	Diabetes Mellitus	Cerebrovascular Disease	Cerebrovascular Disease
	14 8.7%	* -	6 7.8%	13 9.2%	18 10.2%	68 17.8%	74 7.3%	65 3.6%	1,157 6.8%	1,247 6.0%
4	Placenta, Cord & Membranes Comp	Cerebrovascular Disease	Congenital Anomalies	Homicide	Suicide	Suicide	Suicide	Liver Disease	Chronic Lower Respiratory Disease	Chronic Lower Respiratory Disease
	9 5.6%	* -	5 6.5%	9 6.3%	11 6.3%	46 12.0%	59 5.8%	59 3.3%	839 4.9%	893 4.3%
5	Bacterial Sepsis	Influenza & Pneumonia	Homicide	Heart Disease	Homicide	Liver Disease	Liver Disease	Cerebrovascular Disease	Influenza & Pneumonia	Influenza & Pneumonia
	5 3.1%	* -	5 6.5%	* -	7 4.0%	17 4.5%	50 4.9%	46 2.5%	671 3.9%	710 3.4%
6	Circulatory System Disease	Nephritis	Heart Disease	Benign Neoplasms	Diabetes Mellitus	HIV	Cerebrovascular Disease	Suicide	Alzheimer's Disease	Unintentional Injury
	5 3.1%	* -	* -	* -	5 2.8%	11 2.9%	31 3.1%	42 2.3%	559 3.3%	626 3.0%
7	Unintentional Injury	Perinatal Disease	Benign Neoplasms	Cerebrovascular Disease	Liver Disease	Cerebrovascular Disease	Diabetes Mellitus	Chronic Lower Respiratory Disease	Nephritis	Alzheimer's Disease
	5 3.1%	* -	* -	* -	5 2.8%	8 2.1%	25 2.5%	40 2.2%	512 3.0%	571 2.7%
8	Atelectasis		Chronic Lower Respiratory Disease	Influenza & Pneumonia	Congenital Anomalies	Diabetes Mellitus	Septicemia	Unintentional Injury	Diabetes Mellitus	Nephritis
	* -		* -	* -	* -	8 2.1%	15 1.5%	39 2.1%	393 2.3%	552 2.6%
9	Gastritis		Influenza & Pneumonia	Pneumonitis Due to Solids & Liquids	Cerebrovascular Disease	Homicide	Influenza & Pneumonia	Septicemia	Septicemia	Diabetes Mellitus
	* -		* -	* -	* -	7 1.8%	13 1.3%	32 1.8%	329 1.9%	496 2.4%
10	Necrotizing Enterocolitis				Influenza & Pneumonia	Septicemia	Chronic Lower Respiratory Disease	Nephritis	Pneumonitis Due to Solids & Liquids	Septicemia
	* -				* -	6 1.6%	9 0.9%	23 1.3%	279 1.6%	385 1.8%
Total	161	24	77	142	176	382	1,012	1,815	17,101	20,891

Key: Chronic Diseases and Conditions Infectious Agent Perinatal Period and Congenital Anomalies Violence and Injury Unclassified

Note: * Count suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events.

Source: IDPH Death Pull File 2006-2008

Cook County Department of Public Health, Epidemiology Unit

10 Leading Causes of Death by Age Group, Suburban Cook County, 2006-2008
(*Counts/-Percent of Total Deaths)

West District

Rank	<1	1-4	5-17	18-24	25-34	35-44	45-54	55-64	65+	Total
1	Short Gestation	Unintentional Injury	Homicide	Homicide	Unintentional Injury	Unintentional Injury	Malignant Neoplasms	Malignant Neoplasms	Heart Disease	Heart Disease
	44 27.5%	8 36.4%	10 27.8%	41 37.6%	71 34.6%	88 24.4%	229 27.4%	506 37.3%	2,723 29.4%	3,369 27.3%
2	Congenital Anomalies	Congenital Anomalies	Unintentional Injury	Unintentional Injury	Heart Disease	Malignant Neoplasms	Heart Disease	Heart Disease	Malignant Neoplasms	Malignant Neoplasms
	31 19.4%	* -	7 19.4%	33 30.3%	22 10.7%	68 18.9%	218 26.1%	338 24.9%	2,092 22.6%	2,924 23.7%
3	SIDS	Heart Disease	Congenital Anomalies	Suicide	Homicide	Heart Disease	Unintentional Injury	Cerebrovascular Disease	Cerebrovascular Disease	Cerebrovascular Disease
	11 6.9%	* -	* -	14 12.8%	21 10.2%	56 15.6%	77 9.2%	57 4.2%	625 6.7%	723 5.9%
4	Placenta, Cord & Membranes Comp	Malignant Neoplasms	Heart Disease	Heart Disease	Malignant Neoplasms	Suicide	Liver Disease	Diabetes Mellitus	Chronic Lower Respiratory Disease	Unintentional Injury
	10 6.3%	* -	* -	6 5.5%	20 9.8%	28 7.8%	37 4.4%	50 3.7%	407 4.4%	462 3.7%
5	Maternal Pregnancy Complications	Perinatal Disease	Malignant Neoplasms	Malignant Neoplasms	Suicide	Homicide	Cerebrovascular Disease	Septicemia	Alzheimer's Disease	Chronic Lower Respiratory Disease
	7 4.4%	* -	* -	* -	12 5.9%	18 5.0%	31 3.7%	45 3.3%	343 3.7%	454 3.7%
6	Neonatal Hemorrhage	Septicemia	Chronic Lower Respiratory Disease	Congenital Anomalies	Influenza & Pneumonia	Liver Disease	Septicemia	Unintentional Injury	Influenza & Pneumonia	Alzheimer's Disease
	6 3.8%	* -	* -	* -	5 2.4%	15 4.2%	25 3.0%	41 3.0%	252 2.7%	352 2.8%
7	Respiratory Distress	Chronic Lower Respiratory Disease	Diabetes Mellitus	HIV	Benign Neoplasms	HIV	Suicide	Nephritis	Nephritis	Diabetes Mellitus
	5 3.1%	* -	* -	* -	* -	9 2.5%	24 2.9%	34 2.5%	250 2.7%	315 2.6%
8	Bacterial Sepsis		Influenza & Pneumonia	Influenza & Pneumonia	Cerebrovascular Disease	Diabetes Mellitus	Diabetes Mellitus	Chronic Lower Respiratory Disease	Diabetes Mellitus	Septicemia
	* -		* -	* -	* -	8 2.2%	18 2.2%	32 2.4%	235 2.5%	303 2.5%
9	Gastritis		Suicide	Nephritis	HIV	Septicemia	HIV	Liver Disease	Septicemia	Nephritis
	* -		* -	* -	* -	8 2.2%	17 2.0%	28 2.1%	217 2.3%	300 2.4%
10	Necrotizing Enterocolitis			Septicemia	Liver Disease	Cerebrovascular Disease	Nephritis	Suicide	Pneumonitis Due to Solids & Liquids	Influenza & Pneumonia
	* -			* -	* -	6 1.7%	9 1.1%	19 1.4%	145 1.6%	286 2.3%
Total	160	22	36	109	205	360	835	1,355	9,269	12,351

Key:



Chronic Diseases and Conditions



Infectious Agent



Perinatal Period and Congenital Anomalies



Violence and Injury



Unclassified

Note: * Count suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events

10 Leading Causes of Death by Age Group, Suburban Cook County, 2006-2008
(Counts/Percent of Total Deaths)

Southwest District

Rank	<1	1-4	5-17	18-24	25-34	35-44	45-54	55-64	65+	Total
1	Short Gestation	Unintentional Injury	Unintentional Injury	Unintentional Injury	Unintentional Injury	Unintentional Injury	Malignant Neoplasms	Malignant Neoplasms	Heart Disease	Heart Disease
	17 19.8%	5 38.5%	8 28.6%	35 43.8%	49 37.7%	52 20.7%	212 32.4%	455 42.1%	2,366 28.8%	2,846 27.0%
2	Congenital Anomalies	Congenital Anomalies	Suicide	Suicide	Heart Disease	Malignant Neoplasms	Heart Disease	Heart Disease	Malignant Neoplasms	Malignant Neoplasms
	15 17.4%	* -	5 17.9%	12 15.0%	16 12.3%	48 19.1%	172 26.3%	249 23.0%	1,867 22.7%	2,605 24.7%
3	Maternal Pregnancy Complications	Malignant Neoplasms	Homicide	Homicide	Malignant Neoplasms	Heart Disease	Unintentional Injury	Diabetes Mellitus	Cerebrovascular Disease	Cerebrovascular Disease
	6 7.0%	* -	* -	8 10.0%	15 11.5%	36 14.3%	53 8.1%	38 3.5%	496 6.0%	560 5.3%
4	Homicide	Cerebrovascular Disease	Influenza & Pneumonia	Malignant Neoplasms	Suicide	Suicide	Cerebrovascular Disease	Cerebrovascular Disease	Chronic Lower Respiratory Disease	Chronic Lower Respiratory Disease
	5 5.8%	* -	* -	6 7.5%	14 10.8%	30 12.0%	22 3.4%	36 3.3%	447 5.4%	496 4.7%
5	Placenta, Cord & Membranes Comp	Nephritis	Anemias	Heart Disease	Homicide	Liver Disease	Suicide	Chronic Lower Respiratory Disease	Alzheimer's Disease	Unintentional Injury
	5 5.8%	* -	* -	5 6.3%	13 10.0%	8 3.2%	22 3.4%	34 3.1%	285 3.5%	337 3.2%
6	Bacterial Sepsis		Benign Neoplasms	Congenital Anomalies	Diabetes Mellitus	Septicemia	Liver Disease	Unintentional Injury	Diabetes Mellitus	Diabetes Mellitus
	* -		* -	* -	* -	8 3.2%	18 2.8%	30 2.8%	255 3.1%	315 3.0%
7	Chronic Respiratory Disease		Congenital Anomalies	Aortic Aneurysm & Dissection	Liver Disease	Diabetes Mellitus	Diabetes Mellitus	Liver Disease	Nephritis	Alzheimer's Disease
	* -		* -	* -	* -	6 2.4%	14 2.1%	25 2.3%	210 2.6%	288 2.7%
8	Renal Failure		Heart Disease	Influenza & Pneumonia	HIV	Homicide	Chronic Lower Respiratory Disease	Septicemia	Influenza & Pneumonia	Nephritis
	* -		* -	* -	* -	5 2.0%	12 1.8%	20 1.8%	189 2.3%	243 2.3%
9	Circulatory System Disease		Septicemia	Liver Disease	Influenza & Pneumonia	HIV	Septicemia	Suicide	Septicemia	Septicemia
	* -		* -	* -	* -	* -	12 1.8%	19 1.8%	189 2.3%	233 2.2%
10	SIDS			Nephritis	Nephritis	Influenza & Pneumonia	Influenza & Pneumonia	Nephritis	Unintentional Injury	Influenza & Pneumonia
	* -			* -	* -	* -	10 1.5%	17 1.6%	105 1.3%	215 2.0%
Total	86	13	28	80	130	251	654	1,082	8,210	10,534

Key: Chronic Diseases and Conditions Infectious Agent Perinatal Period and Congenital Anomalies Violence and Injury Unclassified

Note: * Count suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events.

Source: IDPH Death Pull File 2006-2008

Cook County Department of Public Health, Epidemiology Unit

10 Leading Causes of Death by Age Group, Suburban Cook County, 2006-2008
(Counts/Percent of Total Deaths)

South District

Rank	<1	1-4	5-17	18-24	25-34	35-44	45-54	55-64	65+	Total
1	Short Gestation	Unintentional Injury	Homicide	Homicide	Unintentional Injury	Heart Disease	Malignant Neoplasms	Malignant Neoplasms	Heart Disease	Heart Disease
	65 29.7%	7 19.4%	26 32.5%	71 43.8%	72 28.7%	86 20.2%	322 29.3%	545 33.9%	2,543 29.6%	3,375 27.1%
2	Congenital Anomalies	Homicide	Unintentional Injury	Unintentional Injury	Homicide	Malignant Neoplasms	Heart Disease	Heart Disease	Malignant Neoplasms	Malignant Neoplasms
	33 15.1%	6 16.7%	19 23.8%	40 24.7%	59 23.5%	81 19.1%	257 23.4%	443 27.5%	2,082 24.2%	3,057 24.5%
3	Unintentional Injury	Heart Disease	Heart Disease	Suicide	Heart Disease	Unintentional Injury	Unintentional Injury	Cerebrovascular Disease	Cerebrovascular Disease	Cerebrovascular Disease
	13 5.9%	* -	7 8.8%	15 9.3%	26 10.4%	62 14.6%	88 8.0%	73 4.5%	527 6.1%	668 5.4%
4	Respiratory Distress	Congenital Anomalies	Malignant Neoplasms	Malignant Neoplasms	Suicide	Homicide	Diabetes Mellitus	Nephritis	Chronic Lower Respiratory Disease	Chronic Lower Respiratory Disease
	8 3.7%	* -	5 6.3%	6 3.7%	15 6.0%	25 5.9%	45 4.1%	62 3.9%	438 5.1%	514 4.1%
5	Maternal Pregnancy Complications	Influenza & Pneumonia	Chronic Lower Respiratory Disease	Heart Disease	Malignant Neoplasms	Suicide	Cerebrovascular Disease	Diabetes Mellitus	Diabetes Mellitus	Unintentional Injury
	7 3.2%	* -	* -	5 3.1%	14 5.6%	22 5.2%	40 3.6%	60 3.7%	284 3.3%	450 3.6%
6	Placenta, Cord & Membranes Comp	Malignant Neoplasms	Congenital Anomalies	Septicemia	Cerebrovascular Disease	HIV	Liver Disease	Septicemia	Alzheimer's Disease	Diabetes Mellitus
	7 3.2%	* -	* -	* -	9 3.6%	17 4.0%	30 2.7%	50 3.1%	283 3.3%	405 3.2%
7	Bacterial Sepsis	Septicemia	Pneumonitis Due to Solids & Liquids	Aortic Aneurysm & Dissection	HIV	Cerebrovascular Disease	Septicemia	Chronic Lower Respiratory Disease	Nephritis	Nephritis
	6 2.7%	* -	* -	* -	7 2.8%	16 3.8%	29 2.6%	45 2.8%	279 3.2%	376 3.0%
8	Circulatory System Disease	Anemias	Suicide	Cerebrovascular Disease	Chronic Lower Respiratory Disease	Diabetes Mellitus	Suicide	Unintentional Injury	Septicemia	Septicemia
	5 2.3%	* -	* -	* -	5 2.0%	12 2.8%	22 2.0%	44 2.7%	208 2.4%	299 2.4%
9	Intrauterine Hypoxia & Birth Asphyxia	Cerebrovascular Disease	Diseases of Appendix	Chronic Lower Respiratory Disease	Diabetes Mellitus	Nephritis	Homicide	Liver Disease	Influenza & Pneumonia	Alzheimer's Disease
	* -	* -	* -	* -	* -	10 2.4%	21 1.9%	26 1.6%	158 1.8%	284 2.3%
10	Necrotizing Enterocolitis		Gall Bladder Disease	Congenital Anomalies	Influenza & Pneumonia	Liver Disease	Nephritis	Influenza & Pneumonia	Unintentional Injury	Homicide
	* -		* -	* -	* -	8 1.9%	21 1.9%	22 1.4%	105 1.2%	219 1.8%
Total	219	36	80	162	251	425	1,099	1,608	8,588	12,468


Key: Chronic Diseases and Conditions Infectious Agent Perinatal Period and Congenital Anomalies Violence and Injury Unclassified

Note: * Count suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events.

Source: IDPH Death Pull File 2006-2008

Cook County Department of Public Health, Epidemiology Unit

Suburban Cook County District Map



Municipalities

- | | | |
|--------------------------|---------------------|------------------------|
| 1 Arlington Heights | 41 Broadview | 79 Chicago Ridge |
| 2 Barrington | 42 Brookfield | 80 Crestwood |
| 3 Barrington Hills (pt.) | 43 Burr Ridge (pt.) | 81 Evergreen Park |
| 4 Bartlett (pt.) | 44 Cicero | 83 Hickory Hills |
| 5 Buffalo Grove (pt.) | 45 Countryside | 84 Hometown |
| 7 Des Plaines | 46 Forest Park | 85 Justice |
| 9 Elgin (pt.) | 47 Franklin Park | 86 Lemont (pt.) |
| 10 Elk Grove Village | 48 Harwood Heights | 87 Merrionette Park |
| 11 Glencoe | 49 Hillside | 88 Oak Lawn |
| 12 Glenview | 50 Hinsdale (pt.) | 89 Orland Hills |
| 13 Golf | 51 Hodgkins (pt.) | 90 Orland Park (pt.) |
| 14 Hanover Park (pt.) | 52 Indian Head Park | 91 Palos Heights |
| 15 Hoffman Estates | 53 Lagrange | 92 Palos Hills |
| 16 Inverness | 54 Lagrange Park | 93 Palos Park |
| 17 Kenilworth | 55 Lyons | 94 Summit |
| 18 Lincolnwood | 56 McCook | 95 Willow Springs |
| 19 Morton Grove | 57 Maywood | 96 Worth |
| 20 Mt Prospect | 58 Melrose Park | 97 Burnham |
| 21 Niles | 59 Norridge | 98 Calumet City |
| 22 Northbrook | 60 Northlake | 99 Calumet Park |
| 23 Northfield | 61 North Riverside | 100 Chicago Heights |
| 24 Palatine | 62 River Forest | 101 Country Club Hills |
| 25 Park Ridge | 63 River Grove | 102 Dixmoor |
| 26 Prospect Heights | 64 Riverside | 103 Dolton |
| 27 Rolling Meadows | 65 Rosemont | 104 East Hazel Crest |
| 28 Roselle (pt.) | 66 Schiller Park | 105 Flossmoor |
| 29 Schaumburg | 67 Stone Park | 106 Ford Heights |
| 30 South Barrington | 68 Westchester | 107 Glenwood |
| 31 Streamwood | 69 Western Springs | 108 Harvey |
| 32 Wheeling | 70 Elmwood Park | 109 Hazel Crest |
| 33 Wilmette | 71 Oak Park | 110 Homewood |
| 34 Winnetka | 72 Stickney | 111 Lansing |
| 35 Evanston | 73 Forest View | 112 Lynwood |
| 36 Skokie | 74 Burbank | 113 Markham |
| 37 Bellwood | 75 Alsip | 114 Matteson |
| 38 Bensenville | 76 Bedford Park | 115 Midlothian |
| 39 Berkeley | 77 Blue Island | 116 Oak Forest |
| 40 Berwyn | 78 Bridgeview | 117 Olympia Fields |

- 118 Park Forest (pt.)
- 119 Phoenix
- 120 Posen
- 121 Richton Park
- 122 Riverdale
- 123 Robbins
- 124 Sauk Village (pt.)
- 125 S Chicago Heights
- 126 South Holland
- 127 Steger (pt.)
- 128 Thornton
- 129 Tinley Park (pt.)
- 131 Unincorporated Barrington Township
- 132 Unincorporated Bloom Township
- 133 Unincorporated Bremen Township
- 134 Unincorporated Calumet Township
- 135 Unincorporated Elk Grove Township
- 136 Unincorporated Hanover Township
- 137 Unincorporated Lemont Township
- 138 Unincorporated Leyden Township
- 139 Unincorporated Lyons Township
- 140 Unincorporated Maine Township
- 141 Unincorporated New Trier Township
- 142 Unincorporated Niles Township
- 143 Unincorporated Northfield Township
- 144 Unincorporated Norwood Park Township
- 145 Unincorporated Orland Township
- 146 Unincorporated Palatine Township
- 147 Unincorporated Palos Township
- 148 Unincorporated Proviso Township
- 149 Unincorporated Rich Township
- 150 Unincorporated Riverside Township
- 151 Unincorporated Schaumburg Township
- 152 Unincorporated Stickney Township
- 153 Unincorporated Thornton Township
- 154 Unincorporated Wheeling Township
- 155 Unincorporated Worth Township

Rankable Causes of Death

Chronic Diseases and Conditions

Alzheimer's disease.	G30
Anemias.	D50-D64
Aortic aneurysm and dissection.	I71
Atherosclerosis.	I70
Cerebrovascular diseases.	I60-169
Chronic liver disease and cirrhosis.	K70,K73-K74
Chronic lower respiratory diseases.	J40-J47
Diabetes mellitus.	E10-E14
Diseases of heart.	I00-I09,I11,I13,I20-I51
Essential hypertension and hypertensive renal disease.	I10,I12,I15
Hyperplasia of prostate.	N40
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior.	D00-D48
Malignant neoplasms.	C00-C97
Nutritional deficiencies.	E40-E64
Parkinson's disease.	G20-G21

Infectious Agent

Acute bronchitis and bronchiolitis.	J20-J21
Acute poliomyelitis.	A80
Arthropod-borne viral encephalitis.	A83-A84,A85.2
Enterocolitis due to <i>Clostridium difficile</i>	A04.7
Human immunodeficiency virus (HIV) disease.	B20-B24
Infections of kidney.	N10-N12,N13.6,N15.1
Influenza and pneumonia.	J09-J18
Malaria.	B50-B54
Measles.	B05
Meningitis.	G00,G03
Meningococcal infection.	A39
Salmonella infections.	A01-A02
Scarlet fever and erysipelas.	A38,A46

Septicemia.	A40-A41
Shigellosis and amebiasis.	A03,A06
Syphilis.	A50-A53
Tuberculosis.	A16-A19
Viral hepatitis.	B15-B19
Whooping cough.	A37

Perinatal Period and Congenital Anomalies

Certain conditions originating in the perinatal period.	P00-P96
Congenital malformations, deformations and chromosomal abnormalities.	Q00-Q99

Violence and Injury

Accidents (unintentional injuries).	V01-X59,Y85-Y86
Assault (homicide).	U01-U02,X85-Y09,Y87.1
Intentional self-harm (suicide).	U03,X60-X84,Y87.0
Legal intervention.	Y35,Y89.0
Operations of war and their sequelae.	Y36,Y89.1

Unclassified

Cholelithiasis and other disorders of gallbladder.	K80-K82
Complications of medical and surgical care.	Y40-Y84,Y88
Diseases of appendix.	K35-K38
Hernia.	K40-K46
Inflammatory diseases of female pelvic organs.	N70-N76
Nephritis, nephrotic syndrome and nephrosis.	N00-N07, N17-N19,N25-N27
Peptic ulcer.	K25-K28
Pneumoconioses and chemical effects.	J60-J66,J68
Pneumonitis due to solids and liquids.	J69
Pregnancy, childbirth and the puerperium.	O00-O99

Rankable Causes of Infant Death

Chronic Diseases and Conditions

Asthma.	J45-J46
Bronchitis, chronic and unspecified.	J40-J42
Cystic fibrosis.	E84
Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism.	D50-D89
Diseases of the circulatory system.	I00-I99
Diseases of the ear and mastoid process.	H60-H93
Gastritis, duodenitis, and noninfective enteritis and colitis.	K29, K50-K55
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior.	D00-D48
Infantile cerebral palsy.	G80
Infantile spinal muscular atrophy, type I (Werdnig-Hoffman).	G12.0
Malignant neoplasms.	C00-C97
Nutritional deficiencies.	E40-E64
Short stature, not elsewhere classified.	E34.3

Infectious Agent

Acute bronchitis and acute bronchiolitis.	J20-J21
Acute poliomyelitis.	A80
Acute upper respiratory infections.	J00-J06
Bacterial sepsis of newborn.	P36
Candidiasis.	B37
Congenital syphilis.	A50
Diarrhea and gastroenteritis of infectious origin.	A09
Diphtheria.	A36
Gonococcal infection.	A54
Human immunodeficiency virus (HIV) disease.	B20-B24

Influenza and pneumonia.	J09-J18
Malaria.	B50-B54
Measles.	B05
Meningitis.	G00, G03
Meningococcal infection.	A39
Mumps.	B26
Pneumocystosis.	B59
Septicemia.	A40-A41
Tetanus.	A33, A35
Tuberculosis.	A16-A19
Varicella (chickenpox).	B01
Whooping cough.	A37

Perinatal Period and Congenital Anomalies

Atelectasis.	P28.0-P28.1
Birth trauma.	P10-P15
Chronic respiratory disease originating in the perinatal period.	P27
Congenital malformations, deformations and chromosomal abnormalities.	Q00-Q99
Congenital pneumonia.	P23
Disorders related to long gestation and high birth weight.	P08
Disorders related to short gestation and low birth weight, not elsewhere classified.	P07
Hematological disorders.	P60-P61
Hemolytic disease of newborn due to isoimmunization and other perinatal jaundice.	P55-P59
Hemorrhagic disease of newborn.	P53
Hydrops fetalis not due to hemolytic disease.	P83.2

Interstitial emphysema and related conditions originating in the perinatal period. P25
 Intrauterine hypoxia and birth asphyxia. P20-P21
 Necrotizing enterocolitis of newborn. P77
 Neonatal aspiration syndromes. P24
 Neonatal hemorrhage. P50-P52, P54
 Newborn affected by complications of placenta, cord and membranes. P02
 Newborn affected by maternal complications of pregnancy. . . . P01
 Newborn affected by maternal hypertensive disorders. P00.0
 Newborn affected by noxious influences transmitted via placenta or breast milk. P04
 Newborn affected by other complications of labor and delivery. . P03
 Newborn affected by other maternal conditions which may be unrelated to present pregnancy. P00.1-P00.9
 Omphalitis of newborn with or without mild hemorrhage. P38
 Pulmonary hemorrhage originating in the perinatal period. . . . P26
 Respiratory distress of newborn. P22
 Slow fetal growth and fetal malnutrition. P05
 Syndrome of infant of a diabetic mother and neonatal diabetes mellitus. P70.0-P70.2

Violence and Injury

Accidents (unintentional injuries). V01-X59
 Anoxic brain damage, not elsewhere classified. G93.1
 Assault (homicide). U01, X85-Y09

Unclassified

Complications of medical and surgical care. Y40-Y84
 Hernia of abdominal cavity and intestinal obstruction without hernia. K40-K46, K56
 Pneumonitis due to solids and liquids. J69
 Renal failure and other disorders of kidney. N17-N19, N25, N27
 Sudden infant death syndrome. R95
 Volume depletion, disorders of fluid, electrolyte and acid-base balance. E86-E87