

Annual Tuberculosis Surveillance Report 2011



**Cook County Department
of Public Health**

Promoting health. Preventing disease.
Protecting you.

COOK COUNTY DEPARTMENT OF PUBLIC HEALTH

Sandra Martell RN, DNP

Interim Chief Operating Officer, Cook County Department of Public Health

Demian Christiansen, DSc, MPH

*Assistant Director & Tuberculosis Program Manager,
Communicable Disease Control Unit*

Michael O. Vernon, DrPH

Director, Communicable Disease Control Unit

Copyright Information

All materials contained in this report are in the public domain and may be used and reprinted without special permission; citation as to source, however, is appreciated.

Suggested Citation

Cook County Department of Public Health. *Annual Tuberculosis Surveillance Report, 2011*. Oak Forest, IL 2012.

Cook County Department of Public Health
Protecting the Health and Environment of Suburban Cook County
Affiliate, Cook County Health and Hospitals System
Ram Raju, MD, MBA, FACS, FACHE, CEO, Cook County Health and Hospitals System
Honorable Toni Preckwinkle
President, Cook County Board of Commissioners
President, Cook County Board of Health

Communicable Disease Control Unit
Cook County Department of Public Health
15900 S. Cicero Bldg. E - 3rd Floor
Oak Forest, IL 60452

CONTENTS

ACRONYMS, ABBREVIATIONS & DEFINITIONS	5
---	---

OVERVIEW	6
----------------	---

LIST OF TABLES

Table 1. Number and Rate (per 100,000 population) of Reported Tuberculosis Cases by Selected Public Health Jurisdictions, 1993-2011	7
---	---

Table 2. Number and Percentage of Reported Tuberculosis Cases by Selected Characteristics, Suburban Cook County, 2002-2011	8
--	---

Table 3. Tuberculosis Cases by Most Frequently Reported Countries of Origin, Suburban Cook County, 2002-2011	9
--	---

Table 4. Number and Proportion of Reported Tuberculosis Cases by Site of Disease and Laboratory Results, Suburban Cook County, 2011.....	10
--	----

Table 5. Tuberculosis Susceptibility Results by Birthplace, Suburban Cook County, 2011	10
--	----

Table 6. Trends in the Number of Reported Tuberculosis Cases, HIV Testing and Coinfection with HIV, Suburban Cook County, 2002-2011	11
---	----

Table 7. Map Key - Suburban Cook County Municipalities and Chicago Community Areas	14
--	----

Table 8. Reported Tuberculosis Cases and Rates (per 100,000 population) by Municipality, North and West Districts, Suburban Cook County, 2002-2011	15
--	----

Table 9. Reported Tuberculosis Cases and Rates (per 100,000 population) by Municipality, South and Southwest Districts, Suburban Cook County, 2009-2011	16
---	----

LIST OF FIGURES

Figure 1. Rates of Reported Tuberculosis Cases by Selected Jurisdictions, 1993-2011	7
Figure 2. Proportion of Reported Tuberculosis Cases by Birthplace, Suburban Cook County, 2002-2011	8
Figure 3. Reported TB Cases by Birthplace and Race/Ethnicity, Suburban Cook County, 2011	9
Figure 4. Number of Years Living in the United States Prior to Receiving a Diagnosis of Tuberculosis Disease, Suburban Cook County, 2011	10
Figure 5. Mode of Treatment Administration in Reported Tuberculosis Cases, Suburban Cook County, 2002-2011	11
Figure 6. Completion of Tuberculosis Therapy, Suburban Cook County, 2002-2011	12
Figure 7. Reported Tuberculosis Case Rates (per 100,000 population) by Municipality (Suburban Cook County or Community Area (Chicago), Cook County, 2011	13
TECHNICAL NOTES	17

ACRONYMS, ABBREVIATIONS & DEFINITIONS

Active TB: (see TB Disease)

BCG: Bacille Calmette Guérin, a vaccination given to persons, usually infants, in countries where TB is common. BCG is NOT used in the United States.

Extrapulmonary TB: A person with *Mycobacterium tuberculosis* infection outside of the lungs, the pleural space, and the larynx (voice box). A person with extrapulmonary disease can also have pulmonary TB (see below).

I-NEDSS: I-NEDSS stands for Illinois-National Electronic Disease Surveillance System. I-NEDSS is a web-based application that establishes a secure and real-time communication link between hospitals, laboratories and other health care providers with state and local health department staff for the purposes of reporting and managing communicable disease information. All TB cases in suburban Cook County are reported to the Illinois Department of Public Health using I-NEDSS.

LTBI: Latent Tuberculosis Infection; a person with TB infection who is not contagious.

MDR-TB: Multi-drug resistant TB. MDR-TB is defined as TB resistant to isoniazid and rifampin, the two most important first line anti-tuberculosis medications.

Pulmonary TB: A person with *Mycobacterium tuberculosis* infection of the lungs, pleural space or the larynx (voice box). A person with pulmonary TB can also have extrapulmonary TB.

QFT-G: QuantiFERON-TB Gold Test, a blood test used to detect *Mycobacterium tuberculosis*. This test cannot distinguish persons with LTBI from persons with TB disease. In contrast to the TST (see below), QFT-G can distinguish persons with either LTBI or TB disease from persons who may have received BCG vaccination. QFT-G has greater specificity than TST.

TB: Tuberculosis

TB Disease: A person with TB infection who is contagious to others; a person with TB disease can have pulmonary TB, extrapulmonary TB, or both.

TST: Tuberculin Skin Test, a test whereby purified protein derivative (PPD) is injected under the skin in the forearm. Persons with TB infection react to the PPD which results in a bump (induration) where the PPD was injected. Qualified healthcare personnel can measure the size of the bump and determine whether the test is positive or negative. A positive TST can indicate active TB infection, LTBI, or prior BCG vaccination. However, the TST is not able to distinguish between these three possibilities.

XDR-TB: Extensively drug resistant TB. XDR-TB is defined as MDR-TB plus TB that is resistant to any fluoroquinolone plus resistance to one of the three injectable drugs (i.e., amikacin, kanamycin, or capreomycin).

OVERVIEW

Epidemiologic Summary

- Seventy five (75) new cases of TB were reported in suburban Cook County in 2011. This represents a rate of 3.0 cases per 100,000; a 15% decrease in cases reported since 2010 and a 25% decrease since 2009 (Table 1).
- The North District had the highest TB rate (3.7 per 100,000) of any of the four public health districts in suburban Cook County (Tables 8 and 9).
- Municipalities with the highest numbers of cases included Cicero (n=7), Wheeling (n=7), Skokie (n=5) and Hoffman Estates (n=5) (Table 8). Each of the following municipalities had three TB cases: Des Plaines, Elk Grove Village, Mt. Prospect, and Niles (Table 8).
- The top three countries of origin for foreign-born TB cases were India (31%), Mexico (29%) and the Philippines (8.5%) (Table 3).

TB Burden in Foreign-born Persons

- The proportion of TB cases in foreign-born persons increased from 65% in 2002 to 79% in 2011 (Figure 2).
- Three countries accounted for 68% of all foreign-born cases: India (n=18; 31%), Mexico (n=17, 29%) and the Philippines (n=5; 8.5%).
- Among foreign-born persons diagnosed with TB, 92% arrived 5 or more years prior to receiving a diagnosis of TB disease (Figure 4).

Drug Resistance

- In 2011, no case of MDR-TB was identified (Table 5).

Coinfection with HIV

- Between 1-4 cases with TB were coinfecting with HIV (Table 6); these persons are defined, per AIDS case definition, as having AIDS. The exact number of coinfecting cases is not given in order to protect the confidentiality of those persons.

Directly Observed Therapy


- In 2011, 98% of patients with pulmonary TB received DOT (Figure 5).

Completion of Therapy

- For TB cases diagnosed in 2009, the most recent year for which data on completion of tuberculosis therapy are available, 94% of persons with TB disease who were eligible* completed treatment.
- Among persons diagnosed in 2009 and who were eligible* to complete TB treatment in 12 months*, 82% of cases did so. This is below the Healthy People 2020 goal of 93% (Figure 6).

* Eligible cases are persons who were alive at the time of TB diagnosis and did not die during therapy, and excludes persons with TB resistant to rifampin and pediatric cases (<15 years) with a diagnosis of meningeal, bone/joint, or miliary TB.

Figure 1. Rates of Reported Tuberculosis Cases by Selected Jurisdictions, 1993-2011



◀ **Figure 1.** TB rates declined from 7.1 per 100,000 population in 1993 to 3.0 per 100,000 population in 2011. Declines in both numbers and rates of TB occurred nationally and in Illinois. TB rates in Chicago declined from 28.7 per 100,000 population in 1993 to 6.2 per 100,000 in 2011.

Table 1. Number and Rate (per 100,000 population) of Reported Tuberculosis Cases by Selected Public Health Jurisdictions, 1993-2011

Year	Suburban Cook County		City of Chicago		Illinois		USA	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
1993	165	7.1	798	28.7	1,235	10.8	25,107	9.7
1994	142	6.1	714	25.6	1,101	9.6	24,205	9.2
1995	155	6.7	619	22.2	1,024	9.0	22,728	8.5
1996	155	6.7	674	24.2	1,060	9.3	21,210	7.9
1997	140	6.0	597	21.4	974	8.5	19,751	7.2
1998	150	6.5	469	16.8	850	7.4	18,287	6.6
1999	140	6.0	463	16.6	825	7.2	17,501	6.3
2000	141	5.7	398	13.7	743	6.0	16,310	5.8
2001	139	5.6	377	13.0	707	5.7	15,945	5.6
2002	130	5.2	382	13.2	680	5.5	15,056	5.2
2003	122	4.9	339	11.7	633	5.1	14,836	5.1
2004	91	3.7	308	10.6	569	4.6	14,500	5.0
2005	120	4.8	329	11.4	596	4.8	14,067	4.8
2006	116	4.7	287	9.9	569	4.6	13,727	4.6
2007	139	5.6	258	8.9	521	4.2	13,288	4.4
2008	100	4.0	214	7.4	469	3.8	12,904	4.2
2009	100	4.0	202	7.0	418	3.4	11,540	3.8
2010	93	3.7	161	6.0	372	2.9	11,181	3.6
2011	75	3.0	166	6.2	359	2.8	10,521	3.4


* Rates (per 100,000 population) for years 1993-1999 calculated using 1990 US census data; rates for 2000 - 2009 calculated using 2000 US census data. Rates for 2010 & 2011 calculated using 2010 US census data.

Table 2. Number and Percentage of Reported Tuberculosis Cases by Selected Characteristics, Suburban Cook County, 2002-2011

Characteristic	2002		2003		2004		2005		Year 2006		2007		2008		2009		2010		2011		
	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	
Sex																					
Male	73	(55)	70	(57)	53	(58)	57	(48)	64	(55)	73	(52)	58	(58)	47	(47)	51	(55)	41	(55)	
Female	59	(45)	52	(43)	38	(42)	63	(53)	52	(45)	67	(48)	42	(42)	53	(53)	42	(45)	34	(45)	
Age Groups (Y)																					
<5	2	(2)	1	(1)	1	(1)	3	(3)	4	(3)	3	(2)	2	(2)	2	(2)	2	(2)	1	(1)	
5-14	0	(0)	1	(1)	0	(0)	3	(3)	4	(3)	2	(1)	1	(1)	0	(0)	0	(0)	2	(3)	
15-24	13	(10)	17	(14)	5	(5)	15	(13)	7	(6)	14	(10)	4	(4)	13	(13)	9	(10)	6	(8)	
25-44	54	(41)	38	(31)	31	(34)	43	(36)	36	(31)	32	(23)	40	(40)	40	(40)	24	(26)	24	(32)	
45-64	31	(23)	44	(36)	33	(36)	31	(26)	35	(30)	58	(41)	30	(30)	22	(22)	29	(31)	21	(28)	
65+	32	(24)	21	(17)	21	(23)	25	(21)	30	(26)	31	(22)	23	(23)	23	(23)	29	(31)	21	(28)	
Race/Ethnicity																					
White, not Hispanic	29	(22)	28	(23)	23	(25)	21	(18)	19	(16)	27	(19)	21	(21)	14	(14)	14	(15)	10	(13)	
Black, not Hispanic	23	(17)	30	(25)	19	(21)	30	(25)	19	(16)	16	(11)	24	(24)	10	(10)	11	(12)	13	(17)	
Hispanic	25	(19)	19	(16)	21	(23)	24	(20)	25	(22)	28	(20)	17	(17)	24	(24)	31	(33)	20	(27)	
Asian/Pacific Islander	55	(42)	45	(37)	28	(31)	45	(38)	53	(46)	69	(49)	38	(38)	45	(45)	37	(40)	32	(43)	
Other	0	(0)	0	(0)	0	(0)	0	(0)	0	(0)	0	(0)	0	(0)	7	(7)	0	(0)	0	(0)	
TOTAL	132	(100)	122	(100)	91	(100)	120	(100)	116	(100)	140	(100)	100	(100)	100	(100)	93	(100)	75	(100)	

▲ **Table 2.** In 2011, 55% of TB cases were male; 88% were aged 25 years or older; 43% were Asian/Pacific Islanders. There were 3 pediatric cases (i.e. cases <15 years of age) representing 4% of all cases diagnosed in 2011 in suburban Cook County.

Figure 2. Proportion of Reported Tuberculosis Cases by Birthplace, Suburban Cook County, 2002-2011



◀ **Figure 2.** The proportion of TB cases in foreign-born persons has increased from 65% in 2002 to 79% in 2011.

Figure 3. Reported TB Cases by Birthplace and Race/Ethnicity, Suburban Cook County, 2011

► **Figure 3.** Important race/ethnicity differences exist in the distribution of cases by birthplace. Among foreign-born persons, Asian/Pacific Islanders accounted for the majority (51%) of cases. By comparison, non-Hispanic Blacks accounted for the highest proportion of cases (62%) among U.S.-born TB cases.





Table 3. Tuberculosis Cases by Most Frequently Reported Countries of Origin, Suburban Cook County, 2002 - 2011

Birthplace	Year									
	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011*
India	31	16	13	24	23	30	10	18	20	18
Mexico	18	14	13	19	18	18	11	17	21	17
Philippines	7	13	10	12	16	21	17	11	8	5
Poland	4	3	3	3	1	4	2	2	1	6
Korea South	6	2	2	4	2	5	1	2	2	1
Vietnam	1	3	0	1	2	1	2	6	1	2
China	1	3	1	0	4	1	4	2	2	0
Pakistan	3	2	1	1	1	5	1	3	0	0
Nigeria	0	4	0	1	0	0	1	1	0	3
Haiti	0	3	0	1	0	1	0	2	0	0
Romania	1	0	1	1	2	0	1	0	0	1
Russia	0	1	0	1	0	1	2	0	1	1
Peru	0	1	1	1	0	2	0	0	1	0
Bosnia and Herzegovina	1	1	2	1	0	0	0	0	0	0
Guatemala	1	1	1	0	0	2	0	0	0	0
Italy	1	1	0	1	0	2	0	0	0	0
Korea North	0	1	0	0	0	1	3	0	0	0
Myanmar (formerly Burma)	2	1	0	0	0	1	1	0	0	0
Thailand	0	1	0	0	1	1	0	2	0	0
Zimbabwe	1	1	0	1	0	0	1	0	0	1

*In 2011, cases were also counted in persons who were born in Cambodia, Ecuador, and Yemen.

◀ **Table 3.** In 2011, 59 foreign-born persons with active TB came from 13 different countries. Three countries accounted for 68% of all foreign born cases: India (n=18; 31%), Mexico (n=17; 29%) and the Philippines (n=5; 8.5%).

Figure 4. Number of Years Living in the United States Prior to Receiving a Diagnosis of Tuberculosis Disease, Suburban Cook County, 2011



◀ **Figure 4.** Among all foreign-born TB cases reported in 2011, 92% arrived in the U.S. 5 or more years prior to receiving a diagnosis of TB disease.

Table 4. Number and Proportion of Reported Tuberculosis Cases by Site of Disease and Laboratory Results, Suburban Cook County, 2011

Site of Disease	Total Cases	Sputum Smear Positive		Culture positive	
	No.	No.	(%)	No.	(%)
Pulmonary Only	49	23	(47)	30	(61)
Extrapulmonary Only	23	0	(0)	0	(0)
Both	4	0	(0)	2	(50)
Total	75	22	(29)	32	(43)

◀ **Table 4.** Forty nine (49) reported TB cases in 2011 had pulmonary only TB; 23 cases had extrapulmonary only TB (no pulmonary involvement). Sixty one percent (61%) of pulmonary only TB cases were culture positive.

▶ **Table 5.** Sixty (60) cases in 2011 had susceptibility testing performed. There were no cases of MDR-TB or XDR-TB in suburban Cook County in 2011.

Table 5. Tuberculosis Susceptibility Results by Birthplace, Suburban Cook County, 2011

Birthplace	Cases with Susceptibility Results	Any Drug Resistance		INH-Resistant		MDR-TB	
	No.	No.	(%)	No.	(%)	No.	(%)
Foreign-born	49	9	(18)	3	(6)	0	(0)
US-born	11	2	(18)	1	(9)	0	(0)
Total	60	11	(18)	4	(7)	0	(0)


Table 6. Trends in the Number of Reported Tuberculosis Cases, HIV Testing and Coinfection with HIV, Suburban Cook County, 2002-2011

► **Table 6.** Testing for HIV among reported cases of TB increased from 55% in 2002 to 89% in 2011. Between 1-4 cases were coinfecting in 2011 (the exact number is suppressed to protect confidentiality). Persons with TB and HIV coinfection are classified, by AIDS surveillance case definition, as having AIDS.

Year	TB Cases	Tested for HIV		Coinfected with HIV*	
	No.	No.	(%)	No.	(%)
2002	130	72	(55)	5	(7)
2003	122	89	(73)	7	(8)
2004	91	75	(82)	†	†
2005	120	94	(78)	6	(6)
2006	116	85	(73)	†	†
2007	139	109	(78)	6	(6)
2008	100	87	(87)	9	(10)
2009	100	77	(77)	5	(6)
2010	93	72	(77)	0	(0)
2011	75	67	(89)	†	†

* Persons with HIV who receive a TB diagnosis are defined as having AIDS.
 † Cells with small counts (1-4) have been suppressed.

Figure 5. Mode of Treatment Administration in Reported Pulmonary Tuberculosis Cases, Suburban Cook County, 2002-2011



◀ **Figure 5.** The proportion of TB cases receiving directly observed therapy (DOT), whether DOT only or DOT with some self-administered (SA) therapy has increased over time. The proportion of pulmonary TB cases receiving directly observed therapy (DOT only or DOT+SA) increased from 79% in 2002 to 98% in 2011.

* Percentage includes cases alive at diagnosis, who did not die during therapy with one or more anti-tuberculosis drugs prescribed and excludes persons with missing or unknown information regarding mode of treatment administration.

Figure 6. Completion of Tuberculosis Therapy, Suburban Cook County, 2000-2009



◀ **Figure 6.** In 2009, the most recent year for which data on completion of tuberculosis therapy are available, 96% of reported TB cases who were eligible* completed treatment.

In 2009, 82% of eligible* persons completed treatment in less than one year. This is below the Department of Health and Human Services Healthy People 2020 goal of 93%.

* Eligible cases are persons who were alive at the time of TB diagnosis and did not die during therapy, and excludes persons with TB resistant to rifampin and pediatric cases (<15 years) with a diagnosis of meningeal, bone/joint, or miliary TB.

Figure 7. Reported Tuberculosis Case Rates (per 100,000 population) by Municipality (Suburban Cook County) or Community Area (Chicago), Cook County, 2011




Table 7. Map Key - Suburban Cook County Municipalities and Chicago Community Areas

City/Town/Com. Area	Ref #	City/Town/Com. Area	Ref #	City/Town/Com. Area	Ref #	City/Town/Com. Area	Ref #
Arlington Heights	1	North Riverside	61	Richton Park	121	East side	52
Barrington	2	River Forest	62	Riverdale	122	West Pullman	53
Barrington Hills	3	River Grove	63	Robbins	123	Riverdale	54
Bartlett	4	Riverside	64	Sauk Village	124	Hegewisch	55
Buffalo Grove	5	Rosemont	65	South Chicago Heights	125	Garfield Ridge	56
Deerfield	6	Schiller Park	66	South Holland	126	Archer Heights	57
Des Plaines	7	Stone Park	67	Steger	127	Brighton Park	58
East Dundee	8	Westchester	68	Thornton	128	Mckinley Park	59
Elgin	9	Western Springs	69	Tinley Park	129	Bridgeport	60
Elk Grove Village	10	Elmwood Park	70	Rogers Park	1	New City	61
Glencoe	11	Oak Park	71	West Ridge	2	West Elsdon	62
Glenview	12	Stickney	72	Uptown	3	Gage Park	63
Golf	13	Forest View	73	Lincoln Square	4	Clearing	64
Hanover Park	14	Burbank	74	North Center	5	West Lawn	65
Hoffman Estates	15	Alsip	75	Lake View	6	Chicago Lawn	66
Inverness	16	Bedford Park	76	Lincoln Park	7	West Englewood	67
Kenilworth	17	Blue Island	77	Near North Side	8	Englewood	68
Lincolnwood	18	Bridgeview	78	Edison Park	9	Greater Grand Crossing	69
Morton Grove	19	Chicago Ridge	79	Norwood Park	10	Ashburn	70
Mount Prospect	20	Crestwood	80	Jefferson Park	11	Auburn Gresham	71
Niles	21	Evergreen Park	81	Forest glen	12	Beverly	72
Northbrook	22	Frankfort	82	North Park	13	Washington Heights	73
Northfield	23	Hickory Hills	83	Albany Park	14	Mount Greenwood	74
Palatine	24	Hometown	84	Portage Park	15	Morgan Park	75
Park Ridge	25	Justice	85	Irving Park	16	O'Hare	76
Prospect Heights	26	Lemont	86	Dunning	17	Edgewater	77
Rolling Meadows	27	Merrionette Park	87	Montclare	18		
Roselle	28	Oak Lawn	88	Belmont Cragin	19		
Schaumburg	29	Orland Hills	89	Hermosa	20		
South Barrington	30	Orland Park	90	Avondale	21		
Streamwood	31	Palos Heights	91	Logan Square	22		
Wheeling	32	Palos Hills	92	Humboldt Park	23		
Wilmette	33	Palos Park	93	West Town	24		
Winnetka	34	Summit	94	Austin	25		
Evanston	35	Willow Springs	95	West Garfield Park	26		
Skokie	36	Worth	96	East Garfield Park	27		
Bellwood	37	Burnham	97	Near West Side	28		
Bensenville	38	Calumet City	98	North Lawndale	29		
Berkeley	39	Calumet Park	99	South Lawndale	30		
Berwyn	40	Chicago Heights	100	Lower West Side	31		
Broadview	41	Country Club Hills	101	Loop	32		
Brookfield	42	Dixmoor	102	Near South Side	33		
Burr Ridge	43	Dolton	103	Armour Square	34		
Cicero	44	East Hazel Crest	104	Douglas	35		
Countryside	45	Flossmoor	105	Oakland	36		
Forest Park	46	Ford Heights	106	Fuller Park	37		
Franklin Park	47	Glenwood	107	Grand Boulevard	38		
Harwood Heights	48	Harvey	108	Kenwood	39		
Hillside	49	Hazel Crest	109	Washington Park	40		
Hinsdale	50	Homewood	110	Hyde Park	41		
Hodgkins	51	Lansing	111	Woodlawn	42		
Indian Head Park	52	Lynwood	112	South Shore	43		
La Grange	53	Markham	113	Chatham	44		
La Grange Park	54	Matteson	114	Avalon Park	45		
Lyons	55	Midlothian	115	South Chicago	46		
McCook	56	Oak Forest	116	Burnside	47		
Maywood	57	Olympia Fields	117	Calumet Heights	48		
Melrose Park	58	Park Forest	118	Roseland	49		
Norridge	59	Phoenix	119	Pullman	50		
Northlake	60	Posen	120	South Deering	51		

Table 8. Reported Tuberculosis Cases and Rates (per 100,000 population) by Municipality, North and West Districts, Suburban Cook County, 2009-2011

City	NORTH						City	WEST					
	2009		2010		2011			2009		2010		2011	
	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate	No.	Rate
Arlington Heights	2	2.7	4	5.3	1	1.3	Bellwood	0	0.0	0	0	1	5.2
Barrington	0	0.0	0	0.0	0	0.0	Bensenville	0	0.0	0	0	0	0.0
Barrington Hills	0	0.0	0	0.0	0	0.0	Berkeley	2	38.4	0	0	0	0.0
Bartlett	0	0.0	0	0.0	1	6.0	Berwyn	2	3.5	2	3.5	2	3.5
Buffalo Grove	0	0.0	0	0.0	0	0.0	Broadview	1	6.1	0	0	0	0.0
Des Plaines	7	12.0	8	13.7	3	5.1	Brookfield	0	0.0	0	0	0	0.0
Elgin	0	0.0	0	0.0	0	0.0	Burr Ridge	0	0.0	2	52.1	0	0.0
Elk Grove Village	1	3.0	1	3.0	3	9.1	Cicero	2	2.4	0	0	7	8.3
Evanston	4	5.4	4	5.4	0	0.0	Countryside	0	0.0	1	17	0	0.0
Glencoe	0	0.0	0	0.0	0	0.0	Elmhurst	0	0.0	0	0	0	0.0
Glenview	2	4.5	1	2.2	0	0.0	Elmwood Park	0	0.0	1	4	0	0.0
Golf	0	0.0	0	0.0	0	0.0	Forest Park	2	14.1	0	0	0	0.0
Hanover Park	1	4.8	2	9.7	0	0.0	Forest View	0	0.0	0	0	0	0.0
Hoffman Estates	5	9.6	3	5.8	5	9.6	Franklin Park	1	5.5	0	0	1	5.5
Inverness	0	0.0	0	0.0	0	0.0	Harwood Heights	0	0.0	0	0	0	0.0
Kenilworth	0	0.0	0	0.0	0	0.0	Hillside	0	0.0	1	12.3	0	0.0
Lincolnwood	3	23.8	1	7.9	3	23.8	Hinsdale	0	0.0	0	0	0	0.0
Morton Grove	4	17.2	1	4.3	0	0.0	Hodgkins	1	52.7	0	0	0	0.0
Mount Prospect	4	7.4	4	7.4	3	5.5	Indian Head Park	0	0.0	0	0	0	0.0
Niles	1	3.4	6	20.1	3	10.1	La Grange	0	0.0	0	0	0	0.0
Northbrook	2	6.0	0	0.0	0	0.0	La Grange Park	0	0.0	0	0	0	0.0
Northfield	0	0.0	0	0.0	0	0.0	Lyons	0	0.0	0	0	0	0.0
Palatine	4	5.8	0	0.0	0	0.0	Maywood	2	8.3	2	8.3	2	8.3
Park Ridge	1	2.7	1	2.7	1	2.7	McCook	0	0.0	0	0	0	0.0
Prospect Heights	3	18.5	0	0.0	2	12.3	Melrose Park	2	7.9	1	3.9	0	0.0
Rolling Meadows	0	0.0	1	4.1	0	0.0	Norridge	0.0	0.0	1	6.9	0	0.0
Roselle	0	0.0	0	0.0	0	0.0	North Riverside	0	0.0	1	15	1	15.0
Schaumburg	2	2.7	1	1.3	1	1.3	Northlake	0	0.0	0	0	0	0.0
Skokie	8	12.3	6	9.3	5	7.7	Oak Brook	0	0.0	0	0	0	0.0
South Barrington	0	0.0	0	0.0	0	0.0	Oak Park	1	1.9	0	0	0	0.0
Streamwood	1	2.7	3	8.2	1	2.7	River Forest	0	0.0	0	0	0	0.0
Wheeling	3	8.0	3	8.0	7	18.6	River Grove	1	9.8	0	0	0	0.0
Wilmette	1	3.7	0	0.0	0	0.0	Riverside	0	0.0	0	0	0	0.0
Winnetka	0	0.0	0	0.0	0	0.0	Rosemont	0	0.0	0	0	0	0.0
							Schiller Park	1	8.5	0	0	1	8.5
							Stone Park	0	0.0	0	0	0	0.0
							Westchester	1	6.0	0	0	0	0.0
							Western Springs	0	0.0	0	0	0	0.0
Total	59	5.5	51	5.1	39	3.7	Total	19	3.4	13	2.3	15	2.7

Rates per 100,000 population per year. Rates calculated using 2010 Census data.

Table 9. Reported Tuberculosis Cases and Rates (per 100,000 population) by Municipality, South and Southwest Districts, Suburban Cook County, 2009-2011

City	2009		SOUTH 2010		2011		City	2009		SOUTHWEST 2010		2011	
	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate	No.	Rate
Burnham	0	0.0	0	0.0	0	0.0	Alsip	1	5.2	0	0.0	0	0.0
Calumet City	1	2.7	2	5.4	0	0.0	Bedford Park	0	0.0	0	0.0	0	0.0
Chicago Heights	1	3.3	1	3.3	2	6.6	Blue Island	2	8.4	2	8.4	2	8.4
Country Club Hills	0	0.0	0	0.0	2	12.1	Bridgeview	0	0.0	0	0.0	1	6.1
Dixmoor	0	0.0	0	0.0	0	0.0	Burbank	1	3.5	0	0.0	1	3.5
Dolton	2	8.6	1	4.3	1	4.3	Calumet Park	1	12.8	0	0.0	0	0.0
East Hazel Crest	0	0.0	0	0.0	0	0.0	Chicago Ridge	0	0.0	1	7.0	1	7.0
Flossmoor	0	0.0	1	10.6	0	0.0	Crestwood	0	0.0	0	0.0	0	0.0
Ford Heights	0	0.0	0	0.0	0	0.0	Evergreen Park	0	0.0	0	0.0	0	0.0
Glenwood	0	0.0	0	0.0	0	0.0	Forest View	0	0.0	0	0.0	0	0.0
Harvey	1	4.0	2	7.9	0	0.0	Hickory Hills	0	0.0	0	0.0	1	7.1
Hazel Crest	1	7.1	0	0.0	0	0.0	Hometown	0	0.0	0	0.0	0	0.0
Homewood	0	0.0	1	5.2	1	5.2	Justice	0	0.0	1	7.7	0	0.0
Lansing	2	7.1	0	0.0	1	3.5	Lemont	0	0.0	0	0.0	0	0.0
Lynwood	0	0.0	1	11.1	0	0.0	Merrionette Park	0	0.0	0	0.0	0	0.0
Markham	1	8.0	1	8.0	0	0.0	Oak Lawn	3	5.3	3	5.3	2	3.5
Matteson	0	0.0	0	0.0	0	0.0	Orland Hills	0	0.0	0	0.0	0	0.0
Midlothian	1	6.7	1	6.7	1	6.7	Orland Park	0	0.0	2	3.5	1	1.8
Oak Forest	0	0.0	3	10.7	0	0.0	Palos Heights	0	0.0	1	8.0	0	0.0
Olympia Fields	0	0.0	0	0.0	0	0.0	Palos Hills	0	0.0	0	0.0	0	0.0
Park Forest	0	0.0	1	5.4	1	5.4	Palos Park	0	0.0	0	0.0	0	0.0
Phoenix	0	0.0	0	0.0	0	0.0	Stickney	0	0.0	0	0.0	0	0.0
Posen	0	0.0	0	0.0	0	0.0	Summit	0	0.0	0	0.0	1	9.0
Richton Park	0	0.0	1	7.3	0	0.0	Willow Springs	1	18.1	0	0.0	0	0.0
Riverdale	0	0.0	2	14.8	0	0.0	Worth	0	0.0	0	0.0	0	0.0
Robbins	0	0.0	0	0.0	0	0.0							
Sauk Village	0	0.0	0	0.0	0	0.0							
South Chicago Heights	0	0.0	0	0.0	0	0.0							
South Holland	1	4.5	0	0.0	1	4.5							
Steger	1	24.4	0	0.0	1	24.4							
Thornton	0	0.0	0	0.0	0	0.0							
Tinley Park	1	2.0	1	2.0	0	0.0							
University Park	0	0.0	0	0.0	0	0.0							
Total	13	2.8	19	4.0	11	2.3	Total	9	2.2	10	2.5	10	2.5

Rates per 100,000 population per year. Rates calculated using 2010 Census data.

TECHNICAL NOTES

Surveillance Methodology

Healthcare providers and laboratories in suburban Cook County are required to report the following results within 24 hours: (1) sputum or tissue smears positive for acid-fast bacilli (AFBs); (2) cultures positive for *Mycobacterium tuberculosis*; (3) mycobacterial drug susceptibility results; (4) any other tests positive for *Mycobacterium tuberculosis*. In addition, confirmed TB cases must be reported to CCDPH within 7 days.

TB case reports are entered into I-NEDSS and provide the basis for the information presented in this report. This report includes all cases of tuberculosis reported during the year in which the case was confirmed. Confirmed TB cases who may have moved into suburban Cook County from another jurisdiction are not reflected in the data presented herein; such cases are counted in the jurisdiction that reported the case. Likewise, confirmed TB cases reported in suburban Cook County who may have moved out of suburban Cook County are included in the data presented herein.

Reported TB Case Rates

Suburban Cook County, Chicago and Illinois TB rates between 1993-1999 were calculated using 1990 census data. Suburban Cook County, Chicago and Illinois TB rates between 2000-2009 were calculated using 2000 census data. Suburban Cook County, Chicago and Illinois TB rates after 2009 were calculated using 2010 census data. National TB rates were calculated using national intercensal estimates.