

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Physical activity	33.3	26.6 - 40.8	39	31.7	27.6 - 36.2	113	-	-	4	32.0	28.4 - 35.7	156
b. Nutrition	33.3	25.9 - 41.7	39	30.7	26.9 - 34.9	113	-	-	4	31.2	27.8 - 34.9	156
c. Tobacco-use prevention	38.5	31.3 - 46.1	39	22.9	19.6 - 26.6	111	-	-	4	25.9	22.9 - 29.2	154
d. Asthma	15.8	10.9 - 22.3	38	16.8	13.7 - 20.5	111	-	-	4	16.1	13.5 - 19.2	153
e. Injury and violence prevention	33.3	25.9 - 41.7	39	26.6	22.7 - 31.0	111	-	-	4	27.5	24.1 - 31.2	154

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Health education	51.3	42.1 - 60.4	39	20.1	16.5 - 24.1	115	-	-	5	27.6	24.2 - 31.3	159
b. Physical education and physical activity	47.5	38.1 - 57.1	40	20.7	17.3 - 24.6	115	-	-	5	27.4	24.0 - 31.1	160
c. Nutrition services and foods and beverages available at school	25.0	18.5 - 32.9	40	13.3	10.6 - 16.7	113	-	-	5	16.8	14.2 - 19.9	158
d. Health services	42.5	34.5 - 50.9	40	16.2	13.3 - 19.6	114	-	-	5	22.9	20.0 - 26.1	159
e. Mental health and social services	56.4	49.3 - 63.3	39	33.4	29.2 - 38.0	114	-	-	5	40.0	36.4 - 43.7	158
f. Healthy and safe school environment	71.8	66.1 - 76.9	39	49.7	45.3 - 54.1	113	-	-	5	55.0	51.4 - 58.6	157
g. Family and community involvement	69.2	62.0 - 75.6	39	57.5	53.4 - 61.5	115	-	-	5	60.8	57.3 - 64.2	159
h. Faculty and staff health promotion	37.5	31.7 - 43.7	40	17.0	13.8 - 20.8	114	-	-	5	22.4	19.5 - 25.5	159

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.\*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
80.0	75.0 - 84.2	40	36.3	32.0 - 40.9	107	-	-	5	47.5	44.0 - 51.0	152

\*Among schools that engaged in an improvement planning process during the past year.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
85.7	82.4 - 88.5	42	88.9	85.6 - 91.5	119	-	-	5	87.9	85.3 - 90.1	166

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
57.1	51.2 - 62.9	42	49.8	45.5 - 54.1	119	-	-	5	52.9	49.4 - 56.4	166

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. School administrators	100.0	†	23	94.5	90.7 - 96.8	57	-	-	5	96.2	93.5 - 97.8	85
b. Health education teachers	100.0	†	23	82.0	76.2 - 86.6	56	-	-	5	87.5	83.4 - 90.7	84
c. Physical education teachers	100.0	†	22	89.6	85.0 - 92.9	56	-	-	5	92.7	89.4 - 95.0	83
d. Other classroom teachers	77.3	72.6 - 81.3	22	75.2	68.6 - 80.7	56	-	-	5	75.9	71.1 - 80.1	83
e. Mental health or social services staff (e.g., school counselors)	82.6	80.5 - 84.5	23	67.8	61.7 - 73.3	56	-	-	5	72.1	67.7 - 76.2	84
f. Nutrition or food service staff	65.2	56.7 - 72.9	23	45.3	38.7 - 52.2	54	-	-	5	51.3	46.0 - 56.5	82
g. Health services staff (e.g., school nurse)	91.3	90.2 - 92.3	23	80.2	74.9 - 84.6	55	-	-	5	84.1	80.5 - 87.2	83
h. Maintenance and transportation staff	36.4	28.7 - 44.8	22	17.7	13.2 - 23.4	55	-	-	5	22.3	18.3 - 27.0	82
i. Technology staff	22.7	15.2 - 32.6	22	23.2	18.3 - 29.0	55	-	-	5	22.9	18.7 - 27.6	82
j. Library/media center staff	31.8	23.9 - 41.0	22	18.3	13.8 - 23.9	54	-	-	5	21.7	17.8 - 26.3	81
k. Student body	65.2	56.4 - 73.1	23	30.9	25.4 - 37.0	54	-	-	5	42.5	37.8 - 47.3	82
l. Parents or families of students	59.1	47.9 - 69.4	22	60.4	53.9 - 66.6	54	-	-	5	60.1	54.6 - 65.3	81

\*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
m. Community members	60.9	50.5 - 70.3	23	44.3	37.2 - 51.6	54	-	-	5	48.3	42.5 - 54.2	82
n. Local health departments, agencies, or organizations	65.2	54.0 - 74.9	23	32.4	26.5 - 39.1	54	-	-	5	40.2	34.9 - 45.8	82
o. Faith-based organizations	31.8	24.5 - 40.2	22	2.0	0.8 - 5.1	54	-	-	5	10.4	8.2 - 13.2	81
p. Businesses	22.7	17.1 - 29.6	22	11.2	7.5 - 16.3	54	-	-	5	13.4	10.2 - 17.3	81
q. Local government agencies	43.5	34.4 - 53.0	23	12.8	8.9 - 18.2	54	-	-	5	20.0	16.0 - 24.5	82

\*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Identified student health needs based on a review of relevant data	65.2	55.3 - 74.0	23	72.8	66.6 - 78.1	56	-	-	5	69.0	64.0 - 73.7	84
b. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	87.0	78.7 - 92.3	23	81.7	76.0 - 86.3	56	-	-	5	83.0	78.5 - 86.6	84
c. Sought funding or leveraged resources to support health and safety priorities for students and staff	69.6	60.6 - 77.3	23	53.1	46.1 - 59.9	56	-	-	5	56.4	51.0 - 61.6	84
d. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	91.3	90.2 - 92.3	23	83.9	78.4 - 88.2	57	-	-	5	85.5	81.5 - 88.7	85
e. Reviewed health-related curricula or instructional materials	90.9	83.5 - 95.2	22	87.0	82.8 - 90.4	55	-	-	5	88.7	85.4 - 91.4	82

\*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations



## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that have adopted a policy that addresses each of the following issues on HIV infection or AIDS.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Attendance of students with HIV infection	55.0	47.7 - 62.1	40	59.5	55.0 - 63.9	115	-	-	5	59.7	55.9 - 63.4	160
b. Procedures to protect HIV-infected students and staff from discrimination	68.3	63.0 - 73.1	41	66.0	61.7 - 70.0	116	-	-	5	67.5	64.1 - 70.7	162
c. Maintaining confidentiality of HIV-infected students and staff	82.9	75.8 - 88.3	41	73.3	69.5 - 76.8	118	-	-	5	76.3	73.1 - 79.2	164
d. Worksite safety (i.e., universal precautions for all school staff)	85.4	78.9 - 90.1	41	79.2	75.6 - 82.4	118	-	-	5	81.2	78.2 - 83.9	164
e. Confidential counseling for HIV-infected students	68.3	61.1 - 74.7	41	48.5	44.0 - 53.1	117	-	-	5	53.4	49.5 - 57.2	163
f. Communication of the policy to students, school staff, and parents	55.0	49.1 - 60.8	40	50.8	46.2 - 55.4	117	-	-	5	52.6	48.8 - 56.3	162
g. Adequate training about HIV infection for school staff	73.2	64.9 - 80.1	41	63.5	59.2 - 67.6	118	-	-	5	66.2	62.5 - 69.7	164
h. Procedures for implementing the policy	60.0	52.3 - 67.2	40	55.9	51.5 - 60.2	117	-	-	5	58.1	54.4 - 61.7	162

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that require any school staff to receive professional development on HIV, STD, or pregnancy prevention issues and resources for the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Ethnic/racial minority youth at high risk (e.g., black, Hispanic, or American Indian youth)	34.1	29.1 - 39.6	41	16.1	13.2 - 19.5	118	-	-	5	20.3	17.8 - 23.0	164
b. Youth who participate in drop-out prevention, alternative education, or GED programs	29.3	23.9 - 35.3	41	7.7	5.5 - 10.5	118	-	-	5	12.9	10.8 - 15.3	164

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools that have a student-level club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
78.0	72.6 - 82.7	41	8.1	5.9 - 11.1	110	-	-	5	25.7	23.4 - 28.2	156

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

11. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	78.6	71.4 - 84.4	42	37.0	32.9 - 41.4	117	-	-	5	47.4	43.9 - 50.9	164
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	95.2	90.9 - 97.6	42	69.7	65.5 - 73.5	117	-	-	5	76.5	73.4 - 79.4	164
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	73.8	67.6 - 79.2	42	37.9	34.0 - 42.0	116	-	-	5	46.3	43.0 - 49.7	163
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	73.2	65.4 - 79.8	41	29.4	25.5 - 33.5	116	-	-	5	39.7	36.3 - 43.2	162
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	78.0	71.4 - 83.5	41	37.2	33.4 - 41.1	115	-	-	5	47.3	44.0 - 50.6	161

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

12. Percentage of schools that require physical education for students in any of grades 6 through 12.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
97.6	93.9 - 99.1	42	100.0	†	117	-	-	5	99.4	98.6 - 99.8	164

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

13. Percentage of schools that taught a required physical education course in each of the following grades.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Sixth grade	§	§	§	98.9	97.1 - 99.6	96	-	-	2	98.9	97.2 - 99.6	98
b. Seventh grade	§	§	§	99.0	97.5 - 99.6	110	-	-	2	99.0	97.5 - 99.6	112
c. Eighth grade	§	§	§	99.0	97.5 - 99.6	110	-	-	2	99.0	97.5 - 99.6	112
d. Ninth grade	97.6	93.8 - 99.1	41	-	-	1	-	-	3	97.8	94.3 - 99.1	45
e. Tenth grade	97.5	93.6 - 99.0	40	§	§	§	-	-	3	97.7	94.1 - 99.1	43
f. Eleventh grade	97.5	93.6 - 99.0	40	§	§	§	-	-	3	97.7	94.1 - 99.1	43
g. Twelfth grade	97.5	93.6 - 99.0	40	§	§	§	-	-	3	97.7	94.1 - 99.1	43

\*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools in which physical education teachers or specialists received professional development on physical education during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
97.6	93.9 - 99.1	42	94.6	92.1 - 96.4	117	-	-	5	95.5	93.6 - 96.9	164

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools in which those who teach physical education are provided with the following materials.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Goals, objectives, and expected outcomes for physical education	100.0	†	42	95.8	93.5 - 97.2	119	-	-	5	96.8	95.2 - 97.9	166
b. A chart describing the annual scope and sequence of instruction for physical education	90.5	84.9 - 94.1	42	84.3	80.9 - 87.2	119	-	-	5	85.7	82.8 - 88.1	166
c. Plans for how to assess student performance in physical education	95.2	90.8 - 97.6	42	83.1	79.3 - 86.2	119	-	-	5	85.2	82.2 - 87.7	166
d. A written physical education curriculum	97.6	93.9 - 99.1	42	85.9	82.7 - 88.6	119	-	-	5	87.8	85.2 - 90.0	166

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations



## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

16. Percentage of schools in which students participate in physical activity breaks in classrooms during the school day outside of physical education.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
14.3	10.4 - 19.3	42	51.7	47.2 - 56.1	119	-	-	5	41.6	38.2 - 45.1	166

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

17. Percentage of schools that offer opportunities for all students to participate in intramural sports programs or physical activity clubs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
85.7	79.2 - 90.4	42	85.2	81.7 - 88.1	119	-	-	5	85.7	82.8 - 88.2	166

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

18. Percentage of schools that offer interscholastic sports to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
97.6	93.9 - 99.1	42	94.6	92.7 - 96.1	119	-	-	5	95.5	93.9 - 96.7	166

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

19. Percentage of schools that have a joint use agreement for shared use of school or community physical activity facilities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
73.8	66.4 - 80.1	42	84.2	80.6 - 87.2	116	-	-	5	80.4	77.3 - 83.2	163

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

20. Percentage of schools that have adopted a policy prohibiting tobacco use.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
100.0	†	42	93.0	90.3 - 95.0	117	-	-	5	94.9	92.8 - 96.3	164

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

21. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Cigarettes	97.6	93.9 - 99.1	42	88.6	85.6 - 91.1	114	-	-	5	91.1	88.8 - 93.0	161
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	95.2	90.8 - 97.6	42	85.5	82.2 - 88.2	114	-	-	5	88.2	85.7 - 90.3	161
c. Cigars	92.9	87.8 - 95.9	42	87.0	84.1 - 89.5	114	-	-	5	88.8	86.4 - 90.8	161
d. Pipes	92.9	87.8 - 95.9	42	87.0	84.1 - 89.5	114	-	-	5	88.8	86.4 - 90.8	161

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

21. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Cigarettes	97.6	93.9 - 99.1	42	83.4	80.2 - 86.3	115	-	-	5	87.3	84.8 - 89.4	162
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	90.5	84.9 - 94.1	42	78.5	75.2 - 81.5	115	-	-	5	82.0	79.3 - 84.4	162
c. Cigars	92.9	87.8 - 95.9	42	81.8	78.3 - 84.8	115	-	-	5	84.9	82.2 - 87.3	162
d. Pipes	92.9	87.8 - 95.9	42	81.8	78.3 - 84.8	115	-	-	5	84.9	82.2 - 87.3	162

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

21. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Cigarettes	95.2	90.8 - 97.6	42	80.1	76.7 - 83.1	115	-	-	5	84.2	81.6 - 86.5	162
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	88.1	82.0 - 92.3	42	74.3	71.0 - 77.4	115	-	-	5	77.8	74.9 - 80.3	162
c. Cigars	90.5	84.9 - 94.1	42	78.4	74.8 - 81.6	115	-	-	5	81.9	79.0 - 84.4	162
d. Pipes	90.5	84.9 - 94.1	42	78.2	74.6 - 81.4	114	-	-	5	81.8	78.9 - 84.3	161

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations



## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

22. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. During school hours	97.6	93.9 - 99.1	42	92.1	89.5 - 94.0	115	-	-	5	93.6	91.7 - 95.1	162
b. During non-school hours	88.1	83.6 - 91.5	42	71.2	66.9 - 75.2	115	-	-	5	76.1	72.7 - 79.1	162

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

22. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. During school hours	95.2	90.8 - 97.6	42	85.9	82.4 - 88.7	115	-	-	5	88.5	85.8 - 90.7	162
b. During non-school hours	83.3	77.6 - 87.8	42	64.5	60.1 - 68.6	114	-	-	5	70.0	66.6 - 73.2	161

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

22. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. During school hours	92.9	87.8 - 95.9	42	82.3	78.7 - 85.4	115	-	-	5	85.3	82.5 - 87.7	162
b. During non-school hours	83.3	77.6 - 87.8	42	63.5	59.1 - 67.7	114	-	-	5	69.3	65.8 - 72.6	161

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

23. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	
a. In school buildings	100.0	†	42	91.1	88.4 - 93.3	114	-	-	5	93.5	91.5 - 95.1	161
b. Outside on school grounds, including parking lots and playing fields	100.0	†	42	91.1	88.4 - 93.3	114	-	-	5	93.5	91.5 - 95.1	161
c. On school buses or other vehicles used to transport students	100.0	†	42	89.3	86.7 - 91.5	114	-	-	5	92.2	90.3 - 93.8	161
d. At off-campus, school-sponsored events	100.0	†	42	85.9	83.1 - 88.4	114	-	-	5	89.7	87.6 - 91.5	161

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

23. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	100.0	†	42	88.5	85.4 - 91.0	114	-	-	5	91.6	89.3 - 93.4	161
b. Outside on school grounds, including parking lots and playing fields	100.0	†	42	87.5	84.3 - 90.2	114	-	-	5	90.9	88.5 - 92.8	161
c. On school buses or other vehicles used to transport students	100.0	†	42	85.7	82.5 - 88.4	114	-	-	5	89.5	87.2 - 91.5	161
d. At off-campus, school-sponsored events	92.9	87.8 - 95.9	42	73.6	69.8 - 77.1	114	-	-	5	79.0	76.0 - 81.7	161

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

23. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. In school buildings	97.6	93.9 - 99.1	42	87.4	84.4 - 89.9	112	-	-	5	90.2	88.0 - 92.1	159
b. Outside on school grounds, including parking lots and playing fields	97.6	93.9 - 99.1	42	82.7	79.2 - 85.8	112	-	-	5	86.8	84.2 - 89.1	159
c. On school buses or other vehicles used to transport students	95.2	90.8 - 97.6	42	83.7	80.5 - 86.5	112	-	-	5	87.0	84.5 - 89.1	159
d. At off-campus, school-sponsored events	85.7	80.5 - 89.7	42	63.4	59.0 - 67.6	112	-	-	5	69.3	65.9 - 72.6	159

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

24. Percentage of schools that have procedures to inform each of the following groups about the tobacco-use prevention policy that prohibits their use of tobacco.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Students	95.2	90.8 - 97.6	42	97.0	94.8 - 98.3	105	-	-	5	96.0	94.1 - 97.3	152
b. Faculty and staff	95.2	90.8 - 97.6	42	89.0	85.7 - 91.7	104	-	-	5	90.3	87.6 - 92.4	151
c. Visitors	90.0	84.3 - 93.8	40	72.1	67.8 - 76.1	101	-	-	5	76.8	73.4 - 79.9	146

\*Among those schools that have adopted a policy prohibiting tobacco use.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

25. Percentage of schools that have a tobacco-use prevention policy that includes guidelines on what actions the school should take when students are caught smoking cigarettes.\*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
97.6	93.9 - 99.1	42	90.4	87.8 - 92.5	108	-	-	5	92.5	90.5 - 94.1	155

\*Among those schools that have adopted a policy prohibiting tobacco use.  
 - Results are suppressed due to insufficient number of respondents in subgroup.  
 N = Unweighted number of observations



## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

26. Percentage of schools in which the following person is responsible for enforcing the tobacco-use prevention policy.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. No single individual is responsible	51.2	43.9 - 58.5	41	54.5	49.5 - 59.4	100	-	-	5	53.8	49.7 - 57.8	146
b. Principal	4.9	2.5 - 9.4	41	37.7	33.3 - 42.3	100	-	-	5	28.7	25.5 - 32.3	146
c. Assistant principal	17.1	12.6 - 22.7	41	7.8	5.6 - 10.8	100	-	-	5	10.6	8.5 - 13.2	146
d. Other school administrator	24.4	18.5 - 31.4	41	0.0	†	100	-	-	5	6.3	4.8 - 8.2	146
e. Other school faculty or staff member	2.4	0.9 - 6.2	41	0.0	†	100	-	-	5	0.6	0.2 - 1.6	146

\*Among those schools that have adopted a policy prohibiting tobacco use.

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

27. Percentage of schools in which the following criteria help determine what actions are taken when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Zero tolerance	45.2	37.9 - 52.8	42	61.9	57.8 - 65.8	117	-	-	5	58.0	54.4 - 61.4	164
b. Effect or severity of the violation	83.3	77.6 - 87.8	42	78.4	74.4 - 82.0	112	-	-	5	79.7	76.4 - 82.6	159
c. Grade level of student	35.7	29.2 - 42.8	42	48.4	44.1 - 52.8	111	-	-	5	45.7	42.1 - 49.4	158
d. Repeat offender status	92.9	90.2 - 94.8	42	79.1	75.1 - 82.6	111	-	-	5	83.1	80.1 - 85.7	158

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

28. (Never) Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Parents or guardians are notified	0.0	†	42	0.0	†	116	-	-	5	0.0	†	163
b. Referred to a school counselor	2.4	0.9 - 6.2	41	6.3	4.6 - 8.4	114	-	-	5	5.8	4.4 - 7.5	160
c. Referred to a school administrator	2.4	0.9 - 6.1	42	0.0	†	113	-	-	5	0.6	0.2 - 1.5	160
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	2.5	1.0 - 6.4	40	18.9	15.8 - 22.4	114	-	-	5	15.1	12.8 - 17.9	159
e. Required to participate in an assistance, education, or cessation program	22.0	17.1 - 27.7	41	37.1	32.9 - 41.4	114	-	-	5	33.6	30.2 - 37.1	160
f. Referred to legal authorities	36.6	30.8 - 42.8	41	35.8	31.5 - 40.3	114	-	-	5	34.9	31.4 - 38.6	160
g. Placed in detention	12.2	8.7 - 16.9	41	15.3	12.7 - 18.3	113	-	-	5	14.1	12.0 - 16.5	159
h. Not allowed to participate in extra-curricular activities or interscholastic sports	14.6	9.8 - 21.3	41	6.4	4.8 - 8.6	113	-	-	5	8.2	6.4 - 10.3	159
i. Given in-school suspension	17.1	12.6 - 22.7	41	11.6	9.0 - 14.7	113	-	-	5	13.1	10.9 - 15.6	159
j. Suspended from school	7.3	4.2 - 12.5	41	9.0	6.8 - 11.7	114	-	-	5	8.9	7.0 - 11.2	160
k. Expelled from school	82.9	77.3 - 87.4	41	70.9	66.8 - 74.8	114	-	-	5	74.0	70.6 - 77.1	160
l. Reassigned to an alternative school	75.6	67.5 - 82.2	41	62.0	57.1 - 66.6	114	-	-	5	66.3	62.3 - 70.1	160

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

28. (Rarely) Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Parents or guardians are notified	0.0	†	42	0.0	†	116	-	-	5	0.0	†	163
b. Referred to a school counselor	22.0	17.3 - 27.4	41	5.2	3.8 - 7.0	114	-	-	5	10.2	8.4 - 12.2	160
c. Referred to a school administrator	9.5	5.9 - 15.0	42	0.7	0.3 - 1.9	113	-	-	5	2.8	1.8 - 4.3	160
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	10.0	6.2 - 15.7	40	25.9	22.3 - 29.8	114	-	-	5	22.1	19.2 - 25.3	159
e. Required to participate in an assistance, education, or cessation program	29.3	23.0 - 36.5	41	26.9	23.3 - 30.8	114	-	-	5	27.3	24.1 - 30.7	160
f. Referred to legal authorities	24.4	19.3 - 30.4	41	25.6	22.1 - 29.4	114	-	-	5	26.4	23.5 - 29.5	160
g. Placed in detention	14.6	9.8 - 21.3	41	13.0	10.1 - 16.5	113	-	-	5	13.6	11.1 - 16.6	159
h. Not allowed to participate in extra-curricular activities or interscholastic sports	9.8	6.0 - 15.5	41	9.5	7.3 - 12.3	113	-	-	5	9.3	7.4 - 11.6	159
i. Given in-school suspension	22.0	16.7 - 28.2	41	10.1	7.8 - 13.0	113	-	-	5	13.2	10.9 - 15.7	159
j. Suspended from school	34.1	27.0 - 42.1	41	14.4	11.9 - 17.2	114	-	-	5	19.7	17.2 - 22.5	160
k. Expelled from school	17.1	12.6 - 22.7	41	17.5	14.4 - 21.0	114	-	-	5	17.5	14.9 - 20.4	160
l. Reassigned to an alternative school	22.0	15.7 - 29.8	41	26.5	22.7 - 30.8	114	-	-	5	24.7	21.4 - 28.2	160

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

28. (Sometimes) Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Parents or guardians are notified	4.8	2.4 - 9.2	42	0.8	0.3 - 2.2	116	-	-	5	1.7	1.0 - 3.0	163
b. Referred to a school counselor	48.8	41.5 - 56.1	41	35.7	31.7 - 39.9	114	-	-	5	37.7	34.2 - 41.2	160
c. Referred to a school administrator	7.1	4.1 - 12.2	42	1.6	0.8 - 3.1	113	-	-	5	3.5	2.3 - 5.1	160
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	50.0	42.1 - 57.9	40	31.8	28.0 - 35.9	114	-	-	5	35.6	32.2 - 39.1	159
e. Required to participate in an assistance, education, or cessation program	31.7	25.8 - 38.3	41	28.1	24.5 - 32.1	114	-	-	5	29.3	26.2 - 32.7	160
f. Referred to legal authorities	26.8	20.6 - 34.2	41	27.0	23.1 - 31.3	114	-	-	5	26.7	23.5 - 30.2	160
g. Placed in detention	48.8	40.8 - 56.8	41	49.2	44.7 - 53.8	113	-	-	5	47.6	43.7 - 51.6	159
h. Not allowed to participate in extra-curricular activities or interscholastic sports	46.3	38.5 - 54.4	41	53.3	48.5 - 58.2	113	-	-	5	50.7	46.6 - 54.7	159
i. Given in-school suspension	48.8	40.9 - 56.8	41	61.1	56.5 - 65.4	113	-	-	5	57.6	53.7 - 61.4	159
j. Suspended from school	43.9	35.8 - 52.3	41	46.7	42.2 - 51.3	114	-	-	5	45.9	42.1 - 49.8	160
k. Expelled from school	0.0	†	41	8.8	6.5 - 11.9	114	-	-	5	6.5	4.8 - 8.7	160
l. Reassigned to an alternative school	2.4	0.9 - 6.2	41	9.7	7.4 - 12.5	114	-	-	5	7.7	6.0 - 9.9	160

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

28. (Always) Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Parents or guardians are notified	95.2	90.8 - 97.6	42	99.2	97.8 - 99.7	116	-	-	5	98.3	97.0 - 99.0	163
b. Referred to a school counselor	26.8	20.6 - 34.2	41	52.9	48.6 - 57.0	114	-	-	5	46.4	42.8 - 50.0	160
c. Referred to a school administrator	81.0	75.0 - 85.8	42	97.7	95.9 - 98.6	113	-	-	5	93.1	91.2 - 94.7	160
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	37.5	30.5 - 45.0	40	23.4	19.7 - 27.6	114	-	-	5	27.2	23.9 - 30.7	159
e. Required to participate in an assistance, education, or cessation program	17.1	11.9 - 24.0	41	7.9	5.7 - 10.8	114	-	-	5	9.8	7.7 - 12.4	160
f. Referred to legal authorities	12.2	8.0 - 18.2	41	11.6	8.9 - 15.1	114	-	-	5	12.0	9.6 - 14.9	160
g. Placed in detention	24.4	19.1 - 30.6	41	22.5	19.1 - 26.3	113	-	-	5	24.6	21.6 - 27.9	159
h. Not allowed to participate in extra-curricular activities or interscholastic sports	29.3	22.8 - 36.7	41	30.7	26.6 - 35.1	113	-	-	5	31.9	28.4 - 35.6	159
i. Given in-school suspension	12.2	8.7 - 16.9	41	17.3	14.2 - 20.8	113	-	-	5	16.2	13.7 - 19.1	159
j. Suspended from school	14.6	9.9 - 21.1	41	30.0	26.0 - 34.3	114	-	-	5	25.5	22.3 - 29.0	160
k. Expelled from school	0.0	†	41	2.8	2.1 - 3.7	114	-	-	5	2.0	1.5 - 2.7	160
l. Reassigned to an alternative school	0.0	†	41	1.8	0.9 - 3.5	114	-	-	5	1.3	0.7 - 2.6	160

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

29. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
76.2	71.3 - 80.5	42	49.3	44.9 - 53.6	115	-	-	5	55.3	51.9 - 58.7	162

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools that provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Faculty and staff	35.7	28.4 - 43.7	42	11.1	8.7 - 14.1	118	-	-	5	17.0	14.6 - 19.9	165
b. Students	42.9	35.4 - 50.7	42	3.5	2.4 - 4.9	118	-	-	5	13.0	11.2 - 15.1	165

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations



## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools that have arrangements with any organizations or health care professionals not on school property to provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Faculty and staff	52.4	44.6 - 60.0	42	25.7	22.0 - 29.7	118	-	-	5	31.7	28.3 - 35.2	165
b. Students	59.5	50.7 - 67.8	42	18.8	15.8 - 22.2	118	-	-	5	27.7	24.6 - 30.9	165

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruit or non-fried vegetables at school celebrations when foods or beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Foods or beverages are not offered at school celebrations	2.4	0.9 - 6.1	42	4.1	2.7 - 6.3	117	-	-	5	3.6	2.4 - 5.3	164
b. Never	0.0	†	42	0.0	†	117	-	-	5	0.0	†	164
c. Rarely	4.8	2.4 - 9.2	42	14.9	11.9 - 18.4	117	-	-	5	12.1	9.8 - 14.8	164
d. Sometimes	50.0	43.0 - 57.0	42	48.4	44.0 - 52.8	117	-	-	5	49.7	46.0 - 53.4	164
e. Always or almost always	42.9	36.3 - 49.7	42	32.6	29.4 - 36.1	117	-	-	5	34.6	31.7 - 37.7	164

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
100.0	†	42	39.2	34.9 - 43.6	118	-	-	5	54.4	51.1 - 57.6	165

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Chocolate candy	66.7	58.2 - 74.2	42	8.6	6.3 - 11.5	117	-	-	5	22.9	20.3 - 25.8	164
b. Other kinds of candy	71.4	63.5 - 78.2	42	12.2	9.4 - 15.6	117	-	-	5	26.7	24.0 - 29.6	164
c. Salty snacks that are not low in fat (e.g., regular potato chips)	78.6	71.9 - 84.0	42	11.8	9.3 - 15.0	117	-	-	5	28.1	25.6 - 30.8	164
d. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	73.8	67.1 - 79.6	42	14.2	11.4 - 17.7	117	-	-	5	29.3	26.6 - 32.2	164
e. Ice cream or frozen yogurt that is not low in fat	47.6	40.7 - 54.7	42	8.9	6.8 - 11.6	118	-	-	5	18.7	16.4 - 21.3	165
f. 2% or whole milk (plain or flavored)	66.7	60.6 - 72.2	42	19.9	16.8 - 23.4	118	-	-	5	31.2	28.4 - 34.2	165
g. Water ices or frozen slushes that do not contain juice	40.5	32.5 - 49.0	42	3.3	2.0 - 5.3	117	-	-	5	12.4	10.3 - 14.9	164
h. Soda pop or fruit drinks that are not 100% juice	59.5	50.7 - 67.8	42	8.3	6.1 - 11.2	118	-	-	5	21.6	19.0 - 24.4	165
i. Sports drinks (e.g., Gatorade)	92.9	87.8 - 95.9	42	13.2	10.4 - 16.7	118	-	-	5	32.9	30.5 - 35.5	165
j. Foods or beverages containing caffeine	78.6	71.4 - 84.3	42	7.4	5.4 - 10.1	118	-	-	5	25.3	23.1 - 27.6	165
k. Fruits (not fruit juice)	78.6	71.2 - 84.5	42	16.6	13.7 - 20.1	118	-	-	5	32.8	29.9 - 35.7	165
l. Non-fried vegetables (not vegetable juice)	71.4	63.6 - 78.2	42	11.5	9.3 - 14.3	118	-	-	5	27.3	24.7 - 30.1	165

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	31.7	25.1 - 39.2	41	9.0	6.8 - 12.0	116	-	-	5	15.1	12.7 - 17.9	162
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	76.2	69.1 - 82.0	42	51.8	47.6 - 56.0	117	-	-	5	57.6	54.1 - 61.1	164
c. Provided information to students or families on the nutrition and caloric content of foods available	70.7	63.9 - 76.7	41	61.7	57.3 - 65.9	117	-	-	5	64.3	60.8 - 67.7	163
d. Conducted taste tests to determine food preferences for nutritious items	41.5	35.0 - 48.3	41	29.5	25.3 - 34.1	115	-	-	5	32.0	28.4 - 35.7	161
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics	41.5	34.3 - 49.0	41	16.4	13.5 - 19.8	117	-	-	5	21.6	18.8 - 24.7	163
f. Served locally or regionally grown foods in the cafeteria or classrooms	29.3	22.9 - 36.6	41	26.5	22.8 - 30.5	116	-	-	4	26.5	23.3 - 29.9	161
g. Planted a school food or vegetable garden	22.0	16.0 - 29.3	41	15.4	12.4 - 18.9	116	-	-	5	17.5	14.9 - 20.5	162
h. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	88.1	83.8 - 91.4	42	52.6	48.4 - 56.8	115	-	-	5	61.1	57.9 - 64.3	162

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
i. Used attractive displays for fruits and vegetables in the cafeteria	71.4	63.6 - 78.2	42	42.8	39.0 - 46.7	117	-	-	5	50.5	47.1 - 53.9	164
j. Offered a self-serve salad bar to students	57.1	50.0 - 64.0	42	28.5	24.7 - 32.5	117	-	-	5	36.0	32.7 - 39.5	164
k. Labeled healthful foods with appealing names (e.g., crunchy carrots)	33.3	25.9 - 41.7	42	24.3	21.0 - 27.9	117	-	-	5	25.7	22.7 - 28.9	164

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

36. Percentage of schools that promote candy, meals from fast food restaurants, or soft drinks through the distribution of products, such as t-shirts, hats, and book covers to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
2.4	0.9 - 6.2	41	0.9	0.4 - 2.4	115	-	-	5	1.3	0.6 - 2.5	161

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

37. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. In the school building	65.9	58.6 - 72.5	41	75.2	71.7 - 78.3	117	-	-	5	72.6	69.5 - 75.5	163
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	63.4	56.6 - 69.7	41	73.5	69.7 - 76.9	117	-	-	5	71.3	68.1 - 74.4	163
c. On school buses or other vehicles used to transport students	67.5	59.8 - 74.4	40	76.8	73.2 - 79.9	117	-	-	5	74.2	71.0 - 77.1	162
d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)	56.1	48.3 - 63.6	41	72.6	68.9 - 76.0	117	-	-	5	69.0	65.7 - 72.2	163

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations



## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Yes, in all locations	57.1	50.0 - 64.0	42	38.2	33.8 - 42.7	117	-	-	5	43.2	39.6 - 46.9	164
b. Yes, in certain locations	38.1	31.4 - 45.3	42	46.2	42.3 - 50.2	117	-	-	5	44.2	40.8 - 47.6	164
c. No	4.8	2.4 - 9.2	42	15.6	12.9 - 18.8	117	-	-	5	12.6	10.5 - 15.1	164

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that offer a free source of drinking water in the cafeteria during meal times.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
97.6	93.8 - 99.1	41	81.5	77.8 - 84.7	116	-	-	5	85.1	82.3 - 87.6	162

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
100.0	†	42	61.9	58.1 - 65.6	118	-	-	5	71.2	68.3 - 74.0	165

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that have an asthma action plan on file for all, most, some, or no students with known asthma.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. This school has no students with known asthma	0.0	†	41	0.9	0.4 - 2.4	118	-	-	5	0.7	0.3 - 1.8	164
b. All students with known asthma have an asthma action plan on file	58.5	50.8 - 65.9	41	60.8	56.6 - 64.8	118	-	-	5	60.2	56.7 - 63.7	164
c. Most students with known asthma have an asthma action plan on file	26.8	21.8 - 32.5	41	22.2	18.8 - 26.1	118	-	-	5	22.6	19.8 - 25.7	164
d. Some students with known asthma have an asthma action plan on file	12.2	7.9 - 18.4	41	12.6	10.0 - 15.7	118	-	-	5	13.3	11.0 - 16.1	164
e. No students with known asthma have an asthma action plan on file	2.4	1.0 - 6.1	41	3.5	2.1 - 5.5	118	-	-	5	3.1	2.0 - 4.8	164

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that use each of the following events to identify students with poorly controlled asthma.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. This school does not identify students with poorly controlled asthma	2.4	0.9 - 6.2	41	12.3	9.5 - 15.7	112	-	-	5	9.6	7.5 - 12.2	158
b. Frequent absences from school	53.7	46.3 - 60.9	41	48.0	43.4 - 52.8	112	-	-	5	49.7	45.7 - 53.7	158
c. Frequent visits to the school health office due to asthma	85.4	78.7 - 90.2	41	74.1	69.6 - 78.1	112	-	-	5	77.5	73.9 - 80.8	158
d. Frequent asthma symptoms at school	80.5	74.1 - 85.6	41	67.6	62.9 - 72.0	112	-	-	5	71.0	67.2 - 74.5	158
e. Frequent non-participation in physical education class due to asthma	70.7	62.2 - 78.0	41	50.6	45.4 - 55.7	112	-	-	5	55.6	51.2 - 59.9	158
f. Students sent home early due to asthma	70.7	63.9 - 76.7	41	47.9	43.1 - 52.8	112	-	-	5	53.7	49.7 - 57.6	158
g. Calls from school to 911, or other local emergency numbers, due to asthma	58.5	51.1 - 65.6	41	31.7	27.6 - 36.1	112	-	-	5	38.3	34.6 - 42.1	158

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools that provide each of the following services for students with poorly controlled asthma.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Providing referrals to primary health care clinicians or child health insurance programs	76.2	70.1 - 81.3	42	54.9	50.8 - 58.9	116	-	-	5	60.6	57.3 - 63.9	163
b. Ensuring an appropriate written asthma action plan is obtained	90.5	84.9 - 94.1	42	81.4	77.6 - 84.7	116	-	-	5	84.1	81.0 - 86.7	163
c. Ensuring access to and appropriate use of asthma medications, spacers, and peak flow meters at school	88.1	82.2 - 92.2	42	91.5	88.5 - 93.7	116	-	-	5	89.2	86.5 - 91.4	163
d. Offering asthma education for students with asthma	78.6	71.9 - 84.0	42	48.3	44.2 - 52.5	116	-	-	5	55.2	51.7 - 58.6	163
e. Minimizing asthma triggers in the school environment	83.3	76.6 - 88.4	42	74.9	70.3 - 79.0	116	-	-	5	75.9	72.1 - 79.2	163
f. Addressing social and emotional issues related to asthma	83.3	76.6 - 88.4	42	49.6	45.2 - 54.1	116	-	-	5	57.8	54.1 - 61.4	163
g. Providing additional psychosocial counseling or support services as needed	66.7	58.9 - 73.6	42	55.6	51.2 - 59.8	116	-	-	5	57.7	53.9 - 61.4	163
h. Ensuring access to safe, enjoyable physical education and activity opportunities	97.6	93.9 - 99.1	42	90.3	87.6 - 92.6	116	-	-	5	91.2	88.9 - 93.0	163
i. Ensuring access to preventive medications before physical activity	90.2	86.4 - 93.1	41	89.3	86.5 - 91.6	116	-	-	5	89.3	87.0 - 91.2	162

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools in which school staff members are required to receive training on recognizing and responding to severe asthma symptoms more than once per year, once per year, or less than once per year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. More than once per year	2.4	0.9 - 6.1	42	0.8	0.3 - 2.1	118	-	-	5	1.2	0.6 - 2.3	165
b. Once per year	52.4	45.7 - 59.0	42	56.7	52.1 - 61.1	118	-	-	5	55.2	51.4 - 58.8	165
c. Less than once per year	16.7	11.5 - 23.6	42	10.2	7.8 - 13.4	118	-	-	5	12.0	9.7 - 14.8	165
d. No such requirement	28.6	23.3 - 34.5	42	32.2	28.5 - 36.2	118	-	-	5	31.7	28.6 - 34.9	165

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

45. Percentage of schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
85.7	79.4 - 90.3	42	82.6	78.9 - 85.7	118	-	-	5	83.8	80.8 - 86.5	165

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations



## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that have procedures to inform each of the following groups about the policy permitting students to carry and self-administer asthma medications.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Students	97.1	92.5 - 98.9	34	89.2	85.7 - 92.0	94	-	-	5	91.4	88.7 - 93.6	133
b. Parents and families	97.1	92.5 - 98.9	34	91.5	88.2 - 94.0	94	-	-	5	93.1	90.6 - 95.0	133

\*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

47. Percentage of schools that have the following person responsible for implementing the policy permitting students to carry and self-administer asthma medications.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. No single individual is responsible	8.6	4.9 - 14.7	35	14.9	11.8 - 18.7	94	-	-	5	14.2	11.6 - 17.3	134
b. Principal	2.9	1.1 - 7.3	35	7.7	5.3 - 11.0	94	-	-	5	6.3	4.5 - 8.8	134
c. Assistant principal	2.9	1.1 - 7.3	35	0.0	†	94	-	-	5	0.7	0.3 - 1.7	134
d. School nurse	82.9	75.3 - 88.5	35	69.5	65.0 - 73.6	94	-	-	5	72.4	68.7 - 75.7	134
e. Other school faculty or staff member	2.9	1.1 - 7.1	35	7.9	5.5 - 11.2	94	-	-	5	6.4	4.6 - 8.9	134

\*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. HIV counseling and testing	16.7	11.6 - 23.4	42	0.0	†	118	-	-	5	3.9	2.7 - 5.5	165
b. STD testing and treatment	16.7	11.6 - 23.4	42	0.0	†	118	-	-	5	3.9	2.7 - 5.5	165
c. Pregnancy testing	9.5	5.9 - 15.1	42	0.0	†	118	-	-	5	2.2	1.4 - 3.5	165
d. Provision of condoms	4.8	2.4 - 9.2	42	0.0	†	118	-	-	5	1.1	0.6 - 2.2	165
e. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	4.8	2.4 - 9.2	42	0.0	†	118	-	-	5	1.1	0.6 - 2.2	165
f. Prenatal care	19.0	13.7 - 25.9	42	0.0	†	118	-	-	5	4.4	3.1 - 6.2	165
g. Human papillomavirus (HPV) vaccine administration	9.5	5.9 - 15.1	42	0.0	†	118	-	-	5	2.2	1.4 - 3.5	165

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. HIV counseling and testing	85.4	78.7 - 90.2	41	22.0	18.8 - 25.6	118	-	-	5	38.1	35.2 - 41.0	164
b. STD testing and treatment	87.8	81.6 - 92.1	41	22.9	19.8 - 26.4	118	-	-	5	38.7	36.0 - 41.5	164
c. Pregnancy testing	90.2	84.5 - 94.0	41	23.6	20.3 - 27.4	118	-	-	5	39.8	36.9 - 42.7	164
d. Provision of condoms	65.9	58.0 - 72.9	41	15.3	12.5 - 18.5	118	-	-	5	27.4	24.6 - 30.4	164
e. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	70.7	63.6 - 76.9	41	15.3	12.5 - 18.5	118	-	-	5	28.5	25.8 - 31.4	164
f. Prenatal care	92.7	87.5 - 95.8	41	19.2	16.0 - 22.9	118	-	-	5	37.0	34.3 - 39.8	164
g. Human papillomavirus (HPV) vaccine administration	82.9	75.8 - 88.3	41	19.7	16.6 - 23.3	118	-	-	5	34.6	31.8 - 37.6	164

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

50. Percentage of schools in which students' families helped develop or implement policies and programs related to HIV, STD, or teen pregnancy prevention during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
14.3	10.3 - 19.5	42	1.6	0.8 - 3.2	119	-	-	5	4.5	3.4 - 6.0	166

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## SUBURBAN COOK COUNTY

### 2012 School Health Profiles Report Weighted Principal Survey Results

51. Percentage of schools in which community members helped develop or implement policies and programs related to HIV, STD, or teen pregnancy prevention during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
28.6	21.9 - 36.3	42	1.6	0.8 - 3.2	119	-	-	5	7.8	6.1 - 9.8	166

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations