

Suburban Cook County

2010 Calculated Variables Report

Communities Putting Prevention to Work using Behavioral Risk Factor Surveillance System

September 26, 2011



COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010

CALCULATED VARIABLES 1: HEALTH STATUS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE

ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

- 1 MALES AND FEMALES
- 2 MALES ONLY
- 3 FEMALES ONLY

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 1: HEALTH STATUS
TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4756	2,154,699	3963	82.0	77.4-86.6	793	18.0	13.4-22.6
Male	1768	1,035,588	1485	86.5	80.5-92.4	283	13.5	07.6-19.5
Female	2988	1,119,111	2478	77.9	71.0-84.8	510	22.1	15.2-29.0
White/Non-Hisp	3414	811,590	2910	89.6	87.5-91.8	504	10.4	08.2-12.5
Other Race	1308	1,335,523	1026	77.3	70.1-84.6	282	22.7	15.4-29.9
18-24	168	301,661	156	94.3	87.8-0100	12	5.7	00.0-12.2
35-44	640	405,542	565	87.6	80.2-95.0	75	12.4	05.0-19.8
65+	1578	293,878	1217	75.1	67.0-83.2	361	24.9	16.8-33.0
H.S. or G.E.D.	1162	531,952	896	79.8	71.7-87.8	266	20.2	12.2-28.3
Some Post-H.S.	1329	534,254	1088	87.3	80.5-94.1	241	12.7	05.9-19.5
College Graduate	1963	632,155	1810	95.0	93.0-97.0	153	5.0	03.0-07.0
\$25,000- 34,999	471	207,928	359	90.2	85.3-95.2	112	9.8	04.8-14.7
\$35,000- 49,999	659	268,853	558	91.1	84.7-97.5	101	8.9	02.5-15.3
\$50,000- 74,999	729	259,387	659	92.4	87.8-96.9	70	7.6	03.1-12.2
\$75,000+	1423	519,035	1331	93.0	86.8-99.2	92	7.0	00.8-13.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1768	1,035,588	1485	86.5	80.5-92.4	283	13.5	00.0-25.1
White/Non-Hisp	1298	393,122	1106	89.9	86.8-93.0	192	10.1	07.0-13.2
Other Race	449	637,788	362	84.3	74.9-93.7	87	15.7	06.3-25.1
18-24	80	149,096	76	97.3	93.7-0100	4	2.7	00.0-06.3
25-34	119	265,857	114	98.6	96.8-0100	5	1.4	00.0-03.2
35-44	222	205,564	196	95.8	93.1-98.6	26	4.2	01.4-06.9
H.S. or G.E.D.	425	255,240	329	82.9	73.0-92.8	96	17.1	07.2-27.0
Some Post-H.S.	456	267,106	388	96.2	93.8-98.6	68	3.8	01.4-06.2
College Graduate	767	293,581	695	93.1	89.1-97.1	72	6.9	02.9-10.9
\$25,000- 34,999	163	83,677	116	89.7	81.5-97.8	47	10.3	02.2-18.5
\$35,000- 49,999	244	142,704	207	92.7	87.5-97.9	37	7.3	02.1-12.5
\$50,000- 74,999	261	121,941	233	92.0	84.5-99.4	28	8.0	00.6-15.5
\$75,000+	632	281,889	584	94.6	90.8-98.5	48	5.4	01.5-09.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2988	1,119,111	2478	77.9	71.0-84.8	510	22.1	15.2-29.0
White/Non-Hisp	2116	418,468	1804	89.4	86.5-92.3	312	10.6	07.7-13.5
College Graduate	1196	338,574	1115	96.7	95.2-98.2	81	3.3	01.8-04.8
\$25,000- 34,999	308	124,251	243	90.6	84.3-97.0	65	9.4	03.0-15.7
\$50,000- 74,999	468	137,446	426	92.8	87.2-98.3	42	7.2	01.7-12.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010

CALCULATED VARIABLES 2: HEALTH CARE ACCESS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE

RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU65)

- 1 MALES AND FEMALES
- 2 MALES ONLY
- 3 FEMALES ONLY

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 2: HEALTH CARE ACCESS**

TABLE 1: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU65)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3140	1,850,237	2716	74.3	68.4-80.3	424	25.7	19.7-31.6
Male	1220	916,763	1032	75.1	66.7-83.6	188	24.9	16.4-33.3
Female	1920	933,474	1684	73.6	65.1-82.0	236	26.4	18.0-34.9
White/Non-Hisp	2089	666,939	1897	85.6	79.4-91.9	192	14.4	08.1-20.6
Other Race	1027	1,176,222	801	67.9	59.3-76.4	226	32.1	23.6-40.7
55-64	1055	257,829	930	85.5	79.6-91.4	125	14.5	08.6-20.4
Some Post-H.S.	877	482,954	760	77.0	67.1-86.9	117	23.0	13.1-32.9
College Graduate	1463	568,144	1358	88.8	82.3-95.3	105	11.2	04.7-17.7
\$50,000- 74,999	541	237,658	497	91.8	85.1-98.6	44	8.2	01.4-14.9
\$75,000+	1218	489,663	1180	90.8	83.4-98.3	38	9.2	01.7-16.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 2: HEALTH CARE ACCESS**

TABLE 2: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU65)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1220	916,763	1032	75.1	66.7-83.6	188	24.9	16.4-33.3
White/Non-Hisp	841	330,895	750	87.7	82.6-92.7	91	12.3	07.3-17.4
55-64	410	119,471	369	86.4	78.7-94.1	41	13.6	05.9-21.3
College Graduate	557	265,134	508	89.5	84.2-94.8	49	10.5	05.2-15.8
\$75,000+	531	270,395	514	92.1	84.4-99.8	17	7.9	00.2-15.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 2: HEALTH CARE ACCESS**

**TABLE 3: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU65)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1920	933,474	1684	73.6	65.1-82.0	236	26.4	18.0-34.9
45-54	582	174,614	526	88.3	81.3-95.2	56	11.7	04.8-18.7
55-64	645	138,358	561	84.8	76.0-93.5	84	15.2	06.5-24.0
\$50,000- 74,999	355	128,078	332	95.0	90.1-99.8	23	5.0	00.2-09.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010

CALCULATED VARIABLES 5: TOBACCO USE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE

FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)

1 MALES AND FEMALES

2 MALES ONLY

3 FEMALES ONLY

ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

4 MALES AND FEMALES

5 MALES ONLY

6 FEMALES ONLY

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010

CALCULATED VARIABLES 5: TOBACCO USE

TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current smoker - now smokes every day			Current smoker - now smokes some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4757	2,155,122	492	14.0	09.9-18.2	203	7.9	04.2-11.6	1436	21.0	16.5-25.5	2626	57.0	51.4-62.6
Male	1766	1,035,182	197	13.0	07.2-18.9	86	11.2	05.0-17.4	629	24.7	17.4-32.0	854	51.1	42.6-59.5
Female	2991	1,119,940	295	15.0	09.0-20.9	117	4.9	00.7-09.1	807	17.6	12.3-23.0	1772	62.5	55.1-69.9
White/Non-Hisp	3414	811,359	373	17.2	11.3-23.1	123	6.6	01.6-11.7	1149	24.0	20.3-27.7	1769	52.1	46.1-58.2
Other Race	1309	1,336,177	118	12.2	06.5-17.9	78	8.7	03.6-13.8	277	19.3	12.3-26.3	836	59.8	51.5-68.1
18-24	168	301,661				12	3.2	00.6-05.8	9	2.3	00.3-04.3			
25-34	306	533,816	44	11.3	04.5-18.0				29	12.0	03.4-20.7			
35-44	640	405,542	60	13.3	05.2-21.4	29	7.6	00.0-15.5	107	16.7	07.5-25.9			
45-54	974	351,407				57	7.3	00.9-13.6						
55-64	1056	257,962	152	16.6	09.3-23.9	43	4.8	00.0-09.8						
65+	1579	294,203				37	2.7	00.3-05.2						
H.S. or G.E.D.	1161	532,111				58	11.4	01.7-21.1	374	16.1	10.0-22.3			
Some Post-H.S.	1327	533,848	159	9.4	05.2-13.7	75	6.0	02.0-09.9	445	17.9	10.1-25.8	648	66.7	57.3-76.1
College Graduate	1965	632,159	108	5.6	03.5-07.8	53	4.7	01.9-07.4	526	17.9	13.8-22.0	1278	71.8	66.5-77.1
Less than \$15,000	337	219,848				34	5.6	00.8-10.4						
\$15,000- 24,999	733	516,136	105	14.2	05.1-23.3									
\$25,000- 34,999	471	207,928	55	12.1	04.4-19.9									
\$35,000- 49,999	659	268,845				24	1.7	00.2-03.1						
\$50,000- 74,999	730	259,388	83	11.2	04.4-18.1	23	6.1	00.0-13.1						
\$75,000+	1422	518,723	94	8.6	04.1-13.1	47	4.5	01.4-07.5	394	16.0	11.4-20.5	887	71.0	64.3-77.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010

CALCULATED VARIABLES 5: TOBACCO USE

TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_ SMOKER3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current smoker - now smokes every day			Current smoker - now smokes some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1766	1,035,182	197	13.0	07.2-18.9	86	11.2	05.0-17.4	629	24.7	17.4-32.1	854	51.1	42.6-59.5
White/Non-Hisp	1296	392,716	148	13.7	09.1-18.2	46	10.8	00.8-20.7	504	23.4	18.3-28.5	598	52.1	42.9-61.4
Other Race	449	637,788	48	12.7	03.7-21.8	39	11.5	03.5-19.4						
18-24	80	149,096				10	5.4	00.4-10.3	4	1.2	00.0-02.7			
25-34	119	265,857	25	11.4	03.0-19.7									
35-44	222	205,564	20	6.5	01.7-11.4									
45-54	391	176,635				24	8.0	00.0-18.5						
55-64	410	119,518	62	13.4	06.4-20.4	14	3.3	00.0-07.1						
65+	532	117,878	28	4.3	00.8-07.7	7	1.1	00.0-02.2						
Some Post-H.S.	454	266,700	62	10.1	03.0-17.2	31	8.6	00.9-16.2						
College Graduate	767	293,581	44	7.6	03.5-11.8	26	7.3	03.0-11.5	233	14.8	10.6-19.1	464	70.3	62.5-78.1
Less than \$15,000	104	89,873				10	5.9	00.0-14.7				38	9.3	01.1-17.5
\$15,000- 24,999	230	237,070	35	10.2	00.5-20.0									
\$25,000- 34,999	163	83,677	24	8.5	01.1-15.9									
\$35,000- 49,999	244	142,704	21	7.9	02.0-13.7	8	2.6	00.0-05.4						
\$75,000+	631	281,577	51	9.6	04.0-15.2	24	5.3	01.5-09.1	200	16.3	09.2-23.4	356	68.8	59.2-78.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 5: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current smoker - now smokes every day			Current smoker - now smokes some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2991	1,119,940	295	15.0	09.0-20.9	117	4.9	00.7-09.1	807	17.6	12.3-23.0	1772	62.5	55.1-69.9
White/Non-Hisp	2118	418,643				77	2.7	01.5-03.9	645	24.6	19.4-29.9	1171	52.1	44.3-60.0
Other Race	860	698,389	70	11.7	04.6-18.8	39	6.2	00.0-12.8	160	13.5	05.5-21.5			
18-24	88	152,565				2	1.1	00.0-02.9	5	3.4	00.0-07.1			
25-34	187	267,959							18	10.8	02.8-18.8			
35-44	418	199,978				13	0.7	00.0-01.5	65	8.5	04.3-12.8			
45-54	583	174,772	69	11.0	04.0-18.0	33	6.5	00.0-13.6	128	18.0	10.8-25.2			
55-64	646	138,444				29	6.1	00.0-14.8						
65+	1047	176,325				30	3.8	00.0-07.8						
H.S. or G.E.D.	736	276,872				38	4.1	00.0-08.7	204	8.6	05.0-12.2			
Some Post-H.S.	873	267,148	97	8.7	04.0-13.5	44	3.3	01.2-05.4	269	16.6	10.5-22.7	463	71.4	62.5-80.2
College Graduate	1198	338,579	64	3.9	02.2-05.6	27	2.4	00.0-05.9	293	20.5	14.0-27.1	814	73.1	65.8-80.5
Less than \$15,000	233	129,975				24	5.4	00.0-10.9	54	12.1	03.9-20.2			
\$25,000- 34,999	308	124,251				13	6.3	00.0-16.1						
\$35,000- 49,999	415	126,141				16	0.6	00.1-01.2						
\$50,000- 74,999	469	137,447	48	6.8	01.6-12.1	11	2.0	00.0-04.1	143	19.7	10.2-29.1			
\$75,000+	791	237,146	43	7.4	00.0-14.8	23	3.5	00.0-08.5	194	15.5	10.4-20.7	531	73.6	64.2-82.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 5: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	No			Yes		
	TOTAL	WEIGHTED		%	C.I. (95%)		N	%	C.I. (95%)
TOTAL	4757	2,155,122	4062	78.0	72.9-83.2		695	22.0	16.8-27.1
Male	1766	1,035,182	1483	75.8	68.1-83.5		283	24.2	16.5-31.9
Female	2991	1,119,940	2579	80.1	73.3-87.0		412	19.9	13.0-26.7
White/Non-Hisp	3414	811,359	2918	76.2	69.3-83.0		496	23.8	17.0-30.7
Other Race	1309	1,336,177	1113	79.1	72.0-86.2		196	20.9	13.8-28.0
55-64	1056	257,962	861	78.6	69.9-87.3		195	21.4	12.7-30.1
Some Post-H.S.	1327	533,848	1093	84.6	78.8-90.5		234	15.4	09.5-21.2
College Graduate	1965	632,159	1804	89.7	86.3-93.1		161	10.3	06.9-13.7
\$50,000- 74,999	730	259,388	624	82.7	73.3-92.0		106	17.3	08.0-26.7
\$75,000+	1422	518,723	1281	86.9	81.6-92.2		141	13.1	07.8-18.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 5: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	No			Yes		
	TOTAL	WEIGHTED		%	C.I. (95%)		N	%	C.I. (95%)
Male	1766	1,035,182	1483	75.8	68.0-83.5		283	24.2	16.5-32.0
White/Non-Hisp	1296	392,716	1102	75.5	65.9-85.2		194	24.5	14.8-34.1
55-64	410	119,518	334	83.3	75.0-91.5		76	16.7	08.5-25.0
65+	532	117,878	497	94.6	90.9-98.4		35	5.4	01.6-09.1
College Graduate	767	293,581	697	85.1	79.2-91.1		70	14.9	08.9-20.8
\$35,000- 49,999	244	142,704	215	89.5	82.6-96.4		29	10.5	03.6-17.4
\$75,000+	631	281,577	556	85.1	78.4-91.8		75	14.9	08.2-21.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 5: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	No			N	Yes		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)	
Female	2991	1,119,940	2579	80.1	73.3-87.0		412	19.9	13.0-26.7	
White/Non-Hisp	2118	418,643	1816	76.8	66.9-86.6		302	23.2	13.4-33.1	
Other Race	860	698,389	751	82.1	73.0-91.2		109	17.9	08.8-27.0	
45-54	583	174,772	481	82.5	72.8-92.3		102	17.5	07.7-27.2	
Some Post-H.S.	873	267,148	732	87.9	82.6-93.3		141	12.1	06.7-17.4	
College Graduate	1198	338,579	1107	93.7	89.8-97.6		91	6.3	02.4-10.2	
\$50,000- 74,999	469	137,447	410	91.1	85.3-96.9		59	8.9	03.1-14.7	
\$75,000+	791	237,146	725	89.1	80.5-97.7		66	10.9	02.3-19.5	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010

CALCULATED VARIABLES 6: FRUITS AND VEGETABLES CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE

	FRUIT JUICE SERVINGS PER DAY (FTJUDAY_)
1	MALES AND FEMALES
2	MALES ONLY
3	FEMALES ONLY
	FRUIT SERVINGS PER DAY (FRUTDAY_)
4	MALES AND FEMALES
5	MALES ONLY
6	FEMALES ONLY
	BEANS OR LENTILS SERVINGS PER DAY (NEWVAR6_)
7	MALES AND FEMALES
8	MALES ONLY
9	FEMALES ONLY
	DARK GREEN VEGETABLE SERVINGS PER DAY (NEWVAR7_)
10	MALES AND FEMALES
11	MALES ONLY
12	FEMALES ONLY
	ORANGE-COLORED VEGETABLE SERVINGS PER DAY (NEWVAR8_)
13	MALES AND FEMALES
14	MALES ONLY
15	FEMALES ONLY
	OTHER VEGETABLE SERVINGS PER DAY (NEWVAR9_)
16	MALES AND FEMALES
17	MALES ONLY
18	FEMALES ONLY
	FRUIT AND VEGETABLE SERVINGS PER DAY (_FRTSERV)
19	MALES AND FEMALES
20	MALES ONLY
21	FEMALES ONLY

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010

CALCULATED VARIABLES 6: FRUITS AND VEGETABLES CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE

SUMMARY INDEX FOR FRUITS AND VEGETABLES CALCULATED VARIABLE (_FRTINDX)

22 MALES AND FEMALES

23 MALES ONLY

24 FEMALES ONLY

CONSUMED FIVE OR MORE SERVINGS OF FRUITS OR VEGETABLES PER DAY (_FV5SRV)

25 MALES AND FEMALES

26 MALES ONLY

27 FEMALES ONLY

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 6: FRUITS AND VEGETABLES
TABLE 1: FRUIT JUICE SERVINGS PER DAY (FTJUDAY_)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero Times per day			Between Zero and One-Half Per Day			Between One-Half and One Per Day			One to Two Times Per Day			Three to 98 Times Per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4738	2,148,193	1211	28.2	22.8-33.7	1681	37.8	32.5-43.1	367	6.2	03.7-08.6	1410	25.8	21.1-30.5	69	2.0	00.8-03.2
Male	1761	1,033,847	388	21.4	14.4-28.4	647	40.1	31.8-48.3	156	8.2	03.7-12.7	546	28.5	20.9-36.1	24	1.9	00.0-03.7
Female	2977	1,114,346	823	34.5	26.7-42.4	1034	35.7	29.1-42.4	211	4.3	02.3-06.4	864	23.3	17.5-29.1	45	2.1	00.7-03.6
White/Non-Hisp	3406	809,559	921	22.5	18.7-26.3	1153	42.2	35.9-48.5	259	7.2	05.2-09.3	1041	27.2	21.9-32.5	32	0.9	00.3-01.4
Other Race	1298	1,331,047	281	31.8	23.5-40.1	514	35.0	27.6-42.5	107	5.6	01.8-09.3	359	24.9	18.0-31.9	37	2.7	00.9-04.6
18-24	167	301,130							14	7.5	00.5-14.5				7	5.7	00.0-12.0
25-34	304	532,726							20	5.6	00.0-13.4				9	3.2	00.4-05.9
35-44	637	402,438	136	20.7	12.2-29.3				56	7.1	03.4-10.9	151	20.9	11.4-30.5	5	0.1	00.0-00.2
45-54	972	351,249							78	4.4	02.4-06.3				15	1.5	00.0-03.1
55-64	1053	257,504				377	29.8	19.9-39.7	87	9.4	02.8-16.0	281	22.7	12.9-32.5	10	0.5	00.0-01.1
65+	1571	292,616				395	22.5	15.5-29.6	109	4.0	02.5-05.5				22	0.6	00.2-01.0
Less Than H.S.	291	454,218							21	2.9	00.2-05.5				5	1.7	00.0-03.9
H.S. or G.E.D.	1156	530,579							85	3.8	01.7-05.9	364	24.1	15.1-33.1	20	2.5	00.0-05.2
Some Post-H.S.	1321	532,682	336	27.1	17.2-37.1				108	8.8	00.9-16.6	397	25.3	17.1-33.5	18	2.3	00.0-05.2
College Graduate	1959	628,624	470	21.8	16.5-27.1	743	40.6	34.1-47.2	153	8.3	04.6-12.1	567	27.7	20.0-35.4	26	1.5	00.1-02.9
Less than \$15,000	332	218,725							25	2.4	00.6-04.1				7	1.9	00.0-04.5
\$15,000- 24,999	725	514,678							45	1.7	00.8-02.6				15	4.9	00.6-09.3
\$25,000- 34,999	467	207,176							41	2.5	00.8-04.2				10	2.5	00.0-06.3
\$35,000- 49,999	659	268,713							68	7.7	03.2-12.3				10	0.4	00.0-00.8
\$50,000- 74,999	728	258,337										190	19.6	11.1-28.2	10	1.6	00.0-03.2
\$75,000+	1421	516,185	351	22.0	14.4-29.5	557	43.0	34.7-51.3	117	9.7	04.8-14.6	383	24.8	18.2-31.4	13	0.5	00.0-01.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 6: FRUITS AND VEGETABLES
TABLE 2: FRUIT JUICE SERVINGS PER DAY (FTJUDAY_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero Times per day			Between Zero and One-Half Per Day			Between One-Half and One Per Day			One to Two Times Per Day			Three to 98 Times Per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1761	1,033,847	388	21.4	14.4-28.4	647	40.1	31.8-48.3	156	8.2	03.7-12.7	546	28.5	20.9-36.1	24	1.9	00.0-03.7
White/Non-Hisp	1292	391,824	294	17.2	12.6-21.8	458	38.9	29.4-48.4	112	8.8	05.2-12.5	417	34.3	24.9-43.7	11	0.8	00.0-01.6
Other Race	448	637,344							43	7.8	00.9-14.8				13	2.5	00.0-05.5
18-24	79	148,565	8	3.8	00.1-07.5				7	6.7	00.0-14.0						
25-34	118	265,483													2	0.3	00.0-00.8
35-44	222	205,564	33	11.8	04.7-19.0				27	8.3	03.0-13.7	55	19.2	09.3-29.0			
45-54	391	176,920							37	5.0	01.6-08.4				7	0.6	00.0-01.2
55-64	410	119,519				152	20.1	11.9-28.3							5	0.8	00.0-02.0
65+	529	117,162							37	4.5	01.7-07.2				5	0.2	00.0-00.4
Less Than H.S.	112	217,145							6	3.0	00.0-07.6				1	0.2	00.0-00.6
H.S. or G.E.D.	421	254,036							32	4.0	01.6-06.5				9	3.4	00.0-08.2
Some Post-H.S.	455	267,014	108	15.1	05.3-24.8										5	3.2	00.0-08.6
College Graduate	766	293,580	148	18.2	10.9-25.5				77	10.4	05.0-15.7				9	0.6	00.0-01.3
Less than \$15,000	102	89,071							9	1.9	00.0-04.6				1	0.7	00.0-02.3
\$15,000- 24,999	227	236,506							10	1.7	00.2-03.2				6	6.0	00.0-13.8
\$25,000- 34,999	162	83,303							13	1.2	00.0-02.4				3	1.0	00.0-02.9
\$35,000- 49,999	244	142,704							24	7.8	01.1-14.5				3	0.2	00.0-00.5
\$50,000- 74,999	261	121,941													3	1.7	00.0-04.1
\$75,000+	632	281,889	118	15.6	07.1-24.1				69	11.8	05.3-18.3				7	0.4	00.0-00.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 6: FRUITS AND VEGETABLES
TABLE 3: FRUIT JUICE SERVINGS PER DAY (FTJUDAY_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero Times per day			Between Zero and One-Half Per Day			Between One-Half and One Per Day			One to Two Times Per Day			Three to 98 Times Per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2977	1,114,346	823	34.5	26.7-42.4	1034	35.7	29.1-42.4	211	4.3	02.3-06.4	864	23.3	17.5-29.1	45	2.1	00.7-03.5
White/Non-Hisp	2114	417,735	627	27.5	21.8-33.2	695	45.3	37.2-53.4	147	5.8	03.6-07.9	624	20.6	16.5-24.7	21	0.9	00.1-01.7
Other Race	850	693,703				333	30.0	21.3-38.6	64	3.5	00.5-06.4	234	24.8	15.9-33.8	24	2.9	00.6-05.1
18-24	88	152,565													2	0.6	00.0-01.6
25-34	186	267,244							13	1.2	00.2-02.2	41	14.7	06.7-22.6	7	6.0	00.5-11.5
35-44	415	196,874							29	5.9	00.6-11.1				5	0.2	00.0-00.5
45-54	581	174,329							41	3.7	01.7-05.8	119	20.5	10.6-30.5	8	2.4	00.0-05.6
55-64	643	137,985							48	5.6	00.8-10.3				5	0.3	00.0-00.6
65+	1042	175,454				255	20.0	11.8-28.3	72	3.7	02.0-05.4				17	0.8	00.1-01.5
Less Than H.S.	179	237,072							15	2.8	00.0-05.7				4	3.1	00.0-07.3
H.S. or G.E.D.	735	276,543							53	3.6	00.2-07.0	231	19.1	10.3-28.0	11	1.7	00.0-04.2
Some Post-H.S.	866	265,668				302	29.4	19.8-39.0	67	3.6	01.5-05.6				13	1.5	00.0-03.5
College Graduate	1193	335,044	322	25.0	17.5-32.4	450	40.9	32.4-49.5	76	6.6	01.2-12.0	328	25.2	15.5-34.9	17	2.3	00.0-04.9
Less than \$15,000	230	129,654							16	2.7	00.4-05.0				6	2.6	00.0-06.9
\$15,000- 24,999	498	278,171							35	1.7	00.6-02.9				9	4.0	00.0-08.5
\$25,000- 34,999	305	123,873							28	3.5	00.7-06.2				7	3.5	00.0-09.8
\$35,000- 49,999	415	126,010							44	7.7	01.6-13.7	106	11.8	05.6-18.0	7	0.5	00.0-01.5
\$50,000- 74,999	467	136,396							28	2.4	00.5-04.2				7	1.5	00.0-03.7
\$75,000+	789	234,296							48	7.2	00.0-14.8	193	19.3	11.8-26.9	6	0.6	00.0-01.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 6: FRUITS AND VEGETABLES
TABLE 4: FRUIT SERVINGS PER DAY (FRUTDAY_)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero Times per day			Between Zero and One-Half Per Day			Between One-Half and One Per Day			One to Two Times Per Day			Three to 98 Times Per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4747	2,137,090	113	4.8	01.5-08.1	1261	33.4	28.1-38.8	668	15.3	11.3-19.4	2300	37.8	32.7-43.0	405	8.6	05.1-12.1
Male	1761	1,020,583	55	4.4	00.0-09.4	561	35.1	27.2-43.1	289	17.8	11.8-23.8	761	31.9	24.6-39.1	95	10.8	04.1-17.4
Female	2986	1,116,507	58	5.2	00.7-09.6	700	31.9	24.7-39.1	379	13.1	07.7-18.5	1539	43.3	36.2-50.4	310	6.6	04.0-09.1
White/Non-Hisp	3410	810,971	73	1.5	00.8-02.1	822	32.3	25.7-39.0	496	15.5	12.3-18.7	1726	41.6	36.3-47.0	293	9.1	04.2-14.1
Other Race	1303	1,318,532	38	6.9	01.6-12.2	429	34.2	26.6-41.9	170	15.4	09.2-21.6	558	35.3	27.7-43.0	108	8.2	03.4-13.0
18-24	168	301,661	3	1.8	00.0-04.2				22	8.7	03.2-14.3						
25-34	306	533,816	5	3.7	00.0-09.4				45	15.1	06.7-23.5						
35-44	640	405,542	11	0.9	00.0-02.0				106	19.7	10.1-29.4				53	7.3	01.1-13.4
45-54	972	351,643													90	5.3	02.8-07.7
55-64	1055	244,053	28	1.4	00.4-02.3										93	4.5	02.5-06.5
65+	1572	289,845				363	23.3	16.2-30.4	213	7.8	05.3-10.4				122	5.1	02.1-08.0
Less Than H.S.	288	437,105													14	0.6	00.0-01.2
H.S. or G.E.D.	1160	531,967	41	2.2	00.5-04.0				162	9.7	05.1-14.3	530	30.7	21.6-39.7	92	13.9	04.1-23.6
Some Post-H.S.	1326	534,129	28	4.0	00.0-09.7				183	11.4	05.9-17.0	615	35.5	25.9-45.1	106	12.8	03.9-21.8
College Graduate	1962	631,799	29	1.5	00.4-02.6	432	24.4	19.2-29.5	289	18.9	13.7-24.0	1020	49.2	42.2-56.3	192	6.0	04.3-07.7
Less than \$15,000	334	216,214													25	3.4	00.3-06.6
\$15,000- 24,999	730	501,896	17	1.4	00.3-02.6										51	6.1	01.3-11.0
\$25,000- 34,999	470	207,666	13	1.7	00.1-03.3				67	5.4	01.6-09.1						
\$35,000- 49,999	659	268,840	11	0.8	00.0-01.8				91	14.7	06.6-22.7				48	3.3	01.2-05.4
\$50,000- 74,999	729	259,380	15	7.1	00.0-18.2				108	15.8	07.7-23.8	332	28.4	19.4-37.4			
\$75,000+	1421	518,959	23	1.9	00.2-03.6	323	26.5	18.5-34.5	222	22.4	15.5-29.4	729	44.8	36.6-53.0	124	4.4	02.9-05.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 6: FRUITS AND VEGETABLES
TABLE 5: FRUIT SERVINGS PER DAY (FRUTDAY_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero Times per day			Between Zero and One-Half Per Day			Between One-Half and One Per Day			One to Two Times Per Day			Three to 98 Times Per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1761	1,020,583	55	4.4	00.0-09.4	561	35.1	27.2-43.1	289	17.8	11.8-23.8	761	31.9	24.6-39.2	95	10.8	04.1-17.4
White/Non-Hisp	1294	392,447	37	2.0	00.8-03.1	391	34.7	25.2-44.2	223	17.9	12.7-23.1	583	36.1	28.5-43.7	60	9.4	00.0-19.3
Other Race	446	623,457	16	6.0	00.0-14.0				64	17.9	08.6-27.2				34	11.7	02.8-20.7
18-24	80	149,096	3	3.6	00.0-08.6				12	11.2	01.5-20.9						
25-34	119	265,857	3	0.9	00.0-02.4												
35-44	222	205,564	4	0.5	00.0-01.1										9	2.0	00.0-04.2
45-54	391	176,904													24	2.1	00.0-04.3
55-64	409	105,609	10	1.9	00.0-03.9				65	14.3	04.9-23.8				25	4.2	01.7-06.8
65+	528	116,920	15	2.0	00.0-04.1				77	9.2	04.6-13.8				22	5.6	00.0-12.3
Less Than H.S.	110	203,065													4	0.4	00.0-01.0
H.S. or G.E.D.	424	255,196	18	2.0	00.5-03.6				57	9.3	03.4-15.2						
Some Post-H.S.	455	267,014	14	1.8	00.0-04.4				69	13.4	03.9-23.0						
College Graduate	765	293,236	15	1.5	00.0-02.9	203	25.2	17.8-32.7	147	27.0	17.9-36.0				40	3.3	01.4-05.2
Less than \$15,000	103	89,497													6	1.2	00.0-03.0
\$15,000- 24,999	227	222,830	8	2.4	00.0-04.8										11	7.2	00.0-15.8
\$25,000- 34,999	162	83,415	6	1.8	00.0-04.4				27	9.7	00.2-19.3						
\$35,000- 49,999	244	142,704	6	1.3	00.0-03.3										12	2.0	00.0-04.1
\$50,000- 74,999	261	121,941	7	0.3	00.0-00.7				46	13.8	04.1-23.5	97	17.7	08.3-27.1			
\$75,000+	631	281,845	13	2.5	00.0-05.3										26	2.1	00.7-03.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 6: FRUITS AND VEGETABLES
TABLE 6: FRUIT SERVINGS PER DAY (FRUTDAY_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero Times per day			Between Zero and One-Half Per Day			Between One-Half and One Per Day			One to Two Times Per Day			Three to 98 Times Per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2986	1,116,507	58	5.2	00.7-09.6	700	31.9	24.7-39.1	379	13.1	07.7-18.5	1539	43.3	36.2-50.4	310	6.6	04.0-09.1
White/Non-Hisp	2116	418,524	36	1.0	00.3-01.7	431	30.1	20.6-39.7	273	13.2	09.2-17.1	1143	46.8	39.5-54.1	233	8.9	06.6-11.2
Other Race	857	695,075	22	7.7	00.7-14.7				106	13.1	04.8-21.4				74	5.0	01.2-08.8
18-24	88	152,565							10	6.3	01.0-11.7				7	5.5	00.8-10.1
25-34	187	267,959	2	6.5	00.0-17.4										22	3.7	00.9-06.4
35-44	418	199,978	7	1.3	00.0-03.4				58	13.0	03.5-22.4						
45-54	581	174,739	9	4.2	00.0-09.2				82	13.2	05.0-21.5				66	8.5	04.3-12.7
55-64	646	138,444	18	1.0	00.2-01.7										68	4.7	01.8-07.6
65+	1044	172,925				220	22.8	13.3-32.2	136	6.9	04.1-09.7				100	4.7	02.7-06.7
Less Than H.S.	178	234,040													10	0.8	00.0-01.8
H.S. or G.E.D.	736	276,772	23	2.4	00.0-05.6				105	10.0	03.0-17.0				63	6.1	00.9-11.3
Some Post-H.S.	871	267,115	14	6.3	00.0-17.1				114	9.4	03.8-15.1				84	9.8	01.8-17.8
College Graduate	1197	338,563	14	1.6	00.0-03.2	229	23.6	16.4-30.9	142	11.9	06.5-17.2	660	54.6	45.7-63.5	152	8.3	05.6-11.0
Less than \$15,000	231	126,717													19	5.0	00.0-10.2
\$15,000- 24,999	503	279,066	9	0.7	00.0-01.4										40	5.3	00.1-10.6
\$25,000- 34,999	308	124,251	7	1.6	00.0-03.7				40	2.5	00.8-04.1						
\$35,000- 49,999	415	126,137	5	0.1	00.0-00.3										36	4.9	01.1-08.6
\$50,000- 74,999	468	137,439													49	7.9	03.6-12.2
\$75,000+	790	237,114	10	1.2	00.0-03.0	149	21.7	12.7-30.7	95	15.0	07.0-22.9				98	7.0	04.3-09.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 6: FRUITS AND VEGETABLES
TABLE 7: BEANS OR LENTILS SERVINGS PER DAY (NEWVAR6_)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero Times per day			Between Zero and One-Half Per Day			Between One-Half and One Per Day			One to Two Times Per Day			Three to 98 Times Per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4741	2,151,471	910	21.8	16.8-26.8	3200	64.1	58.5-69.6	310	4.6	02.8-06.4	296	9.1	05.4-12.8	25	0.4	00.0-00.8
Male	1758	1,032,353	328	20.9	13.5-28.4	1201	65.1	56.8-73.4	112	3.7	02.2-05.1	108	9.7	04.0-15.3	9	0.7	00.0-01.5
Female	2983	1,119,119	582	22.6	15.8-29.4	1999	63.1	55.6-70.5	198	5.5	02.4-08.6	188	8.6	03.8-13.4	16	0.2	00.0-00.4
White/Non-Hisp	3403	808,812	660	24.9	17.5-32.4	2355	67.5	60.5-74.4	210	3.9	02.8-05.1	170	3.6	02.5-04.7	8	0.1	00.0-00.2
Other Race	1305	1,335,334	244	19.9	13.3-26.6	826	61.9	53.9-69.9	98	5.1	02.3-07.9	120	12.5	06.7-18.3	17	0.6	00.0-01.3
18-24	168	301,661							4	0.5	00.0-01.1	10	3.9	00.0-08.2			
25-34	306	533,816	43	13.7	04.8-22.6				22	7.7	01.3-14.0				2	0.8	00.0-02.3
35-44	638	405,208							34	3.0	01.3-04.7	50	8.7	02.8-14.6	8	0.6	00.0-01.3
45-54	972	350,233							75	6.7	02.8-10.5	63	8.6	00.0-18.8	4	0.0	00.0-00.0
55-64	1054	257,312							70	3.3	01.6-05.0				4	0.0	00.0-00.1
65+	1570	292,750							103	4.4	02.0-06.8	103	6.2	02.6-09.8	7	0.7	00.0-01.6
Less Than H.S.	292	454,469							24	6.3	00.0-13.3				4	0.3	00.0-00.6
H.S. or G.E.D.	1154	530,935							73	4.2	01.7-06.7	72	8.5	02.9-14.0	5	0.3	00.0-00.7
Some Post-H.S.	1325	532,718	284	24.6	14.9-34.2	876	67.9	58.0-77.8	88	4.1	01.6-06.7	70	3.1	00.8-05.3	7	0.3	00.0-00.8
College Graduate	1959	631,258	291	18.0	10.6-25.3	1426	72.5	65.3-79.6	124	4.2	02.7-05.7	109	4.7	02.9-06.5	9	0.7	00.0-02.0
Less than \$15,000	335	219,531							17	4.6	00.1-09.0	25	6.3	00.0-14.8	3	0.3	00.0-00.9
\$15,000- 24,999	727	514,087							54	6.2	00.0-12.3				6	0.5	00.0-01.2
\$25,000- 34,999	471	207,928							36	1.7	00.5-03.0	29	6.3	00.0-14.3	1	0.0	00.0-00.0
\$35,000- 49,999	659	268,594							44	4.4	01.4-07.4	37	5.7	00.6-10.7	2	1.7	00.0-04.6
\$50,000- 74,999	728	259,028	143	16.7	08.3-25.1				56	9.0	03.0-15.0	31	3.2	00.1-06.4	3	0.2	00.0-00.4
\$75,000+	1419	518,369	209	19.9	13.4-26.4	1032	70.3	63.0-77.6	82	3.0	01.7-04.3	87	6.7	02.7-10.6	9	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 6: FRUITS AND VEGETABLES
TABLE 8: BEANS OR LENTILS SERVINGS PER DAY (NEWVAR6_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero Times per day			Between Zero and One-Half Per Day			Between One-Half and One Per Day			One to Two Times Per Day			Three to 98 Times Per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1758	1,032,353	328	20.9	13.5-28.4	1201	65.1	56.8-73.4	112	3.7	02.2-05.1	108	9.7	04.0-15.3	9	0.7	00.0-01.5
White/Non-Hisp	1291	390,794							70	3.6	01.9-05.4	65	3.6	01.7-05.5	2	0.1	00.0-00.3
Other Race	447	637,142	90	17.0	07.9-26.1				41	3.7	01.5-05.9	42	13.4	04.4-22.4	7	1.0	00.0-02.3
18-24	80	149,096							2	0.6	00.0-01.6	4	5.6	00.0-13.9			
25-34	119	265,857							11	2.8	00.4-05.2	4	7.5	00.0-19.6	1	1.5	00.0-04.5
35-44	221	205,399							15	3.9	00.9-06.8	15	3.8	00.4-07.3	3	1.0	00.0-02.3
45-54	390	175,551							32	6.6	00.2-12.9				3	0.0	00.0-00.0
55-64	409	118,982							27	4.2	01.0-07.5						
65+	527	116,833	105	14.8	08.3-21.3				25	4.2	00.2-08.2	34	8.1	00.6-15.6	2	0.6	00.0-01.7
Less Than H.S.	112	217,145							6	0.8	00.0-01.8				2	0.4	00.0-01.1
H.S. or G.E.D.	420	254,463							30	6.4	01.5-11.2	29	6.4	00.4-12.4	3	0.5	00.0-01.5
Some Post-H.S.	455	265,944							32	3.0	00.8-05.2	23	2.2	00.6-03.9	2	0.2	00.0-00.5
College Graduate	764	292,728							43	4.0	01.8-06.1	41	4.8	01.8-07.8	2	1.4	00.0-04.0
Less than \$15,000	103	89,671							6	0.6	00.0-01.4	7	2.0	00.0-04.8	2	0.8	00.0-02.4
\$15,000- 24,999	226	235,296	34	5.9	00.9-11.0				16	3.9	00.6-07.3				2	0.6	00.0-01.6
\$25,000- 34,999	163	83,677							11	2.0	00.0-04.3						
\$35,000- 49,999	243	142,442							18	5.5	01.1-09.8	14	4.7	00.1-09.3	2	3.1	00.0-08.6
\$50,000- 74,999	260	121,670							21	8.6	00.0-17.2	11	5.6	00.0-12.3			
\$75,000+	630	281,397	93	20.1	12.1-28.1	470	73.6	64.8-82.4	31	2.2	00.7-03.8	33	4.0	01.0-06.9	3	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 6: FRUITS AND VEGETABLES
TABLE 9: BEANS OR LENTILS SERVINGS PER DAY (NEWVAR6_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero Times per day			Between Zero and One-Half Per Day			Between One-Half and One Per Day			One to Two Times Per Day			Three to 98 Times Per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2983	1,119,119	582	22.6	15.8-29.4	1999	63.1	55.6-70.5	198	5.5	02.4-08.6	188	8.6	03.8-13.4	16	0.2	00.0-00.4
White/Non-Hisp	2112	418,019	425	22.6	13.7-31.5	1436	69.6	61.2-78.0	140	4.2	02.7-05.7	105	3.5	02.3-04.7	6	0.1	00.0-00.2
Other Race	858	698,192	154	22.6	13.1-32.1				57	6.3	01.4-11.2	78	11.6	04.1-19.2	10	0.3	00.0-00.6
18-24	88	152,565							2	0.4	00.0-01.1	6	2.2	00.0-04.6			
25-34	187	267,959	26	10.0	01.7-18.3										1	0.1	00.0-00.3
35-44	417	199,809							19	2.1	00.4-03.8				5	0.2	00.0-00.6
45-54	582	174,683	94	15.7	06.4-24.9				43	6.8	02.6-11.0	39	2.6	01.1-04.1	1	0.0	00.0-00.0
55-64	645	138,330							43	2.4	01.0-03.9				4	0.0	00.0-00.1
65+	1043	175,916							78	4.5	01.5-07.5	69	4.9	01.7-08.0	5	0.8	00.0-02.1
Less Than H.S.	180	237,324													2	0.1	00.0-00.2
H.S. or G.E.D.	734	276,472							43	2.2	00.4-04.0	43	10.3	01.4-19.3	2	0.0	00.0-00.1
Some Post-H.S.	870	266,775							56	5.3	00.7-09.8	47	3.9	00.0-08.0	5	0.5	00.0-01.4
College Graduate	1195	338,530	166	16.0	08.2-23.8	873	74.9	66.9-82.8	81	4.4	02.4-06.4	68	4.6	02.4-06.8	7	0.1	00.0-00.3
Less than \$15,000	232	129,860							11	7.3	00.0-14.7				1	0.0	00.0-00.0
\$15,000- 24,999	501	278,791							38	8.1	00.0-18.9				4	0.5	00.0-01.3
\$25,000- 34,999	308	124,251							25	1.6	00.2-03.0	17	2.8	00.0-06.5	1	0.0	00.0-00.0
\$35,000- 49,999	416	126,152							26	3.2	00.0-07.5	23	6.8	00.0-16.1			
\$50,000- 74,999	468	137,358							35	9.4	01.0-17.7	20	1.2	00.3-02.0	3	0.3	00.0-00.8
\$75,000+	789	236,971							51	3.9	01.7-06.1	54	9.8	02.1-17.5	6	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 6: FRUITS AND VEGETABLES
TABLE 10: DARK GREEN VEGETABLE SERVINGS PER DAY (NEWVAR7_)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero Times per day			Between Zero and One-Half Per Day			Between One-Half and One Per Day			One to Two Times Per Day			Three to 98 Times Per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4746	2,153,141	259	7.4	04.1-10.6	2450	56.0	50.4-61.5	974	19.1	14.7-23.5	1010	15.7	12.1-19.2	53	1.9	00.0-04.0
Male	1759	1,033,524	130	8.7	03.9-13.6	1012	59.3	51.0-67.6	337	17.1	10.8-23.4	262	12.2	07.2-17.2	18	2.7	00.0-06.7
Female	2987	1,119,617	129	6.1	01.7-10.5	1438	52.9	45.5-60.2	637	20.9	14.7-27.1	748	18.9	13.8-23.9	35	1.2	00.0-02.5
White/Non-Hisp	3404	809,410	197	10.2	04.3-16.1	1693	51.9	45.9-58.0	742	17.0	14.0-19.9	741	20.1	14.7-25.5	31	0.8	00.2-01.4
Other Race	1308	1,336,145	60	5.7	01.9-09.5	741	58.4	50.3-66.4	226	20.4	13.6-27.3	259	12.9	08.3-17.5	22	2.6	00.0-05.9
18-24	168	301,661							30	14.5	05.5-23.4				3	0.8	00.0-01.8
25-34	306	533,816	14	7.6	00.5-14.6				57	13.5	05.1-22.0	67	16.4	07.5-25.3	4	4.4	00.0-12.0
35-44	639	405,377	19	6.1	00.0-13.9				136	21.6	11.9-31.3	129	11.7	07.2-16.2	8	2.3	00.0-05.6
45-54	973	351,661	46	2.3	01.0-03.7							191	12.4	07.2-17.7	10	0.5	00.0-01.1
55-64	1056	258,044	52	9.2	00.0-19.3							245	14.3	07.3-21.2	10	0.3	00.0-00.5
65+	1571	292,090	108	9.4	03.7-15.1										18	1.4	00.0-02.9
Less Than H.S.	291	453,684	34	7.6	00.7-14.5							51	11.5	02.5-20.6	2	0.1	00.0-00.3
H.S. or G.E.D.	1157	531,480							195	13.4	07.1-19.6	218	15.0	06.4-23.5	13	2.2	00.0-04.9
Some Post-H.S.	1325	533,959	64	5.4	00.8-09.9				264	16.0	09.2-22.7	261	14.0	08.0-20.1	17	4.4	00.0-12.0
College Graduate	1962	631,929	63	3.2	00.7-05.7	926	51.8	44.7-58.9	474	23.4	16.6-30.3	478	20.6	15.5-25.7	21	0.9	00.2-01.6
Less than \$15,000	335	218,718	35	5.3	01.4-09.2										4	0.4	00.0-01.1
\$15,000- 24,999	728	515,508										135	6.9	03.3-10.4	14	2.0	00.0-04.8
\$25,000- 34,999	471	207,928	32	2.2	00.6-03.8										3	0.8	00.0-02.4
\$35,000- 49,999	660	268,856	37	6.6	00.0-16.3							119	11.6	05.4-17.7	3	0.3	00.0-00.8
\$50,000- 74,999	729	259,117	27	2.8	00.8-04.8							172	18.6	10.5-26.7			
\$75,000+	1420	518,936	47	6.7	01.6-11.7	702	53.7	45.5-61.9	349	22.4	16.3-28.4	309	16.7	11.3-22.0	13	0.6	00.1-01.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 6: FRUITS AND VEGETABLES**

TABLE 11: DARK GREEN VEGETABLE SERVINGS PER DAY (NEWVAR7_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero Times per day			Between Zero and One-Half Per Day			Between One-Half and One Per Day			One to Two Times Per Day			Three to 98 Times Per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1759	1,033,524	130	8.7	03.9-13.6	1012	59.3	51.0-67.6	337	17.1	10.8-23.4	262	12.2	07.1-17.2	18	2.7	00.0-06.7
White/Non-Hisp	1289	391,058	98	7.4	03.2-11.6	726	58.0	48.6-67.3	266	15.7	11.4-20.0	188	17.9	08.3-27.6	11	1.0	00.0-02.0
Other Race	449	637,788	30	9.6	02.1-17.0				69	18.0	08.2-27.9	69	8.6	03.6-13.7	7	3.7	00.0-10.2
18-24	80	149,096	10	5.7	00.0-11.5							11	8.8	00.0-17.8	2	0.8	00.0-02.2
35-44	221	205,399										31	9.2	03.4-15.1	1	0.2	00.0-00.6
45-54	391	176,921	25	1.9	00.3-03.5							53	6.5	02.4-10.7	4	0.2	00.0-00.4
55-64	411	119,611							75	10.1	03.5-16.8				3	0.2	00.0-00.4
65+	525	116,006	46	8.3	02.3-14.4				102	8.9	05.0-12.8				5	2.0	00.0-05.6
Less Than H.S.	111	216,359										13	5.0	00.0-12.7	1	0.0	00.0-00.1
H.S. or G.E.D.	421	254,837							69	10.4	03.9-16.9				4	1.3	00.0-03.1
Some Post-H.S.	455	266,866	32	9.0	00.0-17.9				79	11.1	04.4-17.8	60	6.2	02.2-10.2			
College Graduate	765	293,390	33	5.3	00.1-10.5							134	14.2	09.2-19.1	8	0.7	00.0-01.9
Less than \$15,000	103	88,881	14	3.2	00.0-06.8							16	7.7	00.0-17.5	1	0.0	00.0-00.0
\$15,000- 24,999	226	236,577										37	6.9	00.9-12.9	7	1.1	00.0-02.9
\$25,000- 34,999	163	83,677	17	3.1	00.1-06.2				21	6.3	00.0-14.7				1	2.0	00.0-05.9
\$35,000- 49,999	244	142,704	16	1.7	00.3-03.0							24	8.9	01.7-16.2	1	0.3	00.0-00.9
\$50,000- 74,999	260	121,670	18	3.8	00.0-07.5				50	12.7	03.4-21.9	38	12.6	03.4-21.7			
\$75,000+	630	281,822	31	11.3	02.4-20.2				145	18.2	11.2-25.2	95	8.0	04.7-11.3	6	0.5	00.0-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 6: FRUITS AND VEGETABLES**

TABLE 12: DARK GREEN VEGETABLE SERVINGS PER DAY (NEWVAR7_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero Times per day			Between Zero and One-Half Per Day			Between One-Half and One Per Day			One to Two Times Per Day			Three to 98 Times Per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2987	1,119,617	129	6.1	01.7-10.5	1438	52.9	45.5-60.2	637	20.9	14.7-27.1	748	18.9	13.8-23.9	35	1.2	00.0-02.5
White/Non-Hisp	2115	418,352				967	46.3	39.0-53.6	476	18.1	14.2-22.1	553	22.1	16.6-27.6	20	0.7	00.1-01.3
Other Race	859	698,357	30	2.1	00.0-04.4				157	22.6	13.1-32.2	190	16.8	09.4-24.1	15	1.6	00.0-03.5
18-24	88	152,565													1	0.7	00.0-02.2
25-34	187	267,959	4	5.3	00.0-15.1										1	0.0	00.0-00.1
35-44	418	199,978	7	0.6	00.0-01.4							98	14.2	07.3-21.2	7	4.4	00.0-11.0
45-54	582	174,740	21	2.7	00.6-04.8				135	15.0	08.2-21.8	138	18.4	09.5-27.2	6	0.9	00.0-02.0
55-64	645	138,432	26	3.6	00.0-07.3							170	10.3	05.5-15.1	7	0.4	00.0-00.8
65+	1046	176,085	62	10.1	01.5-18.6										13	1.0	00.2-01.8
Less Than H.S.	180	237,324	19	6.6	00.0-13.4										1	0.2	00.0-00.5
H.S. or G.E.D.	736	276,643										163	8.2	04.5-11.9	9	3.1	00.0-08.0
Some Post-H.S.	870	267,093	32	1.8	00.4-03.2										12	0.5	00.0-00.9
College Graduate	1197	338,539	30	1.4	00.5-02.3	514	49.6	40.4-58.8	296	21.8	15.3-28.2	344	26.2	18.2-34.2	13	1.0	00.2-01.9
Less than \$15,000	232	129,837	21	6.8	00.8-12.7										3	0.7	00.0-01.9
\$15,000- 24,999	502	278,931										98	6.9	02.8-11.0	7	2.9	00.0-07.7
\$25,000- 34,999	308	124,251	15	1.5	00.0-03.3										2	0.0	00.0-00.1
\$35,000- 49,999	416	126,152							90	13.8	05.7-21.9	95	14.6	04.7-24.4	2	0.4	00.0-01.2
\$50,000- 74,999	469	137,447	9	1.9	00.0-03.9										9	1.5	00.0-03.3
\$75,000+	790	237,114	16	1.2	00.0-02.6				204	27.4	17.5-37.3				7	0.7	00.0-01.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 6: FRUITS AND VEGETABLES
TABLE 13: ORANGE-COLORED VEGETABLE SERVINGS PER DAY (NEWVAR8_)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero Times per day			Between Zero and One-Half Per Day			Between One-Half and One Per Day			One to Two Times Per Day			Three to 98 Times Per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4749	2,154,380	581	20.2	14.7-25.6	3371	66.4	60.8-72.1	415	7.4	04.4-10.4	363	5.7	03.5-07.9	19	0.3	00.1-00.5
Male	1763	1,034,608	272	25.9	17.2-34.6	1269	66.1	57.5-74.6	116	4.7	02.1-07.3	100	3.2	01.5-04.9	6	0.1	00.0-00.3
Female	2986	1,119,772	309	14.9	08.5-21.2	2102	66.8	59.3-74.3	299	10.0	04.8-15.1	263	8.0	04.2-11.8	13	0.4	00.1-00.7
White/Non-Hisp	3409	811,324	394	16.4	10.6-22.2	2423	73.3	67.6-79.0	335	5.9	04.3-07.5	250	4.2	03.3-05.2	7	0.2	00.0-00.4
Other Race	1308	1,335,733	182	22.5	14.6-30.4	928	62.2	53.9-70.5	78	8.4	03.7-13.2	108	6.5	03.1-09.9	12	0.3	00.0-00.6
18-24	168	301,661							10	4.8	00.0-10.0	7	1.9	00.3-03.6	1	0.4	00.0-01.2
25-34	306	533,816							16	4.2	00.5-07.9	14	3.1	00.3-05.9	1	0.2	00.0-00.6
35-44	640	405,542							54	6.5	02.6-10.4	50	10.0	01.1-18.8	2	0.1	00.0-00.4
45-54	974	351,718										70	4.3	02.0-06.5	4	0.3	00.0-00.7
55-64	1057	258,056	120	14.4	07.0-21.8				97	7.2	00.1-14.3	75	9.2	02.3-16.2	6	0.1	00.0-00.2
65+	1571	293,095										145	7.2	03.6-10.7	5	0.6	00.0-01.4
Less Than H.S.	291	454,456										22	2.9	00.5-05.2	3	0.3	00.0-00.8
H.S. or G.E.D.	1160	531,746							82	3.8	01.5-06.1	84	4.9	01.7-08.2	4	0.1	00.0-00.3
Some Post-H.S.	1325	534,232	180	20.2	10.5-29.8				102	9.0	03.5-14.4	96	5.2	01.7-08.7	6	0.5	00.0-01.1
College Graduate	1963	631,858	172	11.2	04.5-17.9	1412	73.7	66.0-81.4	212	6.2	04.1-08.2	161	8.8	03.1-14.5	6	0.2	00.0-00.4
Less than \$15,000	336	219,710							22	7.2	00.0-16.2	27	4.2	00.4-08.0	3	0.1	00.0-00.3
\$15,000- 24,999	730	515,686							49	7.3	00.0-15.4	53	8.0	00.5-15.4	3	0.3	00.0-00.8
\$25,000- 34,999	469	207,921										38	5.0	00.5-09.5	1	0.1	00.0-00.2
\$35,000- 49,999	658	268,593							58	4.0	01.3-06.8	54	4.1	01.7-06.5	2	0.2	00.0-00.5
\$50,000- 74,999	729	259,117	80	11.6	04.9-18.4				66	11.5	03.0-20.0	52	4.5	01.2-07.8	1	0.0	00.0-00.0
\$75,000+	1423	519,035	145	10.5	06.8-14.3	1034	76.7	70.9-82.5	133	6.2	03.4-09.1	105	6.1	02.5-09.6	6	0.4	00.0-00.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 6: FRUITS AND VEGETABLES**

TABLE 14: ORANGE-COLORED VEGETABLE SERVINGS PER DAY (NEWVAR8_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero Times per day			Between Zero and One-Half Per Day			Between One-Half and One Per Day			One to Two Times Per Day			Three to 98 Times Per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1763	1,034,608	272	25.9	17.2-34.6	1269	66.1	57.5-74.6	116	4.7	02.1-07.3	100	3.2	01.5-04.9	6	0.1	00.0-00.3
White/Non-Hisp	1296	392,850	190	21.1	11.5-30.6	935	70.4	61.0-79.8	93	4.5	02.0-07.1	75	3.7	02.2-05.2	3	0.3	00.0-00.8
Other Race	448	637,344							23	4.8	01.0-08.7	24	2.9	00.3-05.5	3	0.0	00.0-00.1
18-24	80	149,096							7	8.6	00.0-18.9	5	2.6	00.0-05.4			
25-34	119	265,857							2	3.0	00.0-08.7	6	0.6	00.0-01.3	1	0.4	00.0-01.1
35-44	222	205,564							16	7.7	00.9-14.4	7	1.2	00.0-02.8			
45-54	392	176,948							22	2.2	00.2-04.1	18	2.6	00.0-05.5	2	0.1	00.0-00.3
55-64	411	119,611							33	3.3	00.6-05.9	21	8.6	00.0-19.3	2	0.1	00.0-00.3
65+	527	116,898							36	3.6	00.0-07.3	43	8.7	01.7-15.8	1	0.1	00.0-00.2
Less Than H.S.	112	217,145							2	0.1	00.0-00.3	8	1.9	00.0-04.4			
H.S. or G.E.D.	424	254,969							25	4.9	00.3-09.4	26	4.0	00.5-07.5	2	0.0	00.0-00.1
Some Post-H.S.	455	267,105							24	9.1	00.8-17.4	26	3.9	00.0-08.9	3	0.5	00.0-01.2
College Graduate	766	293,319							65	3.9	01.2-06.7	40	2.8	01.2-04.4	1	0.0	00.0-00.1
Less than \$15,000	104	89,873							6	4.7	00.0-13.0	7	1.4	00.0-03.8	1	0.2	00.0-00.6
\$15,000- 24,999	228	236,625							9	4.8	00.0-11.1	10	1.6	00.0-03.7	1	0.0	00.0-00.1
\$25,000- 34,999	162	83,675							14	1.9	00.0-04.3	10	0.8	00.0-01.6			
\$35,000- 49,999	243	142,442							17	5.5	00.4-10.6	16	4.1	00.7-07.4			
\$50,000- 74,999	260	121,670										16	5.5	00.0-12.2			
\$75,000+	632	281,889	77	14.7	08.3-21.1	475	76.0	67.3-84.6	46	4.2	00.1-08.2	31	4.8	00.0-09.5	3	0.4	00.0-01.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 6: FRUITS AND VEGETABLES**

TABLE 15: ORANGE-COLORED VEGETABLE SERVINGS PER DAY (NEWVAR8_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero Times per day			Between Zero and One-Half Per Day			Between One-Half and One Per Day			One to Two Times Per Day			Three to 98 Times Per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2986	1,119,772	309	14.9	08.5-21.2	2102	66.8	59.3-74.3	299	10.0	04.8-15.1	263	8.0	04.2-11.8	13	0.4	00.1-00.7
White/Non-Hisp	2113	418,475	204	12.0	05.4-18.7	1488	76.0	69.4-82.5	242	7.1	05.3-09.0	175	4.8	03.4-06.1	4	0.1	00.0-00.1
Other Race	860	698,389	103	16.6	07.2-25.9				55	11.7	03.5-19.8	84	9.8	03.8-15.8	9	0.6	00.0-01.1
18-24	88	152,565							3	1.1	00.0-02.8	2	1.3	00.0-03.2	1	0.8	00.0-02.3
25-34	187	267,959	19	7.1	00.0-16.9				14	5.3	00.5-10.1	8	5.5	00.1-11.0			
35-44	418	199,978							38	5.3	01.7-09.0				2	0.3	00.0-00.8
45-54	582	174,771	66	9.3	02.6-16.0							52	5.9	02.6-09.2	2	0.5	00.0-01.4
55-64	646	138,444	70	11.4	01.6-21.2							54	9.8	00.5-19.0	4	0.1	00.0-00.2
65+	1044	176,197										102	6.1	02.5-09.7	4	0.9	00.0-02.2
Less Than H.S.	179	237,311										14	3.8	00.0-07.7	3	0.6	00.0-01.6
H.S. or G.E.D.	736	276,777							57	2.8	01.2-04.4	58	5.8	00.4-11.1	2	0.2	00.0-00.5
Some Post-H.S.	870	267,127							78	8.8	01.7-16.0	70	6.5	01.7-11.3	3	0.6	00.0-01.5
College Graduate	1197	338,539	80	4.6	02.4-06.9	844	73.0	63.5-82.5	147	8.1	05.1-11.2	121	14.0	04.0-23.9	5	0.3	00.0-00.7
Less than \$15,000	232	129,837										20	6.1	00.0-12.3	2	0.1	00.0-00.2
\$15,000- 24,999	502	279,061	58	3.9	01.7-06.0										2	0.5	00.0-01.4
\$25,000- 34,999	307	124,246										28	7.9	00.3-15.4	1	0.1	00.0-00.3
\$35,000- 49,999	415	126,151							41	2.3	00.7-04.0	38	4.1	00.8-07.5	2	0.4	00.0-01.2
\$50,000- 74,999	469	137,447	37	5.7	02.3-09.1							36	3.6	01.4-05.8	1	0.0	00.0-00.0
\$75,000+	791	237,146	68	5.6	02.7-08.5	559	77.6	70.1-85.1	87	8.7	04.6-12.8	74	7.6	02.3-12.9	3	0.4	00.0-01.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 6: FRUITS AND VEGETABLES
TABLE 16: OTHER VEGETABLE SERVINGS PER DAY (NEWVAR9_)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero Times per day			Between Zero and One-Half Per Day			Between One-Half and One Per Day			One to Two Times Per Day			Three to 98 Times Per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4744	2,153,573	53	1.8	00.1-03.4	1679	43.0	37.5-48.6	1134	19.6	15.8-23.5	1779	33.5	28.2-38.7	99	2.1	00.1-04.1
Male	1761	1,034,288	31	0.8	00.3-01.3	693	45.8	37.4-54.2	424	18.5	13.3-23.7	583	31.7	23.7-39.7	30	3.2	00.0-07.3
Female	2983	1,119,285	22	2.7	00.0-05.8	986	40.5	33.1-47.9	710	20.6	15.0-26.2	1196	35.1	28.2-42.0	69	1.0	00.6-01.5
White/Non-Hisp	3405	810,686	27	0.7	00.2-01.3	1044	36.1	30.7-41.6	873	21.7	18.2-25.3	1392	40.0	33.5-46.4	69	1.4	00.7-02.1
Other Race	1307	1,335,569	26	2.4	00.0-05.1	623	47.4	39.2-55.6	254	18.3	12.5-24.1	374	29.3	22.0-36.6	30	2.5	00.0-05.7
18-24	168	301,661	6	2.2	00.0-04.4				34	13.5	05.3-21.7				3	1.0	00.0-02.2
25-34	306	533,816	5	3.3	00.0-09.0				56	15.3	07.7-23.0				6	5.4	00.0-13.2
35-44	640	405,542	11	2.6	00.0-06.6				134	18.5	10.4-26.6				14	0.6	00.2-01.0
45-54	975	351,720	7	0.3	00.0-00.6				239	18.4	11.0-25.8				24	1.2	00.4-02.0
55-64	1053	257,925	9	0.5	00.0-01.1							400	26.4	16.9-35.9	30	1.2	00.3-02.2
65+	1569	292,418	14	0.5	00.0-00.9				380	22.0	13.7-30.3				22	1.1	00.2-02.0
Less Than H.S.	288	453,877	11	4.6	00.0-11.4										7	0.7	00.0-01.4
H.S. or G.E.D.	1160	531,999	21	1.2	00.3-02.0				276	21.4	13.1-29.7				16	1.4	00.0-03.1
Some Post-H.S.	1325	533,906	6	1.7	00.0-04.6				348	22.6	14.8-30.3				29	5.2	00.0-12.8
College Graduate	1960	631,701	14	0.4	00.0-00.9	630	41.0	34.0-48.1	468	19.9	15.3-24.6	801	37.5	30.6-44.5	47	1.1	00.4-01.7
Less than \$15,000	336	219,684	9	0.8	00.0-01.7										8	0.8	00.0-01.8
\$15,000- 24,999	728	515,054	16	3.7	00.0-09.7				169	18.7	08.9-28.5				14	0.5	00.0-01.1
\$25,000- 34,999	469	207,790	5	0.1	00.0-00.3				103	11.0	01.2-20.7				8	1.3	00.0-03.0
\$35,000- 49,999	657	268,572	8	4.5	00.0-10.5				162	16.4	09.2-23.7				9	0.7	00.0-01.5
\$50,000- 74,999	730	259,388	1	0.0	00.0-00.0				173	17.1	09.9-24.2						
\$75,000+	1422	519,016	8	0.3	00.0-00.5	435	33.8	25.9-41.8	362	25.7	18.5-33.0	582	38.3	30.2-46.4	35	1.8	00.0-03.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 6: FRUITS AND VEGETABLES
TABLE 17: OTHER VEGETABLE SERVINGS PER DAY (NEWVAR9_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero Times per day			Between Zero and One-Half Per Day			Between One-Half and One Per Day			One to Two Times Per Day			Three to 98 Times Per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1761	1,034,288	31	0.8	00.3-01.3	693	45.8	37.4-54.2	424	18.5	13.3-23.7	583	31.7	23.7-39.7	30	3.2	00.0-07.3
White/Non-Hisp	1294	392,534	17	1.0	00.1-01.9	455	35.5	27.8-43.2	344	24.4	18.4-30.3				20	1.5	00.3-02.6
Other Race	448	637,344	14	0.7	00.1-01.2				77	15.0	07.5-22.5				10	4.3	00.0-10.9
18-24	80	149,096	4	2.1	00.0-04.6				14	8.5	01.5-15.6				1	0.5	00.0-01.6
25-34	119	265,857	3	0.5	00.0-01.1												
35-44	222	205,564	5	0.9	00.0-02.3				43	14.7	06.3-23.0				1	0.1	00.0-00.2
45-54	392	176,948	4	0.5	00.0-01.0										7	1.0	00.0-02.1
55-64	409	119,501	6	0.3	00.0-00.7										7	0.8	00.1-01.5
65+	527	116,688	8	0.4	00.0-01.0							183	21.8	12.2-31.5	10	0.7	00.0-01.4
Less Than H.S.	111	216,908	4	0.3	00.0-00.8				13	5.0	00.8-09.1				2	0.2	00.0-00.4
H.S. or G.E.D.	424	255,222	14	2.1	00.4-03.9										7	2.3	00.0-06.0
Some Post-H.S.	454	266,773	2	0.1	00.0-00.3												
College Graduate	765	293,312	10	0.5	00.0-01.3				212	23.3	15.4-31.3				15	1.3	00.0-02.5
Less than \$15,000	104	89,873	6	1.0	00.0-02.5										2	0.4	00.0-01.0
\$15,000- 24,999	227	236,297	7	0.8	00.0-01.9				45	11.0	04.7-17.4				3	0.2	00.0-00.4
\$25,000- 34,999	163	83,677	2	0.2	00.0-00.4										4	3.0	00.0-07.5
\$35,000- 49,999	242	142,424	6	2.7	00.0-05.4				57	10.4	04.1-16.7				2	0.1	00.0-00.2
\$50,000- 74,999	261	121,941	1	0.0	00.0-00.0												
\$75,000+	632	281,889	6	0.4	00.0-00.9							220	27.0	17.8-36.2	13	2.7	00.0-06.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 6: FRUITS AND VEGETABLES
TABLE 18: OTHER VEGETABLE SERVINGS PER DAY (NEWVAR9_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero Times per day			Between Zero and One-Half Per Day			Between One-Half and One Per Day			One to Two Times Per Day			Three to 98 Times Per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2983	1,119,285	22	2.7	00.0-05.8	986	40.5	33.1-47.9	710	20.6	15.0-26.2	1196	35.1	28.2-42.0	69	1.0	00.6-01.5
White/Non-Hisp	2111	418,152	10	0.5	00.0-01.0	589	36.7	29.1-44.3	529	19.3	15.2-23.3	934	42.1	34.3-50.0	49	1.4	00.6-02.1
Other Race	859	698,225	12	4.1	00.0-09.0				177	21.4	12.8-30.0	258	30.9	21.0-40.7	20	0.9	00.3-01.5
18-24	88	152,565	2	2.3	00.0-06.0										2	1.4	00.0-03.5
25-34	187	267,959	2	6.0	00.0-17.1				36	12.6	04.9-20.3				2	0.1	00.0-00.2
35-44	418	199,978	6	4.3	00.0-12.1										13	1.1	00.3-02.0
45-54	583	174,772	3	0.2	00.0-00.4				136	13.9	08.1-19.7				17	1.4	00.3-02.5
55-64	644	138,424	3	0.7	00.0-01.7										23	1.7	00.0-03.3
65+	1042	175,730	6	0.5	00.0-01.1				254	17.9	10.2-25.5				12	1.3	00.0-02.7
Less Than H.S.	177	236,969													5	1.1	00.0-02.5
H.S. or G.E.D.	736	276,777	7	0.3	00.0-00.5										9	0.5	00.0-01.0
Some Post-H.S.	871	267,132	4	3.2	00.0-09.1				234	23.8	14.5-33.0				23	1.8	00.4-03.1
College Graduate	1195	338,389	4	0.3	00.0-00.8	373	41.7	32.0-51.5	256	16.9	11.7-22.2	530	40.1	31.6-48.6	32	0.9	00.4-01.4
Less than \$15,000	232	129,811	3	0.7	00.0-01.7										6	1.0	00.0-02.6
\$15,000- 24,999	501	278,757	9	6.2	00.0-17.0										11	0.9	00.0-01.8
\$25,000- 34,999	306	124,112	3	0.1	00.0-00.3				68	4.6	02.0-07.2				4	0.1	00.0-00.3
\$35,000- 49,999	415	126,147	2	6.5	00.0-18.6										7	1.4	00.0-03.2
\$50,000- 74,999	469	137,447							103	16.6	07.3-25.9				16	1.9	00.5-03.3
\$75,000+	790	237,127	2	0.1	00.0-00.2	214	29.4	19.4-39.3	190	18.0	12.2-23.8				22	0.8	00.3-01.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 6: FRUITS AND VEGETABLES
TABLE 19: FRUIT AND VEGETABLE SERVINGS PER DAY (_FRTSERV)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero Times per day			Between Zero and One Time Per Day			Between One and Two Times Per Day			Between Two and Three Times Per Day			Between Three and Four Times Per Day			More than 5 Times Per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4761	2,155,572	3	0.0	00.0-00.1	357	13.8	09.1-18.4	969	25.5	20.5-30.5	1189	22.3	17.9-26.7	917	15.9	12.2-19.6	1326	22.5	18.2-26.9
Male	1768	1,035,588	3	0.1	00.0-00.2	188	15.9	08.6-23.3	406	23.4	17.0-29.9	472	23.1	16.3-29.9	325	14.8	09.1-20.6	374	22.6	15.5-29.7
Female	2993	1,119,984				169	11.7	05.8-17.6	563	27.4	20.1-34.7	717	21.5	15.9-27.2	592	16.9	12.0-21.7	952	22.4	17.3-27.6
White/Non-Hisp	3417	811,798	2	0.1	00.0-00.2	206	9.1	05.1-13.0	672	22.5	17.3-27.6	879	29.0	23.3-34.7	704	16.5	13.4-19.7	954	22.8	17.8-27.9
Other Race	1310	1,336,188	1	0.0	00.0-00.1	147	16.7	09.6-23.7	290	27.4	20.0-34.7	303	18.1	12.0-24.1	209	15.6	09.8-21.3	360	22.3	16.0-28.6
18-24	168	301,661	1	0.2	00.0-00.5										13	6.1	01.7-10.5			
25-34	306	533,816													62	12.4	07.2-17.6			
35-44	640	405,542				48	14.2	04.3-24.2							111	18.1	08.4-27.9	171	15.3	09.5-21.1
45-54	975	351,720	1	0.1	00.0-00.2				190	19.0	10.3-27.6							258	15.8	10.4-21.2
55-64	1057	258,056										248	18.4	10.9-25.8	193	16.8	07.9-25.6	310	19.8	11.2-28.5
65+	1581	294,247	1	0.0	00.0-00.0	88	8.2	02.9-13.6				401	19.2	13.5-24.9	348	14.7	09.7-19.6			
Less Than H.S.	293	454,913													50	12.8	03.3-22.3	62	13.5	04.2-22.7
H.S. or G.E.D.	1163	532,155	1	0.1	00.0-00.3	111	13.1	03.3-22.9				317	22.1	13.8-30.4	210	9.6	05.5-13.7			
Some Post-H.S.	1329	534,254				96	15.9	06.1-25.8	300	16.2	10.5-22.0				257	13.4	07.7-19.2	346	27.0	17.2-36.7
College Graduate	1965	632,159	2	0.0	00.0-00.1	87	5.7	03.1-08.3	352	23.4	17.8-29.0	482	22.3	17.2-27.4	398	25.3	17.5-33.2	644	23.3	18.3-28.2
Less than \$15,000	337	219,848	1	0.2	00.0-00.7										46	8.8	00.0-17.6	80	12.4	04.9-19.8
\$15,000- 24,999	733	516,136													151	16.7	06.9-26.6	165	15.9	09.0-22.8
\$25,000- 34,999	471	207,928				39	6.8	00.9-12.7	99	18.5	09.2-27.9	107	10.3	04.0-16.6						
\$35,000- 49,999	660	268,856	1	0.1	00.0-00.3							192	21.9	13.3-30.5				166	14.1	08.1-20.0
\$50,000- 74,999	730	259,388										173	14.6	08.9-20.2	123	11.9	05.2-18.5			
\$75,000+	1423	519,035	1	0.0	00.0-00.0	75	9.2	02.3-16.2	249	17.9	12.3-23.5	368	31.5	23.1-40.0	310	18.3	13.4-23.1	420	23.0	16.8-29.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010

CALCULATED VARIABLES 6: FRUITS AND VEGETABLES

TABLE 20: FRUIT AND VEGETABLE SERVINGS PER DAY (_FRTSERV)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero Times per day			Between Zero and One Time Per Day			Between One and Two Times Per Day			Between Two and Three Times Per Day			Between Three and Four Times Per Day			More than 5 Times Per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1768	1,035,588	3	0.1	00.0-00.2	188	15.9	08.6-23.3	406	23.4	16.9-29.9	472	23.1	16.3-29.9	325	14.8	09.1-20.6	374	22.6	15.5-29.7
White/Non-Hisp	1298	393,122	2	0.1	00.0-00.4	113	9.8	05.7-13.8	299	20.5	15.4-25.5	369	32.7	23.1-42.4	252	15.1	10.6-19.6	263	21.8	12.4-31.2
Other Race	449	637,788	1	0.0	00.0-00.1							99	16.8	08.0-25.6	71	14.7	05.8-23.7			
18-24	80	149,096	1	0.4	00.0-01.1	12	12.0	02.2-21.8							7	7.5	00.0-15.1			
25-34	119	265,857													20	7.9	02.5-13.3			
35-44	222	205,564													38	14.1	06.1-22.1	38	12.6	05.0-20.3
45-54	392	176,948	1	0.2	00.0-00.5							108	12.7	05.8-19.6				72	10.0	03.6-16.4
55-64	411	119,611													68	8.4	04.0-12.9			
65+	532	117,878	1	0.0	00.0-00.0	42	8.1	03.6-12.5				153	23.0	13.2-32.7	115	14.7	06.1-23.2			
Less Than H.S.	113	217,589																18	7.0	00.0-15.3
H.S. or G.E.D.	425	255,240	1	0.2	00.0-00.6	56	9.8	02.6-17.1							71	8.7	03.2-14.2			
Some Post-H.S.	456	267,106													80	7.8	03.4-12.1			
College Graduate	767	293,581	2	0.1	00.0-00.3	46	7.3	03.0-11.5	153	26.5	17.2-35.8	223	24.3	16.7-32.0				184	16.3	10.9-21.7
Less than \$15,000	104	89,873	1	0.6	00.0-01.8										11	3.0	00.0-06.8	21	6.9	00.0-16.1
\$25,000- 34,999	163	83,677				23	7.5	00.3-14.6				31	4.9	00.0-09.9	28	7.2	01.0-13.4			
\$35,000- 49,999	244	142,704	1	0.2	00.0-00.6	19	5.6	01.0-10.1										50	15.0	05.5-24.4
\$50,000- 74,999	261	121,941				25	4.7	00.6-08.7				71	13.6	05.5-21.6	45	10.2	01.6-18.7			
\$75,000+	632	281,889	1	0.0	00.0-00.0				131	21.9	12.8-31.0				134	16.8	10.3-23.3	136	18.1	10.2-26.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 6: FRUITS AND VEGETABLES**

TABLE 21: FRUIT AND VEGETABLE SERVINGS PER DAY (_FRTSERV)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Between Zero and One Time Per Day			Between One and Two Times Per Day			Between Two and Three Times Per Day			Between Three and Four Times Per Day			More than 5 Times Per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2993	1,119,984	169	11.7	05.8-17.6	563	27.4	20.1-34.7	717	21.5	15.9-27.2	592	16.9	12.0-21.7	952	22.4	17.3-27.6
White/Non-Hisp	2119	418,676	93	8.4	01.7-15.1	373	24.4	15.8-32.9	510	25.5	19.7-31.2	452	17.9	13.5-22.3	691	23.8	19.5-28.2
Other Race	861	698,400	76	13.7	05.2-22.3				204	19.2	10.9-27.6	138	16.3	09.0-23.6	256	21.5	13.7-29.3
18-24	88	152,565							23	13.7	04.6-22.7	6	4.7	00.2-09.1			
25-34	187	267,959										42	16.9	08.2-25.6	56	18.8	09.7-27.9
35-44	418	199,978													133	18.1	09.3-26.8
45-54	583	174,772	32	9.2	00.0-18.5	111	17.1	09.1-25.2							186	21.6	13.7-29.4
55-64	646	138,444	44	6.8	01.4-12.3										206	14.8	07.4-22.1
65+	1049	176,369	46	8.4	00.0-16.8				248	16.7	09.9-23.5	233	14.7	08.7-20.6			
Less Than H.S.	180	237,324	28	11.0	02.0-20.0							36	10.2	01.2-19.2			
H.S. or G.E.D.	738	276,916										139	10.3	04.3-16.3	184	14.6	07.5-21.8
Some Post-H.S.	873	267,148				177	14.5	09.0-20.1				177	19.1	09.1-29.0			
College Graduate	1198	338,579	41	4.3	01.2-07.5	199	20.7	14.0-27.3	259	20.5	13.7-27.4	239	25.2	15.4-35.0	460	29.3	21.7-36.8
Less than \$15,000	233	129,975	34	5.0	00.7-09.2												
\$15,000- 24,999	503	279,066	25	4.3	00.0-10.1										119	16.6	07.6-25.5
\$25,000- 34,999	308	124,251	16	6.3	00.0-15.0				76	13.8	03.9-23.8						
\$35,000- 49,999	416	126,152													116	13.0	06.1-20.0
\$50,000- 74,999	469	137,447							102	15.4	07.7-23.2	78	13.4	03.6-23.1			
\$75,000+	791	237,146	26	3.1	00.5-05.6	118	13.1	07.6-18.6				176	20.1	12.9-27.2	284	28.8	19.1-38.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 6: FRUITS AND VEGETABLES**

TABLE 22: SUMMARY INDEX FOR FRUITS AND VEGETABLES CALCULATED VARIABLE (_FRTINDX)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than once per day or never			Once but less than 3 times per day			3 but less than 5 times per day			5 or more times per day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4761	2,155,572	347	13.3	08.7-18.0	2100	45.4	39.9-50.9	1537	26.3	21.6-30.9	777	15.1	11.0-19.1
Male	1768	1,035,588	185	15.9	08.6-23.3	855	41.2	33.4-49.0	522	26.5	19.0-34.0	206	16.4	09.4-23.4
Female	2993	1,119,984	162	10.9	05.1-16.7	1245	49.2	41.9-56.6	1015	26.0	20.4-31.7	571	13.8	09.6-18.1
White/Non-Hisp	3417	811,798	199	9.0	05.1-13.0	1503	48.0	42.1-53.9	1174	29.3	23.9-34.7	541	13.7	08.7-18.6
Other Race	1310	1,336,188	144	16.0	09.0-23.0	584	43.9	35.8-52.0	352	24.2	17.6-30.9	230	15.9	10.1-21.7
25-34	306	533,816							97	23.4	14.3-32.4			
35-44	640	405,542	46	12.1	02.7-21.6				200	24.3	14.5-34.2	88	9.3	04.3-14.3
45-54	975	351,720										150	8.6	05.2-11.9
55-64	1057	258,056										186	10.8	04.3-17.4
65+	1581	294,247	86	8.1	02.8-13.5				554	22.6	16.2-29.1			
Less Than H.S.	293	454,913										37	9.9	01.1-18.7
H.S. or G.E.D.	1163	532,155	110	13.1	03.3-22.9				333	15.0	10.0-20.0			
Some Post-H.S.	1329	534,254	90	14.2	04.6-23.8	612	38.8	29.0-48.7				203	16.5	07.7-25.2
College Graduate	1965	632,159	85	5.6	03.0-08.3	813	45.2	38.4-52.1	699	36.3	28.8-43.8	368	12.8	09.1-16.6
Less than \$15,000	337	219,848							73	13.1	03.4-22.7	56	8.6	02.4-14.7
\$15,000- 24,999	733	516,136	50	12.0	02.2-21.7							102	10.5	04.6-16.4
\$25,000- 34,999	471	207,928	39	6.8	00.9-12.7									
\$35,000- 49,999	660	268,856										94	5.4	02.8-08.0
\$50,000- 74,999	730	259,388							227	19.4	11.7-27.1			
\$75,000+	1423	519,035	71	9.1	02.2-16.1	602	46.5	38.2-54.9	505	31.7	24.6-38.9	245	12.6	07.9-17.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 6: FRUITS AND VEGETABLES**

TABLE 23: SUMMARY INDEX FOR FRUITS AND VEGETABLES CALCULATED VARIABLE (_FRTINDX)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than once per day or never			Once but less than 3 times per day			3 but less than 5 times per day			5 or more times per day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1768	1,035,588	185	15.9	08.6-23.3	855	41.2	33.4-49.0	522	26.5	19.0-34.0	206	16.4	09.4-23.4
White/Non-Hisp	1298	393,122	111	9.8	05.7-13.9	649	47.1	38.2-56.1	401	29.8	20.3-39.3	137	13.3	03.6-23.1
Other Race	449	637,788										68	18.4	08.7-28.1
18-24	80	149,096	12	12.2	02.4-22.0									
35-44	222	205,564							60	19.6	10.3-29.0	18	7.3	00.9-13.6
45-54	392	176,948										40	3.8	00.6-07.0
65+	532	117,878	41	7.8	03.4-12.2				169	20.4	10.8-30.0			
Less Than H.S.	113	217,589										13	5.9	00.0-13.7
H.S. or G.E.D.	425	255,240	56	10.0	02.7-17.2				112	13.8	07.0-20.6			
College Graduate	767	293,581	48	7.3	03.1-11.6							92	5.8	03.4-08.2
Less than \$15,000	104	89,873							18	4.3	00.0-09.1	15	5.6	00.0-14.2
\$25,000- 34,999	163	83,677	23	7.5	00.3-14.6				40	11.1	02.3-19.8			
\$35,000- 49,999	244	142,704	20	5.8	01.2-10.3							22	3.3	00.5-06.0
\$50,000- 74,999	261	121,941	25	4.7	00.6-08.7				71	14.7	04.8-24.7			
\$75,000+	632	281,889										71	8.0	03.0-13.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 6: FRUITS AND VEGETABLES**

TABLE 24: SUMMARY INDEX FOR FRUITS AND VEGETABLES CALCULATED VARIABLE (_FRTINDX)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than once per day or never			Once but less than 3 times per day			3 but less than 5 times per day			5 or more times per day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2993	1,119,984	162	10.9	05.1-16.7	1245	49.2	41.9-56.6	1015	26.0	20.4-31.7	571	13.8	09.6-18.1
White/Non-Hisp	2119	418,676	88	8.3	01.6-15.0	854	48.8	41.1-56.5	773	28.9	23.5-34.3	404	14.0	11.0-17.0
Other Race	861	698,400	74	12.5	04.2-20.8				240	24.4	16.0-32.8	162	13.6	07.0-20.2
25-34	187	267,959										39	13.1	05.6-20.7
35-44	418	199,978	23	6.9	00.0-15.0							70	11.4	03.7-19.1
45-54	583	174,772	32	9.2	00.0-18.5							110	13.4	07.9-18.9
55-64	646	138,444	43	6.8	01.4-12.3							132	8.7	04.3-13.1
65+	1049	176,369	45	8.4	00.0-16.8				385	24.1	15.3-32.9			
Less Than H.S.	180	237,324	28	11.0	02.0-20.0									
H.S. or G.E.D.	738	276,916							221	16.1	08.8-23.5	113	9.8	03.7-15.9
Some Post-H.S.	873	267,148										157	11.8	06.3-17.3
College Graduate	1198	338,579	37	4.2	01.0-07.3	450	40.7	32.0-49.4	435	36.2	26.6-45.8	276	18.9	12.5-25.3
Less than \$15,000	233	129,975	34	5.0	00.7-09.2							41	10.6	02.4-18.9
\$15,000- 24,999	503	279,066	22	1.1	00.3-01.9							75	9.0	02.7-15.3
\$25,000- 34,999	308	124,251	16	6.3	00.0-15.0									
\$35,000- 49,999	416	126,152										72	7.9	03.3-12.4
\$50,000- 74,999	469	137,447										100	16.3	07.3-25.3
\$75,000+	791	237,146	24	2.9	00.4-05.5				298	32.1	22.7-41.5	174	18.1	10.0-26.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 6: FRUITS AND VEGETABLES**

TABLE 25: CONSUMED FIVE OR MORE SERVINGS OF FRUITS OR VEGETABLES PER DAY (_FV5SRV)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Consume < 5 times per day			Consume 5 or more times per day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4761	2,155,572	3984	84.9	80.9-89.0	777	15.1	11.0-19.1
Male	1768	1,035,588	1562	83.6	76.6-90.6	206	16.4	09.4-23.4
Female	2993	1,119,984	2422	86.2	81.9-90.4	571	13.8	09.6-18.1
White/Non-Hisp	3417	811,798	2876	86.3	81.4-91.3	541	13.7	08.7-18.6
Other Race	1310	1,336,188	1080	84.1	78.3-89.9	230	15.9	10.1-21.7
35-44	640	405,542	552	90.7	85.7-95.7	88	9.3	04.3-14.3
45-54	975	351,720	825	91.4	88.1-94.8	150	8.6	05.2-11.9
55-64	1057	258,056	871	89.2	82.6-95.7	186	10.8	04.3-17.4
Less Than H.S.	293	454,913	256	90.1	81.3-98.9	37	9.9	01.1-18.7
Some Post-H.S.	1329	534,254	1126	83.5	74.8-92.3	203	16.5	07.7-25.2
College Graduate	1965	632,159	1597	87.2	83.4-90.9	368	12.8	09.1-16.6
Less than \$15,000	337	219,848	281	91.4	85.3-97.6	56	8.6	02.4-14.7
\$15,000- 24,999	733	516,136	631	89.5	83.6-95.4	102	10.5	04.6-16.4
\$35,000- 49,999	660	268,856	566	94.6	92.0-97.2	94	5.4	02.8-08.0
\$75,000+	1423	519,035	1178	87.4	82.7-92.1	245	12.6	07.9-17.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 6: FRUITS AND VEGETABLES**

TABLE 26: CONSUMED FIVE OR MORE SERVINGS OF FRUITS OR VEGETABLES PER DAY (_FV5SRV)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Consume < 5 times per day			Consume 5 or more times per day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1768	1,035,588	1562	83.6	76.6-90.6	206	16.4	09.4-23.4
White/Non-Hisp	1298	393,122	1161	86.7	76.9-96.4	137	13.3	03.6-23.1
Other Race	449	637,788	381	81.6	71.9-91.3	68	18.4	08.7-28.1
35-44	222	205,564	204	92.7	86.4-99.1	18	7.3	00.9-13.6
45-54	392	176,948	352	96.2	93.0-99.4	40	3.8	00.6-07.0
Less Than H.S.	113	217,589	100	94.1	86.3-0100	13	5.9	00.0-13.7
College Graduate	767	293,581	675	94.2	91.8-96.6	92	5.8	03.4-08.2
Less than \$15,000	104	89,873	89	94.4	85.8-0100	15	5.6	00.0-14.2
\$35,000- 49,999	244	142,704	222	96.7	94.0-99.5	22	3.3	00.5-06.0
\$75,000+	632	281,889	561	92.0	87.0-97.0	71	8.0	03.0-13.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 6: FRUITS AND VEGETABLES**

TABLE 27: CONSUMED FIVE OR MORE SERVINGS OF FRUITS OR VEGETABLES PER DAY (_FV5SRV)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Consume < 5 times per day			Consume 5 or more times per day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2993	1,119,984	2422	86.2	81.9-90.4	571	13.8	09.6-18.1
White/Non-Hisp	2119	418,676	1715	86.0	83.0-89.0	404	14.0	11.0-17.0
Other Race	861	698,400	699	86.4	79.8-93.0	162	13.6	07.0-20.2
25-34	187	267,959	148	86.9	79.3-94.4	39	13.1	05.6-20.7
35-44	418	199,978	348	88.6	80.9-96.3	70	11.4	03.7-19.1
45-54	583	174,772	473	86.6	81.1-92.1	110	13.4	07.9-18.9
55-64	646	138,444	514	91.3	86.9-95.7	132	8.7	04.3-13.1
H.S. or G.E.D.	738	276,916	625	90.2	84.1-96.3	113	9.8	03.7-15.9
Some Post-H.S.	873	267,148	716	88.2	82.7-93.7	157	11.8	06.3-17.3
College Graduate	1198	338,579	922	81.1	74.7-87.5	276	18.9	12.5-25.3
Less than \$15,000	233	129,975	192	89.4	81.1-97.6	41	10.6	02.4-18.9
\$15,000- 24,999	503	279,066	428	91.0	84.7-97.3	75	9.0	02.7-15.3
\$35,000- 49,999	416	126,152	344	92.1	87.6-96.7	72	7.9	03.3-12.4
\$50,000- 74,999	469	137,447	369	83.7	74.7-92.7	100	16.3	07.3-25.3
\$75,000+	791	237,146	617	81.9	73.7-90.0	174	18.1	10.0-26.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010

CALCULATED VARIABLES 7: SUGAR SWEETENED BEVERAGES AND MENU LABELING CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE

REGULAR SODA OR POP SERVINGS PER DAY (DRSSDY_)

- 1 MALES AND FEMALES
- 2 MALES ONLY
- 3 FEMALES ONLY

SUGAR DRINK SERVINGS PER DAY (DRSDDY_)

- 4 MALES AND FEMALES
- 5 MALES ONLY
- 6 FEMALES ONLY

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 7: SUGAR SWEETENED BEVERAGES AND MENU LABELING
TABLE 1: REGULAR SODA OR POP SERVINGS PER DAY (DRSSDY_)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero Times per day			Between Zero and One-Half Per Day			Between One-Half and One Per Day			One to Two Times Per Day			Three to 98 Times Per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4758	2,154,787	2423	39.5	34.1-45.0	1539	35.8	30.6-40.9	223	6.0	03.4-08.7	490	15.3	10.6-20.0	83	3.3	01.5-05.2
Male	1767	1,035,559	779	33.0	25.1-40.9	593	36.0	28.2-43.7	105	8.6	03.6-13.7	242	19.6	12.2-27.0	48	2.8	01.0-04.5
Female	2991	1,119,229	1644	45.6	38.3-53.0	946	35.6	28.8-42.3	118	3.6	01.8-05.4	248	11.3	05.5-17.1	35	3.9	00.8-07.0
White/Non-Hisp	3416	811,769	1978	45.2	39.4-51.1	947	32.3	26.8-37.8	133	5.0	03.1-06.9	296	11.3	06.3-16.3	62	6.2	02.1-10.3
Other Race	1308	1,335,433	433	36.2	28.1-44.2	575	37.7	30.1-45.3	89	6.7	02.6-10.8	190	17.8	10.9-24.7	21	1.6	00.2-03.1
18-24	168	301,661							16	3.9	01.4-06.5				11	3.9	00.6-07.1
25-34	305	533,129							23	7.1	00.4-13.8				10	6.6	00.5-12.6
35-44	640	405,542				268	35.1	25.3-44.9	31	7.9	00.0-16.5				14	3.1	00.0-07.2
45-54	975	351,720							50	7.5	01.3-13.7	88	7.2	01.8-12.7	18	1.8	00.1-03.4
55-64	1057	258,056							45	3.8	01.5-06.1				18	0.5	00.2-00.9
65+	1579	294,149	983	66.5	57.5-75.5	401	19.4	13.6-25.2	57	4.0	00.8-07.3	127	8.3	04.1-12.4	11	1.8	00.0-03.9
Less Than H.S.	293	454,913							17	9.6	00.0-19.7				6	1.6	00.0-03.6
H.S. or G.E.D.	1161	532,057	557	26.6	18.4-34.9				63	3.7	01.7-05.7				32	5.8	00.5-11.1
Some Post-H.S.	1329	534,254				434	28.9	20.7-37.0	72	7.4	02.6-12.3	146	14.8	06.4-23.3	29	3.1	00.0-06.3
College Graduate	1964	631,473	1078	43.9	37.0-50.9	650	42.3	35.1-49.4	71	4.3	02.1-06.6	149	6.7	04.4-09.0	16	2.8	00.0-05.6
Less than \$15,000	336	219,779										38	10.3	01.4-19.3	8	2.3	00.0-05.0
\$15,000- 24,999	733	516,136							36	6.0	00.0-12.5				16	2.9	00.0-06.0
\$25,000- 34,999	471	207,928							31	7.7	01.0-14.3				6	1.6	00.0-04.1
\$35,000- 49,999	659	268,169							31	7.3	01.6-12.9	68	9.9	03.5-16.2			
\$50,000- 74,999	730	259,388							41	10.6	02.5-18.7	88	13.9	06.8-21.1	14	2.2	00.1-04.3
\$75,000+	1423	519,035	786	47.2	38.9-55.5	445	37.2	29.5-44.8	51	1.9	00.8-02.9	125	12.6	05.1-20.0	16	1.2	00.3-02.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010

CALCULATED VARIABLES 7: SUGAR SWEETENED BEVERAGES AND MENU LABELING

TABLE 2: REGULAR SODA OR POP SERVINGS PER DAY (DRSSDY_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero Times per day			Between Zero and One-Half Per Day			Between One-Half and One Per Day			One to Two Times Per Day			Three to 98 Times Per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1767	1,035,559	779	33.0	25.1-40.9	593	36.0	28.2-43.7	105	8.6	03.6-13.7	242	19.6	12.2-27.0	48	2.8	01.0-04.5
White/Non-Hisp	1297	393,092	639	40.0	30.7-49.2	397	31.2	24.1-38.2	66	6.9	03.4-10.4	154	16.1	06.5-25.6	41	5.9	01.7-10.1
Other Race	449	637,788							38	9.8	01.9-17.6				7	0.9	00.0-01.9
18-24	80	149,096							9	3.4	00.4-06.3				6	4.8	00.0-10.5
25-34	119	265,857													5	4.2	00.0-09.7
35-44	222	205,564													9	1.0	00.0-02.0
45-54	392	176,948													9	1.5	00.0-03.2
55-64	411	119,611							21	4.3	01.1-07.5	59	8.4	04.1-12.6	9	0.6	00.0-01.2
65+	531	117,849				145	19.8	11.4-28.1	22	7.0	00.0-14.1	57	8.2	01.1-15.3	9	4.0	00.0-09.4
Less Than H.S.	113	217,589													3	2.1	00.0-05.7
H.S. or G.E.D.	424	255,211							30	4.6	01.6-07.6				23	4.7	01.1-08.2
Some Post-H.S.	456	267,106							35	9.0	01.0-17.0				11	0.7	00.0-01.8
College Graduate	767	293,581	380	35.1	26.0-44.2				28	4.2	01.0-07.4	76	9.4	04.9-13.8	11	3.5	00.0-08.1
Less than \$15,000	104	89,873													3	0.6	00.0-01.9
\$15,000- 24,999	230	237,070	89	16.1	06.8-25.4										8	4.9	00.0-11.2
\$25,000- 34,999	163	83,677													3	0.8	00.0-01.9
\$35,000- 49,999	244	142,704							13	7.3	00.0-15.3	27	9.4	01.3-17.5	9	4.5	00.0-10.3
\$50,000- 74,999	261	121,941													10	3.2	00.0-07.4
\$75,000+	632	281,889							26	2.2	00.5-03.8				12	1.8	00.3-03.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010

CALCULATED VARIABLES 7: SUGAR SWEETENED BEVERAGES AND MENU LABELING

TABLE 3: REGULAR SODA OR POP SERVINGS PER DAY (DRSSDY_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero Times per day			Between Zero and One-Half Per Day			Between One-Half and One Per Day			One to Two Times Per Day			Three to 98 Times Per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2991	1,119,229	1644	45.6	38.3-53.0	946	35.6	28.8-42.3	118	3.6	01.8-05.4	248	11.3	05.5-17.1	35	3.9	00.8-07.0
White/Non-Hisp	2119	418,676	1339	50.2	42.5-57.9	550	33.4	25.1-41.6	67	3.2	01.6-04.8	142	6.8	04.5-09.0	21	6.5	00.0-13.3
Other Race	859	697,645				388	36.8	27.1-46.6	51	3.9	01.2-06.6	106	14.1	05.0-23.1	14	2.4	00.0-04.9
18-24	88	152,565							7	4.5	00.3-08.8				5	3.0	00.0-05.9
25-34	186	267,272							11	4.9	00.0-10.4	28	10.5	03.4-17.7	5	8.9	00.0-19.5
35-44	418	199,978							17	1.9	00.1-03.7	51	9.6	01.3-17.9	5	5.4	00.0-13.5
45-54	583	174,772							24	4.8	00.0-10.6	36	2.4	00.9-04.0	9	2.0	00.0-04.9
55-64	646	138,444							24	3.3	00.0-06.6				9	0.5	00.0-00.9
65+	1048	176,300				256	19.2	11.3-27.0	35	2.0	00.0-04.5	70	8.3	03.2-13.4	2	0.2	00.0-00.7
Less Than H.S.	180	237,324							5	0.8	00.0-02.4				3	1.1	00.0-03.2
H.S. or G.E.D.	737	276,847							33	2.9	00.3-05.4				9	6.8	00.0-16.4
Some Post-H.S.	873	267,148				280	27.0	17.9-36.0	37	5.9	00.4-11.4	82	11.4	04.4-18.4	18	5.5	00.0-11.7
College Graduate	1197	337,892	698	51.6	42.5-60.7	378	37.4	28.9-45.9	43	4.4	01.3-07.6	73	4.4	02.6-06.2	5	2.2	00.0-05.7
Less than \$15,000	232	129,906							10	1.9	00.0-05.1	24	7.0	01.0-13.0	5	3.5	00.0-07.8
\$15,000- 24,999	503	279,066							14	1.1	00.0-02.7				8	1.2	00.0-03.1
\$25,000- 34,999	308	124,251							17	6.0	00.0-14.3	25	6.6	00.2-12.9	3	2.2	00.0-06.3
\$35,000- 49,999	415	125,466							18	7.2	00.0-15.0	41	10.4	00.4-20.3			
\$50,000- 74,999	469	137,447							21	7.5	00.0-15.5	44	8.7	04.0-13.4	4	1.3	00.0-03.0
\$75,000+	791	237,146							25	1.5	00.4-02.7	49	5.0	02.4-07.7	4	0.4	00.0-01.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 7: SUGAR SWEETENED BEVERAGES AND MENU LABELING
TABLE 4: SUGAR DRINK SERVINGS PER DAY (DRSDDY_)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero Times per day			Between Zero and One-Half Per Day			Between One-Half and One Per Day			One to Two Times Per Day			Three to 98 Times Per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4757	2,155,270	3079	43.7	38.3-49.1	1156	35.5	30.1-41.0	176	4.4	03.1-05.8	292	11.9	07.7-16.1	54	4.4	01.1-07.7
Male	1767	1,035,570	1027	35.1	27.9-42.3	517	38.4	30.0-46.8	86	5.6	03.4-07.9	114	13.5	07.1-19.9	23	7.4	01.0-13.8
Female	2990	1,119,700	2052	51.7	44.3-59.1	639	32.9	25.8-39.9	90	3.3	01.7-04.9	178	10.5	05.0-15.9	31	1.7	00.1-03.2
White/Non-Hisp	3413	811,496	2442	57.2	51.2-63.1	714	30.5	25.4-35.6	92	4.0	02.4-05.7	139	4.4	02.9-05.9	26	3.9	00.0-09.0
Other Race	1310	1,336,188	614	35.5	28.0-42.9	434	38.5	30.4-46.7	82	4.7	02.7-06.6	152	16.6	10.0-23.1	28	4.7	00.5-09.0
18-24	168	301,661							16	4.6	01.2-08.0				7	4.7	00.0-09.7
25-34	306	533,816	117	27.0	17.7-36.2				19	4.9	01.6-08.3	34	13.9	04.4-23.4	5	6.6	00.0-14.8
35-44	640	405,542	312	31.8	22.8-40.9				32	6.1	02.2-10.0				7	2.4	00.0-06.4
45-54	975	351,720							49	3.9	01.2-06.7	55	5.8	00.4-11.2			
55-64	1056	258,038							24	2.2	00.6-03.8	46	8.9	00.9-17.0	5	0.2	00.0-00.3
65+	1578	293,963	1214	79.4	73.0-85.8	245	12.7	08.1-17.2	35	3.7	00.7-06.7	70	3.8	01.7-05.8	14	0.5	00.1-00.8
Less Than H.S.	292	454,900							16	1.6	00.3-02.9				8	7.4	00.0-18.3
H.S. or G.E.D.	1160	531,866							46	6.2	02.8-09.6				19	9.5	01.0-17.9
Some Post-H.S.	1329	534,254							55	3.2	01.3-05.0	83	15.1	06.6-23.5	22	1.9	00.0-04.8
College Graduate	1965	632,159	1318	49.2	42.2-56.2	493	39.1	31.6-46.7	59	6.1	03.0-09.1	90	5.4	02.4-08.4	5	0.2	00.0-00.4
Less than \$15,000	337	219,848							24	5.8	01.4-10.2	27	10.8	01.2-20.3			
\$15,000- 24,999	732	516,001							25	3.2	01.0-05.4	66	11.5	02.5-20.4	17	3.9	00.0-08.1
\$25,000- 34,999	470	207,793							19	0.9	00.2-01.7						
\$35,000- 49,999	659	268,838							28	8.1	02.3-13.9	36	9.3	01.6-17.0	12	6.0	00.0-12.6
\$50,000- 74,999	730	259,388							33	5.2	01.8-08.6				5	0.2	00.0-00.6
\$75,000+	1423	519,035	956	46.7	38.6-54.8	362	35.1	27.0-43.2	37	4.6	01.7-07.4	60	12.0	04.0-20.1	8	1.6	00.0-03.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010

CALCULATED VARIABLES 7: SUGAR SWEETENED BEVERAGES AND MENU LABELING

TABLE 5: SUGAR DRINK SERVINGS PER DAY (DRSDDY_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero Times per day			Between Zero and One-Half Per Day			Between One-Half and One Per Day			One to Two Times Per Day			Three to 98 Times Per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1767	1,035,570	1027	35.1	27.9-42.3	517	38.4	30.0-46.8	86	5.6	03.4-07.9	114	13.5	07.1-19.9	23	7.4	01.0-13.8
White/Non-Hisp	1297	393,104	822	50.1	40.8-59.4	354	32.0	24.6-39.4	52	5.9	02.9-08.9	57	4.7	02.2-07.2	12	7.3	00.0-17.4
Other Race	449	637,788	191	25.8	16.6-35.1				33	5.5	02.4-08.6				11	7.5	00.0-15.9
18-24	80	149,096							11	6.9	00.6-13.1	14	12.2	02.5-21.9	5	8.3	00.0-18.1
25-34	119	265,857							16	7.0	01.4-12.6						
35-44	222	205,564							13	7.4	01.5-13.4				1	0.1	00.0-00.2
45-54	392	176,948							23	2.6	00.3-04.8	20	7.9	00.0-18.4			
55-64	410	119,594							6	2.3	00.0-04.9				3	0.3	00.0-00.6
65+	532	117,878	376	79.0	69.7-88.4	108	11.9	06.4-17.4	17	5.9	00.0-12.1	27	2.8	00.9-04.7	4	0.4	00.0-00.9
Less Than H.S.	113	217,589							7	2.1	00.0-04.4						
H.S. or G.E.D.	424	255,222							20	7.5	02.2-12.7						
Some Post-H.S.	456	267,106							29	4.3	01.1-07.5				8	0.4	00.0-00.8
College Graduate	767	293,581	462	38.8	29.6-47.9				30	7.9	02.7-13.1	36	7.2	01.1-13.2	1	0.0	00.0-00.1
Less than \$15,000	104	89,873							11	8.3	00.0-17.6						
\$15,000- 24,999	230	237,070							11	5.4	00.9-09.9				7	6.6	00.0-15.3
\$25,000- 34,999	163	83,677							7	0.5	00.0-01.2						
\$35,000- 49,999	243	142,686							14	7.5	00.0-15.6				6	5.2	00.0-11.3
\$50,000- 74,999	261	121,941							21	9.4	02.0-16.8	15	2.5	00.0-05.0	3	0.5	00.0-01.3
\$75,000+	632	281,889							19	5.4	01.0-09.7				3	1.8	00.0-05.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 7: SUGAR SWEETENED BEVERAGES AND MENU LABELING
TABLE 6: SUGAR DRINK SERVINGS PER DAY (DRSDDY_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero Times per day			Between Zero and One-Half Per Day			Between One-Half and One Per Day			One to Two Times Per Day			Three to 98 Times Per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2990	1,119,700	2052	51.7	44.3-59.1	639	32.9	25.8-39.9	90	3.3	01.7-04.9	178	10.5	05.0-15.9	31	1.7	00.1-03.2
White/Non-Hisp	2116	418,392	1620	63.8	56.5-71.1	360	29.1	22.0-36.3	40	2.3	00.7-03.9	82	4.1	02.4-05.8	14	0.7	00.0-01.8
Other Race	861	698,400							49	4.0	01.5-06.4	96	14.4	05.8-22.9	17	2.2	00.0-04.7
18-24	88	152,565							5	2.4	00.0-05.3				2	1.2	00.0-03.0
25-34	187	267,959							3	2.9	00.0-06.6				1	0.0	00.0-00.1
35-44	418	199,978							19	4.8	00.0-09.9	40	9.8	02.2-17.4	6	4.9	00.0-12.8
45-54	583	174,772							26	5.3	00.5-10.2	35	3.7	01.4-06.0	10	3.4	00.0-07.3
55-64	646	138,444				96	13.0	03.3-22.7	18	2.1	00.1-04.1	29	3.8	00.0-08.1	2	0.0	00.0-00.1
65+	1046	176,085	838	79.6	71.0-88.2	137	13.2	06.5-19.9	18	2.2	00.0-04.9	43	4.4	01.3-07.6	10	0.5	00.0-01.0
Less Than H.S.	179	237,311							9	1.2	00.0-02.5	10	2.8	00.0-06.2	5	1.3	00.0-03.5
H.S. or G.E.D.	736	276,645							26	5.0	00.7-09.3				8	2.0	00.0-04.2
Some Post-H.S.	873	267,148							26	2.0	00.1-03.9				14	3.3	00.0-09.2
College Graduate	1198	338,579	856	58.3	48.8-67.7	255	33.1	23.4-42.8	29	4.5	00.9-08.0	54	3.9	02.1-05.7	4	0.3	00.0-00.7
Less than \$15,000	233	129,975							13	4.1	00.0-08.5	22	8.0	00.9-15.1			
\$15,000- 24,999	502	278,931							14	1.3	00.0-03.0	38	5.7	00.2-11.2	10	1.6	00.0-03.7
\$25,000- 34,999	307	124,115							12	1.2	00.0-02.3				2	1.2	00.0-03.5
\$35,000- 49,999	416	126,152							14	8.8	00.4-17.1	22	7.8	00.0-17.1	6	7.0	00.0-19.1
\$50,000- 74,999	469	137,447							12	1.5	00.0-02.9				2	0.0	00.0-00.1
\$75,000+	791	237,146							18	3.6	00.1-07.1	30	5.3	02.2-08.3	5	1.3	00.0-03.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010

CALCULATED VARIABLES 9: DEMOGRAPHICS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE

	PREFERRED RACE CATEGORY (_PRACE)
1	MALES AND FEMALES
2	MALES ONLY
3	FEMALES ONLY
	MULTIRACIAL RACE CATEGORIZATION (_MRACE)
4	MALES AND FEMALES
5	MALES ONLY
6	FEMALES ONLY
	RACE/ETHNICITY CATEGORIES (RACE2)
7	MALES AND FEMALES
8	MALES ONLY
9	FEMALES ONLY
	WHITE/HISPANIC RACE GROUP (_RACEG2)
10	MALES AND FEMALES
11	MALES ONLY
12	FEMALES ONLY
	FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2)
13	MALES AND FEMALES
14	MALES ONLY
15	FEMALES ONLY
	RACE GROUPS USED FOR INTERNET PREVALENCE TABLES (_RACE_G)
16	MALES AND FEMALES
17	MALES ONLY
18	FEMALES ONLY
	NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE)
19	MALES AND FEMALES
20	MALES ONLY
21	FEMALES ONLY

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010

CALCULATED VARIABLES 9: DEMOGRAPHICS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE

	NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC)
22	MALES AND FEMALES
23	MALES ONLY
24	FEMALES ONLY
	FOURTEEN-LEVEL AGE CATEGORY (_AGEG5YR)
25	MALES AND FEMALES
26	MALES ONLY
27	FEMALES ONLY
	TWO-LEVEL AGE CATEGORY (_AGE65YR)
28	MALES AND FEMALES
29	MALES ONLY
30	FEMALES ONLY
	REPORTED HEIGHT IN INCHES (HTIN3)
31	MALES AND FEMALES
32	MALES ONLY
33	FEMALES ONLY
	REPORTED HEIGHT IN METERS (HTM3)
34	MALES AND FEMALES
35	MALES ONLY
36	FEMALES ONLY
	REPORTED WEIGHT IN KILOGRAMS (WTKG2)
37	MALES AND FEMALES
38	MALES ONLY
39	FEMALES ONLY
	BODY MASS INDEX (BMI) (_BMI4)
40	MALES AND FEMALES
41	MALES ONLY
42	FEMALES ONLY

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010

CALCULATED VARIABLES 9: DEMOGRAPHICS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE

THREE-CATEGORIES OF BODY MASS INDEX (BMI) (_BMI4CAT)

43 MALES AND FEMALES

44 MALES ONLY

45 FEMALES ONLY

ADULTS WHO HAVE A BODY MASS INDEX GREATER THAN 25.00 (OVERWEIGHT OR OBESE) (_RFBMI4)

46 MALES AND FEMALES

47 MALES ONLY

48 FEMALES ONLY

NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT)

49 MALES AND FEMALES

50 MALES ONLY

51 FEMALES ONLY

LEVEL OF EDUCATION COMPLETED (_EDUCAG)

52 MALES AND FEMALES

53 MALES ONLY

54 FEMALES ONLY

INCOME CATEGORIES (_INCOMG)

55 MALES AND FEMALES

56 MALES ONLY

57 FEMALES ONLY

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 1: PREFERRED RACE CATEGORY (_PRACE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or other Pacific Islander		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4729	2,138,952	3581	50.5	44.9-56.1	838	32.3	26.4-38.2	107	5.1	03.5-06.6	6	0.4	00.0-00.8
Male	1749	1,021,655	1358	52.4	43.8-60.9	254	29.7	20.7-38.6	46	5.4	02.9-07.9	2	0.1	00.0-00.2
Female	2980	1,117,297	2223	48.8	41.5-56.1	584	34.7	27.0-42.4	61	4.7	02.8-06.7	4	0.6	00.0-01.4
White/Non-Hisp	3417	811,798	3417	100.0	0100-0100									
Other Race	1306	1,325,867	159	20.2	13.5-27.0	838	52.1	43.9-60.2	107	8.1	05.5-10.8	6	0.6	00.0-01.2
18-24	168	301,661							6	4.3	00.4-08.3	1	1.3	00.0-04.0
25-34	302	530,604							14	6.6	02.3-11.0	1	0.4	00.0-01.0
35-44	634	404,381							35	8.3	04.0-12.5	3	0.4	00.0-00.9
45-54	969	341,894							20	2.4	00.7-04.1			
55-64	1048	256,012							15	3.4	00.7-06.2			
65+	1576	293,911							15	3.1	00.5-05.8	1	0.0	00.0-00.0
Less Than H.S.	292	454,834							5	2.7	00.0-05.5			
H.S. or G.E.D.	1157	528,528							13	3.1	00.5-05.6	1	0.0	00.0-00.0
Some Post-H.S.	1321	523,759							9	1.7	00.3-03.1	1	0.8	00.0-02.3
College Graduate	1951	629,830	1564	60.8	53.0-68.5	266	22.5	14.2-30.9	80	11.2	07.2-15.2	4	0.6	00.0-01.2
Less than \$15,000	335	218,836							3	3.5	00.0-07.6			
\$15,000- 24,999	728	512,535							13	3.1	00.6-05.6	2	0.8	00.0-02.3
\$25,000- 34,999	469	207,922							6	1.8	00.0-04.5			
\$35,000- 49,999	655	268,445							10	5.3	01.1-09.6			
\$50,000- 74,999	729	250,025							18	5.0	01.1-08.9	1	0.7	00.0-02.2
\$75,000+	1417	517,540	1174	62.3	53.1-71.5	173	21.2	12.6-29.9	45	8.2	04.2-12.3	3	0.3	00.0-00.7

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		American Indian or Alaskan Native			Other race			No preferred race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4729	2,138,952	20	1.4	00.2-02.7	174	10.1	06.3-13.9	3	0.2	00.0-00.6
Male	1749	1,021,655	14	2.6	00.0-05.2	73	9.5	04.0-15.0	2	0.4	00.0-01.1
Female	2980	1,117,297	6	0.3	00.0-00.7	101	10.7	05.5-15.9	1	0.1	00.0-00.3
White/Non-Hisp	3417	811,798									
Other Race	1306	1,325,867	20	2.3	00.3-04.4	174	16.3	10.3-22.3	2	0.3	00.0-00.9
18-24	168	301,661	5	0.6	00.0-01.4	15	4.0	00.0-08.4	1	1.2	00.0-03.6
25-34	302	530,604	2	1.8	00.0-04.8	25	11.8	04.1-19.5			
35-44	634	404,381	4	0.9	00.0-02.4	47	11.8	02.4-21.1	1	0.1	00.0-00.3
45-54	969	341,894	7	1.5	00.0-03.4						
55-64	1048	256,012				32	6.8	02.8-10.7	1	0.4	00.0-01.2
65+	1576	293,911	2	3.6	00.0-10.3	19	5.3	00.0-10.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 1: PREFERRED RACE CATEGORY (_PRACE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		American Indian or Alaskan Native			Other race			No preferred race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Less Than H.S.	292	454,834	3	1.0	00.0-02.4						
H.S. or G.E.D.	1157	528,528	8	2.3	00.0-06.1	49	8.7	03.4-13.9	1	0.2	00.0-00.6
Some Post-H.S.	1321	523,759	4	1.7	00.0-04.6	37	6.5	00.1-12.8	1	0.7	00.0-02.1
College Graduate	1951	629,830	5	0.8	00.0-01.9	31	4.1	01.3-06.8	1	0.1	00.0-00.2
Less than \$15,000	335	218,836	2	0.1	00.0-00.1						
\$15,000- 24,999	728	512,535	6	2.3	00.0-05.5				1	0.2	00.0-00.6
\$25,000- 34,999	469	207,922	2	5.2	00.0-14.6	25	7.0	00.1-14.0	1	0.2	00.0-00.6
\$35,000- 49,999	655	268,445	3	0.5	00.0-01.3	31	10.4	02.9-17.9			
\$50,000- 74,999	729	250,025	1	0.0	00.0-00.1	16	4.3	00.0-08.8			
\$75,000+	1417	517,540	5	1.1	00.0-02.4	17	6.8	00.0-13.7			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 2: PREFERRED RACE CATEGORY (_PRACE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or other Pacific Islander		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1749	1,021,655	1358	52.4	43.8-60.9	254	29.7	20.7-38.6	46	5.4	02.9-07.9	2	0.1	00.0-00.2
White/Non-Hisp	1298	393,122	1298	100.0	0100-0100									
Other Race	448	628,425							46	8.8	04.5-13.0	2	0.1	00.0-00.4
18-24	80	149,096							5	6.8	00.0-13.7			
25-34	117	262,973							5	7.4	00.0-14.8			
35-44	222	205,564							17	8.1	02.3-13.9	1	0.4	00.0-01.2
45-54	386	167,122							9	2.8	00.1-05.5			
55-64	405	118,759							5	2.3	00.0-04.9			
65+	528	117,543							4	1.4	00.0-03.0	1	0.0	00.0-00.0
Less Than H.S.	113	217,589							2	2.3	00.0-06.6			
H.S. or G.E.D.	422	251,964							3	1.6	00.0-04.3	1	0.0	00.0-00.0
Some Post-H.S.	451	257,551							3	1.8	00.0-04.1			
College Graduate	759	292,568							38	14.1	07.1-21.2	1	0.3	00.0-00.8
Less than \$15,000	103	89,795												
\$15,000- 24,999	228	233,800							6	3.5	00.0-07.8	1	0.0	00.0-00.0
\$25,000- 34,999	162	83,675							4	4.4	00.0-11.2			
\$35,000- 49,999	241	142,386							4	6.7	00.0-13.9			
\$50,000- 74,999	260	112,578							8	5.2	00.0-11.5			
\$75,000+	629	281,457							20	7.9	01.8-14.0	1	0.3	00.0-00.9

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		American Indian or Alaskan Native			Other race			No preferred race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1749	1,021,655	14	2.6	00.0-05.2	73	9.5	04.0-15.0	2	0.4	00.0-01.1
White/Non-Hisp	1298	393,122									
Other Race	448	628,425	14	4.3	00.1-08.5	73	15.4	06.6-24.2	2	0.7	00.0-01.8
18-24	80	149,096	4	0.4	00.0-00.8	5	4.6	00.0-12.5	1	2.5	00.0-07.3
25-34	117	262,973	1	3.0	00.0-08.7	13	7.4	00.5-14.3			
35-44	222	205,564	3	1.8	00.0-04.6				1	0.2	00.0-00.6
45-54	386	167,122	4	2.6	00.0-06.6						
55-64	405	118,759				11	3.4	00.5-06.2			
65+	528	117,543				9	4.5	00.0-09.5			
Less Than H.S.	113	217,589	2	1.5	00.0-04.4						
H.S. or G.E.D.	422	251,964	5	4.6	00.0-12.4	25	7.3	01.0-13.7			
Some Post-H.S.	451	257,551	3	3.4	00.0-09.4	13	2.1	00.0-04.5	1	1.4	00.0-04.2
College Graduate	759	292,568	4	1.1	00.0-03.0	11	5.3	00.1-10.5	1	0.1	00.0-00.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		American Indian or Alaskan Native			Other race			No preferred race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Less than \$15,000	103	89,795	1	0.0	00.0-00.1						
\$15,000- 24,999	228	233,800	5	4.9	00.0-11.8						
\$25,000- 34,999	162	83,675				10	2.1	00.0-04.3	1	0.5	00.0-01.5
\$35,000- 49,999	241	142,386	3	1.0	00.0-02.5						
\$50,000- 74,999	260	112,578	1	0.1	00.0-00.2	6	1.9	00.0-04.4			
\$75,000+	629	281,457	3	1.3	00.0-03.4	8	5.8	00.0-12.5			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 3: PREFERRED RACE CATEGORY (_PRACE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or other Pacific Islander		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2980	1,117,297	2223	48.8	41.5-56.1	584	34.7	27.0-42.4	61	4.7	02.8-06.7	4	0.6	00.0-01.4
White/Non-Hisp	2119	418,676	2119	100.0	0100-0100									
Other Race	858	697,442	102	18.1	09.2-27.1				61	7.6	04.4-10.8	4	1.0	00.0-02.2
18-24	88	152,565							1	2.0	00.0-05.9	1	2.6	00.0-07.8
25-34	185	267,631							9	5.9	01.2-10.6	1	0.7	00.0-02.1
35-44	412	198,817							18	8.5	02.2-14.7	2	0.4	00.0-01.1
45-54	583	174,772							11	2.0	00.0-04.2			
55-64	643	137,253							10	4.4	00.0-09.0			
65+	1048	176,368							11	4.3	00.0-08.6			
Less Than H.S.	179	237,245							3	3.0	00.0-06.8			
H.S. or G.E.D.	735	276,565							10	4.4	00.2-08.7			
Some Post-H.S.	870	266,208	604	34.5	24.9-44.1				6	1.6	00.0-03.4	1	1.5	00.0-04.5
College Graduate	1192	337,261	928	61.0	51.2-70.9				42	8.7	04.4-12.9	3	0.8	00.0-02.0
Less than \$15,000	232	129,041							3	5.9	00.0-12.8			
\$15,000- 24,999	500	278,734							7	2.7	00.0-05.5	1	1.4	00.0-04.3
\$25,000- 34,999	307	124,247							2	0.1	00.0-00.3			
\$35,000- 49,999	414	126,059							6	3.9	00.0-07.8			
\$50,000- 74,999	469	137,447							10	4.9	00.0-09.8	1	1.4	00.0-04.0
\$75,000+	788	236,082				108	16.7	08.1-25.2	25	8.6	03.4-13.8	2	0.4	00.0-00.9

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		American Indian or Alaskan Native			Other race			No preferred race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2980	1,117,297	6	0.3	00.0-00.7	101	10.7	05.5-15.9	1	0.1	00.0-00.3
White/Non-Hisp	2119	418,676									
Other Race	858	697,442	6	0.5	00.0-01.2	101	17.2	09.0-25.3			
18-24	88	152,565	1	0.8	00.0-02.3	10	3.3	00.0-07.5			
25-34	185	267,631	1	0.7	00.0-02.1						
35-44	412	198,817	1	0.0	00.0-00.1	30	6.5	01.4-11.6			
45-54	583	174,772	3	0.4	00.0-00.9						
55-64	643	137,253				21	9.7	02.6-16.8	1	0.8	00.0-02.3
65+	1048	176,368				10	5.8	00.0-14.3			
Less Than H.S.	179	237,245	1	0.5	00.0-01.5						
H.S. or G.E.D.	735	276,565	3	0.2	00.0-00.6	24	9.9	01.7-18.0	1	0.4	00.0-01.1
Some Post-H.S.	870	266,208	1	0.0	00.0-00.1						
College Graduate	1192	337,261	1	0.6	00.0-01.6	20	3.0	00.6-05.5			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 3: PREFERRED RACE CATEGORY (_PRACE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		American Indian or Alaskan Native			Other race			No preferred race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Less than \$15,000	232	129,041	1	0.1	00.0-00.2	18	10.6	00.8-20.4			
\$15,000- 24,999	500	278,734	1	0.1	00.0-00.4				1	0.4	00.0-01.1
\$25,000- 34,999	307	124,247	1	0.3	00.0-00.8						
\$35,000- 49,999	414	126,059				18	9.5	00.0-19.8			
\$50,000- 74,999	469	137,447				10	6.2	00.0-14.0			
\$75,000+	788	236,082	2	0.8	00.0-02.3						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black or African American only			Asian Only			Native Hawaiian or other Pacific Islander only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4729	2,138,952	3566	50.1	44.5-55.7	827	32.3	26.4-38.1	103	4.7	03.2-06.2	6	0.4	00.0-00.8
Male	1749	1,021,655	1353	52.1	43.5-60.6	250	29.6	20.7-38.6	44	5.1	02.7-07.6	2	0.1	00.0-00.2
Female	2980	1,117,297	2213	48.3	41.0-55.6	577	34.7	26.9-42.4	59	4.3	02.6-06.1	4	0.6	00.0-01.4
White/Non-Hisp	3417	811,798	3403	99.0	98.1-99.8									
Other Race	1306	1,325,867	158	20.2	13.5-27.0	827	52.0	43.9-60.2	103	7.6	05.1-10.1	6	0.6	00.0-01.2
18-24	168	301,661							5	3.5	00.0-07.0	1	1.3	00.0-04.0
25-34	302	530,604							14	6.6	02.3-11.0	1	0.4	00.0-01.0
35-44	634	404,381							32	7.1	03.5-10.8	3	0.4	00.0-00.9
45-54	969	341,894							20	2.4	00.7-04.1			
55-64	1048	256,012							15	3.4	00.7-06.2			
65+	1576	293,911							15	3.1	00.5-05.8	1	0.0	00.0-00.0
Less Than H.S.	292	454,834							5	2.7	00.0-05.5			
H.S. or G.E.D.	1157	528,528							12	2.2	00.3-04.2	1	0.0	00.0-00.0
Some Post-H.S.	1321	523,759							8	1.7	00.3-03.1	1	0.8	00.0-02.3
College Graduate	1951	629,830	1560	60.2	52.5-68.0	263	22.5	14.1-30.9	78	10.8	06.9-14.7	4	0.6	00.0-01.2
Less than \$15,000	335	218,836							3	3.5	00.0-07.6			
\$15,000- 24,999	728	512,535							13	3.1	00.6-05.6	2	0.8	00.0-02.3
\$25,000- 34,999	469	207,922							5	1.8	00.0-04.5			
\$35,000- 49,999	655	268,445							9	4.4	00.6-08.2			
\$50,000- 74,999	729	250,025							18	5.0	01.1-08.9	1	0.7	00.0-02.2
\$75,000+	1417	517,540	1171	62.3	53.1-71.5	170	21.2	12.5-29.9	44	8.2	04.1-12.3	3	0.3	00.0-00.7

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		American Indian or Alaskan Native only			Other race only			Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4729	2,138,952	19	1.4	00.2-02.7	167	10.0	06.2-13.8	41	1.1	00.4-01.8
Male	1749	1,021,655	14	2.6	00.0-05.2	73	9.5	04.0-15.0	13	0.9	00.0-01.9
Female	2980	1,117,297	5	0.3	00.0-00.7	94	10.5	05.3-15.7	28	1.3	00.3-02.2
White/Non-Hisp	3417	811,798							14	1.0	00.2-01.9
Other Race	1306	1,325,867	19	2.3	00.3-04.4	167	16.1	10.1-22.1	26	1.1	00.1-02.1
18-24	168	301,661	5	0.6	00.0-01.4	14	3.9	00.0-08.4	5	2.8	00.0-06.0
25-34	302	530,604	2	1.8	00.0-04.8	24	11.7	04.1-19.4	2	0.0	00.0-00.1
35-44	634	404,381	4	0.9	00.0-02.4	45	11.8	02.4-21.1	8	1.3	00.0-03.5
45-54	969	341,894	6	1.5	00.0-03.4				11	0.1	00.0-00.2
55-64	1048	256,012				30	5.8	02.2-09.4	11	3.1	00.5-05.7
65+	1576	293,911	2	3.6	00.0-10.3	19	5.3	00.0-10.8	4	0.6	00.0-01.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		American Indian or Alaskan Native only			Other race only			Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Less Than H.S.	292	454,834	3	1.0	00.0-02.4				4	0.1	00.0-00.3
H.S. or G.E.D.	1157	528,528	7	2.3	00.0-06.1	48	8.6	03.4-13.9	9	1.3	00.0-03.1
Some Post-H.S.	1321	523,759	4	1.7	00.0-04.6	35	6.5	00.1-12.8	14	1.4	00.0-03.0
College Graduate	1951	629,830	5	0.8	00.0-01.9	27	3.7	01.0-06.4	14	1.4	00.2-02.6
Less than \$15,000	335	218,836	2	0.1	00.0-00.1				3	0.1	00.0-00.1
\$15,000- 24,999	728	512,535	6	2.3	00.0-05.5				5	0.4	00.0-00.9
\$25,000- 34,999	469	207,922	2	5.2	00.0-14.6	22	6.9	00.0-13.9	6	0.5	00.0-01.1
\$35,000- 49,999	655	268,445	3	0.5	00.0-01.3	29	9.8	02.4-17.2	5	3.2	00.0-06.3
\$50,000- 74,999	729	250,025	1	0.0	00.0-00.1	16	4.3	00.0-08.8	9	0.9	00.0-02.0
\$75,000+	1417	517,540	4	1.1	00.0-02.4	15	6.6	00.0-13.5	10	0.3	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black or African American only			Asian Only			Native Hawaiian or other Pacific Islander only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1749	1,021,655	1353	52.1	43.5-60.6	250	29.6	20.7-38.6	44	5.1	02.7-07.6	2	0.1	00.0-00.2
White/Non-Hisp	1298	393,122	1294	99.3	98.1-0100									
Other Race	448	628,425							44	8.4	04.2-12.5	2	0.1	00.0-00.4
18-24	80	149,096							4	5.1	00.0-11.0			
25-34	117	262,973							5	7.4	00.0-14.8			
35-44	222	205,564							16	8.0	02.2-13.9	1	0.4	00.0-01.2
45-54	386	167,122							9	2.8	00.1-05.5			
55-64	405	118,759							5	2.3	00.0-04.9			
65+	528	117,543							4	1.4	00.0-03.0	1	0.0	00.0-00.0
Less Than H.S.	113	217,589							2	2.3	00.0-06.6			
H.S. or G.E.D.	422	251,964							3	1.6	00.0-04.3	1	0.0	00.0-00.0
Some Post-H.S.	451	257,551							3	1.8	00.0-04.1			
College Graduate	759	292,568							36	13.3	06.4-20.1	1	0.3	00.0-00.8
Less than \$15,000	103	89,795												
\$15,000- 24,999	228	233,800							6	3.5	00.0-07.8	1	0.0	00.0-00.0
\$25,000- 34,999	162	83,675							3	4.3	00.0-11.2			
\$35,000- 49,999	241	142,386							3	4.9	00.0-11.2			
\$50,000- 74,999	260	112,578							8	5.2	00.0-11.5			
\$75,000+	629	281,457							20	7.9	01.8-14.0	1	0.3	00.0-00.9

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		American Indian or Alaskan Native only			Other race only			Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1749	1,021,655	14	2.6	00.0-05.2	73	9.5	04.0-15.0	13	0.9	00.0-01.9
White/Non-Hisp	1298	393,122							4	0.7	00.0-01.9
Other Race	448	628,425	14	4.3	00.1-08.5	73	15.4	06.6-24.2	9	1.1	00.0-02.5
18-24	80	149,096	4	0.4	00.0-00.8	5	4.6	00.0-12.5	3	4.2	00.0-10.1
25-34	117	262,973	1	3.0	00.0-08.7	13	7.4	00.5-14.3			
35-44	222	205,564	3	1.8	00.0-04.6				3	0.2	00.0-00.6
45-54	386	167,122	4	2.6	00.0-06.6				3	0.1	00.0-00.3
55-64	405	118,759				11	3.4	00.5-06.2	4	2.3	00.0-06.2
65+	528	117,543				9	4.5	00.0-09.5			
Less Than H.S.	113	217,589	2	1.5	00.0-04.4				3	0.2	00.0-00.6
H.S. or G.E.D.	422	251,964	5	4.6	00.0-12.4	25	7.3	01.0-13.7			
Some Post-H.S.	451	257,551	3	3.4	00.0-09.4	13	2.1	00.0-04.5	4	2.4	00.0-05.7
College Graduate	759	292,568	4	1.1	00.0-03.0	11	5.3	00.1-10.5	6	1.1	00.0-02.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		American Indian or Alaskan Native only			Other race only			Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Less than \$15,000	103	89,795	1	0.0	00.0-00.1						
\$15,000- 24,999	228	233,800	5	4.9	00.0-11.8				2	0.1	00.0-00.2
\$25,000- 34,999	162	83,675				10	2.1	00.0-04.3	2	0.5	00.0-01.6
\$35,000- 49,999	241	142,386	3	1.0	00.0-02.5				2	3.4	00.0-08.1
\$50,000- 74,999	260	112,578	1	0.1	00.0-00.2	6	1.9	00.0-04.4	3	0.4	00.0-01.1
\$75,000+	629	281,457	3	1.3	00.0-03.4	8	5.8	00.0-12.5	3	0.1	00.0-00.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black or African American only			Asian Only			Native Hawaiian or other Pacific Islander only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2980	1,117,297	2213	48.3	41.0-55.6	577	34.7	26.9-42.4	59	4.3	02.6-06.1	4	0.6	00.0-01.4
White/Non-Hisp	2119	418,676	2109	98.7	97.5-99.9									
Other Race	858	697,442	102	18.1	09.2-27.1				59	6.9	04.0-09.9	4	1.0	00.0-02.2
18-24	88	152,565							1	2.0	00.0-05.9	1	2.6	00.0-07.8
25-34	185	267,631							9	5.9	01.2-10.6	1	0.7	00.0-02.1
35-44	412	198,817							16	6.2	01.8-10.6	2	0.4	00.0-01.1
45-54	583	174,772							11	2.0	00.0-04.2			
55-64	643	137,253							10	4.4	00.0-09.0			
65+	1048	176,368							11	4.3	00.0-08.6			
Less Than H.S.	179	237,245							3	3.0	00.0-06.8			
H.S. or G.E.D.	735	276,565							9	2.8	00.0-05.6			
Some Post-H.S.	870	266,208	601	34.2	24.6-43.7				5	1.6	00.0-03.4	1	1.5	00.0-04.5
College Graduate	1192	337,261	925	60.1	50.3-69.9				42	8.7	04.4-12.9	3	0.8	00.0-02.0
Less than \$15,000	232	129,041							3	5.9	00.0-12.8			
\$15,000- 24,999	500	278,734							7	2.7	00.0-05.5	1	1.4	00.0-04.3
\$25,000- 34,999	307	124,247							2	0.1	00.0-00.3			
\$35,000- 49,999	414	126,059							6	3.9	00.0-07.8			
\$50,000- 74,999	469	137,447							10	4.9	00.0-09.8	1	1.4	00.0-04.0
\$75,000+	788	236,082				107	16.7	08.1-25.2	24	8.6	03.4-13.8	2	0.4	00.0-00.9

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		American Indian or Alaskan Native only			Other race only			Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2980	1,117,297	5	0.3	00.0-00.7	94	10.5	05.3-15.7	28	1.3	00.3-02.2
White/Non-Hisp	2119	418,676							10	1.3	00.1-02.5
Other Race	858	697,442	5	0.5	00.0-01.2	94	16.8	08.6-24.9	17	1.1	00.0-02.5
18-24	88	152,565	1	0.8	00.0-02.3	9	3.2	00.0-07.4	2	1.4	00.0-04.2
25-34	185	267,631	1	0.7	00.0-02.1				2	0.1	00.0-00.1
35-44	412	198,817	1	0.0	00.0-00.1	28	6.5	01.4-11.5	5	2.3	00.0-06.7
45-54	583	174,772	2	0.4	00.0-00.9				8	0.1	00.0-00.2
55-64	643	137,253				19	7.9	01.5-14.3	7	3.7	00.1-07.3
65+	1048	176,368				10	5.8	00.0-14.3	4	1.0	00.0-02.3
Less Than H.S.	179	237,245	1	0.5	00.0-01.5				1	0.1	00.0-00.2
H.S. or G.E.D.	735	276,565	2	0.2	00.0-00.6	23	9.8	01.7-18.0	9	2.5	00.0-05.9
Some Post-H.S.	870	266,208	1	0.0	00.0-00.1				10	0.4	00.0-01.0
College Graduate	1192	337,261	1	0.6	00.0-01.6	16	2.3	00.1-04.5	8	1.7	00.0-03.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		American Indian or Alaskan Native only			Other race only			Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Less than \$15,000	232	129,041	1	0.1	00.0-00.2	18	10.6	00.8-20.4	3	0.1	00.0-00.2
\$15,000- 24,999	500	278,734	1	0.1	00.0-00.4				3	0.7	00.0-01.7
\$25,000- 34,999	307	124,247	1	0.3	00.0-00.8				4	0.5	00.0-01.1
\$35,000- 49,999	414	126,059				16	8.3	00.0-18.3	3	2.9	00.0-07.0
\$50,000- 74,999	469	137,447				10	6.2	00.0-14.0	6	1.4	00.0-03.2
\$75,000+	788	236,082	1	0.8	00.0-02.3				7	0.5	00.0-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 7: RACE/ETHNICITY CATEGORIES (RACE2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, non-Hispanic			Black only, non-Hispanic			Asian only, non-Hispanic			Native Hawaiian or other Pacific Islander only, Non-Hispanic			American Indian or Alaskan Native only, Non-Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4728	2,149,038	3403	37.4	32.7-42.1	822	32.1	26.2-38.0	102	4.7	03.2-06.2	5	0.4	00.0-00.8	10	0.2	00.0-00.4
Male	1747	1,030,909	1294	37.9	30.6-45.1	249	29.4	20.4-38.3	44	5.1	02.7-07.5	1	0.1	00.0-00.2	8	0.3	00.0-00.5
Female	2981	1,118,129	2109	37.0	30.8-43.1	573	34.6	26.9-42.3	58	4.3	02.6-06.1	4	0.6	00.0-01.4	2	0.2	00.0-00.5
White/Non-Hisp	3417	811,798	3403	99.0	98.1-99.8												
Other Race	1310	1,336,188				822	51.6	43.5-59.8	102	7.6	05.1-10.0	5	0.6	00.0-01.2	10	0.4	00.0-00.7
18-24	168	301,661							5	3.5	00.0-07.0	1	1.3	00.0-04.0	3	0.1	00.0-00.3
25-34	303	530,690							14	6.6	02.3-11.0	1	0.4	00.0-01.0	1	0.4	00.0-01.0
35-44	636	405,253	352	32.5	23.9-41.0				32	7.1	03.5-10.8	3	0.4	00.0-00.9	2	0.2	00.0-00.6
45-54	969	351,248							20	2.3	00.6-04.0				3	0.5	00.0-01.1
55-64	1047	255,918	789	34.3	24.6-43.9				14	3.4	00.7-06.1						
65+	1573	293,779							15	3.1	00.5-05.8				1	0.0	00.0-00.1
Less Than H.S.	293	454,913	118	14.3	07.9-20.6				5	2.7	00.0-05.5				1	0.1	00.0-00.2
H.S. or G.E.D.	1157	528,609							12	2.2	00.3-04.2				4	0.2	00.0-00.6
Some Post-H.S.	1319	532,900	914	35.8	26.5-45.1				8	1.7	00.3-03.1	1	0.8	00.0-02.2	1	0.2	00.0-00.6
College Graduate	1951	630,616	1520	54.0	46.6-61.4	262	22.5	14.1-30.8	77	10.8	06.9-14.7	4	0.6	00.0-01.2	4	0.4	00.0-00.9
Less than \$15,000	335	218,836	177	18.6	09.8-27.4				3	3.5	00.0-07.6				1	0.0	00.0-00.0
\$15,000- 24,999	729	512,614	472	22.5	13.5-31.6				13	3.1	00.6-05.6	1	0.8	00.0-02.3	2	0.1	00.0-00.3
\$25,000- 34,999	469	207,922							4	1.8	00.0-04.5						
\$35,000- 49,999	655	268,437							9	4.4	00.6-08.2				3	0.5	00.0-01.3
\$50,000- 74,999	729	259,380							18	4.8	01.1-08.6	1	0.7	00.0-02.1	1	0.0	00.0-00.1
\$75,000+	1418	518,333	1142	52.1	43.5-60.7	169	21.2	12.5-29.8	44	8.2	04.1-12.3	3	0.3	00.0-00.7	3	0.5	00.0-01.3

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Other race only, non-Hispanic			Multiracial, non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4728	2,149,038	12	0.2	00.0-00.5	36	0.9	00.3-01.5	338	24.1	18.8-29.4
Male	1747	1,030,909	7	0.4	00.0-00.9	10	0.5	00.0-01.2	134	26.4	18.4-34.4
Female	2981	1,118,129	5	0.0	00.0-00.1	26	1.2	00.3-02.2	204	22.0	14.9-29.1
White/Non-Hisp	3417	811,798				14	1.0	00.2-01.9			
Other Race	1310	1,336,188	12	0.4	00.0-00.8	21	0.8	00.0-01.6	338	38.7	30.8-46.7
18-24	168	301,661				4	1.6	00.0-03.7			
25-34	303	530,690	1	0.0	00.0-00.0	1	0.0	00.0-00.0			
35-44	636	405,253	1	0.0	00.0-00.0	7	1.2	00.0-03.3			
45-54	969	351,248	2	0.3	00.0-00.8	9	0.1	00.0-00.2			
55-64	1047	255,918	3	0.5	00.0-01.3	11	3.1	00.5-05.7			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 7: RACE/ETHNICITY CATEGORIES (RACE2)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Other race only, non-Hispanic			Multiracial, non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
65+	1573	293,779	4	0.9	00.0-02.4	4	0.6	00.0-01.4	35	11.2	02.6-19.9
Less Than H.S.	293	454,913	1	0.0	00.0-00.1	3	0.1	00.0-00.3			
H.S. or G.E.D.	1157	528,609	3	0.4	00.0-01.2	8	1.3	00.0-03.1	90	25.4	15.4-35.4
Some Post-H.S.	1319	532,900	3	0.3	00.0-00.7	12	0.6	00.0-01.5	75	17.8	08.7-26.8
College Graduate	1951	630,616	5	0.2	00.0-00.5	13	1.4	00.1-02.6	66	10.3	05.3-15.3
Less than \$15,000	335	218,836	2	0.1	00.0-00.2	3	0.1	00.0-00.1			
\$15,000- 24,999	729	512,614	1	0.4	00.0-01.2	5	0.4	00.0-00.9			
\$25,000- 34,999	469	207,922	1	0.0	00.0-00.1	4	0.3	00.0-00.6			
\$35,000- 49,999	655	268,437	3	0.3	00.0-00.7	5	3.2	00.0-06.3	43	14.7	05.4-24.1
\$50,000- 74,999	729	259,380	1	0.4	00.0-01.2	9	0.9	00.0-01.9			
\$75,000+	1418	518,333	2	0.2	00.0-00.5	8	0.2	00.0-00.6	47	17.2	08.3-26.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 8: RACE/ETHNICITY CATEGORIES (RACE2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, non-Hispanic			Black only, non-Hispanic			Asian only, non-Hispanic			Native Hawaiian or other Pacific Islander only, Non-Hispanic			American Indian or Alaskan Native only, Non-Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1747	1,030,909	1294	37.9	30.6-45.1	249	29.4	20.4-38.3	44	5.1	02.7-07.5	1	0.1	00.0-00.2	8	0.3	00.0-00.5
White/Non-Hisp	1298	393,122	1294	99.3	98.1-0100												
Other Race	449	637,788							44	8.2	04.2-12.3	1	0.1	00.0-00.4	8	0.4	00.0-00.9
18-24	80	149,096							4	5.1	00.0-11.0				3	0.3	00.0-00.7
25-34	117	262,973							5	7.4	00.0-14.8						
35-44	222	205,564							16	8.0	02.2-13.9	1	0.4	00.0-01.2	2	0.4	00.0-01.3
45-54	386	176,477							9	2.6	00.1-05.2				2	0.7	00.0-02.0
55-64	404	118,666							5	2.3	00.0-04.9						
65+	527	117,536							4	1.4	00.0-03.0				1	0.1	00.0-00.2
Less Than H.S.	113	217,589							2	2.3	00.0-06.6				1	0.1	00.0-00.4
H.S. or G.E.D.	422	251,964							3	1.6	00.0-04.3				3	0.4	00.0-01.1
Some Post-H.S.	450	266,812							3	1.7	00.0-03.9				1	0.4	00.0-01.2
College Graduate	758	292,562							36	13.3	06.4-20.1	1	0.3	00.0-00.8	3	0.1	00.0-00.3
Less than \$15,000	103	89,795													1	0.0	00.0-00.1
\$15,000- 24,999	228	233,800	143	19.7	09.9-29.4				6	3.5	00.0-07.8				1	0.1	00.0-00.4
\$25,000- 34,999	162	83,675							3	4.3	00.0-11.2						
\$35,000- 49,999	240	142,292							3	4.9	00.0-11.2				3	1.0	00.0-02.5
\$50,000- 74,999	260	121,933							8	4.8	00.0-10.6				1	0.1	00.0-00.2
\$75,000+	629	281,457							20	7.9	01.8-14.0	1	0.3	00.0-00.9	2	0.3	00.0-00.9

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Other race only, non-Hispanic			Multiracial, non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1747	1,030,909	7	0.4	00.0-00.9	10	0.5	00.0-01.2	134	26.4	18.4-34.4
White/Non-Hisp	1298	393,122				4	0.7	00.0-01.9			
Other Race	449	637,788	7	0.7	00.0-01.5	6	0.4	00.0-01.2			
18-24	80	149,096				2	1.7	00.0-05.1			
25-34	117	262,973	1	0.0	00.0-00.1						
35-44	222	205,564				2	0.0	00.0-00.0			
45-54	386	176,477	1	0.5	00.0-01.4	2	0.1	00.0-00.3			
55-64	404	118,666	1	0.9	00.0-02.7	4	2.3	00.0-06.2			
65+	527	117,536	3	2.2	00.0-05.8						
Less Than H.S.	113	217,589				2	0.2	00.0-00.6			
H.S. or G.E.D.	422	251,964	3	0.9	00.0-02.5						
Some Post-H.S.	450	266,812	3	0.6	00.0-01.5	3	0.9	00.0-02.6			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 8: RACE/ETHNICITY CATEGORIES (RACE2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Other race only, non-Hispanic			Multiracial, non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
College Graduate	758	292,562	1	0.3	00.0-00.8	5	0.9	00.0-02.6	23	11.5	03.7-19.2
Less than \$15,000	103	89,795									
\$15,000- 24,999	228	233,800	1	0.9	00.0-02.7	2	0.1	00.0-00.2			
\$25,000- 34,999	162	83,675	1	0.1	00.0-00.2	1	0.0	00.0-00.1			
\$35,000- 49,999	240	142,292	2	0.4	00.0-01.0	2	3.4	00.0-08.1			
\$50,000- 74,999	260	121,933	1	0.9	00.0-02.7	3	0.4	00.0-01.0			
\$75,000+	629	281,457	1	0.3	00.0-00.8	2	0.1	00.0-00.2			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 9: RACE/ETHNICITY CATEGORIES (RACE2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, non-Hispanic			Black only, non-Hispanic			Asian only, non-Hispanic			Native Hawaiian or other Pacific Islander only, Non-Hispanic			American Indian or Alaskan Native only, Non-Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2981	1,118,129	2109	37.0	30.8-43.1	573	34.6	26.9-42.3	58	4.3	02.6-06.1	4	0.6	00.0-01.4	2	0.2	00.0-00.5
White/Non-Hisp	2119	418,676	2109	98.7	97.5-99.9												
Other Race	861	698,400							58	6.9	04.0-09.9	4	1.0	00.0-02.2	2	0.3	00.0-00.8
18-24	88	152,565							1	2.0	00.0-05.9	1	2.6	00.0-07.8			
25-34	186	267,717							9	5.9	01.2-10.6	1	0.7	00.0-02.1	1	0.7	00.0-02.1
35-44	414	199,689	221	26.2	16.6-35.9				16	6.2	01.8-10.6	2	0.4	00.0-01.1			
45-54	583	174,772							11	2.0	00.0-04.2				1	0.2	00.0-00.6
55-64	643	137,253							9	4.4	00.0-09.0						
65+	1046	176,243							11	4.3	00.0-08.6						
Less Than H.S.	180	237,324	72	12.6	05.0-20.3				3	3.0	00.0-06.8						
H.S. or G.E.D.	735	276,645							9	2.8	00.0-05.6				1	0.1	00.0-00.4
Some Post-H.S.	869	266,088	582	32.4	23.3-41.6				5	1.6	00.0-03.4	1	1.5	00.0-04.5			
College Graduate	1193	338,054	896	53.0	43.5-62.4				41	8.6	04.4-12.8	3	0.8	00.0-01.9	1	0.6	00.0-01.6
Less than \$15,000	232	129,041	114	18.0	08.2-27.7				3	5.9	00.0-12.8						
\$15,000- 24,999	501	278,814							7	2.7	00.0-05.5	1	1.4	00.0-04.3	1	0.1	00.0-00.4
\$25,000- 34,999	307	124,247							1	0.1	00.0-00.2						
\$35,000- 49,999	415	126,145							6	3.9	00.0-07.8						
\$50,000- 74,999	469	137,447							10	4.9	00.0-09.8	1	1.4	00.0-04.0			
\$75,000+	789	236,875				107	16.6	08.1-25.1	24	8.6	03.4-13.8	2	0.4	00.0-00.9	1	0.8	00.0-02.3

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Other race only, non-Hispanic			Multiracial, non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2981	1,118,129	5	0.0	00.0-00.1	26	1.2	00.3-02.2	204	22.0	14.9-29.1
White/Non-Hisp	2119	418,676				10	1.3	00.1-02.5			
Other Race	861	698,400	5	0.1	00.0-00.2	15	1.1	00.0-02.5			
18-24	88	152,565				2	1.4	00.0-04.2			
25-34	186	267,717				1	0.0	00.0-00.1			
35-44	414	199,689	1	0.0	00.0-00.1	5	2.3	00.0-06.7			
45-54	583	174,772	1	0.1	00.0-00.4	7	0.1	00.0-00.2			
55-64	643	137,253	2	0.1	00.0-00.3	7	3.7	00.1-07.3			
65+	1046	176,243	1	0.1	00.0-00.2	4	1.0	00.0-02.3	21	8.2	00.0-17.0
Less Than H.S.	180	237,324	1	0.1	00.0-00.2	1	0.1	00.0-00.2			
H.S. or G.E.D.	735	276,645				8	2.5	00.0-05.9			
Some Post-H.S.	869	266,088				9	0.4	00.0-00.9			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 9: RACE/ETHNICITY CATEGORIES (RACE2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Other race only, non-Hispanic			Multiracial, non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
College Graduate	1193	338,054	4	0.1	00.0-00.3	8	1.7	00.0-03.4	43	9.4	02.9-15.8
Less than \$15,000	232	129,041	2	0.1	00.0-00.3	3	0.1	00.0-00.2			
\$15,000- 24,999	501	278,814				3	0.7	00.0-01.7			
\$25,000- 34,999	307	124,247				3	0.4	00.0-01.1			
\$35,000- 49,999	415	126,145	1	0.2	00.0-00.5	3	2.9	00.0-07.0	23	9.2	00.0-19.2
\$50,000- 74,999	469	137,447				6	1.4	00.0-03.2			
\$75,000+	789	236,875	1	0.1	00.0-00.2	6	0.5	00.0-01.3			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 10: WHITE/HISPANIC RACE GROUP (_RACEG2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Non-Hispanic White			Non-White or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4728	2,149,038	3403	37.4	32.7-42.1	1325	62.6	57.9-67.3
Male	1747	1,030,909	1294	37.9	30.6-45.1	453	62.1	54.9-69.4
Female	2981	1,118,129	2109	37.0	30.8-43.1	872	63.0	56.9-69.2
White/Non-Hisp	3417	811,798	3403	99.0	98.1-99.8	14	1.0	00.2-01.9
Other Race	1310	1,336,188				1310	100.0	0100-0100
35-44	636	405,253	352	32.5	23.9-41.0	284	67.5	59.0-76.1
55-64	1047	255,918	789	34.3	24.6-43.9	258	65.7	56.1-75.4
Less Than H.S.	293	454,913	118	14.3	07.9-20.6	175	85.7	79.4-92.1
Some Post-H.S.	1319	532,900	914	35.8	26.5-45.1	405	64.2	54.9-73.5
College Graduate	1951	630,616	1520	54.0	46.6-61.4	431	46.0	38.6-53.4
Less than \$15,000	335	218,836	177	18.6	09.8-27.4	158	81.4	72.6-90.2
\$15,000- 24,999	729	512,614	472	22.5	13.5-31.6	257	77.5	68.4-86.5
\$75,000+	1418	518,333	1142	52.1	43.5-60.7	276	47.9	39.3-56.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 11: WHITE/HISPANIC RACE GROUP (_RACEG2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Non-Hispanic White			Non-White or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1747	1,030,909	1294	37.9	30.6-45.1	453	62.1	54.9-69.4
White/Non-Hisp	1298	393,122	1294	99.3	98.1-0100	4	0.7	00.0-01.9
Other Race	449	637,788				449	100.0	0100-0100
\$15,000- 24,999	228	233,800	143	19.7	09.9-29.4	85	80.3	70.6-90.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACEG2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Non-Hispanic White			Non-White or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2981	1,118,129	2109	37.0	30.8-43.1	872	63.0	56.9-69.2
White/Non-Hisp	2119	418,676	2109	98.7	97.5-99.9	10	1.3	00.1-02.5
Other Race	861	698,400				861	100.0	0100-0100
35-44	414	199,689	221	26.2	16.6-35.9	193	73.8	64.1-83.4
Less Than H.S.	180	237,324	72	12.6	05.0-20.3	108	87.4	79.7-95.0
Some Post-H.S.	869	266,088	582	32.4	23.3-41.6	287	67.6	58.4-76.7
College Graduate	1193	338,054	896	53.0	43.5-62.4	297	47.0	37.6-56.5
Less than \$15,000	232	129,041	114	18.0	08.2-27.7	118	82.0	72.3-91.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4728	2,149,038	3403	37.4	32.7-42.1	822	32.1	26.2-38.0	129	5.5	03.9-07.1	36	0.9	00.3-01.5	338	24.1	18.8-29.4
Male	1747	1,030,909	1294	37.9	30.6-45.1	249	29.4	20.4-38.3	60	5.9	03.4-08.4	10	0.5	00.0-01.2	134	26.4	18.4-34.4
Female	2981	1,118,129	2109	37.0	30.8-43.1	573	34.6	26.9-42.3	69	5.2	03.2-07.1	26	1.2	00.3-02.2	204	22.0	14.9-29.1
White/Non-Hisp	3417	811,798	3403	99.0	98.1-99.8							14	1.0	00.2-01.9			
Other Race	1310	1,336,188				822	51.6	43.5-59.8	129	8.9	06.2-11.5	21	0.8	00.0-01.6	338	38.7	30.8-46.7
18-24	168	301,661							9	5.0	00.5-09.4	4	1.6	00.0-03.7			
25-34	303	530,690							17	7.3	02.8-11.8	1	0.0	00.0-00.0			
35-44	636	405,253	352	32.5	23.9-41.0				38	7.8	04.0-11.5	7	1.2	00.0-03.3			
45-54	969	351,248							25	3.1	01.2-05.0	9	0.1	00.0-00.2			
55-64	1047	255,918	789	34.3	24.6-43.9				17	3.9	01.0-06.8	11	3.1	00.5-05.7			
65+	1573	293,779							20	4.1	01.0-07.1	4	0.6	00.0-01.4	35	11.2	02.6-19.9
Less Than H.S.	293	454,913	118	14.3	07.9-20.6				7	2.8	00.0-05.6	3	0.1	00.0-00.3			
H.S. or G.E.D.	1157	528,609							19	2.9	00.8-05.0	8	1.3	00.0-03.1	90	25.4	15.4-35.4
Some Post-H.S.	1319	532,900	914	35.8	26.5-45.1				13	2.9	00.8-05.1	12	0.6	00.0-01.5	75	17.8	08.7-26.8
College Graduate	1951	630,616	1520	54.0	46.6-61.4	262	22.5	14.1-30.8	90	11.9	07.9-15.9	13	1.4	00.1-02.6	66	10.3	05.3-15.3
Less than \$15,000	335	218,836	177	18.6	09.8-27.4				6	3.6	00.0-07.7	3	0.1	00.0-00.1			
\$15,000- 24,999	729	512,614	472	22.5	13.5-31.6				17	4.4	01.3-07.5	5	0.4	00.0-00.9			
\$25,000- 34,999	469	207,922							5	1.8	00.0-04.5	4	0.3	00.0-00.6			
\$35,000- 49,999	655	268,437							15	5.2	01.2-09.2	5	3.2	00.0-06.3	43	14.7	05.4-24.1
\$50,000- 74,999	729	259,380							21	6.0	01.9-10.1	9	0.9	00.0-01.9			
\$75,000+	1418	518,333	1142	52.1	43.5-60.7	169	21.2	12.5-29.8	52	9.3	05.1-13.4	8	0.2	00.0-00.6	47	17.2	08.3-26.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1747	1,030,909	1294	37.9	30.6-45.1	249	29.4	20.4-38.3	60	5.9	03.4-08.4	10	0.5	00.0-01.2	134	26.4	18.4-34.4
White/Non-Hisp	1298	393,122	1294	99.3	98.1-0100							4	0.7	00.0-01.9			
Other Race	449	637,788							60	9.5	05.2-13.8	6	0.4	00.0-01.2			
18-24	80	149,096							7	5.4	00.0-11.3	2	1.7	00.0-05.1			
25-34	117	262,973							6	7.4	00.0-14.8						
35-44	222	205,564							19	8.9	02.9-14.9	2	0.0	00.0-00.0			
45-54	386	176,477							12	3.8	00.7-07.0	2	0.1	00.0-00.3			
55-64	404	118,666							6	3.2	00.0-06.4	4	2.3	00.0-06.2			
65+	527	117,536							8	3.7	00.0-07.7						
Less Than H.S.	113	217,589							3	2.4	00.0-06.7	2	0.2	00.0-00.6			
H.S. or G.E.D.	422	251,964							9	2.9	00.0-06.1						
Some Post-H.S.	450	266,812							7	2.7	00.1-05.3	3	0.9	00.0-02.6			
College Graduate	758	292,562							41	14.0	07.1-20.9	5	0.9	00.0-02.6	23	11.5	03.7-19.2
Less than \$15,000	103	89,795							1	0.0	00.0-00.1						
\$15,000- 24,999	228	233,800	143	19.7	09.9-29.4				8	4.5	00.0-09.3	2	0.1	00.0-00.2			
\$25,000- 34,999	162	83,675							4	4.4	00.0-11.2	1	0.0	00.0-00.1			
\$35,000- 49,999	240	142,292							8	6.2	00.0-12.8	2	3.4	00.0-08.1			
\$50,000- 74,999	260	121,933							10	5.7	00.0-11.9	3	0.4	00.0-01.0			
\$75,000+	629	281,457							24	8.8	02.6-15.0	2	0.1	00.0-00.2			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2981	1,118,129	2109	37.0	30.8-43.1	573	34.6	26.9-42.3	69	5.2	03.2-07.1	26	1.2	00.3-02.2	204	22.0	14.9-29.1
White/Non-Hisp	2119	418,676	2109	98.7	97.5-99.9							10	1.3	00.1-02.5			
Other Race	861	698,400							69	8.3	05.0-11.6	15	1.1	00.0-02.5			
18-24	88	152,565							2	4.6	00.0-11.2	2	1.4	00.0-04.2			
25-34	186	267,717							11	7.3	02.1-12.4	1	0.0	00.0-00.1			
35-44	414	199,689	221	26.2	16.6-35.9				19	6.6	02.1-11.1	5	2.3	00.0-06.7			
45-54	583	174,772							13	2.3	00.0-04.6	7	0.1	00.0-00.2			
55-64	643	137,253							11	4.5	00.0-09.1	7	3.7	00.1-07.3			
65+	1046	176,243							12	4.4	00.0-08.7	4	1.0	00.0-02.3	21	8.2	00.0-17.0
Less Than H.S.	180	237,324	72	12.6	05.0-20.3				4	3.1	00.0-06.8	1	0.1	00.0-00.2			
H.S. or G.E.D.	735	276,645							10	2.9	00.1-05.7	8	2.5	00.0-05.9			
Some Post-H.S.	869	266,088	582	32.4	23.3-41.6				6	3.1	00.0-06.6	9	0.4	00.0-00.9			
College Graduate	1193	338,054	896	53.0	43.5-62.4				49	10.1	05.6-14.6	8	1.7	00.0-03.4	43	9.4	02.9-15.8
Less than \$15,000	232	129,041	114	18.0	08.2-27.7				5	6.0	00.0-13.0	3	0.1	00.0-00.2			
\$15,000- 24,999	501	278,814							9	4.3	00.2-08.4	3	0.7	00.0-01.7			
\$25,000- 34,999	307	124,247							1	0.1	00.0-00.2	3	0.4	00.0-01.1			
\$35,000- 49,999	415	126,145							7	4.0	00.0-08.0	3	2.9	00.0-07.0	23	9.2	00.0-19.2
\$50,000- 74,999	469	137,447							11	6.2	00.7-11.8	6	1.4	00.0-03.2			
\$75,000+	789	236,875				107	16.6	08.1-25.1	28	9.8	04.4-15.2	6	0.5	00.0-01.3			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS**

TABLE 16: RACE GROUPS USED FOR INTERNET PREVALENCE TABLES (_RACE_G)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White - Non-Hispanic			Black - Non-Hispanic			Hispanic			Other race only, Non-Hispanic			Multiracial, Non-Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4728	2,149,038	3403	37.4	32.7-42.1	822	32.1	26.2-38.0	338	24.1	18.8-29.4	129	5.5	03.9-07.1	36	0.9	00.3-01.5
Male	1747	1,030,909	1294	37.9	30.6-45.1	249	29.4	20.4-38.3	134	26.4	18.4-34.4	60	5.9	03.4-08.4	10	0.5	00.0-01.2
Female	2981	1,118,129	2109	37.0	30.8-43.1	573	34.6	26.9-42.3	204	22.0	14.9-29.1	69	5.2	03.2-07.1	26	1.2	00.3-02.2
White/Non-Hisp	3417	811,798	3403	99.0	98.1-99.8										14	1.0	00.2-01.9
Other Race	1310	1,336,188				822	51.6	43.5-59.8	338	38.7	30.8-46.7	129	8.9	06.2-11.5	21	0.8	00.0-01.6
18-24	168	301,661										9	5.0	00.5-09.4	4	1.6	00.0-03.7
25-34	303	530,690										17	7.3	02.8-11.8	1	0.0	00.0-00.0
35-44	636	405,253	352	32.5	23.9-41.0							38	7.8	04.0-11.5	7	1.2	00.0-03.3
45-54	969	351,248										25	3.1	01.2-05.0	9	0.1	00.0-00.2
55-64	1047	255,918	789	34.3	24.6-43.9							17	3.9	01.0-06.8	11	3.1	00.5-05.7
65+	1573	293,779							35	11.2	02.6-19.9	20	4.1	01.0-07.1	4	0.6	00.0-01.4
Less Than H.S.	293	454,913	118	14.3	07.9-20.6							7	2.8	00.0-05.6	3	0.1	00.0-00.3
H.S. or G.E.D.	1157	528,609							90	25.4	15.4-35.4	19	2.9	00.8-05.0	8	1.3	00.0-03.1
Some Post-H.S.	1319	532,900	914	35.8	26.5-45.1				75	17.8	08.7-26.8	13	2.9	00.8-05.1	12	0.6	00.0-01.5
College Graduate	1951	630,616	1520	54.0	46.6-61.4	262	22.5	14.1-30.8	66	10.3	05.3-15.3	90	11.9	07.9-15.9	13	1.4	00.1-02.6
Less than \$15,000	335	218,836	177	18.6	09.8-27.4							6	3.6	00.0-07.7	3	0.1	00.0-00.1
\$15,000- 24,999	729	512,614	472	22.5	13.5-31.6							17	4.4	01.3-07.5	5	0.4	00.0-00.9
\$25,000- 34,999	469	207,922										5	1.8	00.0-04.5	4	0.3	00.0-00.6
\$35,000- 49,999	655	268,437							43	14.7	05.4-24.1	15	5.2	01.2-09.2	5	3.2	00.0-06.3
\$50,000- 74,999	729	259,380										21	6.0	01.9-10.1	9	0.9	00.0-01.9
\$75,000+	1418	518,333	1142	52.1	43.5-60.7	169	21.2	12.5-29.8	47	17.2	08.3-26.1	52	9.3	05.1-13.4	8	0.2	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS**

TABLE 17: RACE GROUPS USED FOR INTERNET PREVALENCE TABLES (_RACE_G)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White - Non-Hispanic			Black - Non-Hispanic			Hispanic			Other race only, Non-Hispanic			Multiracial, Non-Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1747	1,030,909	1294	37.9	30.6-45.1	249	29.4	20.4-38.3	134	26.4	18.4-34.4	60	5.9	03.4-08.4	10	0.5	00.0-01.2
White/Non-Hisp	1298	393,122	1294	99.3	98.1-0100										4	0.7	00.0-01.9
Other Race	449	637,788										60	9.5	05.2-13.8	6	0.4	00.0-01.2
18-24	80	149,096										7	5.4	00.0-11.3	2	1.7	00.0-05.1
25-34	117	262,973										6	7.4	00.0-14.8			
35-44	222	205,564										19	8.9	02.9-14.9	2	0.0	00.0-00.0
45-54	386	176,477										12	3.8	00.7-07.0	2	0.1	00.0-00.3
55-64	404	118,666										6	3.2	00.0-06.4	4	2.3	00.0-06.2
65+	527	117,536										8	3.7	00.0-07.7			
Less Than H.S.	113	217,589										3	2.4	00.0-06.7	2	0.2	00.0-00.6
H.S. or G.E.D.	422	251,964										9	2.9	00.0-06.1			
Some Post-H.S.	450	266,812										7	2.7	00.1-05.3	3	0.9	00.0-02.6
College Graduate	758	292,562							23	11.5	03.7-19.2	41	14.0	07.1-20.9	5	0.9	00.0-02.6
Less than \$15,000	103	89,795										1	0.0	00.0-00.1			
\$15,000- 24,999	228	233,800	143	19.7	09.9-29.4							8	4.5	00.0-09.3	2	0.1	00.0-00.2
\$25,000- 34,999	162	83,675										4	4.4	00.0-11.2	1	0.0	00.0-00.1
\$35,000- 49,999	240	142,292										8	6.2	00.0-12.8	2	3.4	00.0-08.1
\$50,000- 74,999	260	121,933										10	5.7	00.0-11.9	3	0.4	00.0-01.0
\$75,000+	629	281,457										24	8.8	02.6-15.0	2	0.1	00.0-00.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS**

TABLE 18: RACE GROUPS USED FOR INTERNET PREVALENCE TABLES (_RACE_G)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White - Non-Hispanic			Black - Non-Hispanic			Hispanic			Other race only, Non-Hispanic			Multiracial, Non-Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2981	1,118,129	2109	37.0	30.8-43.1	573	34.6	26.9-42.3	204	22.0	14.9-29.1	69	5.2	03.2-07.1	26	1.2	00.3-02.2
White/Non-Hisp	2119	418,676	2109	98.7	97.5-99.9										10	1.3	00.1-02.5
Other Race	861	698,400										69	8.3	05.0-11.6	15	1.1	00.0-02.5
18-24	88	152,565										2	4.6	00.0-11.2	2	1.4	00.0-04.2
25-34	186	267,717										11	7.3	02.1-12.4	1	0.0	00.0-00.1
35-44	414	199,689	221	26.2	16.6-35.9							19	6.6	02.1-11.1	5	2.3	00.0-06.7
45-54	583	174,772										13	2.3	00.0-04.6	7	0.1	00.0-00.2
55-64	643	137,253										11	4.5	00.0-09.1	7	3.7	00.1-07.3
65+	1046	176,243							21	8.2	00.0-17.0	12	4.4	00.0-08.7	4	1.0	00.0-02.3
Less Than H.S.	180	237,324	72	12.6	05.0-20.3							4	3.1	00.0-06.8	1	0.1	00.0-00.2
H.S. or G.E.D.	735	276,645										10	2.9	00.1-05.7	8	2.5	00.0-05.9
Some Post-H.S.	869	266,088	582	32.4	23.3-41.6							6	3.1	00.0-06.6	9	0.4	00.0-00.9
College Graduate	1193	338,054	896	53.0	43.5-62.4				43	9.4	02.9-15.8	49	10.1	05.6-14.6	8	1.7	00.0-03.4
Less than \$15,000	232	129,041	114	18.0	08.2-27.7							5	6.0	00.0-13.0	3	0.1	00.0-00.2
\$15,000- 24,999	501	278,814										9	4.3	00.2-08.4	3	0.7	00.0-01.7
\$25,000- 34,999	307	124,247										1	0.1	00.0-00.2	3	0.4	00.0-01.1
\$35,000- 49,999	415	126,145							23	9.2	00.0-19.2	7	4.0	00.0-08.0	3	2.9	00.0-07.0
\$50,000- 74,999	469	137,447										11	6.2	00.7-11.8	6	1.4	00.0-03.2
\$75,000+	789	236,875				107	16.6	08.1-25.1				28	9.8	04.4-15.2	6	0.5	00.0-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 19: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Other do not know refused			1 category chosen			2 category chosen			3 category chosen		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4761	2,155,572	199	10.7	06.9-14.5	4531	88.3	84.4-92.2	26	0.9	00.3-01.6	5	0.1	00.0-00.2
Male	1768	1,035,588	92	10.7	05.0-16.4	1669	88.5	82.7-94.2	6	0.8	00.0-01.8	1	0.0	00.0-00.0
Female	2993	1,119,984	107	10.7	05.5-15.9	2862	88.2	82.9-93.4	20	1.0	00.1-02.0	4	0.1	00.0-00.4
White/Non-Hisp	3417	811,798				3406	99.2	98.3-0100	10	0.8	00.0-01.7	1	0.0	00.0-00.0
Other Race	1310	1,336,188	171	16.8	10.7-22.8	1120	82.2	76.1-88.3	15	0.9	00.0-01.9	4	0.1	00.0-00.4
18-24	168	301,661	14	3.9	00.0-08.4	150	93.3	87.8-98.9	4	2.8	00.0-06.0			
25-34	306	533,816	28	12.3	04.6-20.0	277	87.7	80.0-95.4	1	0.0	00.0-00.0			
35-44	640	405,542	51	12.0	02.7-21.3	584	86.8	77.4-96.3	5	1.1	00.0-03.3			
45-54	975	351,720							6	0.0	00.0-00.1	4	0.1	00.0-00.1
55-64	1057	258,056	39	6.5	02.8-10.3	1010	90.6	85.9-95.3	7	2.3	00.0-04.5	1	0.6	00.0-01.8
65+	1581	294,247	24	5.4	00.0-10.9	1554	94.3	88.8-99.8	3	0.3	00.0-00.8			
Less Than H.S.	293	454,913							2	0.0	00.0-00.1			
H.S. or G.E.D.	1163	532,155	54	9.3	04.0-14.6	1102	89.6	84.0-95.2	6	1.1	00.0-02.9	1	0.0	00.0-00.0
Some Post-H.S.	1329	534,254	43	8.3	01.3-15.3	1275	90.4	83.3-97.5	9	1.3	00.0-02.9	2	0.0	00.0-00.0
College Graduate	1965	632,159	41	4.0	01.3-06.7	1913	94.6	91.7-97.6	9	1.1	00.0-02.2	2	0.3	00.0-00.7
Less than \$15,000	337	219,848							2	0.0	00.0-00.1	1	0.0	00.0-00.1
\$15,000- 24,999	733	516,136							2	0.2	00.0-00.6	1	0.0	00.0-00.0
\$25,000- 34,999	471	207,928	24	6.9	00.0-13.9	444	92.8	85.8-99.8	3	0.2	00.0-00.6			
\$35,000- 49,999	660	268,856	34	9.9	02.6-17.3	622	86.9	78.9-94.9	3	2.6	00.0-05.5	1	0.6	00.0-01.7
\$50,000- 74,999	730	259,388	17	7.7	00.0-15.7	706	91.5	83.5-99.5	6	0.8	00.0-01.7	1	0.0	00.0-00.0
\$75,000+	1423	519,035	21	6.9	00.0-13.7	1394	92.9	86.0-99.7	7	0.2	00.0-00.6	1	0.0	00.0-00.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS**

TABLE 20: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Other do not know refused			1 category chosen			2 category chosen			3 category chosen		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1768	1,035,588	92	10.7	05.0-16.4	1669	88.5	82.7-94.2	6	0.8	00.0-01.8	1	0.0	00.0-00.0
White/Non-Hisp	1298	393,122				1296	99.4	98.3-0100	2	0.6	00.0-01.7			
Other Race	449	637,788	74	16.6	07.6-25.7	370	82.3	73.2-91.4	4	1.0	00.0-02.4	1	0.0	00.0-00.1
18-24	80	149,096	5	4.6	00.0-12.5	72	91.2	81.4-0100	3	4.2	00.0-10.1			
25-34	119	265,857	15	8.4	01.2-15.6	104	91.6	84.4-98.8						
35-44	222	205,564							1	0.0	00.0-00.0			
45-54	392	176,948							1	0.0	00.0-00.1	1	0.1	00.0-00.2
55-64	411	119,611	17	4.1	01.0-07.1	393	94.0	89.2-98.9	1	1.9	00.0-05.6			
65+	532	117,878	13	4.8	00.0-09.8	519	95.2	90.2-0100						
Less Than H.S.	113	217,589							1	0.0	00.0-00.1			
H.S. or G.E.D.	425	255,240	28	8.5	01.9-15.2	397	91.5	84.8-98.1						
Some Post-H.S.	456	267,106	18	5.6	00.0-12.7	436	92.1	84.4-99.9	2	2.2	00.0-05.4			
College Graduate	767	293,581	19	5.6	00.4-10.8	744	93.5	88.0-98.9	3	0.9	00.0-02.6	1	0.0	00.0-00.1
\$15,000- 24,999	230	237,070							1	0.0	00.0-00.1			
\$25,000- 34,999	163	83,677	11	2.1	00.0-04.3	151	97.8	95.6-0100	1	0.0	00.0-00.1			
\$35,000- 49,999	244	142,704							2	3.4	00.0-08.1			
\$50,000- 74,999	261	121,941							1	0.0	00.0-00.1			
\$75,000+	632	281,889	11	5.9	00.0-12.6	620	94.0	87.3-0100				1	0.0	00.0-00.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS**

TABLE 21: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Other do not know refused			1 category chosen			2 category chosen			3 category chosen		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2993	1,119,984	107	10.7	05.5-15.9	2862	88.2	82.9-93.4	20	1.0	00.1-02.0	4	0.1	00.0-00.4
White/Non-Hisp	2119	418,676				2110	98.9	97.8-0100	8	1.1	00.0-02.2	1	0.0	00.0-00.0
Other Race	861	698,400	97	16.9	08.8-25.0	750	82.0	73.8-90.3	11	0.8	00.0-02.1	3	0.2	00.0-00.7
18-24	88	152,565	9	3.2	00.0-07.4	78	95.4	90.3-0100	1	1.4	00.0-04.1			
25-34	187	267,959							1	0.0	00.0-00.1			
35-44	418	199,978	34	7.0	01.9-12.2	380	90.7	84.0-97.4	4	2.3	00.0-06.7			
45-54	583	174,772							5	0.1	00.0-00.1	3	0.0	00.0-00.1
55-64	646	138,444	22	8.7	02.1-15.3	617	87.6	79.8-95.5	6	2.6	00.0-05.3	1	1.1	00.0-03.3
65+	1049	176,369	11	5.8	00.0-14.3	1035	93.6	85.2-0100	3	0.5	00.0-01.4			
Less Than H.S.	180	237,324							1	0.1	00.0-00.2			
H.S. or G.E.D.	738	276,916	26	9.9	01.8-18.1	705	87.9	79.1-96.6	6	2.2	00.0-05.5	1	0.0	00.0-00.0
Some Post-H.S.	873	267,148							7	0.4	00.0-00.9	2	0.0	00.0-00.0
College Graduate	1198	338,579	22	2.6	00.4-04.9	1169	95.7	92.8-98.5	6	1.2	00.0-02.7	1	0.5	00.0-01.3
Less than \$15,000	233	129,975	19	11.3	01.4-21.2	211	88.6	78.7-98.5	2	0.1	00.0-00.2	1	0.0	00.0-00.1
\$15,000- 24,999	503	279,066							1	0.4	00.0-01.1	1	0.0	00.0-00.0
\$25,000- 34,999	308	124,251							2	0.3	00.0-01.0			
\$35,000- 49,999	416	126,152	18	8.3	00.0-18.4				1	1.7	00.0-04.9	1	1.2	00.0-03.6
\$50,000- 74,999	469	137,447	10	6.2	00.0-14.0	453	92.4	84.4-0100	5	1.4	00.0-03.2	1	0.0	00.0-00.0
\$75,000+	791	237,146							7	0.5	00.0-01.3			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 22: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One category chosen			Two or more categories chosen		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4562	1,925,086	4531	98.9	98.1-99.6	31	1.1	00.4-01.9
Male	1676	924,842	1669	99.1	98.0-0100	7	0.9	00.0-02.0
Female	2886	1,000,245	2862	98.7	97.6-99.8	24	1.3	00.2-02.4
White/Non-Hisp	3417	811,798	3406	99.2	98.3-0100	11	0.8	00.0-01.7
Other Race	1139	1,112,002	1120	98.8	97.6-99.9	19	1.2	00.1-02.4
18-24	154	289,824	150	97.1	93.7-0100	4	2.9	00.0-06.3
25-34	278	468,286	277	100.0	0100-0100	1	0.0	00.0-00.0
35-44	589	356,789	584	98.7	96.2-0100	5	1.3	00.0-03.8
45-54	935	280,170	925	99.9	99.8-0100	10	0.1	00.0-00.2
55-64	1018	241,204	1010	96.9	94.2-99.7	8	3.1	00.3-05.8
65+	1557	278,349	1554	99.7	99.1-0100	3	0.3	00.0-00.9
Less Than H.S.	235	343,507	233	99.9	99.8-0100	2	0.1	00.0-00.2
H.S. or G.E.D.	1109	482,873	1102	98.7	96.8-0100	7	1.3	00.0-03.2
Some Post-H.S.	1286	489,966	1275	98.6	96.8-0100	11	1.4	00.0-03.2
College Graduate	1924	606,740	1913	98.6	97.3-99.9	11	1.4	00.1-02.7
Less than \$15,000	308	176,152	305	99.9	99.8-0100	3	0.1	00.0-00.2
\$15,000- 24,999	686	444,132	683	99.7	99.3-0100	3	0.3	00.0-00.7
\$25,000- 34,999	447	193,490	444	99.8	99.4-0100	3	0.2	00.0-00.6
\$35,000- 49,999	626	242,121	622	96.5	93.0-0100	4	3.5	00.0-07.0
\$50,000- 74,999	713	239,365	706	99.2	98.1-0100	7	0.8	00.0-01.9
\$75,000+	1402	483,332	1394	99.7	99.3-0100	8	0.3	00.0-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS**

TABLE 23: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One category chosen			Two or more categories chosen		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1676	924,842	1669	99.1	98.0-0100	7	0.9	00.0-02.0
White/Non-Hisp	1298	393,122	1296	99.4	98.3-0100	2	0.6	00.0-01.7
Other Race	375	531,611	370	98.8	97.1-0100	5	1.2	00.0-02.9
18-24	75	142,177	72	95.6	89.4-0100	3	4.4	00.0-10.6
25-34	104	243,463	104	100.0	0100-0100			
35-44	205	170,834	204	100.0	0100-0100	1	0.0	00.0-00.0
45-54	369	140,788	367	99.9	99.7-0100	2	0.1	00.0-00.3
55-64	394	114,758	393	98.0	94.1-0100	1	2.0	00.0-05.9
65+	519	112,248	519	100.0	0100-0100			
Less Than H.S.	89	160,219	88	100.0	99.9-0100	1	0.0	00.0-00.1
H.S. or G.E.D.	397	233,478	397	100.0	0100-0100			
Some Post-H.S.	438	252,070	436	97.6	94.2-0100	2	2.4	00.0-05.8
College Graduate	748	277,092	744	99.0	97.2-0100	4	1.0	00.0-02.8
Less than \$15,000	94	60,834	94	100.0	0100-0100			
\$15,000- 24,999	207	202,613	206	100.0	99.9-0100	1	0.0	00.0-00.1
\$25,000- 34,999	152	81,883	151	100.0	99.9-0100	1	0.0	00.0-00.1
\$35,000- 49,999	228	126,494	226	96.2	90.9-0100	2	3.8	00.0-09.1
\$50,000- 74,999	254	110,430	253	100.0	99.9-0100	1	0.0	00.0-00.1
\$75,000+	621	265,220	620	99.9	99.8-0100	1	0.1	00.0-00.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS**

TABLE 24: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One category chosen			Two or more categories chosen		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2886	1,000,245	2862	98.7	97.6-99.8	24	1.3	00.2-02.4
White/Non-Hisp	2119	418,676	2110	98.9	97.8-0100	9	1.1	00.0-02.2
Other Race	764	580,391	750	98.7	97.1-0100	14	1.3	00.0-02.9
18-24	79	147,647	78	98.6	95.7-0100	1	1.4	00.0-04.3
25-34	174	224,823	173	100.0	99.9-0100	1	0.0	00.0-00.1
35-44	384	185,954	380	97.5	92.8-0100	4	2.5	00.0-07.2
45-54	566	139,382	558	99.9	99.8-0100	8	0.1	00.0-00.2
55-64	624	126,447	617	96.0	92.0-99.9	7	4.0	00.1-08.0
65+	1038	166,101	1035	99.4	98.5-0100	3	0.6	00.0-01.5
Less Than H.S.	146	183,288	145	99.9	99.7-0100	1	0.1	00.0-00.3
H.S. or G.E.D.	712	249,395	705	97.6	93.9-0100	7	2.4	00.0-06.1
Some Post-H.S.	848	237,897	839	99.6	99.0-0100	9	0.4	00.0-01.0
College Graduate	1176	329,647	1169	98.3	96.5-0100	7	1.7	00.0-03.5
Less than \$15,000	214	115,318	211	99.9	99.8-0100	3	0.1	00.0-00.2
\$15,000- 24,999	479	241,519	477	99.6	98.7-0100	2	0.4	00.0-01.3
\$25,000- 34,999	295	111,606	293	99.6	98.9-0100	2	0.4	00.0-01.1
\$35,000- 49,999	398	115,626	396	96.9	92.4-0100	2	3.1	00.0-07.6
\$50,000- 74,999	459	128,935	453	98.5	96.6-0100	6	1.5	00.0-03.4
\$75,000+	781	218,112	774	99.5	98.6-0100	7	0.5	00.0-01.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 25: FOURTEEN-LEVEL AGE CATEGORY (_AGEG5YR)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Age 18 to 24			Age 25 to 29			Age 30 to 34			Age 35 to 39			Age 40 to 44		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4727	2,145,041	168	14.1	09.8-18.4	118	8.1	04.8-11.4	188	16.8	12.1-21.5	281	8.4	05.4-11.5	359	10.5	07.5-13.5
Male	1756	1,034,954	80	14.4	08.3-20.5	50	7.7	03.2-12.3	69	17.9	10.5-25.4	86	9.3	04.3-14.4	136	10.5	06.4-14.7
Female	2971	1,110,087	88	13.7	07.6-19.8	68	8.4	03.6-13.2	119	15.7	10.1-21.4	195	7.6	04.1-11.1	223	10.4	06.1-14.7
White/Non-Hisp	3395	810,027	105	17.3	10.6-24.1	61	6.4	02.6-10.3	96	13.6	07.9-19.4	145	5.4	03.7-07.2	207	10.8	08.0-13.6
Other Race	1300	1,327,470	63	12.2	06.6-17.7	54	8.9	04.1-13.7	92	18.8	12.2-25.5	133	10.3	05.5-15.1	151	10.3	05.7-14.9
18-24	168	301,661	168	100.0	0100-0100												
65+	1581	294,247															
Less Than H.S.	293	454,913	12	4.7	00.8-08.6	3	4.6	00.0-11.9				14	7.7	00.0-16.4	19	7.0	00.0-14.9
H.S. or G.E.D.	1157	531,683				20	6.2	00.6-11.8	30	12.8	04.0-21.6	48	9.2	02.1-16.4	66	10.5	04.3-16.8
Some Post-H.S.	1322	532,971	62	18.0	08.8-27.2	42	12.3	03.4-21.1				59	7.9	02.1-13.8	93	8.1	04.5-11.6
College Graduate	1946	623,423	37	8.4	04.4-12.4	53	8.7	04.5-12.8	101	20.6	14.7-26.5	158	8.5	05.8-11.2	181	15.0	09.3-20.7
Less than \$15,000	335	219,541	12	4.6	01.0-08.1	9	0.5	00.0-00.9	15	9.6	01.3-17.9	15	2.0	00.0-04.8			
\$15,000- 24,999	727	515,723	37	15.8	06.0-25.6	17	7.1	00.0-14.1				22	7.5	00.3-14.8	34	8.1	01.0-15.1
\$25,000- 34,999	471	207,928				10	1.5	00.0-03.3				19	7.1	00.0-17.2	27	3.7	00.9-06.5
\$35,000- 49,999	659	268,692	27	10.9	04.4-17.3				22	10.9	02.9-18.9	33	6.9	00.4-13.4	41	8.5	03.3-13.8
\$50,000- 74,999	725	258,701	21	8.9	04.2-13.5							48	3.8	01.7-05.9	61	7.0	03.3-10.7
\$75,000+	1414	510,649	36	9.4	04.7-14.1	27	10.0	02.6-17.4	63	17.9	11.1-24.8	131	17.3	09.2-25.4	161	14.5	10.3-18.6
DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Age 45 to 49			Age 50 to 54			Age 55 to 59			Age 60 to 64			Age 65 to 69		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4727	2,145,041	439	8.0	04.4-11.6	536	8.4	05.9-10.9	533	6.0	04.0-08.0	524	6.0	03.6-08.5	433	3.7	02.2-05.2
Male	1756	1,034,954	165	10.5	03.4-17.6	227	6.6	04.2-09.1	201	6.3	02.9-09.8	210	5.3	03.2-07.3	153	3.4	00.6-06.3
Female	2971	1,110,087	274	5.7	03.8-07.5	309	10.1	05.8-14.3	332	5.7	03.6-07.8	314	6.7	02.4-11.1	280	3.9	02.6-05.2
White/Non-Hisp	3395	810,027	306	7.5	05.5-09.5	377	9.9	07.9-11.9	402	6.0	04.5-07.5	394	5.3	04.2-06.5	323	4.3	03.3-05.3
Other Race	1300	1,327,470	129	8.3	02.6-14.1	157	7.5	03.6-11.4	125	5.9	02.8-09.0	125	6.4	02.5-10.3	109	3.3	00.9-05.7
18-24	168	301,661															
65+	1581	294,247													433	26.8	16.9-36.7
Less Than H.S.	293	454,913				29	6.7	00.0-15.4	25	9.3	01.9-16.6	23	9.8	00.0-19.9	30	6.1	00.0-12.7
H.S. or G.E.D.	1157	531,683	81	3.4	01.3-05.4	100	8.9	04.0-13.7	112	5.6	01.8-09.4	128	3.5	02.1-04.8	113	2.8	01.5-04.2
Some Post-H.S.	1322	532,971	115	5.5	01.8-09.1	152	9.5	05.0-14.0	155	4.0	02.1-05.8	154	5.2	02.2-08.1	128	2.9	01.4-04.4
College Graduate	1946	623,423	223	9.8	03.2-16.3	253	8.3	06.4-10.1	240	5.7	03.5-08.0	218	6.2	03.5-09.0	162	3.3	02.2-04.4
Less than \$15,000	335	219,541				29	6.8	00.0-15.0	44	7.9	00.9-14.9	39	7.8	00.0-16.4	34	5.4	01.1-09.6
\$15,000- 24,999	727	515,723	36	6.4	00.0-13.7	56	7.2	00.0-15.0	49	5.8	00.0-11.7	75	7.1	00.0-15.3	77	2.8	01.3-04.2
\$25,000- 34,999	471	207,928	25	4.1	00.0-09.3	35	9.6	01.6-17.6	38	8.9	00.5-17.4	51	6.8	01.7-12.0	56	4.6	01.2-07.9
\$35,000- 49,999	659	268,692				44	5.2	02.0-08.3	57	4.5	01.3-07.6	69	5.8	01.0-10.7	79	8.3	00.0-18.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 25: FOURTEEN-LEVEL AGE CATEGORY (_AGEG5YR)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Age 45 to 49			Age 50 to 54			Age 55 to 59			Age 60 to 64			Age 65 to 69		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
\$50,000- 74,999	725	258,701	70	8.2	01.1-15.4	92	15.3	07.0-23.5	96	4.5	02.4-06.6	91	4.3	02.4-06.3	62	2.9	01.4-04.3
\$75,000+	1414	510,649	191	6.2	04.2-08.2	240	9.3	06.9-11.7	216	5.8	03.1-08.4	155	5.5	02.3-08.8	82	1.9	01.0-02.8
DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Age 70 to 74			Age 75 to 79			Age 80 or older								
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL			4727	2,145,041		366	3.6	01.6-05.6	301	1.8	01.3-02.3	481	4.7	02.7-06.6			
Male			1756	1,034,954		127	3.1	00.9-05.3	94	1.8	00.9-02.7	158	3.1	01.8-04.4			
Female			2971	1,110,087		239	4.1	00.7-07.4	207	1.7	01.3-02.2	323	6.2	02.6-09.7			
White/Non-Hisp			3395	810,027		290	3.3	02.6-04.1	256	3.4	02.6-04.3	433	6.5	05.3-07.7			
Other Race			1300	1,327,470		75	3.8	00.5-07.0	42	0.7	00.2-01.3	45	3.6	00.5-06.7			
18-24			168	301,661													
65+			1581	294,247					301	12.9	08.6-17.1						
Less Than H.S.			293	454,913		31	5.6	00.0-13.5	21	1.9	00.6-03.1	57	10.4	01.8-19.1			
H.S. or G.E.D.			1157	531,683		119	4.9	00.9-08.9	109	2.7	01.1-04.2	174	4.7	02.5-06.9			
Some Post-H.S.			1322	532,971		99	2.2	00.9-03.5	91	1.7	01.0-02.3	124	2.5	01.5-03.6			
College Graduate			1946	623,423		115	2.3	00.8-03.7	80	1.0	00.7-01.4	125	2.3	01.6-03.0			
Less than \$15,000			335	219,541					18	0.9	00.1-01.7	57	5.6	02.3-08.8			
\$15,000- 24,999			727	515,723		82	2.6	01.2-03.9	70	2.5	00.9-04.1	138	5.4	02.8-08.0			
\$25,000- 34,999			471	207,928		60	9.4	00.0-19.4	43	3.1	00.9-05.3						
\$35,000- 49,999			659	268,692		69	3.2	00.8-05.7	50	1.8	00.9-02.7	85	3.7	02.2-05.2			
\$50,000- 74,999			725	258,701		41	1.0	00.4-01.5	49	1.9	00.9-03.0	32	2.4	00.0-05.4			
\$75,000+			1414	510,649		52	1.1	00.3-01.8	35	0.8	00.3-01.3	25	0.3	00.1-00.5			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 26: FOURTEEN-LEVEL AGE CATEGORY (_AGEG5YR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Age 18 to 24			Age 25 to 29			Age 30 to 34			Age 35 to 39			Age 40 to 44		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1756	1,034,954	80	14.4	08.3-20.5	50	7.7	03.2-12.3	69	17.9	10.5-25.4	86	9.3	04.3-14.4	136	10.5	06.4-14.7
White/Non-Hisp	1289	392,595				28	6.1	02.1-10.1	37	13.8	03.8-23.7	48	7.1	03.8-10.4	83	13.1	08.3-17.8
Other Race	447	637,716	33	12.8	05.3-20.2	20	8.4	01.5-15.2				38	10.8	02.9-18.7	53	9.0	03.0-15.1
18-24	80	149,096	80	100.0	0100-0100												
65+	532	117,878															
Less Than H.S.	113	217,589	10	8.1	00.3-15.9				1	0.4	00.0-01.2						
H.S. or G.E.D.	422	255,178				11	5.1	00.4-09.8							29	6.7	01.9-11.5
Some Post-H.S.	456	267,106				12	6.1	00.0-14.4				17	3.8	00.4-07.2	31	9.6	03.5-15.8
College Graduate	760	293,048	13	5.7	01.1-10.3	25	11.1	03.4-18.8	36	18.0	09.9-26.1	46	10.3	05.3-15.4	68	14.4	09.0-19.8
Less than \$15,000	104	89,873	6	4.1	00.0-09.0	2	0.0	00.0-00.1				3	0.4	00.0-00.9			
\$15,000- 24,999	229	237,042													9	4.6	00.0-09.5
\$25,000- 34,999	163	83,677	5	2.7	00.0-05.9	5	2.9	00.0-07.4				3	0.1	00.0-00.2	10	5.5	00.0-11.5
\$35,000- 49,999	244	142,704							8	5.1	00.0-11.0	9	4.5	00.0-09.9	17	10.3	01.4-19.2
\$50,000- 74,999	260	121,894	10	9.8	01.9-17.7	9	3.6	00.0-07.2				12	3.1	00.4-05.9	21	5.5	01.1-10.0
\$75,000+	627	281,598	16	6.4	01.5-11.2	13	8.7	00.4-16.9							69	16.9	10.4-23.4
DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Age 45 to 49			Age 50 to 54			Age 55 to 59			Age 60 to 64			Age 65 to 69		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1756	1,034,954	165	10.5	03.4-17.6	227	6.6	04.2-09.1	201	6.3	02.9-09.8	210	5.3	03.2-07.3	153	3.4	00.6-06.3
White/Non-Hisp	1289	392,595	111	5.5	03.5-07.4	162	8.2	05.7-10.7	165	6.9	04.5-09.4	163	6.5	04.4-08.5	122	4.2	02.6-05.8
Other Race	447	637,716				63	5.6	02.0-09.3	31	5.8	00.4-11.2	45	4.5	01.5-07.6	30	3.0	00.0-07.5
18-24	80	149,096															
65+	532	117,878															
Less Than H.S.	113	217,589				12	2.8	00.1-05.6				8	3.1	00.0-06.8			
H.S. or G.E.D.	422	255,178	37	3.2	00.9-05.5	49	10.2	01.9-18.4	44	6.5	00.5-12.5	48	3.8	01.7-05.8	34	1.6	00.6-02.6
Some Post-H.S.	456	267,106	35	5.9	00.0-12.8	65	5.0	02.2-07.9	56	3.7	01.2-06.2	59	5.6	00.4-10.8	42	1.7	00.5-02.9
College Graduate	760	293,048				99	7.7	04.9-10.4	91	4.3	02.6-06.0	95	7.9	03.8-11.9	66	3.0	01.5-04.6
Less than \$15,000	104	89,873							12	2.0	00.0-04.5	13	3.7	00.0-07.9	10	2.1	00.0-04.7
\$15,000- 24,999	229	237,042				25	4.5	00.7-08.3				27	2.1	00.5-03.7	20	1.8	00.2-03.5
\$25,000- 34,999	163	83,677	11	0.8	00.0-01.8	11	4.4	00.0-09.1							21	2.2	00.1-04.4
\$35,000- 49,999	244	142,704				17	5.6	00.7-10.4	17	3.6	00.0-07.5	18	3.8	00.3-07.3			
\$50,000- 74,999	260	121,894				29	9.6	01.0-18.3	32	4.1	01.0-07.2	29	4.4	01.2-07.5	25	3.7	00.7-06.6
\$75,000+	627	281,598	73	3.8	02.4-05.2	113	7.1	04.6-09.6	92	4.4	02.7-06.1	85	8.6	02.8-14.4	40	1.8	00.7-02.9
DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Age 70 to 74			Age 75 to 79			Age 80 or older								
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS**

TABLE 26: FOURTEEN-LEVEL AGE CATEGORY (_AGEG5YR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Age 70 to 74			Age 75 to 79			Age 80 or older		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1756	1,034,954	127	3.1	00.9-05.3	94	1.8	00.9-02.7	158	3.1	01.8-04.4
White/Non-Hisp	1289	392,595	102	3.2	02.0-04.4	79	3.0	01.6-04.3	142	5.3	03.6-06.9
Other Race	447	637,716	24	3.1	00.0-06.5	14	1.1	00.0-02.3	14	1.7	00.0-03.5
18-24	80	149,096									
65+	532	117,878				94	15.8	07.4-24.1			
Less Than H.S.	113	217,589	10	1.7	00.0-03.4	11	2.7	00.3-05.0	17	4.6	00.1-09.0
H.S. or G.E.D.	422	255,178	35	6.3	00.0-14.2	28	3.1	00.1-06.1	46	3.4	00.3-06.6
Some Post-H.S.	456	267,106	30	1.3	00.5-02.1	28	1.0	00.2-01.7	36	1.9	00.8-03.0
College Graduate	760	293,048	51	3.0	00.3-05.7	27	0.8	00.3-01.3	59	2.7	01.6-03.9
Less than \$15,000	104	89,873	3	1.0	00.0-02.3	4	0.3	00.0-01.0	14	5.8	00.0-11.7
\$15,000- 24,999	229	237,042	15	2.5	00.1-04.9	16	2.9	00.0-06.2	37	4.7	00.8-08.6
\$25,000- 34,999	163	83,677				10	4.3	00.0-09.4	27	4.0	00.8-07.2
\$35,000- 49,999	244	142,704	29	2.7	00.9-04.5	20	1.8	00.4-03.2	40	3.6	01.4-05.7
\$50,000- 74,999	260	121,894	17	1.4	00.3-02.5	18	1.2	00.2-02.1	14	3.9	00.0-10.2
\$75,000+	627	281,598	32	1.0	00.5-01.6	13	0.8	00.0-01.6	10	0.3	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 27: FOURTEEN-LEVEL AGE CATEGORY (_AGEG5YR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Age 18 to 24			Age 25 to 29			Age 30 to 34			Age 35 to 39			Age 40 to 44		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2971	1,110,087	88	13.7	07.6-19.8	68	8.4	03.6-13.2	119	15.7	10.1-21.4	195	7.6	04.1-11.1	223	10.4	06.1-14.7
White/Non-Hisp	2106	417,431	58	17.4	08.6-26.2	33	6.8	00.4-13.2	59	13.5	07.5-19.4	97	3.9	02.6-05.1	124	8.7	05.7-11.7
Other Race	853	689,754	30	11.6	03.4-19.7	34	9.4	02.7-16.0	60	17.2	08.8-25.6	95	9.9	04.3-15.5	98	11.5	04.8-18.2
18-24	88	152,565	88	100.0	0100-0100												
65+	1049	176,369															
Less Than H.S.	180	237,324	2	1.6	00.0-04.1	1	1.1	00.0-03.4				9	2.7	00.0-05.8	11	3.4	00.0-07.3
H.S. or G.E.D.	735	276,505				9	7.1	00.0-16.9	16	8.3	01.4-15.1	31	8.4	00.4-16.5			
Some Post-H.S.	866	265,865	35	14.2	05.0-23.5				30	8.0	02.7-13.3				62	6.5	02.9-10.0
College Graduate	1186	330,375	24	10.8	04.5-17.0	28	6.5	02.8-10.3	65	22.9	14.5-31.3	112	6.9	04.6-09.2	113	15.5	05.9-25.2
Less than \$15,000	231	129,668	6	4.9	00.0-09.8	7	0.8	00.0-01.6	10	8.4	00.3-16.6	12	3.2	00.0-07.8			
\$15,000- 24,999	498	278,681				8	2.7	00.0-06.0				14	6.1	00.0-13.6			
\$25,000- 34,999	308	124,251				5	0.6	00.0-01.2							17	2.5	00.0-05.0
\$35,000- 49,999	415	125,988	13	6.8	01.5-12.0										24	6.5	01.4-11.7
\$50,000- 74,999	465	136,807	11	8.1	02.7-13.4							36	4.4	01.4-07.4	40	8.3	02.7-13.9
\$75,000+	787	229,051	20	13.2	04.8-21.6				39	17.3	08.8-25.9	84	11.8	04.1-19.6	92	11.5	06.8-16.2
DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Age 45 to 49			Age 50 to 54			Age 55 to 59			Age 60 to 64			Age 65 to 69		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2971	1,110,087	274	5.7	03.8-07.5	309	10.1	05.8-14.3	332	5.7	03.6-07.8	314	6.7	02.4-11.1	280	3.9	02.6-05.2
White/Non-Hisp	2106	417,431	195	9.4	06.1-12.7	215	11.5	08.5-14.5	237	5.2	03.3-07.0	231	4.3	03.0-05.5	201	4.4	03.2-05.6
Other Race	853	689,754	79	3.5	01.4-05.5	94	9.2	02.6-15.8	94	6.0	02.7-09.2	80	8.1	01.2-15.0	79	3.6	01.7-05.5
18-24	88	152,565															
65+	1049	176,369													280	24.5	14.9-34.2
Less Than H.S.	180	237,324	11	5.0	00.0-10.5				16	6.8	01.5-12.1				19	4.2	00.5-07.9
H.S. or G.E.D.	735	276,505	44	3.5	00.2-06.8	51	7.7	02.3-13.1	68	4.8	00.1-09.5	80	3.2	01.5-04.9	79	4.0	01.5-06.4
Some Post-H.S.	866	265,865	80	5.0	02.7-07.3	87	14.0	05.9-22.1	99	4.2	01.4-07.0	95	4.8	01.9-07.6	86	4.1	01.4-06.9
College Graduate	1186	330,375	139	8.5	05.2-11.8	154	8.8	06.2-11.3	149	7.0	03.0-10.9	123	4.8	01.1-08.5	96	3.5	01.9-05.1
Less than \$15,000	231	129,668	15	5.5	00.0-12.4	14	2.8	00.3-05.3							24	7.7	00.9-14.4
\$15,000- 24,999	498	278,681	25	2.8	00.3-05.3				27	0.6	00.2-01.0				57	3.5	01.3-05.8
\$25,000- 34,999	308	124,251	14	6.2	00.0-14.9				23	6.0	00.2-11.9	29	4.6	00.0-09.6	35	6.1	00.6-11.6
\$35,000- 49,999	415	125,988	40	7.8	02.6-12.9	27	4.7	00.7-08.7	40	5.4	00.3-10.5	51	8.1	00.0-17.4	54	4.5	00.6-08.5
\$50,000- 74,999	465	136,807	41	5.3	02.0-08.5				64	4.8	02.0-07.6	62	4.3	01.9-06.7	37	2.1	00.9-03.4
\$75,000+	787	229,051	118	9.1	05.0-13.2	127	12.0	07.7-16.3	124	7.5	02.1-12.9	70	1.8	00.9-02.6	42	2.0	00.5-03.6
DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Age 70 to 74			Age 75 to 79			Age 80 or older								
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS**

TABLE 27: FOURTEEN-LEVEL AGE CATEGORY (_AGEG5YR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Age 70 to 74			Age 75 to 79			Age 80 or older		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2971	1,110,087	239	4.1	00.7-07.4	207	1.7	01.3-02.2	323	6.2	02.6-09.7
White/Non-Hisp	2106	417,431	188	3.5	02.5-04.5	177	3.9	02.8-05.0	291	7.7	06.0-09.4
Other Race	853	689,754	51	4.4	00.0-09.8	28	0.4	00.2-00.7	31	5.3	00.0-10.9
18-24	88	152,565									
65+	1049	176,369				207	10.9	06.8-15.0			
Less Than H.S.	180	237,324				10	1.1	00.1-02.2			
H.S. or G.E.D.	735	276,505	84	3.6	01.3-05.8	81	2.2	01.2-03.2	128	5.9	02.8-09.0
Some Post-H.S.	866	265,865	69	3.1	00.7-05.6	63	2.3	01.2-03.4	88	3.2	01.5-04.9
College Graduate	1186	330,375	64	1.6	00.5-02.7	53	1.3	00.7-01.8	66	1.9	01.1-02.7
Less than \$15,000	231	129,668				14	1.3	00.0-02.6	43	5.4	01.6-09.2
\$15,000- 24,999	498	278,681	67	2.7	01.3-04.1	54	2.1	01.0-03.3	101	6.1	02.5-09.6
\$25,000- 34,999	308	124,251	42	3.3	01.3-05.2	33	2.3	00.8-03.8			
\$35,000- 49,999	415	125,988	40	3.8	00.0-08.7	30	1.8	00.7-02.9	45	3.8	01.6-06.0
\$50,000- 74,999	465	136,807	24	0.6	00.2-00.9	31	2.6	00.9-04.4	18	1.1	00.4-01.7
\$75,000+	787	229,051	20	1.1	00.0-02.6	22	0.8	00.3-01.2	15	0.3	00.1-00.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 28: TWO-LEVEL AGE CATEGORY (_AGE65YR)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Age 18 to 64			Age 65 or older		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4727	2,145,041	3146	86.3	83.1-89.5	1581	13.7	10.5-16.9
Male	1756	1,034,954	1224	88.6	84.7-92.6	532	11.4	07.4-15.3
Female	2971	1,110,087	1922	84.1	79.2-89.0	1049	15.9	11.0-20.8
White/Non-Hisp	3395	810,027	2093	82.4	79.9-84.9	1302	17.6	15.1-20.1
Other Race	1300	1,327,470	1029	88.6	83.7-93.6	271	11.4	06.4-16.3
18-24	168	301,661	168	100.0	0100-0100			
25-34	306	533,816	306	100.0	0100-0100			
35-44	640	405,542	640	100.0	0100-0100			
45-54	975	351,720	975	100.0	0100-0100			
55-64	1057	258,056	1057	100.0	0100-0100			
65+	1581	294,247				1581	100.0	0100-0100
H.S. or G.E.D.	1157	531,683	642	84.9	79.6-90.3	515	15.1	09.7-20.4
Some Post-H.S.	1322	532,971	880	90.7	87.9-93.5	442	9.3	06.5-12.1
College Graduate	1946	623,423	1464	91.1	89.0-93.3	482	8.9	06.7-11.0
\$15,000- 24,999	727	515,723	360	86.7	82.2-91.3	367	13.3	08.7-17.8
\$50,000- 74,999	725	258,701	541	91.9	88.1-95.7	184	8.1	04.3-11.9
\$75,000+	1414	510,649	1220	95.9	94.6-97.3	194	4.1	02.7-05.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 29: TWO-LEVEL AGE CATEGORY (_AGE65YR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Age 18 to 64			Age 65 or older		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1756	1,034,954	1224	88.6	84.7-92.6	532	11.4	07.4-15.3
White/Non-Hisp	1289	392,595	844	84.4	80.7-88.0	445	15.6	12.0-19.3
Other Race	447	637,716	365	91.2	85.2-97.2	82	8.8	02.8-14.8
18-24	80	149,096	80	100.0	0100-0100			
25-34	119	265,857	119	100.0	0100-0100			
35-44	222	205,564	222	100.0	0100-0100			
45-54	392	176,948	392	100.0	0100-0100			
55-64	411	119,611	411	100.0	0100-0100			
65+	532	117,878				532	100.0	0100-0100
H.S. or G.E.D.	422	255,178	279	85.6	76.5-94.7	143	14.4	05.3-23.5
Some Post-H.S.	456	267,106	320	94.1	91.5-96.7	136	5.9	03.3-08.5
College Graduate	760	293,048	557	90.5	86.9-94.1	203	9.5	05.9-13.1
Less than \$15,000	104	89,873	73	90.9	82.7-99.0	31	9.1	01.0-17.3
\$15,000- 24,999	229	237,042	141	88.1	81.4-94.8	88	11.9	05.2-18.6
\$50,000- 74,999	260	121,894	186	89.9	82.3-97.5	74	10.1	02.5-17.7
\$75,000+	627	281,598	532	96.1	94.4-97.7	95	3.9	02.3-05.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 30: TWO-LEVEL AGE CATEGORY (_AGE65YR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Age 18 to 64			Age 65 or older		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2971	1,110,087	1922	84.1	79.2-89.0	1049	15.9	11.0-20.8
White/Non-Hisp	2106	417,431	1249	80.5	77.1-84.0	857	19.5	16.0-22.9
Other Race	853	689,754	664	86.2	78.6-93.9	189	13.8	06.1-21.4
18-24	88	152,565	88	100.0	0100-0100			
25-34	187	267,959	187	100.0	0100-0100			
35-44	418	199,978	418	100.0	0100-0100			
45-54	583	174,772	583	100.0	0100-0100			
55-64	646	138,444	646	100.0	0100-0100			
65+	1049	176,369				1049	100.0	0100-0100
H.S. or G.E.D.	735	276,505	363	84.3	78.4-90.3	372	15.7	09.7-21.6
Some Post-H.S.	866	265,865	560	87.2	82.4-92.0	306	12.8	08.0-17.6
College Graduate	1186	330,375	907	91.7	89.3-94.1	279	8.3	05.9-10.7
\$15,000- 24,999	498	278,681	219	85.6	79.3-91.9	279	14.4	08.1-20.7
\$35,000- 49,999	415	125,988	246	86.0	78.7-93.4	169	14.0	06.6-21.3
\$50,000- 74,999	465	136,807	355	93.6	90.9-96.4	110	6.4	03.6-09.1
\$75,000+	787	229,051	688	95.8	93.5-98.0	99	4.2	02.0-06.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 31: REPORTED HEIGHT IN INCHES (HTIN3)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Height in inches			Don't know Refused Missing		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4761	2,155,572	4735	99.7	99.4-99.9	26	0.3	00.1-00.6
Male	1768	1,035,588	1762	99.9	99.8-0100	6	0.1	00.0-00.2
Female	2993	1,119,984	2973	99.4	99.0-99.9	20	0.6	00.1-01.0
White/Non-Hisp	3417	811,798	3410	99.9	99.7-0100	7	0.1	00.0-00.3
Other Race	1310	1,336,188	1294	99.6	99.2-0100	16	0.4	00.0-00.8
18-24	168	301,661	168	100.0	0100-0100			
25-34	306	533,816	306	100.0	0100-0100			
35-44	640	405,542	635	99.5	98.8-0100	5	0.5	00.0-01.2
45-54	975	351,720	970	99.7	99.3-0100	5	0.3	00.0-00.7
55-64	1057	258,056	1053	99.0	97.3-0100	4	1.0	00.0-02.7
65+	1581	294,247	1571	99.6	99.2-0100	10	0.4	00.0-00.8
Less Than H.S.	293	454,913	284	98.9	97.7-0100	9	1.1	00.0-02.3
H.S. or G.E.D.	1163	532,155	1160	99.9	99.8-0100	3	0.1	00.0-00.2
Some Post-H.S.	1329	534,254	1324	99.9	99.6-0100	5	0.1	00.0-00.4
College Graduate	1965	632,159	1959	99.9	99.8-0100	6	0.1	00.0-00.2
Less than \$15,000	337	219,848	334	99.8	99.6-0100	3	0.2	00.0-00.4
\$15,000- 24,999	733	516,136	729	99.6	99.2-0100	4	0.4	00.0-00.8
\$25,000- 34,999	471	207,928	470	100.0	0100-0100	1	0.0	00.0-00.0
\$35,000- 49,999	660	268,856	660	100.0	0100-0100			
\$50,000- 74,999	730	259,388	729	99.8	99.3-0100	1	0.2	00.0-00.7
\$75,000+	1423	519,035	1419	99.9	99.8-0100	4	0.1	00.0-00.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 32: REPORTED HEIGHT IN INCHES (HTIN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Height in inches			Don't know Refused Missing		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1768	1,035,588	1762	99.9	99.8-0100	6	0.1	00.0-00.2
White/Non-Hisp	1298	393,122	1296	99.8	99.5-0100	2	0.2	00.0-00.5
Other Race	449	637,788	448	100.0	0100-0100	1	0.0	00.0-00.0
18-24	80	149,096	80	100.0	0100-0100			
25-34	119	265,857	119	100.0	0100-0100			
35-44	222	205,564	222	100.0	0100-0100			
45-54	392	176,948	391	99.9	99.8-0100	1	0.1	00.0-00.2
55-64	411	119,611	410	100.0	99.9-0100	1	0.0	00.0-00.1
65+	532	117,878	530	99.5	98.4-0100	2	0.5	00.0-01.6
Less Than H.S.	113	217,589	113	100.0	0100-0100			
H.S. or G.E.D.	425	255,240	424	100.0	0100-0100	1	0.0	00.0-00.0
Some Post-H.S.	456	267,106	455	99.8	99.3-0100	1	0.2	00.0-00.7
College Graduate	767	293,581	766	100.0	0100-0100	1	0.0	00.0-00.0
Less than \$15,000	104	89,873	104	100.0	0100-0100			
\$15,000- 24,999	230	237,070	230	100.0	0100-0100			
\$25,000- 34,999	163	83,677	163	100.0	0100-0100			
\$35,000- 49,999	244	142,704	244	100.0	0100-0100			
\$50,000- 74,999	261	121,941	260	99.5	98.4-0100	1	0.5	00.0-01.6
\$75,000+	632	281,889	632	100.0	0100-0100			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 33: REPORTED HEIGHT IN INCHES (HTIN3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Height in inches			Don't know Refused Missing		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2993	1,119,984	2973	99.4	99.0-99.9	20	0.6	00.1-01.0
White/Non-Hisp	2119	418,676	2114	99.9	99.8-0100	5	0.1	00.0-00.2
Other Race	861	698,400	846	99.2	98.4-99.9	15	0.8	00.1-01.6
18-24	88	152,565	88	100.0	0100-0100			
25-34	187	267,959	187	100.0	0100-0100			
35-44	418	199,978	413	98.9	97.6-0100	5	1.1	00.0-02.4
45-54	583	174,772	579	99.4	98.6-0100	4	0.6	00.0-01.4
55-64	646	138,444	643	98.3	95.0-0100	3	1.7	00.0-05.0
65+	1049	176,369	1041	99.7	99.5-0100	8	0.3	00.0-00.5
Less Than H.S.	180	237,324	171	97.8	95.5-0100	9	2.2	00.0-04.5
H.S. or G.E.D.	738	276,916	736	99.9	99.7-0100	2	0.1	00.0-00.3
Some Post-H.S.	873	267,148	869	99.9	99.9-0100	4	0.1	00.0-00.1
College Graduate	1198	338,579	1193	99.8	99.6-0100	5	0.2	00.0-00.4
Less than \$15,000	233	129,975	230	99.7	99.3-0100	3	0.3	00.0-00.7
\$15,000- 24,999	503	279,066	499	99.3	98.5-0100	4	0.7	00.0-01.5
\$25,000- 34,999	308	124,251	307	100.0	99.9-0100	1	0.0	00.0-00.1
\$35,000- 49,999	416	126,152	416	100.0	0100-0100			
\$50,000- 74,999	469	137,447	469	100.0	0100-0100			
\$75,000+	791	237,146	787	99.8	99.5-0100	4	0.2	00.0-00.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 34: REPORTED HEIGHT IN METERS (HTM3)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Height in meters [2 implied decimal places]			Don't know Refused Missing		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4761	2,155,572	4735	99.7	99.4-99.9	26	0.3	00.1-00.6
Male	1768	1,035,588	1762	99.9	99.8-0100	6	0.1	00.0-00.2
Female	2993	1,119,984	2973	99.4	99.0-99.9	20	0.6	00.1-01.0
White/Non-Hisp	3417	811,798	3410	99.9	99.7-0100	7	0.1	00.0-00.3
Other Race	1310	1,336,188	1294	99.6	99.2-0100	16	0.4	00.0-00.8
18-24	168	301,661	168	100.0	0100-0100			
25-34	306	533,816	306	100.0	0100-0100			
35-44	640	405,542	635	99.5	98.8-0100	5	0.5	00.0-01.2
45-54	975	351,720	970	99.7	99.3-0100	5	0.3	00.0-00.7
55-64	1057	258,056	1053	99.0	97.3-0100	4	1.0	00.0-02.7
65+	1581	294,247	1571	99.6	99.2-0100	10	0.4	00.0-00.8
Less Than H.S.	293	454,913	284	98.9	97.7-0100	9	1.1	00.0-02.3
H.S. or G.E.D.	1163	532,155	1160	99.9	99.8-0100	3	0.1	00.0-00.2
Some Post-H.S.	1329	534,254	1324	99.9	99.6-0100	5	0.1	00.0-00.4
College Graduate	1965	632,159	1959	99.9	99.8-0100	6	0.1	00.0-00.2
Less than \$15,000	337	219,848	334	99.8	99.6-0100	3	0.2	00.0-00.4
\$15,000- 24,999	733	516,136	729	99.6	99.2-0100	4	0.4	00.0-00.8
\$25,000- 34,999	471	207,928	470	100.0	0100-0100	1	0.0	00.0-00.0
\$35,000- 49,999	660	268,856	660	100.0	0100-0100			
\$50,000- 74,999	730	259,388	729	99.8	99.3-0100	1	0.2	00.0-00.7
\$75,000+	1423	519,035	1419	99.9	99.8-0100	4	0.1	00.0-00.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 35: REPORTED HEIGHT IN METERS (HTM3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Height in meters [2 implied decimal places]			Don't know Refused Missing		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1768	1,035,588	1762	99.9	99.8-0100	6	0.1	00.0-00.2
White/Non-Hisp	1298	393,122	1296	99.8	99.5-0100	2	0.2	00.0-00.5
Other Race	449	637,788	448	100.0	0100-0100	1	0.0	00.0-00.0
18-24	80	149,096	80	100.0	0100-0100			
25-34	119	265,857	119	100.0	0100-0100			
35-44	222	205,564	222	100.0	0100-0100			
45-54	392	176,948	391	99.9	99.8-0100	1	0.1	00.0-00.2
55-64	411	119,611	410	100.0	99.9-0100	1	0.0	00.0-00.1
65+	532	117,878	530	99.5	98.4-0100	2	0.5	00.0-01.6
Less Than H.S.	113	217,589	113	100.0	0100-0100			
H.S. or G.E.D.	425	255,240	424	100.0	0100-0100	1	0.0	00.0-00.0
Some Post-H.S.	456	267,106	455	99.8	99.3-0100	1	0.2	00.0-00.7
College Graduate	767	293,581	766	100.0	0100-0100	1	0.0	00.0-00.0
Less than \$15,000	104	89,873	104	100.0	0100-0100			
\$15,000- 24,999	230	237,070	230	100.0	0100-0100			
\$25,000- 34,999	163	83,677	163	100.0	0100-0100			
\$35,000- 49,999	244	142,704	244	100.0	0100-0100			
\$50,000- 74,999	261	121,941	260	99.5	98.4-0100	1	0.5	00.0-01.6
\$75,000+	632	281,889	632	100.0	0100-0100			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 36: REPORTED HEIGHT IN METERS (HTM3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Height in meters [2 implied decimal places]			Don't know Refused Missing		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2993	1,119,984	2973	99.4	99.0-99.9	20	0.6	00.1-01.0
White/Non-Hisp	2119	418,676	2114	99.9	99.8-0100	5	0.1	00.0-00.2
Other Race	861	698,400	846	99.2	98.4-99.9	15	0.8	00.1-01.6
18-24	88	152,565	88	100.0	0100-0100			
25-34	187	267,959	187	100.0	0100-0100			
35-44	418	199,978	413	98.9	97.6-0100	5	1.1	00.0-02.4
45-54	583	174,772	579	99.4	98.6-0100	4	0.6	00.0-01.4
55-64	646	138,444	643	98.3	95.0-0100	3	1.7	00.0-05.0
65+	1049	176,369	1041	99.7	99.5-0100	8	0.3	00.0-00.5
Less Than H.S.	180	237,324	171	97.8	95.5-0100	9	2.2	00.0-04.5
H.S. or G.E.D.	738	276,916	736	99.9	99.7-0100	2	0.1	00.0-00.3
Some Post-H.S.	873	267,148	869	99.9	99.9-0100	4	0.1	00.0-00.1
College Graduate	1198	338,579	1193	99.8	99.6-0100	5	0.2	00.0-00.4
Less than \$15,000	233	129,975	230	99.7	99.3-0100	3	0.3	00.0-00.7
\$15,000- 24,999	503	279,066	499	99.3	98.5-0100	4	0.7	00.0-01.5
\$25,000- 34,999	308	124,251	307	100.0	99.9-0100	1	0.0	00.0-00.1
\$35,000- 49,999	416	126,152	416	100.0	0100-0100			
\$50,000- 74,999	469	137,447	469	100.0	0100-0100			
\$75,000+	791	237,146	787	99.8	99.5-0100	4	0.2	00.0-00.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 37: REPORTED WEIGHT IN KILOGRAMS (WTKG2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Weight in kilograms [2 implied decimal places]			Don't know Refused Missing		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4761	2,155,572	4674	98.9	98.1-99.8	87	1.1	00.2-01.9
Male	1768	1,035,588	1761	99.9	99.8-0100	7	0.1	00.0-00.2
Female	2993	1,119,984	2913	98.0	96.3-99.7	80	2.0	00.3-03.7
White/Non-Hisp	3417	811,798	3352	99.0	98.6-99.4	65	1.0	00.6-01.4
Other Race	1310	1,336,188	1292	98.9	97.5-0100	18	1.1	00.0-02.5
18-24	168	301,661	168	100.0	0100-0100			
25-34	306	533,816	301	98.7	96.5-0100	5	1.3	00.0-03.5
35-44	640	405,542	634	99.8	99.7-0100	6	0.2	00.0-00.3
45-54	975	351,720	950	98.8	98.0-99.5	25	1.2	00.5-02.0
55-64	1057	258,056	1031	99.3	98.8-99.7	26	0.7	00.3-01.2
65+	1581	294,247	1562	99.5	99.2-99.9	19	0.5	00.1-00.8
Less Than H.S.	293	454,913	290	98.6	96.0-0100	3	1.4	00.0-04.0
H.S. or G.E.D.	1163	532,155	1150	99.8	99.7-0100	13	0.2	00.0-00.3
Some Post-H.S.	1329	534,254	1299	99.3	98.8-99.7	30	0.7	00.3-01.2
College Graduate	1965	632,159	1928	98.2	95.9-0100	37	1.8	00.0-04.1
Less than \$15,000	337	219,848	334	99.9	99.8-0100	3	0.1	00.0-00.2
\$15,000- 24,999	733	516,136	727	98.8	96.6-0100	6	1.2	00.0-03.4
\$25,000- 34,999	471	207,928	469	99.9	99.6-0100	2	0.1	00.0-00.4
\$35,000- 49,999	660	268,856	651	99.6	99.3-0100	9	0.4	00.0-00.7
\$50,000- 74,999	730	259,388	720	99.4	98.7-0100	10	0.6	00.0-01.3
\$75,000+	1423	519,035	1394	97.9	95.2-0100	29	2.1	00.0-04.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 38: REPORTED WEIGHT IN KILOGRAMS (WTKG2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Weight in kilograms [2 implied decimal places]			Don't know Refused Missing		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1768	1,035,588	1761	99.9	99.8-0100	7	0.1	00.0-00.2
White/Non-Hisp	1298	393,122	1295	99.8	99.5-0100	3	0.2	00.0-00.5
Other Race	449	637,788	448	100.0	0100-0100	1	0.0	00.0-00.0
18-24	80	149,096	80	100.0	0100-0100			
25-34	119	265,857	119	100.0	0100-0100			
35-44	222	205,564	222	100.0	0100-0100			
45-54	392	176,948	390	99.6	98.9-0100	2	0.4	00.0-01.1
55-64	411	119,611	409	99.8	99.6-0100	2	0.2	00.0-00.4
65+	532	117,878	531	100.0	0100-0100	1	0.0	00.0-00.0
Less Than H.S.	113	217,589	113	100.0	0100-0100			
H.S. or G.E.D.	425	255,240	424	100.0	0100-0100	1	0.0	00.0-00.0
Some Post-H.S.	456	267,106	455	99.8	99.3-0100	1	0.2	00.0-00.7
College Graduate	767	293,581	765	99.9	99.8-0100	2	0.1	00.0-00.2
Less than \$15,000	104	89,873	104	100.0	0100-0100			
\$15,000- 24,999	230	237,070	230	100.0	0100-0100			
\$25,000- 34,999	163	83,677	163	100.0	0100-0100			
\$35,000- 49,999	244	142,704	244	100.0	0100-0100			
\$50,000- 74,999	261	121,941	261	100.0	0100-0100			
\$75,000+	632	281,889	632	100.0	0100-0100			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 39: REPORTED WEIGHT IN KILOGRAMS (WTKG2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Weight in kilograms [2 implied decimal places]			Don't know Refused Missing		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2993	1,119,984	2913	98.0	96.3-99.7	80	2.0	00.3-03.7
White/Non-Hisp	2119	418,676	2057	98.3	97.6-99.1	62	1.7	00.9-02.4
Other Race	861	698,400	844	97.9	95.2-0100	17	2.1	00.0-04.8
18-24	88	152,565	88	100.0	0100-0100			
25-34	187	267,959	182	97.5	93.1-0100	5	2.5	00.0-06.9
35-44	418	199,978	412	99.7	99.4-0100	6	0.3	00.0-00.6
45-54	583	174,772	560	97.9	96.6-99.2	23	2.1	00.8-03.4
55-64	646	138,444	622	98.8	97.9-99.7	24	1.2	00.3-02.1
65+	1049	176,369	1031	99.2	98.6-99.8	18	0.8	00.2-01.4
Less Than H.S.	180	237,324	177	97.3	92.4-0100	3	2.7	00.0-07.6
H.S. or G.E.D.	738	276,916	726	99.7	99.4-0100	12	0.3	00.0-00.6
Some Post-H.S.	873	267,148	844	98.7	97.9-99.5	29	1.3	00.5-02.1
College Graduate	1198	338,579	1163	96.6	92.4-0100	35	3.4	00.0-07.6
Less than \$15,000	233	129,975	230	99.9	99.7-0100	3	0.1	00.0-00.3
\$15,000- 24,999	503	279,066	497	97.8	93.7-0100	6	2.2	00.0-06.3
\$25,000- 34,999	308	124,251	306	99.8	99.4-0100	2	0.2	00.0-00.6
\$35,000- 49,999	416	126,152	407	99.2	98.5-99.9	9	0.8	00.1-01.5
\$50,000- 74,999	469	137,447	459	98.8	97.6-0100	10	1.2	00.0-02.4
\$75,000+	791	237,146	762	95.5	89.5-0100	29	4.5	00.0-10.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 40: BODY MASS INDEX (BMI) (_BMI4)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 or greater			Don't know Refused Missing		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4761	2,155,572	4658	98.6	97.7-99.6	103	1.4	00.4-02.3
Male	1768	1,035,588	1760	99.8	99.7-0100	8	0.2	00.0-00.3
Female	2993	1,119,984	2898	97.5	95.8-99.3	95	2.5	00.7-04.2
White/Non-Hisp	3417	811,798	3349	99.0	98.5-99.4	68	1.0	00.6-01.5
Other Race	1310	1,336,188	1279	98.5	97.0-99.9	31	1.5	00.1-03.0
18-24	168	301,661	168	100.0	0100-0100			
25-34	306	533,816	301	98.7	96.5-0100	5	1.3	00.0-03.5
35-44	640	405,542	629	99.3	98.6-0100	11	0.7	00.0-01.4
45-54	975	351,720	948	98.6	97.7-99.4	27	1.4	00.6-02.3
55-64	1057	258,056	1029	98.4	96.6-0100	28	1.6	00.0-03.4
65+	1581	294,247	1555	99.2	98.6-99.8	26	0.8	00.2-01.4
Less Than H.S.	293	454,913	282	97.5	94.6-0100	11	2.5	00.0-05.4
H.S. or G.E.D.	1163	532,155	1148	99.8	99.6-99.9	15	0.2	00.1-00.4
Some Post-H.S.	1329	534,254	1296	99.1	98.6-99.6	33	0.9	00.4-01.4
College Graduate	1965	632,159	1925	98.1	95.8-0100	40	1.9	00.0-04.2
Less than \$15,000	337	219,848	331	99.8	99.5-0100	6	0.2	00.0-00.5
\$15,000- 24,999	733	516,136	723	98.5	96.2-0100	10	1.5	00.0-03.8
\$25,000- 34,999	471	207,928	468	99.8	99.6-0100	3	0.2	00.0-00.4
\$35,000- 49,999	660	268,856	651	99.6	99.3-0100	9	0.4	00.0-00.7
\$50,000- 74,999	730	259,388	719	99.1	98.3-99.9	11	0.9	00.1-01.7
\$75,000+	1423	519,035	1393	97.9	95.1-0100	30	2.1	00.0-04.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 41: BODY MASS INDEX (BMI) (_BMI4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 or greater			Don't know Refused Missing		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1768	1,035,588	1760	99.8	99.7-0100	8	0.2	00.0-00.3
White/Non-Hisp	1298	393,122	1294	99.6	99.2-0100	4	0.4	00.0-00.8
Other Race	449	637,788	448	100.0	0100-0100	1	0.0	00.0-00.0
18-24	80	149,096	80	100.0	0100-0100			
25-34	119	265,857	119	100.0	0100-0100			
35-44	222	205,564	222	100.0	0100-0100			
45-54	392	176,948	390	99.6	98.9-0100	2	0.4	00.0-01.1
55-64	411	119,611	409	99.8	99.6-0100	2	0.2	00.0-00.4
65+	532	117,878	530	99.5	98.4-0100	2	0.5	00.0-01.6
Less Than H.S.	113	217,589	113	100.0	0100-0100			
H.S. or G.E.D.	425	255,240	424	100.0	0100-0100	1	0.0	00.0-00.0
Some Post-H.S.	456	267,106	454	99.5	98.9-0100	2	0.5	00.0-01.1
College Graduate	767	293,581	765	99.9	99.8-0100	2	0.1	00.0-00.2
Less than \$15,000	104	89,873	104	100.0	0100-0100			
\$15,000- 24,999	230	237,070	230	100.0	0100-0100			
\$25,000- 34,999	163	83,677	163	100.0	0100-0100			
\$35,000- 49,999	244	142,704	244	100.0	0100-0100			
\$50,000- 74,999	261	121,941	260	99.5	98.4-0100	1	0.5	00.0-01.6
\$75,000+	632	281,889	632	100.0	0100-0100			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 42: BODY MASS INDEX (BMI) (_BMI4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 or greater			Don't know Refused Missing		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2993	1,119,984	2898	97.5	95.8-99.3	95	2.5	00.7-04.2
White/Non-Hisp	2119	418,676	2055	98.3	97.6-99.0	64	1.7	01.0-02.4
Other Race	861	698,400	831	97.1	94.3-99.8	30	2.9	00.2-05.7
18-24	88	152,565	88	100.0	0100-0100			
25-34	187	267,959	182	97.5	93.1-0100	5	2.5	00.0-06.9
35-44	418	199,978	407	98.6	97.2-0100	11	1.4	00.0-02.8
45-54	583	174,772	558	97.6	96.0-99.1	25	2.4	00.9-04.0
55-64	646	138,444	620	97.1	93.7-0100	26	2.9	00.0-06.3
65+	1049	176,369	1025	99.0	98.4-99.7	24	1.0	00.3-01.6
Less Than H.S.	180	237,324	169	95.2	89.6-0100	11	4.8	00.0-10.4
H.S. or G.E.D.	738	276,916	724	99.6	99.2-99.9	14	0.4	00.1-00.8
Some Post-H.S.	873	267,148	842	98.7	97.9-99.5	31	1.3	00.5-02.1
College Graduate	1198	338,579	1160	96.6	92.3-0100	38	3.4	00.0-07.7
Less than \$15,000	233	129,975	227	99.6	99.1-0100	6	0.4	00.0-00.9
\$15,000- 24,999	503	279,066	493	97.2	92.9-0100	10	2.8	00.0-07.1
\$25,000- 34,999	308	124,251	305	99.7	99.4-0100	3	0.3	00.0-00.6
\$35,000- 49,999	416	126,152	407	99.2	98.5-99.9	9	0.8	00.1-01.5
\$50,000- 74,999	469	137,447	459	98.8	97.6-0100	10	1.2	00.0-02.4
\$75,000+	791	237,146	761	95.4	89.5-0100	30	4.6	00.0-10.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 43: THREE-CATEGORIES OF BODY MASS INDEX (BMI) (_BMI4CAT)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Neither overweight nor obese			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4658	2,126,225	1625	32.8	27.7-37.9	1728	40.3	34.7-45.9	1305	26.9	21.9-31.8
Male	1760	1,033,992	450	27.9	20.0-35.8	798	48.9	40.5-57.3	512	23.2	16.6-29.8
Female	2898	1,092,233	1175	37.4	30.6-44.3	930	32.2	24.9-39.6	793	30.3	23.2-37.5
White/Non-Hisp	3349	803,316	1309	41.8	35.6-47.9	1195	34.9	29.7-40.2	845	23.3	17.9-28.6
Other Race	1279	1,315,671	307	27.1	19.9-34.3	519	43.7	35.4-52.0	453	29.2	21.9-36.5
25-34	301	527,026							78	20.9	11.6-30.1
35-44	629	402,703							200	26.5	16.7-36.3
55-64	1029	253,818	334	16.2	11.1-21.4						
H.S. or G.E.D.	1148	530,927							319	26.5	17.1-36.0
College Graduate	1925	620,342	775	43.4	36.4-50.4	681	36.5	30.2-42.7	469	20.1	13.1-27.1
\$15,000- 24,999	723	508,279	237	23.5	13.9-33.2						
\$75,000+	1393	508,216	531	35.5	28.4-42.6	511	39.9	31.6-48.2	351	24.6	16.1-33.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS**

TABLE 44: THREE-CATEGORIES OF BODY MASS INDEX (BMI) (_BMI4CAT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Neither overweight nor obese			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1760	1,033,992	450	27.9	20.0-35.8	798	48.9	40.5-57.3	512	23.2	16.6-29.8
White/Non-Hisp	1294	391,643				586	43.1	34.5-51.6	362	19.6	14.9-24.2
18-24	80	149,096							9	5.2	01.0-09.3
55-64	409	119,407	94	13.9	07.6-20.1						
College Graduate	765	293,421	218	30.6	21.7-39.6						
\$15,000- 24,999	230	237,070							61	14.9	05.4-24.3
\$50,000- 74,999	260	121,301	56	14.4	05.3-23.4						
\$75,000+	632	281,889	164	24.3	15.8-32.9						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS**

TABLE 45: THREE-CATEGORIES OF BODY MASS INDEX (BMI) (_BMI4CAT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Neither overweight nor obese			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2898	1,092,233	1175	37.4	30.6-44.3	930	32.2	24.9-39.6	793	30.3	23.2-37.5
White/Non-Hisp	2055	411,672	963	46.0	38.6-53.4	609	27.2	20.3-34.1	483	26.8	17.9-35.7
55-64	620	134,411	240	18.3	10.0-26.6						
Some Post-H.S.	842	263,653				295	19.8	13.1-26.5			
College Graduate	1160	326,921	557	54.9	46.0-63.9	328	26.2	19.3-33.1	275	18.9	11.9-25.9
\$50,000- 74,999	459	135,796				147	19.8	11.3-28.2			
\$75,000+	761	226,327				217	23.0	15.2-30.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS**

TABLE 46: ADULTS WHO HAVE A BODY MASS INDEX GREATER THAN 25.00 (OVERWEIGHT OR OBESE) (_RFBMI4)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4658	2,126,225	1625	32.8	27.7-37.9	3033	67.2	62.1-72.3
Male	1760	1,033,992	450	27.9	20.0-35.8	1310	72.1	64.2-80.0
Female	2898	1,092,233	1175	37.4	30.6-44.3	1723	62.6	55.7-69.4
White/Non-Hisp	3349	803,316	1309	41.8	35.6-47.9	2040	58.2	52.1-64.4
Other Race	1279	1,315,671	307	27.1	19.9-34.3	972	72.9	65.7-80.1
55-64	1029	253,818	334	16.2	11.1-21.4	695	83.8	78.6-88.9
College Graduate	1925	620,342	775	43.4	36.4-50.4	1150	56.6	49.6-63.6
\$15,000- 24,999	723	508,279	237	23.5	13.9-33.2	486	76.5	66.8-86.1
\$75,000+	1393	508,216	531	35.5	28.4-42.6	862	64.5	57.4-71.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS**

TABLE 47: ADULTS WHO HAVE A BODY MASS INDEX GREATER THAN 25.00 (OVERWEIGHT OR OBESE) (_RFBMI4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	No			N	Yes	
	TOTAL	WEIGHTED		%	C.I. (95%)	%		C.I. (95%)	
Male	1760	1,033,992	450	27.9	20.0-35.8	1310	72.1	64.2-80.0	
55-64	409	119,407	94	13.9	07.6-20.1	315	86.1	79.9-92.4	
College Graduate	765	293,421	218	30.6	21.7-39.6	547	69.4	60.4-78.3	
\$50,000- 74,999	260	121,301	56	14.4	05.3-23.4	204	85.6	76.6-94.7	
\$75,000+	632	281,889	164	24.3	15.8-32.9	468	75.7	67.1-84.2	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010

CALCULATED VARIABLES 9: DEMOGRAPHICS

TABLE 48: ADULTS WHO HAVE A BODY MASS INDEX GREATER THAN 25.00 (OVERWEIGHT OR OBESE) (_RFBMI4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	No		N	Yes	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Female	2898	1,092,233	1175	37.4	30.6-44.3	1723	62.6	55.7-69.4
White/Non-Hisp	2055	411,672	963	46.0	38.6-53.4	1092	54.0	46.6-61.4
55-64	620	134,411	240	18.3	10.0-26.6	380	81.7	73.4-90.0
College Graduate	1160	326,921	557	54.9	46.0-63.9	603	45.1	36.1-54.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 49: NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No children in household			One child in household			Two children in household			Three children in household			Four children in household			Five or more children in household		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4751	2,153,464	3320	49.9	44.3-55.5	547	18.3	13.9-22.7	554	21.0	16.2-25.8	228	7.0	04.2-09.9	78	3.2	00.9-05.5	24	0.6	00.1-01.0
Male	1765	1,035,352	1249	52.4	44.0-60.8	211	18.7	12.2-25.2	198	20.1	12.9-27.4	71	6.4	02.0-10.9	27	1.8	00.2-03.3	9	0.5	00.0-01.1
Female	2986	1,118,112	2071	47.6	40.3-54.9	336	18.0	11.9-24.0	356	21.7	15.4-28.1	157	7.6	04.0-11.2	51	4.5	00.4-08.6	15	0.6	00.0-01.3
White/Non-Hisp	3409	809,698	2590	61.2	55.2-67.1	301	16.3	11.1-21.5	332	15.0	11.1-19.0	132	5.2	02.8-07.7	43	1.9	00.9-02.9	11	0.4	00.1-00.6
Other Race	1309	1,336,187	707	42.9	34.8-50.9	239	19.6	13.2-26.0	220	24.7	17.4-31.9	96	8.2	03.8-12.5	34	4.0	00.4-07.6	13	0.7	00.0-01.5
18-24	168	301,661							11	3.7	00.1-07.4	7	1.8	00.0-03.8	2	0.3	00.0-00.7			
25-34	306	533,816				56	17.5	08.3-26.7							12	8.8	00.2-17.4	6	0.8	00.0-02.2
35-44	639	405,450				121	16.9	10.3-23.4				112	12.8	07.8-17.8	44	2.7	01.5-04.0	11	0.7	00.2-01.1
45-54	967	349,707										56	2.1	01.2-03.0	17	1.4	00.0-02.8	4	1.3	00.0-03.2
55-64	1057	258,056	930	79.8	70.1-89.5	78	8.2	01.7-14.7	36	9.7	02.3-17.0	11	2.1	00.0-04.5				2	0.2	00.0-00.6
65+	1581	294,247	1521	93.3	89.4-97.1	39	3.7	01.1-06.2	10	0.9	00.0-02.0	7	0.4	00.0-00.7	3	1.8	00.0-04.3	1	0.0	00.0-00.1
Less Than H.S.	293	454,913				27	8.1	02.6-13.7				21	5.5	01.5-09.5	5	6.4	00.0-15.8	3	1.7	00.0-03.9
H.S. or G.E.D.	1162	532,149							96	20.9	11.5-30.4	39	2.8	01.1-04.5	18	2.5	00.0-05.1	9	0.4	00.1-00.7
Some Post-H.S.	1327	532,935				149	22.5	12.9-32.0	137	18.3	09.6-27.1	53	11.4	02.1-20.7	20	3.4	00.2-06.6	4	0.1	00.0-00.2
College Graduate	1959	631,380	1280	52.0	44.9-59.0	243	20.3	13.6-27.1	279	18.0	13.6-22.4	114	8.1	04.1-12.1	35	1.3	00.7-01.9	8	0.3	00.1-00.6
Less than \$15,000	337	219,848				31	7.3	01.9-12.7				10	2.8	00.0-06.4	5	1.4	00.0-03.1	7	2.3	00.0-05.6
\$15,000- 24,999	732	516,135										26	4.3	01.2-07.4	9	5.9	00.0-14.2	3	0.7	00.0-01.8
\$25,000- 34,999	471	207,928										19	2.3	00.5-04.1	8	3.1	00.0-06.5	2	0.6	00.0-01.7
\$35,000- 49,999	660	268,856							56	11.6	01.8-21.4	25	9.2	01.9-16.6	7	3.8	00.0-08.7	2	0.2	00.0-00.6
\$50,000- 74,999	730	259,388				93	17.1	09.0-25.1							15	4.3	00.0-10.0	3	0.1	00.0-00.3
\$75,000+	1420	517,490	809	39.0	31.4-46.7	203	20.7	14.5-26.8	268	27.9	19.5-36.2	103	10.6	03.9-17.4	30	1.5	00.7-02.2	7	0.4	00.1-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS**

TABLE 50: NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No children in household			One child in household			Two children in household			Three children in household			Four children in household			Five or more children in household		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1765	1,035,352	1249	52.4	44.0-60.8	211	18.7	12.2-25.2	198	20.1	12.9-27.4	71	6.4	01.9-10.9	27	1.8	00.2-03.4	9	0.5	00.0-01.1
White/Non-Hisp	1296	392,892	993	68.1	61.0-75.1	123	14.1	09.4-18.7	121	12.4	08.2-16.7	43	3.5	02.0-05.0	13	1.5	00.4-02.6	3	0.4	00.0-00.8
Other Race	449	637,788										28	8.2	01.1-15.4	14	1.9	00.0-04.4	6	0.6	00.0-01.6
18-24	80	149,096							5	5.0	00.0-11.8	2	0.5	00.0-01.6	1	0.2	00.0-00.5			
25-34	119	265,857													4	3.4	00.0-09.0	2	0.2	00.0-00.5
35-44	222	205,564				44	17.2	08.6-25.8				34	11.6	04.5-18.7	16	2.7	00.6-04.8	2	0.5	00.0-01.1
45-54	390	176,715										20	1.7	00.5-02.9	6	2.1	00.0-05.0	3	1.9	00.0-05.4
55-64	411	119,611							14	7.9	00.0-18.5	6	2.0	00.0-04.0				2	0.5	00.0-01.4
65+	532	117,878	517	97.2	95.0-99.5	8	2.3	00.2-04.5	4	0.3	00.0-00.8	3	0.1	00.0-00.3						
Less Than H.S.	113	217,589				12	8.2	00.0-16.9				4	2.3	00.0-06.6	2	1.1	00.0-03.2	1	1.4	00.0-04.2
H.S. or G.E.D.	424	255,234				51	11.5	04.8-18.2				15	4.2	00.8-07.6	6	0.8	00.0-02.0	7	0.8	00.1-01.4
Some Post-H.S.	456	267,106													9	3.9	00.0-09.5			
College Graduate	766	293,354							100	14.5	08.2-20.9	38	7.8	01.9-13.7	10	1.2	00.3-02.1	1	0.2	00.0-00.5
Less than \$15,000	104	89,873				10	3.3	00.0-07.1				3	3.4	00.0-09.7	1	0.1	00.0-00.4	3	1.0	00.0-02.4
\$15,000- 24,999	230	237,070										7	2.5	00.0-06.5	2	1.6	00.0-03.9	3	1.5	00.0-04.0
\$25,000- 34,999	163	83,677							8	3.8	00.0-10.3	4	2.1	00.0-04.7	2	0.3	00.0-00.9			
\$35,000- 49,999	244	142,704							15	5.4	01.1-09.8				2	0.2	00.0-00.7	1	0.3	00.0-01.0
\$50,000- 74,999	261	121,941				30	10.2	03.6-16.7							6	7.3	00.0-19.2	1	0.2	00.0-00.5
\$75,000+	632	281,889	373	36.0	26.2-45.8	101	24.5	14.6-34.4				35	5.2	02.5-07.9	13	1.7	00.5-02.8	1	0.2	00.0-00.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS**

TABLE 51: NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No children in household			One child in household			Two children in household			Three children in household			Four children in household			Five or more children in household		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2986	1,118,112	2071	47.6	40.3-54.9	336	18.0	11.9-24.0	356	21.7	15.4-28.1	157	7.6	04.0-11.2	51	4.5	00.4-08.6	15	0.6	00.0-01.3
White/Non-Hisp	2113	416,806	1597	54.6	46.5-62.7	178	18.4	09.5-27.3	211	17.5	11.0-23.9	89	6.9	02.4-11.3	30	2.3	00.7-03.9	8	0.4	00.1-00.7
Other Race	860	698,399				155	17.7	09.7-25.7	144	24.4	15.0-33.7	68	8.1	03.0-13.2	20	5.8	00.0-12.3	7	0.8	00.0-01.9
18-24	88	152,565							6	2.5	00.0-05.1	5	3.0	00.0-06.9	1	0.4	00.0-01.1			
25-34	187	267,959	49	13.3	05.3-21.3	41	17.4	08.6-26.1										4	1.5	00.0-04.2
35-44	417	199,886				77	16.5	06.5-26.5				78	14.0	07.0-21.0	28	2.7	01.3-04.2	9	0.9	00.2-01.6
45-54	577	172,993										36	2.5	01.2-03.8	11	0.6	00.1-01.2	1	0.7	00.0-01.9
55-64	646	138,444				39	3.1	00.9-05.3				5	2.2	00.0-06.2						
65+	1049	176,369	1004	90.6	84.3-97.0	31	4.5	00.4-08.6	6	1.2	00.0-03.2	4	0.5	00.0-01.1	3	3.0	00.0-07.2	1	0.1	00.0-00.2
Less Than H.S.	180	237,324				15	8.1	01.2-15.0				17	8.4	01.6-15.1				2	2.0	00.0-05.3
H.S. or G.E.D.	738	276,916										24	1.5	00.3-02.8	12	4.1	00.0-09.0	2	0.1	00.0-00.2
Some Post-H.S.	871	265,829				93	17.5	08.1-26.9							11	2.9	00.0-05.9	4	0.2	00.0-00.4
College Graduate	1193	338,026	755	52.6	43.6-61.6	151	16.3	11.1-21.4	179	20.9	14.9-27.0	76	8.3	02.9-13.7	25	1.4	00.7-02.2	7	0.4	00.1-00.8
Less than \$15,000	233	129,975				21	10.1	01.7-18.6				7	2.5	00.0-06.7	4	2.2	00.0-05.2	4	3.1	00.0-08.7
\$15,000- 24,999	502	279,065										19	5.8	01.0-10.6						
\$25,000- 34,999	308	124,251										15	2.4	00.0-04.9	6	4.9	00.0-10.6	2	1.0	00.0-02.8
\$35,000- 49,999	416	126,152				49	8.4	03.5-13.2				16	7.5	00.6-14.5	5	7.7	00.0-17.9	1	0.1	00.0-00.4
\$50,000- 74,999	469	137,447										22	4.2	01.6-06.7	9	1.5	00.2-02.9	2	0.1	00.0-00.4
\$75,000+	788	235,601				102	16.0	10.0-22.1	159	22.4	15.7-29.2				17	1.2	00.5-01.9	6	0.6	00.1-01.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 52: LEVEL OF EDUCATION COMPLETED (_EDUCAG)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not graduate High School			Graduated High School			Attended College or Technical School			Graduated from College or Technical School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4750	2,153,482	293	21.1	15.5-26.8	1163	24.7	19.9-29.6	1329	24.8	20.1-29.5	1965	29.4	25.1-33.6
Male	1761	1,033,515	113	21.1	12.7-29.4	425	24.7	17.7-31.7	456	25.8	18.2-33.5	767	28.4	22.1-34.7
Female	2989	1,119,966	180	21.2	13.5-28.9	738	24.7	18.1-31.4	873	23.9	18.1-29.6	1198	30.2	24.6-35.9
White/Non-Hisp	3411	811,536	119	8.0	05.2-10.9	849	25.7	19.1-32.3	919	23.9	18.6-29.3	1524	42.3	36.9-47.8
Other Race	1308	1,334,449	174	29.2	20.8-37.6	307	23.9	17.2-30.6	400	25.4	18.5-32.3	427	21.5	15.8-27.2
18-24	168	301,661	12	7.1	01.3-12.9							37	17.3	08.2-26.4
35-44	638	403,803							152	21.1	12.5-29.6			
45-54	973	351,464				181	18.5	10.3-26.7	267	22.7	13.7-31.8			
55-64	1055	258,003				240	18.7	10.6-26.8	309	18.9	11.4-26.4	458	28.9	19.3-38.5
65+	1578	294,243				515	27.2	18.4-36.1	442	16.9	11.7-22.0	482	18.8	13.3-24.2
Less Than H.S.	293	454,913	293	100.0	0100-0100									
H.S. or G.E.D.	1163	532,155				1163	100.0	0100-0100						
Some Post-H.S.	1329	534,254							1329	100.0	0100-0100			
College Graduate	1965	632,159										1965	100.0	0100-0100
Less than \$15,000	336	219,833							95	11.8	04.9-18.8	48	4.7	01.9-07.5
\$15,000- 24,999	733	516,136							237	18.9	09.4-28.5	112	9.4	02.2-16.6
\$50,000- 74,999	730	259,388	8	1.9	00.0-04.2	142	15.9	09.1-22.7				339	29.8	20.5-39.1
\$75,000+	1422	517,311	13	6.5	00.0-13.9	158	11.4	06.7-16.0	267	20.2	12.0-28.5	984	62.0	52.8-71.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 53: LEVEL OF EDUCATION COMPLETED (_EDUCAG)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not graduate High School			Graduated High School			Attended College or Technical School			Graduated from College or Technical School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1761	1,033,515	113	21.1	12.7-29.4	425	24.7	17.7-31.7	456	25.8	18.2-33.5	767	28.4	22.1-34.7
White/Non-Hisp	1295	392,863	47	9.0	04.4-13.6	289	22.7	13.4-32.0	334	27.3	17.6-37.0	625	41.1	32.9-49.3
Other Race	448	636,063				133	25.6	15.7-35.5				133	20.6	12.0-29.3
18-24	80	149,096										13	11.1	01.5-20.8
25-34	119	265,857	3	7.2	00.0-19.3									
35-44	221	203,839							48	17.6	08.4-26.9			
65+	531	117,876							136	13.4	07.7-19.0			
Less Than H.S.	113	217,589	113	100.0	0100-0100									
H.S. or G.E.D.	425	255,240				425	100.0	0100-0100						
Some Post-H.S.	456	267,106							456	100.0	0100-0100			
College Graduate	767	293,581										767	100.0	0100-0100
Less than \$15,000	104	89,873										21	5.7	00.0-11.3
\$15,000- 24,999	230	237,070										37	8.2	01.6-14.8
\$25,000- 34,999	162	83,675							40	7.9	01.2-14.7			
\$35,000- 49,999	244	142,704				73	14.6	06.1-23.1						
\$50,000- 74,999	261	121,941	4	0.5	00.0-01.2									
\$75,000+	631	280,164				83	11.2	05.7-16.7						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 54: LEVEL OF EDUCATION COMPLETED (EDUCAG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not graduate High School			Graduated High School			Attended College or Technical School			Graduated from College or Technical School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2989	1,119,966	180	21.2	13.5-28.9	738	24.7	18.1-31.4	873	23.9	18.1-29.6	1198	30.2	24.6-35.9
White/Non-Hisp	2116	418,673	72	7.2	03.7-10.6	560	28.5	19.4-37.7	585	20.8	16.6-25.0	899	43.5	36.3-50.7
Other Race	860	698,386				174	22.4	13.4-31.4	284	25.6	16.8-34.4	294	22.3	14.8-29.8
18-24	88	152,565	2	2.5	00.0-06.3									
35-44	417	199,964	20	7.2	01.5-12.9									
45-54	583	174,772				95	17.7	08.2-27.2						
55-64	645	138,443							194	17.2	08.1-26.3			
65+	1047	176,367				372	24.5	15.3-33.7	306	19.2	11.4-27.1	279	15.5	09.5-21.4
Less Than H.S.	180	237,324	180	100.0	0100-0100									
H.S. or G.E.D.	738	276,916				738	100.0	0100-0100						
Some Post-H.S.	873	267,148							873	100.0	0100-0100			
College Graduate	1198	338,579										1198	100.0	0100-0100
Less than \$15,000	232	129,960							69	12.7	04.6-20.7	27	4.0	01.1-06.9
\$15,000- 24,999	503	279,066							158	16.3	07.1-25.5			
\$35,000- 49,999	416	126,152	12	2.9	00.0-07.3									
\$50,000- 74,999	469	137,447	4	3.1	00.0-07.4	85	10.5	05.2-15.9						
\$75,000+	791	237,146				75	11.5	03.7-19.4						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 55: INCOME CATEGORIES (_INCOMG)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$15,000			\$15,000 to less than \$25,000			\$25,000 to less than \$35,000			\$35,000 to less than \$50,000			\$50,000 or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4354	1,991,192	337	11.0	06.9-15.2	733	25.9	20.2-31.6	471	10.4	06.8-14.0	660	13.5	09.9-17.1	2153	39.1	33.9-44.2
Male	1634	957,154	104	9.4	02.9-15.9	230	24.8	16.7-32.8	163	8.7	03.6-13.9	244	14.9	09.0-20.9	893	42.2	34.1-50.2
Female	2720	1,034,037	233	12.6	07.4-17.7	503	27.0	18.9-35.0	308	12.0	07.0-17.1	416	12.2	08.0-16.4	1260	36.2	29.7-42.7
White/Non-Hisp	3106	741,287	178	5.5	03.7-07.3	474	15.7	10.3-21.1	318	10.4	04.9-15.9	465	16.4	11.7-21.1	1671	52.0	46.1-57.9
Other Race	1228	1,243,182	157	14.3	07.9-20.7	254	31.8	23.4-40.2	151	10.5	05.8-15.3	190	11.8	06.8-16.8	476	31.6	24.2-38.9
18-24	143	210,725	12	4.8	01.3-08.3				10	8.8	00.0-19.9	27	13.9	05.6-22.2			
25-34	299	531,933	24	4.1	00.7-07.6				27	8.0	00.1-15.8	45	13.8	06.3-21.4			
35-44	608	386,222							46	5.8	00.1-11.5	74	10.7	04.9-16.5			
45-54	906	341,666							60	8.3	02.5-14.2						
55-64	980	241,668	83	14.3	04.9-23.6				89	13.6	05.3-21.8	126	11.4	04.9-17.9			
65+	1395	269,019				367	25.4	17.6-33.2							378	15.5	10.3-20.7
Less Than H.S.	259	417,038							41	12.0	02.2-21.8	24	6.8	00.0-14.2	21	9.2	00.0-18.7
H.S. or G.E.D.	1059	470,557	122	16.1	07.9-24.3				172	13.5	04.2-22.9	183	11.4	05.0-17.9	300	21.3	14.5-28.0
Some Post-H.S.	1214	492,112	95	5.3	02.6-08.0	237	19.9	10.4-29.3	138	10.5	03.7-17.3	236	15.4	10.0-20.9			
College Graduate	1819	609,743	48	1.7	00.9-02.5	112	7.9	02.1-13.8	119	7.0	04.0-09.9	217	18.1	10.4-25.9	1323	65.3	57.1-73.4
Less than \$15,000	337	219,848	337	100.0	0100-0100												
\$15,000- 24,999	733	516,136				733	100.0	0100-0100									
\$25,000- 34,999	471	207,928							471	100.0	0100-0100						
\$35,000- 49,999	660	268,856										660	100.0	0100-0100			
\$50,000- 74,999	730	259,388													730	100.0	0100-0100
\$75,000+	1423	519,035													1423	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 56: INCOME CATEGORIES (_INCOMG)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$15,000			\$15,000 to less than \$25,000			\$25,000 to less than \$35,000			\$35,000 to less than \$50,000			\$50,000 or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1634	957,154	104	9.4	02.8-15.9	230	24.8	16.7-32.8	163	8.7	03.6-13.9	244	14.9	09.0-20.9	893	42.2	34.1-50.3
White/Non-Hisp	1199	348,239	63	5.0	02.4-07.7	144	13.2	08.3-18.1				172	15.1	10.2-20.0	715	54.2	45.6-62.8
Other Race	423	604,713							57	6.7	01.9-11.5	68	14.8	05.9-23.8			
18-24	69	91,017	6	4.1	00.1-08.1				5	2.5	00.0-05.2						
25-34	117	265,223	7	3.8	00.0-09.4							18	10.0	01.9-18.2			
35-44	212	199,723							13	2.3	00.0-04.6	26	10.5	03.1-18.0			
45-54	367	173,399							22	2.5	00.2-04.8						
55-64	384	115,246	25	4.5	01.2-07.8							35	9.2	02.9-15.6			
65+	478	112,179	31	7.3	02.8-11.8										169	20.8	11.0-30.7
Less Than H.S.	106	207,001							16	8.2	00.0-17.1						
H.S. or G.E.D.	390	230,202	31	9.8	00.3-19.3							73	9.0	04.2-13.9			
Some Post-H.S.	426	234,793	26	4.1	00.1-08.1				40	2.8	00.8-04.8	77	13.7	06.5-20.8			
College Graduate	710	283,432	21	1.8	00.5-03.1	37	6.8	01.7-12.0	39	6.4	02.3-10.5						
Less than \$15,000	104	89,873	104	100.0	0100-0100												
\$15,000- 24,999	230	237,070				230	100.0	0100-0100									
\$25,000- 34,999	163	83,677							163	100.0	0100-0100						
\$35,000- 49,999	244	142,704										244	100.0	0100-0100			
\$50,000- 74,999	261	121,941													261	100.0	0100-0100
\$75,000+	632	281,889													632	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 9: DEMOGRAPHICS
TABLE 57: INCOME CATEGORIES (_INCOMG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$15,000			\$15,000 to less than \$25,000			\$25,000 to less than \$35,000			\$35,000 to less than \$50,000			\$50,000 or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2720	1,034,037	233	12.6	07.4-17.7	503	27.0	18.9-35.0	308	12.0	07.0-17.1	416	12.2	08.0-16.4	1260	36.2	29.7-42.7
White/Non-Hisp	1907	393,048	115	5.9	03.6-08.3	330	17.9	08.9-27.0	213	8.6	05.4-11.9	293	17.5	09.9-25.1	956	50.0	41.9-58.1
Other Race	805	638,469	117	16.6	08.4-24.7				94	14.2	06.3-22.0	122	9.0	04.5-13.4	302	27.8	18.8-36.9
18-24	74	119,708	6	5.3	00.0-10.7							13	7.1	01.1-13.1			
25-34	182	266,710	17	4.5	00.5-08.5				17	5.1	00.4-09.8						
35-44	396	186,499										48	10.9	01.8-19.9			
45-54	539	168,267	29	6.4	00.9-11.9							67	9.3	04.3-14.4			
55-64	596	126,423							52	10.5	02.6-18.3						
65+	917	156,839										169	11.2	05.2-17.3	209	11.7	06.5-17.0
Less Than H.S.	153	210,037										12	1.8	00.0-04.5	4	2.0	00.0-04.9
H.S. or G.E.D.	669	240,356							105	9.0	03.2-14.9				160	17.4	08.6-26.2
Some Post-H.S.	788	257,319	69	6.4	02.8-10.0	158	17.7	09.0-26.3				159	17.1	09.0-25.1			
College Graduate	1109	326,311	27	1.6	00.6-02.6	75	8.9	00.0-18.9	80	7.5	03.3-11.7	135	14.0	07.2-20.8			
Less than \$15,000	233	129,975	233	100.0	0100-0100												
\$15,000- 24,999	503	279,066				503	100.0	0100-0100									
\$25,000- 34,999	308	124,251							308	100.0	0100-0100						
\$35,000- 49,999	416	126,152										416	100.0	0100-0100			
\$50,000- 74,999	469	137,447													469	100.0	0100-0100
\$75,000+	791	237,146													791	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010

CALCULATED VARIABLES 10: PHYSICAL ACTIVITY CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE

ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)

1 MALES AND FEMALES

2 MALES ONLY

3 FEMALES ONLY

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 10: PHYSICAL ACTIVITY**

TABLE 1: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Had physical activity or exercise			No physical activity or exercise in last 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4718	2,130,728	3361	72.9	67.9-77.9	1357	27.1	22.1-32.1
Male	1757	1,033,591	1294	77.1	70.1-84.1	463	22.9	15.9-29.9
Female	2961	1,097,137	2067	69.0	61.9-76.0	894	31.0	24.0-38.1
White/Non-Hisp	3395	802,312	2471	78.5	75.1-81.9	924	21.5	18.1-24.9
Other Race	1289	1,320,830	864	69.6	61.9-77.3	425	30.4	22.7-38.1
18-24	168	301,661	141	88.2	79.3-97.2	27	11.8	02.8-20.7
H.S. or G.E.D.	1153	527,031	705	72.6	64.0-81.2	448	27.4	18.8-36.0
Some Post-H.S.	1317	531,465	920	72.0	62.4-81.6	397	28.0	18.4-37.6
College Graduate	1949	616,596	1576	83.4	79.3-87.6	373	16.6	12.4-20.7
\$35,000- 49,999	650	261,605	479	82.9	73.8-91.9	171	17.1	08.1-26.2
\$75,000+	1414	509,328	1136	79.9	72.7-87.1	278	20.1	12.9-27.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 10: PHYSICAL ACTIVITY**

TABLE 2: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Had physical activity or exercise			No physical activity or exercise in last 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1757	1,033,591	1294	77.1	70.1-84.1	463	22.9	15.9-29.9
White/Non-Hisp	1291	391,866	959	80.6	75.7-85.5	332	19.4	14.5-24.3
18-24	80	149,096	69	90.4	81.5-99.3	11	9.6	00.7-18.5
25-34	117	265,490	97	87.0	77.3-96.8	20	13.0	03.2-22.7
Some Post-H.S.	455	266,678	333	85.3	77.7-92.8	122	14.7	07.2-22.3
College Graduate	763	292,821	631	83.8	76.9-90.7	132	16.2	09.3-23.1
\$75,000+	627	280,746	505	87.1	81.5-92.6	122	12.9	07.4-18.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010
CALCULATED VARIABLES 10: PHYSICAL ACTIVITY**

TABLE 3: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Had physical activity or exercise			No physical activity or exercise in last 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2961	1,097,137	2067	69.0	61.9-76.0	894	31.0	24.0-38.1
White/Non-Hisp	2104	410,446	1512	76.4	71.8-81.1	592	23.6	18.9-28.2
45-54	579	169,447	436	79.1	70.5-87.6	143	20.9	12.4-29.5
College Graduate	1186	323,776	945	83.2	78.2-88.1	241	16.8	11.9-21.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CALCULATED VARIABLE DATA REPORT, 2010

End of Calculated Variable Data Report