

Suburban Cook County

2010 Core Variables Report

Communities Putting Prevention to Work using Behavioral Risk Factor Surveillance System

September 26, 2011



COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE

WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)

- 1 MALES AND FEMALES
- 2 MALES ONLY
- 3 FEMALES ONLY

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4756	2,154,699	829	19.5	15.1-24.0	1613	30.3	25.4-35.2	1521	32.2	27.0-37.3	616	14.2	09.8-18.6	177	3.8	01.9-05.7
Male	1768	1,035,588	315	22.7	15.3-30.2	581	30.7	23.4-37.9	589	33.1	25.1-41.1	229	8.9	03.8-13.9	54	4.6	01.1-08.2
Female	2988	1,119,111	514	16.6	11.7-21.4	1032	30.0	23.3-36.7	932	31.3	24.7-38.0	387	19.2	12.3-26.0	123	3.0	01.3-04.6
White/Non-Hisp	3414	811,590	631	21.7	17.7-25.7	1250	36.9	30.7-43.0	1029	31.1	25.2-36.9	387	7.9	06.1-09.8	117	2.4	01.5-03.4
Other Race	1308	1,335,523	193	18.2	11.5-25.0	355	26.1	19.3-33.0	478	33.0	25.4-40.5	225	18.1	11.2-25.0	57	4.5	01.5-07.6
18-24	168	301,661	34	11.3	05.6-17.1							12	5.7	00.0-12.2			
25-34	306	533,816													3	0.6	00.0-01.7
35-44	640	405,542	145	21.0	12.2-29.8							69	11.9	04.5-19.2	6	0.6	00.0-01.2
45-54	975	351,720				355	26.6	17.5-35.7							28	4.6	00.0-09.7
55-64	1055	257,552				368	20.0	12.8-27.1	311	27.6	17.6-37.6	154	19.5	09.9-29.2			
65+	1578	293,878	167	8.2	04.9-11.6	476	18.4	13.1-23.7				266	14.7	09.7-19.7	95	10.2	04.0-16.5
Less Than H.S.	291	454,248	20	8.6	00.0-18.2	39	13.0	03.5-22.5							30	8.4	01.2-15.6
H.S. or G.E.D.	1162	531,952	133	11.4	04.9-18.0				424	31.3	21.6-41.1	207	15.3	08.4-22.3	59	4.9	00.5-09.3
Some Post-H.S.	1329	534,254				435	24.0	16.3-31.7				183	10.2	03.6-16.9	58	2.4	00.9-04.0
College Graduate	1963	632,155	480	30.5	23.4-37.6	798	42.5	35.5-49.5	532	22.0	17.2-26.8	125	4.3	02.4-06.3	28	0.6	00.3-01.0
Less than \$15,000	336	219,345	29	6.1	00.9-11.3	46	8.7	00.1-17.4							44	11.7	02.2-21.1
\$15,000- 24,999	732	515,933													57	7.5	01.3-13.7
\$25,000- 34,999	471	207,928	49	10.0	03.2-16.8							95	9.0	04.2-13.8	17	0.7	00.2-01.2
\$35,000- 49,999	659	268,853										79	7.9	01.6-14.2	22	1.0	00.0-02.0
\$50,000- 74,999	729	259,387										61	7.3	02.8-11.8	9	0.3	00.0-00.7
\$75,000+	1423	519,035	377	28.5	21.8-35.1	597	44.2	35.7-52.7	357	20.4	15.0-25.7	81	6.7		11	0.3	00.1-00.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010**

SECTION 1: HEALTH STATUS

TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1768	1,035,588	315	22.7	15.3-30.2	581	30.7	23.4-37.9	589	33.1	25.1-41.1	229	8.9	03.8-13.9	54	4.6	01.1-08.2
White/Non-Hisp	1298	393,122	231	22.4	16.1-28.7	454	33.7	24.4-43.1	421	33.8	24.4-43.2	153	7.5	05.0-09.9	39	2.6	00.9-04.4
Other Race	449	637,788										74	9.8	01.8-17.8	13	5.9	00.3-11.5
18-24	80	149,096	21	13.8	04.4-23.1							4	2.7	00.0-06.3			
25-34	119	265,857										5	1.4	00.0-03.2			
35-44	222	205,564										24	3.8	01.1-06.4	2	0.4	00.0-01.0
45-54	392	176,948				137	15.0	06.8-23.3							7	6.9	00.0-17.0
55-64	411	119,611	75	15.7	07.1-24.2	131	16.4	09.5-23.2				57	13.0	04.2-21.8			
65+	532	117,878	61	7.7	03.7-11.7	148	19.2	10.6-27.8				95	16.2	07.4-25.0	29	8.1	00.8-15.3
Less Than H.S.	113	217,589	11	5.1	00.0-10.7												
H.S. or G.E.D.	425	255,240										77	8.9	04.1-13.6	19	8.3	00.0-17.1
Some Post-H.S.	456	267,106										52	3.0	00.8-05.2	16	0.8	00.1-01.6
College Graduate	767	293,581							216	22.6	15.8-29.5	62	6.4	02.5-10.3	10	0.5	00.0-00.9
Less than \$15,000	104	89,873	15	7.3	00.0-16.6	16	4.1	00.0-08.7									
\$15,000- 24,999	230	237,070										39	6.4	01.9-10.8			
\$25,000- 34,999	163	83,677	16	8.7	00.0-18.5							40	9.5	01.7-17.2	7	0.8	00.0-01.8
\$35,000- 49,999	244	142,704										32	6.1	01.5-10.8	5	1.2	00.0-03.1
\$50,000- 74,999	261	121,941										26	7.9	00.5-15.4	2	0.1	00.0-00.3
\$75,000+	632	281,889	162	28.6	18.8-38.4				180	20.6	13.2-27.9	44	5.2	01.3-09.0	4	0.2	00.0-00.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 1: HEALTH STATUS**

TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2988	1,119,111	514	16.6	11.7-21.4	1032	30.0	23.3-36.7	932	31.3	24.7-38.0	387	19.2	12.3-26.1	123	3.0	01.3-04.6
White/Non-Hisp	2116	418,468	400	21.1	16.1-26.2	796	39.8	31.8-47.8	608	28.5	21.6-35.4	234	8.4	05.7-11.1	78	2.2	01.4-03.1
Other Race	859	697,735	112	13.9	06.8-21.0	232	24.0	14.7-33.3	320	33.1	23.2-42.9				44	3.3	00.7-05.9
18-24	88	152,565	13	8.9	02.1-15.7												
25-34	187	267,959													3	1.3	00.0-03.3
35-44	418	199,978	101	13.9	07.3-20.6										4	0.7	00.0-01.9
45-54	583	174,772	137	17.5	10.2-24.8										21	2.2	00.4-04.0
55-64	644	137,940													29	2.9	00.8-05.1
65+	1046	176,000	106	8.6	03.7-13.5	328	17.8	11.1-24.5				171	13.7	07.8-19.5	66	11.7	02.5-20.9
Less Than H.S.	178	236,659				20	6.4	00.4-12.4							22	6.3	00.0-13.3
H.S. or G.E.D.	737	276,712	83	7.3	02.9-11.7										40	1.8	00.7-02.9
Some Post-H.S.	873	267,148	127	14.9	07.9-21.9	286	21.5	13.1-29.8							42	4.0	01.1-06.9
College Graduate	1196	338,574	295	28.8	21.2-36.4	504	46.4	37.0-55.8	316	21.5	14.8-28.1	63	2.5	01.2-03.9	18	0.8	00.3-01.3
Less than \$15,000	232	129,472	14	5.3	00.0-11.6										35	10.8	02.8-18.9
\$15,000- 24,999	502	278,863													36	2.6	00.8-04.5
\$25,000- 34,999	308	124,251	33	10.8	01.6-20.0							55	8.7	02.5-14.9	10	0.7	00.1-01.2
\$35,000- 49,999	415	126,149													17	0.7	00.2-01.3
\$50,000- 74,999	468	137,446										35	6.7	01.3-12.2	7	0.5	00.0-01.3
\$75,000+	791	237,146	215	28.3	19.7-36.8				177	20.1	12.3-28.0				7	0.4	00.0-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 2: HEALTH CARE ACCESS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE

	DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE? (HLTHPLAN)
1	MALES AND FEMALES
2	MALES ONLY
3	FEMALES ONLY
	DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
4	MALES AND FEMALES
5	MALES ONLY
6	FEMALES ONLY
	WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
7	MALES AND FEMALES
8	MALES ONLY
9	FEMALES ONLY
	ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)
10	MALES AND FEMALES
11	MALES ONLY
12	FEMALES ONLY

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 2: HEALTH CARE ACCESS**

**TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE?
(HLTHPLAN)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4753	2,154,605	4294	77.8	72.5-83.0	459	22.2	17.0-27.5	
Male	1764	1,035,275	1561	77.8	70.2-85.3	203	22.2	14.7-29.8	
Female	2989	1,119,330	2733	77.8	70.5-85.1	256	22.2	14.9-29.5	
White/Non-Hisp	3411	810,943	3199	87.9	82.7-93.2	212	12.1	06.8-17.3	
Other Race	1308	1,336,076	1067	71.6	63.8-79.3	241	28.4	20.7-36.2	
55-64	1055	257,829	930	85.5	79.6-91.4	125	14.5	08.6-20.4	
65+	1579	293,837	1546	98.7	97.9-99.5	33	1.3	00.5-02.1	
Some Post-H.S.	1326	533,931	1204	79.2	70.2-88.1	122	20.8	11.9-29.8	
College Graduate	1964	632,073	1853	89.8	83.9-95.7	111	10.2	04.3-16.1	
\$50,000- 74,999	730	259,388	685	92.5	86.3-98.7	45	7.5	01.3-13.7	
\$75,000+	1421	518,808	1377	91.1	84.1-98.2	44	8.9	01.8-15.9	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 2: HEALTH CARE ACCESS**

**TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE?
(HLTHPLAN)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1764	1,035,275	1561	77.8	70.2-85.3	203	22.2	14.7-29.8	
White/Non-Hisp	1295	392,834	1193	89.4	85.2-93.5	102	10.6	06.5-14.8	
55-64	410	119,471	369	86.4	78.7-94.1	41	13.6	05.9-21.3	
65+	532	117,878	517	98.2	96.5-99.9	15	1.8	00.1-03.5	
College Graduate	767	293,581	714	90.2	85.4-95.0	53	9.8	05.0-14.6	
\$25,000- 34,999	163	83,677	141	89.6	80.0-99.1	22	10.4	00.9-20.0	
\$75,000+	631	281,749	610	92.0	84.6-99.4	21	8.0	00.6-15.4	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 2: HEALTH CARE ACCESS**

**TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE?
(HLTHPLAN)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2989	1,119,330	2733	77.8	70.5-85.1	256	22.2	14.9-29.5	
White/Non-Hisp	2116	418,109	2006	86.6	77.4-95.8	110	13.4	04.2-22.6	
45-54	582	174,614	526	88.3	81.3-95.2	56	11.7	04.8-18.7	
55-64	645	138,358	561	84.8	76.0-93.5	84	15.2	06.5-24.0	
65+	1047	175,959	1029	99.0	98.4-99.7	18	1.0	00.3-01.6	
\$50,000- 74,999	469	137,447	445	95.3	90.8-99.8	24	4.7	00.2-09.2	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 2: HEALTH CARE ACCESS**

**TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4755	2,155,092	4058	75.0	69.4-80.6	273	6.9	03.1-10.7	424	18.1	13.2-23.0
Male	1766	1,035,432	1441	69.3	60.5-78.2	100	9.0	02.2-15.7	225	21.7	14.0-29.5
Female	2989	1,119,660	2617	80.3	73.5-87.0	173	5.0	01.2-08.8	199	14.7	08.6-20.8
White/Non-Hisp	3414	811,355	2933	76.1	68.7-83.4	223	10.9	04.1-17.6	258	13.1	08.0-18.2
Other Race	1307	1,336,151	1096	74.3	66.5-82.2	49	4.5	00.1-09.0	162	21.1	13.9-28.4
18-24	168	301,661							33	8.4	03.8-12.9
25-34	306	533,816				7	0.6	00.0-01.3			
35-44	638	405,237				28	1.7	00.6-02.8			
45-54	972	351,550							87	5.1	02.6-07.7
55-64	1057	258,056	927	83.9	75.7-92.2	46	2.2	00.9-03.6	84	13.8	05.7-21.9
65+	1580	294,242	1403	85.4	75.9-94.8	124	11.5	02.1-20.9	53	3.1	01.0-05.2
H.S. or G.E.D.	1160	531,850				78	7.2	00.0-14.6	124	19.7	09.9-29.5
Some Post-H.S.	1328	534,249				83	7.8	00.0-15.8			
College Graduate	1964	632,008	1717	85.1	79.4-90.8	98	2.5	01.6-03.4	149	12.5	06.7-18.2
\$15,000- 24,999	730	516,099				58	7.5	00.0-15.2			
\$25,000- 34,999	471	207,928				22	1.1	00.3-01.9			
\$35,000- 49,999	659	268,570				46	8.4	00.0-18.7	51	17.8	08.5-27.1
\$50,000- 74,999	730	259,388				34	3.9	00.0-09.0			
\$75,000+	1422	518,884	1267	85.9	78.9-92.8	61	2.1	01.1-03.1	94	12.0	05.0-19.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 2: HEALTH CARE ACCESS**

TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1766	1,035,432	1441	69.3	60.5-78.2	100	9.0	02.2-15.7	225	21.7	14.0-29.5
White/Non-Hisp	1297	392,970							140	18.8	09.3-28.4
Other Race	448	637,783				17	7.6	00.0-16.4			
18-24	80	149,096							20	10.1	03.1-17.2
25-34	119	265,857				2	0.5	00.0-01.4			
35-44	222	205,564				8	1.7	00.0-03.5			
45-54	390	176,791							53	6.1	01.9-10.3
55-64	411	119,611	364	86.1	78.2-94.0	14	2.7	00.3-05.1	33	11.2	03.9-18.5
65+	532	117,878							21	2.0	00.0-04.0
H.S. or G.E.D.	424	255,235				27	3.5	01.0-06.0			
College Graduate	766	293,430	650	83.6	77.7-89.5	35	1.9	00.9-02.9	81	14.5	08.8-20.3
\$15,000- 24,999	230	237,070				25	5.3	01.3-09.4			
\$25,000- 34,999	163	83,677				7	1.4	00.0-03.0			
\$50,000- 74,999	261	121,941				12	0.7	00.1-01.3			
\$75,000+	631	281,738	551	86.6	79.1-94.1	22	1.1	00.4-01.8	58	12.3	04.8-19.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 2: HEALTH CARE ACCESS**

TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2989	1,119,660	2617	80.3	73.5-87.0	173	5.0	01.2-08.8	199	14.7	08.6-20.8
White/Non-Hisp	2117	418,385	1859	81.9	73.2-90.5	140	10.5	01.5-19.4	118	7.7	04.8-10.6
Other Race	859	698,368	748	79.4	69.9-88.9	32	1.7	00.0-03.7	79	18.8	09.4-28.2
18-24	88	152,565							13	6.6	00.9-12.3
25-34	187	267,959				5	0.8	00.0-01.7			
35-44	416	199,673				20	1.6	00.2-03.0			
45-54	582	174,758	509	87.7	79.5-95.9	39	8.2	00.5-15.8	34	4.1	01.0-07.2
55-64	646	138,444				32	1.8	00.5-03.2			
65+	1048	176,364	947	92.0	87.8-96.2	69	4.1	01.9-06.4	32	3.9	00.6-07.1
Less Than H.S.	179	237,305				4	0.9	00.0-02.1			
H.S. or G.E.D.	736	276,616							57	11.6	04.0-19.1
Some Post-H.S.	872	267,143				55	5.4	00.3-10.4			
College Graduate	1198	338,579	1067	86.4	76.8-95.9	63	3.0	01.5-04.4	68	10.7	01.0-20.3
Less than \$15,000	233	129,975				16	3.6	00.0-07.9			
\$25,000- 34,999	308	124,251	273	92.0	85.4-98.7	15	0.9	00.0-01.8	20	7.1	00.6-13.5
\$35,000- 49,999	415	125,866				28	3.1	01.1-05.1			
\$50,000- 74,999	469	137,447				22	6.7	00.0-16.0	29	11.1	02.1-20.1
\$75,000+	791	237,146				39	3.3	01.3-05.3			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 2: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
TOTAL	4757	2,149,040	448	15.1	10.6-19.5	4309	84.9	80.5-89.4
Male	1766	1,035,297	144	13.6	07.0-20.2	1622	86.4	79.8-93.0
Female	2991	1,113,743	304	16.4	10.4-22.4	2687	83.6	77.6-89.6
White/Non-Hisp	3414	805,520	250	12.6	07.3-17.9	3164	87.4	82.1-92.7
Other Race	1310	1,336,188	190	16.5	10.1-22.9	1120	83.5	77.1-89.9
25-34	305	527,830	41	14.9	05.5-24.3	264	85.1	75.7-94.5
35-44	640	405,542	91	17.5	08.4-26.7	549	82.5	73.3-91.6
55-64	1056	257,801	118	13.1	07.6-18.6	938	86.9	81.4-92.4
65+	1579	293,956	54	3.8	01.7-06.0	1525	96.2	94.0-98.3
Some Post-H.S.	1329	534,254	142	14.8	06.8-22.8	1187	85.2	77.2-93.2
College Graduate	1963	625,911	115	6.2	03.4-09.0	1848	93.8	91.0-96.6
\$35,000- 49,999	658	262,608	44	10.6	03.2-17.9	614	89.4	82.1-96.8
\$50,000- 74,999	730	259,388	58	5.1	02.1-08.2	672	94.9	91.8-97.9
\$75,000+	1423	519,035	45	9.5	01.7-17.2	1378	90.5	82.8-98.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 2: HEALTH CARE ACCESS

TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)	
Male	1766	1,035,297	144	13.6	07.0-20.2		1622	86.4	79.8-93.0	
White/Non-Hisp	1296	392,831	75	7.4	04.0-10.9		1221	92.6	89.1-96.0	
25-34	119	265,857	14	7.0	00.0-15.4		105	93.0	84.6-0100	
55-64	411	119,611	38	10.8	04.4-17.1		373	89.2	82.9-95.6	
65+	530	117,587	14	2.7	00.5-04.8		516	97.3	95.2-99.5	
Some Post-H.S.	456	267,106	40	9.9	01.0-18.7		416	90.1	81.3-99.0	
College Graduate	766	293,319	39	4.6	02.1-07.1		727	95.4	92.9-97.9	
\$25,000- 34,999	163	83,677	17	4.7	00.4-09.0		146	95.3	91.0-99.6	
\$35,000- 49,999	243	142,442	19	5.9	00.0-12.1		224	94.1	87.9-0100	
\$50,000- 74,999	261	121,941	15	2.4	00.1-04.8		246	97.6	95.2-99.9	
\$75,000+	632	281,889	17	9.1	00.0-18.8		615	90.9	81.2-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010**

SECTION 2: HEALTH CARE ACCESS

TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)	
Female	2991	1,113,743	304	16.4	10.4-22.4		2687	83.6	77.6-89.6	
White/Non-Hisp	2118	412,690	175	17.5	08.3-26.7		1943	82.5	73.3-91.7	
Other Race	861	698,400	124	15.6	07.8-23.5		737	84.4	76.5-92.2	
45-54	583	174,772	81	13.5	05.8-21.1		502	86.5	78.9-94.2	
55-64	645	138,190	80	15.1	06.2-23.9		565	84.9	76.1-93.8	
65+	1049	176,369	40	4.6	01.4-07.9		1009	95.4	92.1-98.6	
College Graduate	1197	332,592	76	7.6	02.9-12.3		1121	92.4	87.7-97.1	
\$50,000- 74,999	469	137,447	43	7.5	02.3-12.8		426	92.5	87.2-97.7	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 2: HEALTH CARE ACCESS**

TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within past year (anytime less than 12 months ago)			Within past 2 years (1 year but less than 2 years ago)			Within past 5 years (2 years but less than 5 years ago)			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4731	2,140,519	3503	72.5	67.5-77.4	616	11.9	08.9-14.9	320	7.6	04.7-10.6	260	5.7	03.0-08.4	32	2.3	00.0-04.7
Male	1759	1,028,740	1250	74.4	67.7-81.1	222	9.6	05.8-13.5	138	8.5	04.3-12.6	134	7.1	02.7-11.4	15	0.5	00.0-01.0
Female	2972	1,111,779	2253	70.7	63.6-77.8	394	14.0	09.4-18.6	182	6.9	02.7-11.0	126	4.5	01.3-07.7	17	3.9	00.0-08.5
White/Non-Hisp	3398	806,643	2464	63.2	56.8-69.6	447	13.4	10.8-16.0	250	12.7	07.5-17.8	216	8.6	03.5-13.6	21	2.2	00.0-05.6
Other Race	1300	1,326,296	1016	78.1	71.4-84.7	163	11.0	06.3-15.6	69	4.6	01.2-08.0	41	4.0	01.1-07.0	11	2.3	00.0-05.6
18-24	166	293,678				29	8.6	04.0-13.1				9	1.4	00.1-02.6	2	0.9	00.0-02.5
25-34	306	533,816				59	15.9	07.1-24.7	31	3.6	01.5-05.7	27	13.2	03.4-23.0	6	7.6	00.0-16.8
35-44	635	404,882				109	14.9	06.4-23.4	82	15.1	06.3-23.9	43	4.1	02.0-06.2	7	0.6	00.0-01.3
45-54	970	350,410	650	80.2	73.5-86.9	145	11.5	06.6-16.4	92	4.4	02.6-06.2	79	3.6	01.8-05.5	4	0.3	00.0-00.8
55-64	1053	254,818	779	80.3	73.3-87.2	144	9.1	04.8-13.3	60	5.1	02.3-07.9	65	5.4	01.9-08.8	5	0.2	00.0-00.6
65+	1567	292,384	1356	89.5	85.3-93.6	128	7.0	03.5-10.6	38	1.3	00.6-02.0	37	1.8	00.4-03.2	8	0.4	00.0-00.8
Less Than H.S.	290	451,845				19	6.8	00.0-14.3	17	1.0	00.0-02.2	12	1.4	00.0-02.9	3	5.3	00.0-14.7
H.S. or G.E.D.	1157	529,261				132	7.6	04.5-10.8				72	9.3	01.3-17.3	7	2.9	00.0-07.9
Some Post-H.S.	1319	527,085	990	75.4	66.5-84.2	177	11.7	05.5-17.9	79	4.7	02.2-07.3	66	7.4	00.8-14.1	7	0.7	00.0-01.6
College Graduate	1954	630,237	1389	67.1	60.7-73.5	286	19.3	13.2-25.4	154	8.3	05.6-11.0	110	4.4	02.8-06.0	15	0.9	00.0-01.8
Less than \$15,000	332	213,960	252	87.2	79.6-94.7	35	7.9	01.9-14.0	20	3.0	00.3-05.7	24	1.9	00.1-03.7	1	0.0	00.0-00.0
\$15,000- 24,999	728	514,639				90	13.0	03.9-22.2				33	3.8	00.4-07.2	8	4.9	00.0-13.2
\$25,000- 34,999	465	207,387				51	7.0	02.4-11.6	26	4.7	00.9-08.4				3	0.2	00.0-00.4
\$35,000- 49,999	656	267,919				72	9.5	04.2-14.7	35	5.2	00.8-09.6	32	6.8	01.3-12.3	4	5.4	00.0-15.2
\$50,000- 74,999	728	259,325							55	5.6	02.5-08.7	43	4.1	01.6-06.6	5	0.4	00.0-00.8
\$75,000+	1417	512,940	995	69.2	61.9-76.4	211	13.9	10.0-17.9	120	8.0	05.2-10.9	85	7.9	01.7-14.2	6	1.0	00.0-02.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 2: HEALTH CARE ACCESS**

TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within past year (anytime less than 12 months ago)			Within past 2 years (1 year but less than 2 years ago)			Within past 5 years (2 years but less than 5 years ago)			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1759	1,028,740	1250	74.4	67.6-81.1	222	9.6	05.8-13.5	138	8.5	04.3-12.6	134	7.1	02.7-11.4	15	0.5	00.0-01.0
White/Non-Hisp	1292	391,842	907	62.0	52.6-71.3	159	12.7	08.7-16.7	106	12.5	07.9-17.2	111	12.5	02.7-22.2	9	0.4	00.0-00.7
Other Race	447	632,226	331	82.0	73.4-90.5	59	7.8	02.1-13.5	31	6.0	00.0-12.0	20	3.7	00.7-06.8	6	0.6	00.0-01.3
18-24	79	143,586				11	5.9	01.2-10.7				7	1.6	00.0-03.5	2	1.9	00.0-05.2
25-34	119	265,857							16	4.3	01.0-07.7				2	0.2	00.0-00.4
35-44	221	205,513				32	8.5	03.9-13.1				27	5.8	02.2-09.4	2	0.2	00.0-00.5
45-54	389	175,756	248	84.1	75.7-92.5	56	6.4	02.3-10.5	45	5.0	01.9-08.1	37	4.4	01.1-07.8	3	0.1	00.0-00.1
55-64	411	119,611	296	78.1	68.1-88.1	58	8.4	03.0-13.8	27	7.0	01.8-12.3	27	6.0	01.0-11.0	3	0.5	00.0-01.2
65+	528	117,782	456	90.6	85.9-95.3	38	5.6	02.3-08.9	11	0.9	00.1-01.8	20	2.2	00.0-04.4	3	0.7	00.0-01.7
Less Than H.S.	113	217,589							9	1.4	00.0-03.6	7	1.0	00.0-02.1	1	0.2	00.0-00.5
H.S. or G.E.D.	423	255,187				42	4.6	01.8-07.5							4	0.4	00.0-00.9
Some Post-H.S.	452	260,334	334	80.3	70.5-90.0	48	5.1	01.9-08.3	33	6.5	01.6-11.4	33	7.0	00.5-13.6	4	1.1	00.0-02.9
College Graduate	764	293,557	512	65.0	56.1-73.8	120	17.3	11.0-23.6	70	11.6	06.6-16.6	56	6.0	03.2-08.7	6	0.2	00.0-00.5
Less than \$15,000	103	89,871	70	91.0	81.8-0100	11	4.9	00.0-11.9	8	2.0	00.0-04.3	13	2.1	00.0-04.8	1	0.0	00.0-00.1
\$15,000- 24,999	227	235,780										16	6.3	00.0-13.2	3	0.4	00.0-01.0
\$25,000- 34,999	163	83,677				9	6.7	00.0-14.1	12	6.8	00.0-14.9				3	0.4	00.0-01.0
\$35,000- 49,999	243	142,693				26	9.9	02.1-17.7	19	7.8	00.0-15.9	14	4.7	00.1-09.2	3	0.4	00.0-01.0
\$50,000- 74,999	261	121,941	183	81.6	71.8-91.5	38	8.3	02.7-14.0	18	4.6	00.9-08.3	19	4.8	00.6-09.0	3	0.6	00.0-01.5
\$75,000+	629	276,350	427	71.3	62.7-79.8	92	12.5	07.1-17.9	59	9.9	05.2-14.6	51	6.3	02.4-10.2			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 2: HEALTH CARE ACCESS**

TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within past year (anytime less than 12 months ago)			Within past 2 years (1 year but less than 2 years ago)			Within past 5 years (2 years but less than 5 years ago)			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2972	1,111,779	2253	70.7	63.6-77.8	394	14.0	09.4-18.6	182	6.9	02.7-11.0	126	4.5	01.3-07.7	17	3.9	00.0-08.5
White/Non-Hisp	2106	414,802	1557	64.4	55.6-73.1	288	14.0	10.7-17.4	144	12.8	03.8-21.7	105	4.9	02.5-07.3	12	4.0	00.0-10.3
Other Race	853	694,070	685	74.5	64.7-84.4	104	13.9	06.8-21.0	38	3.4	00.0-06.8	21	4.3	00.0-09.2	5	3.9	00.0-10.1
18-24	87	150,092				18	11.1	03.2-19.0				2	1.1	00.0-02.8			
25-34	187	267,959							15	2.9	00.4-05.4						
35-44	414	199,369							50	10.3	02.6-18.0	16	2.3	00.0-04.7	5	1.1	00.0-02.4
45-54	581	174,653	402	76.2	66.8-85.6	89	16.6	08.5-24.7	47	3.8	01.8-05.9	42	2.8	00.9-04.8	1	0.5	00.0-01.6
55-64	642	135,206	483	82.2	72.7-91.6	86	9.7	03.2-16.1	33	3.3	00.9-05.8	38	4.8	00.1-09.6	2	0.1	00.0-00.1
65+	1039	174,602	900	88.7	82.5-94.9	90	8.0	02.5-13.5	27	1.6	00.6-02.6	17	1.5	00.0-03.3	5	0.2	00.0-00.5
Less Than H.S.	177	234,256				9	3.3	00.0-06.6	8	0.7	00.0-01.7	5	1.9	00.0-04.5			
H.S. or G.E.D.	734	274,075				90	10.4	04.8-16.1				34	5.3	00.2-10.4	3	5.1	00.0-14.7
Some Post-H.S.	867	266,751							46	3.1	01.4-04.7	33	7.9	00.0-19.2	3	0.3	00.0-00.9
College Graduate	1190	336,680	877	69.0	59.5-78.5	166	21.1	11.3-30.8	84	5.4	02.9-08.0	54	3.0	01.2-04.8	9	1.5	00.0-03.3
Less than \$15,000	229	124,088				24	10.2	01.3-19.0	12	3.7	00.0-08.1	11	1.8	00.0-04.3			
\$15,000- 24,999	501	278,859										17	1.7	00.0-03.9			
\$25,000- 34,999	302	123,710	233	88.7	81.3-96.1	42	7.2	01.2-13.1	14	3.2	00.0-06.4	13	0.9	00.0-01.8			
\$35,000- 49,999	413	125,226				46	9.0	02.1-15.8	16	2.3	00.2-04.4	18	9.2	00.0-19.5			
\$50,000- 74,999	467	137,384							37	6.5	01.7-11.3	24	3.5	00.6-06.5	2	0.1	00.0-00.3
\$75,000+	788	236,591				119	15.6	09.8-21.4	61	5.9	02.9-08.8				6	2.1	00.0-04.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 3: CARDIOVASCULAR DISEASE PREVALENCE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE

HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)

- 1 MALES AND FEMALES
- 2 MALES ONLY
- 3 FEMALES ONLY

(EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

- 4 MALES AND FEMALES
- 5 MALES ONLY
- 6 FEMALES ONLY

(EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)

- 7 MALES AND FEMALES
- 8 MALES ONLY
- 9 FEMALES ONLY

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 3: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4744	2,151,875	252	3.0	01.5-04.5	4492	97.0	95.5-98.5	
Male	1760	1,033,867	125	3.9	01.0-06.9	1635	96.1	93.1-99.0	
Female	2984	1,118,008	127	2.1	01.2-03.0	2857	97.9	97.0-98.8	
White/Non-Hisp	3402	808,410	203	4.2	02.9-05.6	3199	95.8	94.4-97.1	
Other Race	1308	1,335,878	47	2.1	00.0-04.4	1261	97.9	95.6-0100	
18-24	168	301,661	1	0.3	00.0-00.9	167	99.7	99.1-0100	
25-34	305	532,949				305	100.0	0100-0100	
35-44	639	405,506	4	1.0	00.0-02.4	635	99.0	97.6-0100	
45-54	973	350,456	19	1.5	00.4-02.5	954	98.5	97.5-99.6	
55-64	1055	257,967	54	5.1	01.8-08.4	1001	94.9	91.6-98.2	
65+	1571	292,908	174	13.8	04.2-23.4	1397	86.2	76.6-95.8	
Less Than H.S.	293	454,913	35	7.7	00.8-14.6	258	92.3	85.4-99.2	
H.S. or G.E.D.	1156	530,041	72	2.2	00.9-03.5	1084	97.8	96.5-99.1	
Some Post-H.S.	1323	533,691	80	1.3	00.7-01.9	1243	98.7	98.1-99.3	
College Graduate	1961	631,140	65	1.6	01.0-02.2	1896	98.4	97.8-99.0	
Less than \$15,000	336	218,858	23	4.4	00.8-08.0	313	95.6	92.0-99.2	
\$15,000- 24,999	729	515,066	68	3.1	01.2-05.1	661	96.9	94.9-98.8	
\$25,000- 34,999	471	207,928	33	3.0	00.8-05.3	438	97.0	94.7-99.2	
\$35,000- 49,999	658	268,749	29	7.5	00.0-18.0	629	92.5	82.0-0100	
\$50,000- 74,999	729	259,352	39	1.5	00.7-02.4	690	98.5	97.6-99.3	
\$75,000+	1420	518,129	28	1.0	00.3-01.6	1392	99.0	98.4-99.7	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 3: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)	
Male	1760	1,033,867	125	3.9	01.0-06.9		1635	96.1	93.1-99.0	
White/Non-Hisp	1291	391,436	108	4.8	03.0-06.7		1183	95.2	93.3-97.0	
Other Race	448	637,752	16	3.4	00.0-08.1		432	96.6	91.9-0100	
18-24	80	149,096	1	0.6	00.0-01.9		79	99.4	98.1-0100	
25-34	118	264,990					118	100.0	0100-0100	
35-44	221	205,528	2	0.7	00.0-02.1		219	99.3	97.9-0100	
45-54	392	176,948	9	1.4	00.0-02.8		383	98.6	97.2-0100	
55-64	410	119,562	29	3.7	00.9-06.4		381	96.3	93.6-99.1	
H.S. or G.E.D.	423	254,663	31	2.2	00.6-03.8		392	97.8	96.2-99.4	
Some Post-H.S.	453	266,942	39	1.4	00.5-02.3		414	98.6	97.7-99.5	
College Graduate	764	292,601	42	2.5	01.3-03.7		722	97.5	96.3-98.7	
Less than \$15,000	104	89,873	7	2.2	00.0-04.6		97	97.8	95.4-0100	
\$15,000- 24,999	229	236,529	31	4.8	00.7-08.9		198	95.2	91.1-99.3	
\$25,000- 34,999	163	83,677	17	3.8	00.0-08.0		146	96.2	92.0-0100	
\$50,000- 74,999	260	121,905	28	2.6	00.7-04.5		232	97.4	95.5-99.3	
\$75,000+	631	281,022	16	1.4	00.3-02.6		615	98.6	97.4-99.7	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 3: CARDIOVASCULAR DISEASE PREVALENCE

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)	
Female	2984	1,118,008	127	2.1	01.2-03.0		2857	97.9	97.0-98.8	
White/Non-Hisp	2111	416,974	95	3.7	01.7-05.6		2016	96.3	94.4-98.3	
Other Race	860	698,126	31	1.0	00.2-01.8		829	99.0	98.2-99.8	
18-24	88	152,565					88	100.0	0100-0100	
25-34	187	267,959					187	100.0	0100-0100	
35-44	418	199,978	2	1.3	00.0-03.7		416	98.7	96.3-0100	
45-54	581	173,508	10	1.5	00.0-03.0		571	98.5	97.0-0100	
55-64	645	138,405	25	6.4	00.6-12.1		620	93.6	87.9-99.4	
65+	1043	175,696	90	5.2	02.8-07.6		953	94.8	92.4-97.2	
Less Than H.S.	180	237,324	22	4.7	00.9-08.5		158	95.3	91.5-99.1	
H.S. or G.E.D.	733	275,378	41	2.2	00.3-04.1		692	97.8	95.9-99.7	
Some Post-H.S.	870	266,749	41	1.2	00.4-02.1		829	98.8	97.9-99.6	
College Graduate	1197	338,539	23	0.8	00.2-01.4		1174	99.2	98.6-99.8	
Less than \$15,000	232	128,985	16	6.0	00.2-11.7		216	94.0	88.3-99.8	
\$15,000- 24,999	500	278,537	37	1.8	00.6-02.9		463	98.2	97.1-99.4	
\$25,000- 34,999	308	124,251	16	2.5	00.1-04.9		292	97.5	95.1-99.9	
\$35,000- 49,999	416	126,152	17	3.4	00.0-07.9		399	96.6	92.1-0100	
\$50,000- 74,999	469	137,447	11	0.6	00.1-01.1		458	99.4	98.9-99.9	
\$75,000+	789	237,107	12	0.5	00.1-00.8		777	99.5	99.2-99.9	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 3: CARDIOVASCULAR DISEASE PREVALENCE**

TABLE 4: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)	
TOTAL	4737	2,150,185	258	3.1	01.5-04.8		4479	96.9	95.2-98.5	
Male	1754	1,031,201	114	3.4	00.5-06.3		1640	96.6	93.7-99.5	
Female	2983	1,118,984	144	2.9	01.2-04.6		2839	97.1	95.4-98.8	
White/Non-Hisp	3397	807,180	209	3.3	02.3-04.3		3188	96.7	95.7-97.7	
Other Race	1306	1,335,419	46	3.0	00.4-05.6		1260	97.0	94.4-99.6	
18-24	166	300,892					166	100.0	0100-0100	
25-34	306	533,816					306	100.0	0100-0100	
35-44	638	405,247	4	2.3	00.0-06.2		634	97.7	93.8-0100	
45-54	974	351,184	18	0.9	00.3-01.6		956	99.1	98.4-99.7	
55-64	1054	257,982	52	3.4	00.8-05.9		1002	96.6	94.1-99.2	
65+	1565	290,534	181	15.8	06.0-25.7		1384	84.2	74.3-94.0	
Less Than H.S.	287	452,819	25	6.8	00.0-13.6		262	93.2	86.4-0100	
H.S. or G.E.D.	1156	530,713	72	1.8	00.5-03.2		1084	98.2	96.8-99.5	
Some Post-H.S.	1325	533,410	80	3.2	00.2-06.3		1245	96.8	93.7-99.8	
College Graduate	1958	631,154	80	1.5	00.9-02.1		1878	98.5	97.9-99.1	
Less than \$15,000	335	219,828	22	2.2	00.6-03.8		313	97.8	96.2-99.4	
\$15,000- 24,999	727	514,725	64	3.3	01.0-05.6		663	96.7	94.4-99.0	
\$25,000- 34,999	467	206,169	35	2.9	00.4-05.5		432	97.1	94.5-99.6	
\$50,000- 74,999	729	259,376	37	1.4	00.6-02.3		692	98.6	97.7-99.4	
\$75,000+	1420	518,484	35	0.8	00.3-01.3		1385	99.2	98.7-99.7	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 3: CARDIOVASCULAR DISEASE PREVALENCE**

TABLE 5: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)	
Male	1754	1,031,201	114	3.4	00.5-06.3		1640	96.6	93.7-99.5	
White/Non-Hisp	1287	389,342	98	3.4	02.1-04.6		1189	96.6	95.4-97.9	
Other Race	446	637,181	15	3.4	00.0-08.1		431	96.6	91.9-0100	
18-24	78	148,327					78	100.0	0100-0100	
25-34	119	265,857					119	100.0	0100-0100	
35-44	221	205,555	2	0.4	00.0-01.1		219	99.6	98.9-0100	
45-54	391	176,412	11	1.3	00.1-02.5		380	98.7	97.5-99.9	
55-64	409	119,544	26	2.4	00.5-04.4		383	97.6	95.6-99.5	
H.S. or G.E.D.	422	254,363	19	0.6	00.2-01.1		403	99.4	98.9-99.8	
Some Post-H.S.	454	266,383	38	2.1	00.8-03.3		416	97.9	96.7-99.2	
College Graduate	762	292,713	46	2.3	01.1-03.5		716	97.7	96.5-98.9	
Less than \$15,000	104	89,873	4	1.9	00.0-04.5		100	98.1	95.5-0100	
\$15,000- 24,999	226	235,914	22	3.2	00.0-06.8		204	96.8	93.2-0100	
\$25,000- 34,999	161	81,927	17	2.7	00.0-05.4		144	97.3	94.6-0100	
\$50,000- 74,999	260	121,928	23	2.4	00.6-04.1		237	97.6	95.9-99.4	
\$75,000+	630	281,469	23	1.2	00.3-02.1		607	98.8	97.9-99.7	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 3: CARDIOVASCULAR DISEASE PREVALENCE**

TABLE 6: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)	
Female	2983	1,118,984	144	2.9	01.2-04.6		2839	97.1	95.4-98.8	
White/Non-Hisp	2110	417,838	111	3.2	01.6-04.8		1999	96.8	95.2-98.4	
Other Race	860	698,238	31	2.6	00.0-05.2		829	97.4	94.8-0100	
18-24	88	152,565					88	100.0	0100-0100	
25-34	187	267,959					187	100.0	0100-0100	
35-44	417	199,691	2	4.2	00.0-12.0		415	95.8	88.0-0100	
45-54	583	174,772	7	0.6	00.0-01.1		576	99.4	98.9-0100	
55-64	645	138,438	26	4.1	00.0-08.6		619	95.9	91.4-0100	
65+	1041	175,662	107	9.7	04.2-15.2		934	90.3	84.8-95.8	
Less Than H.S.	178	237,149	15	4.0	00.5-07.5		163	96.0	92.5-99.5	
H.S. or G.E.D.	734	276,350	53	2.9	00.3-05.5		681	97.1	94.5-99.7	
Some Post-H.S.	871	267,027	42	4.4	00.0-10.4		829	95.6	89.6-0100	
College Graduate	1196	338,441	34	0.9	00.4-01.3		1162	99.1	98.7-99.6	
Less than \$15,000	231	129,955	18	2.3	00.3-04.3		213	97.7	95.7-99.7	
\$15,000- 24,999	501	278,811	42	3.4	00.6-06.2		459	96.6	93.8-99.4	
\$25,000- 34,999	306	124,241	18	3.0	00.0-06.9		288	97.0	93.1-0100	
\$50,000- 74,999	469	137,447	14	0.6	00.0-01.3		455	99.4	98.7-0100	
\$75,000+	790	237,015	12	0.3	00.1-00.6		778	99.7	99.4-99.9	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 3: CARDIOVASCULAR DISEASE PREVALENCE
TABLE 7: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)	
TOTAL	4753	2,153,878	201	2.5	01.3-03.6		4552	97.5	96.4-98.7	
Male	1764	1,034,646	67	3.2	00.9-05.5		1697	96.8	94.5-99.1	
Female	2989	1,119,232	134	1.9	01.2-02.5		2855	98.1	97.5-98.8	
White/Non-Hisp	3412	810,293	139	2.6	01.8-03.5		3273	97.4	96.5-98.2	
Other Race	1308	1,336,006	60	2.3	00.6-04.1		1248	97.7	95.9-99.4	
18-24	168	301,661					168	100.0	0100-0100	
25-34	306	533,816	2	0.1	00.0-00.2		304	99.9	99.8-0100	
35-44	639	405,419	5	0.7	00.0-01.5		634	99.3	98.5-0100	
45-54	974	351,281	30	2.3	00.8-03.9		944	97.7	96.1-99.2	
55-64	1057	258,056	34	2.0	00.7-03.2		1023	98.0	96.8-99.3	
65+	1575	293,115	128	12.5	04.8-20.2		1447	87.5	79.8-95.2	
Less Than H.S.	292	454,776	28	2.1	00.2-04.1		264	97.9	95.9-99.8	
H.S. or G.E.D.	1160	531,299	60	4.6	00.4-08.8		1100	95.4	91.2-99.6	
Some Post-H.S.	1328	533,815	55	1.8	00.8-02.7		1273	98.2	97.3-99.2	
College Graduate	1962	631,898	57	1.6	00.8-02.3		1905	98.4	97.7-99.2	
Less than \$15,000	336	219,803	31	3.0	01.0-05.1		305	97.0	94.9-99.0	
\$15,000- 24,999	732	515,595	54	3.1	01.1-05.1		678	96.9	94.9-98.9	
\$25,000- 34,999	471	207,928	26	6.4	00.0-15.8		445	93.6	84.2-0100	
\$35,000- 49,999	658	268,454	26	1.1	00.4-01.8		632	98.9	98.2-99.6	
\$50,000- 74,999	728	258,826	25	3.2	00.0-06.6		703	96.8	93.4-0100	
\$75,000+	1423	519,035	19	0.8	00.1-01.6		1404	99.2	98.4-99.9	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 3: CARDIOVASCULAR DISEASE PREVALENCE
TABLE 8: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Male	1764	1,034,646	67	3.2	00.9-05.5	1697	96.8	94.5-99.1
White/Non-Hisp	1295	392,186	48	2.8	01.3-04.3	1247	97.2	95.7-98.7
Other Race	449	637,788	19	3.4	00.0-07.1	430	96.6	92.9-0100
18-24	80	149,096				80	100.0	0100-0100
25-34	119	265,857				119	100.0	0100-0100
35-44	221	205,441	2	1.0	00.0-02.5	219	99.0	97.5-0100
45-54	392	176,948	7	2.4	00.0-05.1	385	97.6	94.9-0100
55-64	411	119,611	14	1.9	00.4-03.4	397	98.1	96.6-99.6
Less Than H.S.	113	217,589	10	2.9	00.0-06.8	103	97.1	93.2-0100
H.S. or G.E.D.	423	254,428	19	7.7	00.0-16.1	404	92.3	83.9-0100
Some Post-H.S.	456	267,106	16	1.2	00.2-02.1	440	98.8	97.9-99.8
College Graduate	765	293,451	22	1.3	00.5-02.1	743	98.7	97.9-99.5
Less than \$15,000	104	89,873	11	3.6	00.0-07.5	93	96.4	92.5-0100
\$15,000- 24,999	229	236,529	17	3.4	00.0-07.1	212	96.6	92.9-0100
\$35,000- 49,999	243	142,433	9	1.2	00.1-02.4	234	98.8	97.6-99.9
\$50,000- 74,999	260	121,818	11	5.5	00.0-12.6	249	94.5	87.4-0100
\$75,000+	632	281,889	6	0.4	00.0-00.9	626	99.6	99.1-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 3: CARDIOVASCULAR DISEASE PREVALENCE
TABLE 9: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Female	2989	1,119,232	134	1.9	01.2-02.5	2855	98.1	97.5-98.8
White/Non-Hisp	2117	418,106	91	2.5	01.6-03.5	2026	97.5	96.5-98.4
Other Race	859	698,218	41	1.3	00.5-02.1	818	98.7	97.9-99.5
18-24	88	152,565				88	100.0	0100-0100
25-34	187	267,959	2	0.2	00.0-00.5	185	99.8	99.5-0100
35-44	418	199,978	3	0.4	00.0-01.1	415	99.6	98.9-0100
45-54	582	174,333	23	2.3	00.8-03.8	559	97.7	96.2-99.2
55-64	646	138,444	20	2.0	00.0-04.0	626	98.0	96.0-0100
65+	1046	176,056	84	7.0	03.3-10.7	962	93.0	89.3-96.7
Less Than H.S.	179	237,187	18	1.4	00.3-02.5	161	98.6	97.5-99.7
H.S. or G.E.D.	737	276,871	41	1.8	00.7-02.9	696	98.2	97.1-99.3
Some Post-H.S.	872	266,709	39	2.4	00.8-04.0	833	97.6	96.0-99.2
College Graduate	1197	338,448	35	1.8	00.6-03.0	1162	98.2	97.0-99.4
Less than \$15,000	232	129,930	20	2.7	00.3-05.0	212	97.3	95.0-99.7
\$15,000- 24,999	503	279,066	37	2.9	01.0-04.8	466	97.1	95.2-99.0
\$25,000- 34,999	308	124,251	17	1.3	00.3-02.3	291	98.7	97.7-99.7
\$35,000- 49,999	415	126,021	17	1.0	00.3-01.7	398	99.0	98.3-99.7
\$50,000- 74,999	468	137,008	14	1.3	00.1-02.4	454	98.7	97.6-99.9
\$75,000+	791	237,146	13	1.3	00.0-02.9	778	98.7	97.1-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 4: DIABETES CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE

HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)

- 1 MALES AND FEMALES
- 2 MALES ONLY
- 3 FEMALES ONLY

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 4: DIABETES**

TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			Yes, but female told only during pregnancy			No			No, pre-diabetes or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)		N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4757	2,155,401	590	8.6	06.2-11.0		41	2.1	00.3-03.8	4082	88.6	85.5-91.6	44	0.8	00.0-01.8
Male	1767	1,035,512	252	8.8	04.8-12.7		1	0.0	00.0-00.1	1500	90.9	87.0-94.9	14	0.3	00.1-00.5
Female	2990	1,119,889	338	8.5	05.6-11.4		40	3.9	00.7-07.1	2582	86.4	81.8-90.9	30	1.3	00.0-03.2
White/Non-Hisp	3414	811,654	374	6.5	05.0-07.9		18	0.4	00.0-00.7	2991	92.6	91.0-94.1	31	0.6	00.2-00.9
Other Race	1309	1,336,161	212	9.9	06.0-13.7		23	3.1	00.4-05.8	1061	86.1	81.3-91.0	13	0.9	00.0-02.5
18-24	168	301,661	4	1.6	00.0-03.3					163	98.4	96.6-0100	1	0.0	00.0-00.1
25-34	306	533,816	7	1.5	00.0-03.7		9	4.5	00.0-10.4	290	94.1	87.7-0100			
35-44	640	405,542	34	4.2	01.2-07.2		13	2.0	00.0-04.1	590	91.0	84.8-97.2	3	2.8	00.0-08.0
45-54	974	351,672	86	9.4	03.7-15.1		8	1.0	00.0-02.3	876	89.4	83.5-95.3	4	0.2	00.0-00.4
55-64	1055	258,009	140	16.1	07.4-24.8		3	0.3	00.0-00.7	902	83.0	74.3-91.7	10	0.6	00.0-01.2
65+	1580	294,171					8	2.7	00.0-07.7				26	1.2	00.4-02.1
Less Than H.S.	292	454,865	54	11.6	03.5-19.7		8	3.5	00.0-07.3	225	84.7	75.7-93.7	5	0.2	00.0-00.5
H.S. or G.E.D.	1163	532,155	193	12.7	06.7-18.7		9	0.5	00.0-01.4	941	86.2	80.2-92.3	20	0.5	00.1-00.9
Some Post-H.S.	1327	534,150	163	6.2	03.4-08.9		14	4.4	00.0-10.3	1141	87.2	80.0-94.4	9	2.2	00.0-06.2
College Graduate	1964	632,140	179	5.0	03.1-07.0		10	0.3	00.1-00.6	1765	94.4	92.4-96.4	10	0.2	00.0-00.5
Less than \$15,000	337	219,848					3	1.4	00.0-04.1				3	0.0	00.0-00.0
\$15,000- 24,999	732	516,088	116	7.4	03.5-11.2		8	2.5	00.0-05.1	595	89.6	84.8-94.4	13	0.6	00.1-01.1
\$25,000- 34,999	470	207,901					5	0.1	00.0-00.1				8	5.9	00.0-15.8
\$35,000- 49,999	660	268,856	94	9.6	00.0-19.8		7	0.7	00.0-01.7				5	0.2	00.0-00.3
\$50,000- 74,999	730	259,388	77	6.4	02.3-10.4		3	6.2	00.0-17.3				5	0.2	00.0-00.5
\$75,000+	1422	519,016	112	5.5	02.5-08.4		12	0.5	00.1-00.8	1292	93.9	90.9-96.9	6	0.2	00.0-00.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 4: DIABETES**

TABLE 2: HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, but female told only during pregnancy			No			No, pre-diabetes or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1767	1,035,512	252	8.8	04.8-12.7	1	0.0	00.0-00.1	1500	90.9	87.0-94.9	14	0.3	00.1-00.5
White/Non-Hisp	1297	393,045	169	6.4	04.4-08.3	1	0.1	00.0-00.4	1117	93.0	90.9-95.1	10	0.5	00.0-01.0
Other Race	449	637,788	80	10.3	04.0-16.6				365	89.6	83.3-95.9	4	0.2	00.0-00.3
18-24	80	149,096	1	0.5	00.0-01.4				78	99.5	98.5-0100	1	0.0	00.0-00.1
25-34	119	265,857							119	100.0	0100-0100			
35-44	222	205,564	19	5.4	00.2-10.7	1	0.2	00.0-00.7	201	94.1	88.8-99.4	1	0.2	00.0-00.6
45-54	392	176,948	42	8.9	01.9-15.9				348	90.8	83.7-97.9	2	0.3	00.0-00.8
55-64	411	119,611	55	10.0	01.8-18.2				354	89.7	81.4-97.9	2	0.4	00.0-01.1
65+	531	117,802										8	1.3	00.0-02.8
Less Than H.S.	113	217,589										2	0.2	00.0-00.6
H.S. or G.E.D.	425	255,240	86	14.8	05.0-24.5				334	85.0	75.3-94.8	5	0.2	00.0-00.4
Some Post-H.S.	455	267,029	63	3.2	01.5-04.8				390	96.6	94.8-98.4	2	0.3	00.0-00.8
College Graduate	767	293,581	84	5.8	02.3-09.4	1	0.2	00.0-00.5	677	93.5	89.9-97.2	5	0.5	00.0-00.9
Less than \$15,000	104	89,873	19	6.4	00.4-12.4				84	93.6	87.6-99.6	1	0.0	00.0-00.0
\$15,000- 24,999	230	237,070	39	8.0	02.2-13.7				188	91.6	85.8-97.5	3	0.4	00.0-01.0
\$25,000- 34,999	163	83,677										4	1.1	00.0-02.6
\$50,000- 74,999	261	121,941	35	7.0	00.0-14.7				223	92.5	84.8-0100	3	0.4	00.0-01.0
\$75,000+	632	281,889	56	6.8	01.8-11.8	1	0.2	00.0-00.5	572	92.8	87.8-97.8	3	0.2	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010**

SECTION 4: DIABETES

TABLE 3: HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, but female told only during pregnancy			No			No, pre-diabetes or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2990	1,119,889	338	8.5	05.6-11.4	40	3.9	00.7-07.1	2582	86.4	81.8-90.9	30	1.3	00.0-03.2
White/Non-Hisp	2117	418,609	205	6.5	04.4-08.7	17	0.6	00.0-01.2	1874	92.2	89.9-94.5	21	0.7	00.2-01.2
Other Race	860	698,373	132	9.5	05.0-14.0	23	5.9	00.8-11.1	696	83.0	75.8-90.2	9	1.6	00.0-04.7
18-24	88	152,565	3	2.7	00.0-06.1				85	97.3	93.9-0100			
25-34	187	267,959	7	2.9	00.0-07.4									
35-44	418	199,978	15	3.0	00.2-05.8	12	3.7	00.0-08.0				2	5.5	00.0-15.7
45-54	582	174,724	44	9.9	01.0-18.8	8	2.1	00.0-04.6	528	88.0	78.9-97.2	2	0.0	00.0-00.1
55-64	644	138,397				3	0.6	00.0-01.4				8	0.7	00.0-01.9
65+	1049	176,369	182	16.8	09.4-24.2	8	4.5	00.0-12.7				18	1.2	00.3-02.1
Less Than H.S.	179	237,276	36	10.8	01.6-20.0	8	6.6	00.0-14.1				3	0.2	00.0-00.6
H.S. or G.E.D.	738	276,916	107	10.8	03.7-17.9	9	1.1	00.0-02.6	607	87.4	79.9-94.8	15	0.8	00.1-01.5
Some Post-H.S.	872	267,121	100	9.2	04.1-14.2							7	4.2	00.0-12.0
College Graduate	1197	338,559	95	4.3	02.4-06.3	9	0.4	00.1-00.8	1088	95.2	93.1-97.2	5	0.1	00.0-00.1
Less than \$15,000	233	129,975				3	2.4	00.0-07.0				2	0.0	00.0-00.1
\$15,000- 24,999	502	279,018	77	6.8	01.7-11.9	8	4.6	00.0-09.5	407	87.9	80.4-95.3	10	0.7	00.0-01.5
\$25,000- 34,999	307	124,224				5	0.1	00.0-00.2						
\$35,000- 49,999	416	126,152	50	3.1	01.3-04.9	7	1.5	00.0-03.7	354	95.1	92.1-98.1	5	0.3	00.0-00.7
\$50,000- 74,999	469	137,447	42	5.8	02.3-09.2							2	0.1	00.0-00.1
\$75,000+	790	237,127	56	3.9	01.4-06.5	11	0.8	00.2-01.4	720	95.2	92.5-97.8	3	0.1	00.0-00.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 5: TOBACCO USE CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE

	HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
1	MALES AND FEMALES
2	MALES ONLY
3	FEMALES ONLY
	DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
4	MALES AND FEMALES
5	MALES ONLY
6	FEMALES ONLY
	DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)
7	MALES AND FEMALES
8	MALES ONLY
9	FEMALES ONLY
	HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
10	MALES AND FEMALES
11	MALES ONLY
12	FEMALES ONLY
	DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
13	MALES AND FEMALES
14	MALES ONLY
15	FEMALES ONLY

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 5: TOBACCO USE**

TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)	
TOTAL	4757	2,155,122	2131	43.0	37.4-48.6		2626	57.0	51.4-62.6	
Male	1766	1,035,182	912	48.9	40.5-57.4		854	51.1	42.6-59.5	
Female	2991	1,119,940	1219	37.5	30.1-44.9		1772	62.5	55.1-69.9	
White/Non-Hisp	3414	811,359	1645	47.9	41.8-53.9		1769	52.1	46.1-58.2	
Other Race	1309	1,336,177	473	40.2	31.9-48.5		836	59.8	51.5-68.1	
Some Post-H.S.	1327	533,848	679	33.3	23.9-42.7		648	66.7	57.3-76.1	
College Graduate	1965	632,159	687	28.2	22.9-33.5		1278	71.8	66.5-77.1	
\$75,000+	1422	518,723	535	29.0	22.3-35.7		887	71.0	64.3-77.7	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 5: TOBACCO USE**

TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Male	1766	1,035,182	912	48.9	40.5-57.4	854	51.1	42.6-59.5
White/Non-Hisp	1296	392,716	698	47.9	38.6-57.1	598	52.1	42.9-61.4
College Graduate	767	293,581	303	29.7	21.9-37.5	464	70.3	62.5-78.1
Less than \$15,000	104	89,873	66	90.7	82.5-98.9	38	9.3	01.1-17.5
\$75,000+	631	281,577	275	31.2	21.6-40.8	356	68.8	59.2-78.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 5: TOBACCO USE**

TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)	
Female	2991	1,119,940	1219	37.5	30.1-44.9		1772	62.5	55.1-69.9	
White/Non-Hisp	2118	418,643	947	47.9	40.0-55.7		1171	52.1	44.3-60.0	
Some Post-H.S.	873	267,148	410	28.6	19.8-37.5		463	71.4	62.5-80.2	
College Graduate	1198	338,579	384	26.9	19.5-34.2		814	73.1	65.8-80.5	
\$75,000+	791	237,146	260	26.4	17.1-35.8		531	73.6	64.2-82.9	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 5: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2131	926,478	492	32.7	24.0-41.3	203	18.4	10.4-26.4	1436	48.9	39.8-58.1
White/Non-Hisp	1645	388,335				123	13.9	04.0-23.7	1149	50.2	40.5-59.8
55-64	556	152,427				43	8.2	00.0-16.6			
65+	823	178,475				37	4.5	00.4-08.6			
College Graduate	687	178,196	108	20.0	13.1-26.9	53	16.5	07.9-25.2	526	63.5	54.1-72.9
Less than \$15,000	179	148,892				34	8.3	00.7-15.9			
\$35,000- 49,999	325	114,633				24	4.0	00.4-07.5			
\$75,000+	535	150,532				47	15.4	05.7-25.1			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 5: TOBACCO USE

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 5: TOBACCO USE

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 5: TOBACCO USE

TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 5: TOBACCO USE

TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 5: TOBACCO USE

TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 5: TOBACCO USE**

**TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within the past month (less than 1 month ago)			Within the past 3 months (1 month but less than 3 months ago)			Within the past 6 months (3 months but less than 6 months ago)			Within the past year (6 months but less than 1 year ago)			Within the past 5 years (1 year but less than 5 years ago)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1433	451,721	32	5.2	00.4-10.1	20	0.8	00.1-01.5	31	1.3	00.3-02.4	34	1.7	00.8-02.5	171	17.7	08.2-27.1
Male	627	254,839	18	5.5	00.0-12.8	7	1.1	00.0-02.2	16	0.7	00.2-01.2	14	1.5	00.3-02.7			
Female	806	196,882	14	4.9	00.0-11.0	13	0.5	00.0-00.9	15	2.2	00.0-04.4	20	1.9	00.6-03.2			
White/Non-Hisp	1147	193,725	21	6.1	00.0-12.2	12	1.3	00.0-02.6	24	1.9	00.6-03.2	22	2.6	01.0-04.2	130	20.7	13.8-27.7
Other Race	276	257,445	11	4.6	00.0-11.8	8	0.5	00.0-01.0	7	0.9	00.0-02.4	12	0.9	00.1-01.8			
35-44	106	67,240				5	3.8	00.0-08.4	4	0.1	00.0-00.3	5	2.5	00.0-05.5			
45-54	232	77,752	6	2.6	00.0-05.7	3	0.2	00.0-00.5	9	2.3	00.0-05.0	8	2.3	00.1-04.4			
55-64	361	97,188	7	0.3	00.0-00.6	5	0.3	00.0-00.6	12	3.2	00.0-07.3	8	0.9	00.0-01.8	45	4.3	01.2-07.5
65+	686	137,043	6	0.8	00.0-01.9	5	0.2	00.0-00.4	2	0.1	00.0-00.3	11	1.0	00.1-01.9	41	3.6	01.4-05.7
Less Than H.S.	89	158,760	3	6.2	00.0-17.8				4	1.5	00.0-03.9	1	0.3	00.0-00.8	10	4.9	00.0-10.8
H.S. or G.E.D.	373	84,742	6	2.8	00.0-06.3	8	2.2	00.0-04.5	6	0.6	00.0-01.2	7	2.5	00.0-05.5	44	10.1	03.0-17.1
Some Post-H.S.	445	95,760	10	2.9	00.0-05.8	5	0.1	00.0-00.3	15	2.9	00.2-05.6	15	2.7	00.2-05.2			
College Graduate	524	112,405	13	7.6	00.0-17.7	7	1.5	00.0-03.5	6	0.4	00.0-00.8	11	2.0	00.6-03.5			
Less than \$15,000	88	48,353	1	1.6	00.0-05.0	1	0.0	00.0-00.0	1	0.0	00.0-00.1	4	2.4	00.0-05.5			
\$15,000- 24,999	220	115,496	6	1.5	00.0-03.3	4	0.3	00.0-00.8	4	0.3	00.0-00.8	6	0.9	00.0-01.9	25	4.3	00.0-09.1
\$25,000- 34,999	147	47,404	2	0.9	00.0-02.8	5	2.8	00.0-07.8	1	0.1	00.0-00.4	3	0.3	00.0-00.8	15	3.0	00.0-06.2
\$35,000- 49,999	230	72,571				2	0.2	00.0-00.5	3	1.2	00.0-03.0	4	0.2	00.0-00.5			
\$50,000- 74,999	228	66,257	7	2.2	00.0-05.1	2	0.9	00.0-02.6	6	2.3	00.0-05.5	4	0.6	00.0-01.4			
\$75,000+	393	82,531				5	1.2	00.0-03.0	11	1.2	00.3-02.1	12	5.5	01.4-09.6	56	20.8	11.4-30.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 5: TOBACCO USE**

**TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL WEIGHTED		Within the past 10 years (5 years or less than 10 years ago)			Never smoked regularly			10 years or more		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1433	451,721	152	11.4	03.7-19.0	1	0.0	00.0-00.0			
Male	627	254,839				1	0.0	00.0-00.0			
Female	806	196,882	90	8.3	04.3-12.4						
White/Non-Hisp	1147	193,725	105	8.7	05.4-12.1	1	0.0	00.0-00.0	832	58.6	51.4-65.9
Other Race	276	257,445									
35-44	106	67,240									
45-54	232	77,752				1	0.0	00.0-00.1			
55-64	361	97,188	44	7.8	01.5-14.2						
65+	686	137,043	49	4.4	02.0-06.8				572	90.0	85.3-94.6
Less Than H.S.	89	158,760									
H.S. or G.E.D.	373	84,742									
Some Post-H.S.	445	95,760	45	6.4	01.4-11.3						
College Graduate	524	112,405	53	9.5	04.8-14.2	1	0.0	00.0-00.1			
Less than \$15,000	88	48,353									
\$15,000- 24,999	220	115,496	31	9.9	01.0-18.9						
\$25,000- 34,999	147	47,404	12	2.4	00.0-05.5				109	90.5	80.6-0100
\$35,000- 49,999	230	72,571	18	8.4	00.7-16.1						
\$50,000- 74,999	228	66,257	24	8.4	00.6-16.1						
\$75,000+	393	82,531	47	7.1	03.9-10.4	1	0.0	00.0-00.1			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 5: TOBACCO USE**

TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL WEIGHTED		Within the past month (less than 1 month ago)			Within the past 3 months (1 month but less than 3 months ago)			Within the past 6 months (3 months but less than 6 months ago)			Within the past year (6 months but less than 1 year ago)			Never smoked regularly		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	627	254,839	18	5.5	00.0-12.8	7	1.1	00.0-02.2	16	0.7	00.2-01.2	14	1.5	00.2-02.7	1	0.0	00.0-00.0
White/Non-Hisp	502	90,640	12	3.2	00.0-06.4	4	2.0	00.0-04.7	14	1.6	00.5-02.7	8	2.8	00.0-05.6	1	0.0	00.0-00.1
Other Race	117	163,664	6	6.8	00.0-18.0	3	0.6	00.0-01.4	2	0.2	00.0-00.5	6	0.7	00.0-01.5			
45-54	104	46,245	4	1.8	00.0-04.6				4	1.2	00.0-02.8	6	2.7	00.0-06.1	1	0.1	00.0-00.2
55-64	159	45,058	4	0.2	00.0-00.4	1	0.0	00.0-00.1	9	2.6	00.0-05.3	1	0.1	00.0-00.4			
65+	303	75,500	4	1.3	00.0-03.4	2	0.2	00.0-00.5	1	0.1	00.0-00.2	5	1.1	00.0-02.4			
H.S. or G.E.D.	169	60,892	3	1.4	00.0-04.0	6	2.8	00.0-06.1	2	0.3	00.0-00.9	5	3.0	00.0-07.2			
Some Post-H.S.	176	51,509	8	4.6	00.0-10.7				6	1.1	00.0-02.5	3	0.4	00.0-01.0			
College Graduate	232	43,328	4	2.1	00.0-05.6	1	2.4	00.0-07.1	5	1.0	00.0-02.0	5	2.8	00.0-05.6	1	0.1	00.0-00.2
\$15,000- 24,999	89	74,609	2	1.1	00.0-03.3	1	0.0	00.0-00.1	2	0.5	00.0-01.2	2	0.6	00.0-01.7			
\$25,000- 34,999	61	19,520	1	2.1	00.0-06.7	1	5.4	00.0-16.9	1	0.3	00.0-01.1						
\$35,000- 49,999	109	35,903	1	0.2	00.0-00.7	2	0.4	00.0-01.1				2	0.2	00.0-00.5			
\$50,000- 74,999	85	39,229	5	3.2	00.0-08.6	1	1.5	00.0-04.7	2	1.4	00.0-03.9						
\$75,000+	199	45,666				1	1.6	00.0-04.7	10	1.7	00.3-03.1	7	5.2	00.0-11.0	1	0.1	00.0-00.2

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL WEIGHTED		Within the past 5 years (1 year but less than 5 years ago)			Within the past 10 years (5 years but less than 10 years ago)			10 years or more		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	627	254,839									
White/Non-Hisp	502	90,640	52	17.0	10.2-23.9	39	6.8	02.4-11.1	372	66.6	58.5-74.6
Other Race	117	163,664									
45-54	104	46,245									
55-64	159	45,058	22	5.6	00.5-10.6	20	8.4	00.0-17.0			
65+	303	75,500	11	1.9	00.1-03.7	14	2.4	00.2-04.5	266	93.2	88.5-97.8
H.S. or G.E.D.	169	60,892	13	5.6	00.0-11.2						
Some Post-H.S.	176	51,509				16	6.3	00.0-14.7			
College Graduate	232	43,328				19	6.4	02.4-10.5			
\$15,000- 24,999	89	74,609	10	4.0	00.0-10.6						
\$25,000- 34,999	61	19,520	4	2.9	00.0-07.4	1	0.0	00.0-00.0			
\$35,000- 49,999	109	35,903				8	6.8	00.0-16.0			
\$50,000- 74,999	85	39,229				5	1.2	00.0-02.9			
\$75,000+	199	45,666				24	7.2	02.2-12.1			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 5: TOBACCO USE**

TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within the past month (less than 1 month ago)			Within the past 3 months (1 month but less than 3 months ago)			Within the past 6 months (3 months but less than 6 months ago)			Within the past year (6 months but less than 1 year ago)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	806	196,882	14	4.9	00.0-11.0	13	0.5	00.0-00.9	15	2.2	00.0-04.4	20	1.9	00.6-03.2
White/Non-Hisp	645	103,084	9	8.6	00.0-19.5	8	0.7	00.0-01.3	10	2.2	00.0-04.4	14	2.5	00.7-04.2
Other Race	159	93,782	5	0.8	00.0-02.1	5	0.3	00.0-00.7	5	2.2	00.0-06.2	6	1.3	00.0-03.1
35-44	64	16,570	4	3.7	00.0-08.0	2	1.2	00.0-03.4	4	0.5	00.0-01.2	4	7.3	00.0-16.6
45-54	128	31,507	2	3.7	00.0-09.7	3	0.4	00.0-01.1	5	4.0	00.0-09.6	2	1.7	00.0-04.0
55-64	202	52,130	3	0.3	00.0-01.0	4	0.4	00.0-01.2	3	3.7	00.0-11.1	7	1.5	00.0-03.4
65+	383	61,543	2	0.1	00.0-00.3	3	0.1	00.0-00.4	1	0.2	00.0-00.7	6	0.9	00.0-02.1
H.S. or G.E.D.	204	23,850	3	6.6	00.0-16.0	2	0.5	00.0-01.5	4	1.1	00.0-02.6	2	1.2	00.0-03.5
Some Post-H.S.	269	44,251	2	0.9	00.0-02.1	5	0.3	00.0-00.6	9	5.0	00.0-10.1	12	5.4	00.7-10.1
College Graduate	292	69,077				6	1.0	00.0-02.1	1	0.0	00.0-00.1	6	1.6	00.0-03.2
Less than \$15,000	54	15,679				1	0.0	00.0-00.0	1	0.1	00.0-00.4	2	2.9	00.0-07.3
\$15,000- 24,999	131	40,887	4	2.2	00.0-05.8	3	0.9	00.0-02.5	2	0.0	00.0-00.0	4	1.3	00.0-03.4
\$25,000- 34,999	86	27,885	1	0.1	00.0-00.4	4	1.1	00.0-03.1				3	0.5	00.0-01.5
\$35,000- 49,999	121	36,669							3	2.3	00.0-06.1	2	0.3	00.0-00.6
\$50,000- 74,999	143	27,028	2	0.8	00.0-02.1	1	0.0	00.0-00.1	4	3.7	00.0-10.1	4	1.5	00.0-03.3
\$75,000+	194	36,865	4	4.3	00.0-10.5	4	0.7	00.0-01.7	1	0.6	00.0-01.9	5	5.8	00.2-11.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 5: TOBACCO USE**

TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL WEIGHTED		Within the past 10 years (5 years but less than 10 years ago)			Within the past 5 years (1 year but less than 5 years ago)			10 years or more		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	806	196,882	90	8.3	04.3-12.4						
White/Non-Hisp	645	103,084	66	10.5	05.4-15.5						
Other Race	159	93,782	24	6.0	00.5-11.5						
35-44	64	16,570									
45-54	128	31,507									
55-64	202	52,130	24	7.3	00.0-16.4	23	3.2	00.0-06.9			
65+	383	61,543	35	6.9	01.7-12.1	30	5.7	01.0-10.3	306	86.0	76.6-95.5
H.S. or G.E.D.	204	23,850									
Some Post-H.S.	269	44,251	29	6.4	02.3-10.6						
College Graduate	292	69,077	34	11.5	04.1-18.9						
Less than \$15,000	54	15,679	6	7.3	00.0-16.0						
\$15,000- 24,999	131	40,887	18	5.8	00.0-13.3	15	4.8	00.0-11.4			
\$25,000- 34,999	86	27,885	11	4.0	00.0-10.5	11	3.0	00.0-07.5			
\$35,000- 49,999	121	36,669									
\$50,000- 74,999	143	27,028									
\$75,000+	194	36,865	23	7.1	03.0-11.2						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 5: TOBACCO USE**

TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4761	2,155,572	17	0.2	00.1-00.4	37	2.5	00.3-04.7	4707	97.3	95.1-99.5
Male	1768	1,035,588	11	0.2	00.0-00.5	27	2.2	00.7-03.8	1730	97.5	95.9-99.1
Female	2993	1,119,984	6	0.2	00.0-00.4	10	2.7	00.0-06.7	2977	97.1	93.1-0100
White/Non-Hisp	3417	811,798	16	0.6	00.1-01.0	23	1.9	00.3-03.5	3378	97.5	95.8-99.1
Other Race	1310	1,336,188	1	0.0	00.0-00.0	13	2.8	00.0-06.2	1296	97.2	93.7-0100
18-24	168	301,661				8	3.8	00.1-07.5	160	96.2	92.5-99.9
25-34	306	533,816	2	0.2	00.0-00.6	6	6.2	00.0-14.6	298	93.5	85.2-0100
35-44	640	405,542	3	0.1	00.0-00.4	6	1.6	00.0-03.5	631	98.3	96.3-0100
45-54	975	351,720	4	0.1	00.0-00.3	9	0.4	00.0-00.8	962	99.5	99.0-99.9
55-64	1057	258,056	3	0.1	00.0-00.3	5	0.3	00.0-00.5	1049	99.6	99.3-0100
65+	1581	294,247	5	0.7	00.0-01.5	3	0.1	00.0-00.2	1573	99.2	98.4-0100
Less Than H.S.	293	454,913	2	0.2	00.0-00.5	6	7.8	00.0-17.5	285	92.0	82.3-0100
H.S. or G.E.D.	1163	532,155	6	0.4	00.0-01.0	9	1.6	00.0-03.5	1148	97.9	96.0-99.9
Some Post-H.S.	1329	534,254	4	0.1	00.0-00.1	9	0.4	00.0-00.9	1316	99.5	99.0-0100
College Graduate	1965	632,159	5	0.2	00.0-00.3	13	1.1	00.0-02.4	1947	98.7	97.4-0100
Less than \$15,000	337	219,848	1	0.0	00.0-00.1	5	0.5	00.0-01.2	331	99.4	98.8-0100
\$15,000- 24,999	733	516,136	5	0.4	00.0-00.8	6	5.6	00.0-14.1	722	94.0	85.5-0100
\$25,000- 34,999	471	207,928	1	0.0	00.0-00.1	2	0.1	00.0-00.3	468	99.8	99.6-0100
\$35,000- 49,999	660	268,856	1	0.0	00.0-00.1	2	0.5	00.0-01.5	657	99.5	98.5-0100
\$50,000- 74,999	730	259,388	2	0.0	00.0-00.0	2	0.5	00.0-01.4	726	99.5	98.6-0100
\$75,000+	1423	519,035	7	0.4	00.0-00.9	15	2.7	00.3-05.1	1401	96.9	94.4-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 5: TOBACCO USE**

TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1768	1,035,588	11	0.2	00.0-00.5	27	2.2	00.7-03.8	1730	97.5	95.9-99.1
White/Non-Hisp	1298	393,122	10	0.6	00.0-01.3	18	3.9	00.6-07.1	1270	95.5	92.2-98.9
Other Race	449	637,788	1	0.0	00.0-00.1	8	1.2	00.0-02.8	440	98.7	97.2-0100
18-24	80	149,096				7	7.1	00.0-14.5	73	92.9	85.5-0100
25-34	119	265,857	2	0.4	00.0-01.3	4	1.8	00.0-05.3	113	97.7	94.2-0100
35-44	222	205,564	2	0.3	00.0-00.8	6	3.1	00.0-07.0	214	96.6	92.7-0100
45-54	392	176,948	2	0.1	00.0-00.4	7	0.7	00.0-01.6	383	99.2	98.2-0100
55-64	411	119,611	3	0.3	00.0-00.6	2	0.2	00.0-00.6	406	99.5	99.0-0100
65+	532	117,878	2	0.2	00.0-00.4	1	0.0	00.0-00.0	529	99.8	99.6-0100
Less Than H.S.	113	217,589				4	3.1	00.0-07.7	109	96.9	92.3-0100
H.S. or G.E.D.	425	255,240	4	0.6	00.0-01.5	5	2.9	00.0-06.8	416	96.5	92.5-0100
Some Post-H.S.	456	267,106	3	0.1	00.0-00.3	8	0.8	00.0-01.9	445	99.1	98.0-0100
College Graduate	767	293,581	4	0.2	00.0-00.6	10	2.3	00.0-05.1	753	97.4	94.7-0100
Less than \$15,000	104	89,873	1	0.0	00.0-00.1	3	1.0	00.0-02.7	100	99.0	97.3-0100
\$15,000- 24,999	230	237,070				3	0.1	00.0-00.4	227	99.9	99.6-0100
\$25,000- 34,999	163	83,677	1	0.1	00.0-00.3	1	0.1	00.0-00.3	161	99.8	99.5-0100
\$35,000- 49,999	244	142,704	1	0.1	00.0-00.3	1	0.9	00.0-02.8	242	99.0	97.1-0100
\$50,000- 74,999	261	121,941	1	0.0	00.0-00.0	2	1.0	00.0-03.0	258	99.0	97.0-0100
\$75,000+	632	281,889	7	0.8	00.0-01.7	14	4.9	00.5-09.3	611	94.3	89.8-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 5: TOBACCO USE**

TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2993	1,119,984	6	0.2	00.0-00.4	10	2.7	00.0-06.7	2977	97.1	93.1-0100
White/Non-Hisp	2119	418,676	6	0.5	00.0-01.0	5	0.1	00.0-00.3	2108	99.4	98.8-99.9
Other Race	861	698,400				5	4.2	00.0-10.6	856	95.8	89.4-0100
18-24	88	152,565				1	0.5	00.0-01.7	87	99.5	98.3-0100
35-44	418	199,978	1	0.0	00.0-00.0				417	100.0	0100-0100
45-54	583	174,772	2	0.1	00.0-00.4	2	0.1	00.0-00.3	579	99.8	99.4-0100
55-64	646	138,444				3	0.3	00.0-00.7	643	99.7	99.3-0100
65+	1049	176,369	3	1.0	00.0-02.3	2	0.1	00.0-00.3	1044	98.8	97.5-0100
Less Than H.S.	180	237,324	2	0.4	00.0-01.0						
H.S. or G.E.D.	738	276,916	2	0.3	00.0-00.9	4	0.4	00.0-01.1	732	99.3	98.4-0100
Some Post-H.S.	873	267,148	1	0.0	00.0-00.0	1	0.0	00.0-00.1	871	100.0	99.9-0100
College Graduate	1198	338,579	1	0.1	00.0-00.2	3	0.1	00.0-00.2	1194	99.8	99.6-0100
Less than \$15,000	233	129,975				2	0.2	00.0-00.6	231	99.8	99.4-0100
\$15,000- 24,999	503	279,066	5	0.8	00.0-01.6						
\$25,000- 34,999	308	124,251				1	0.1	00.0-00.4	307	99.9	99.6-0100
\$35,000- 49,999	416	126,152				1	0.0	00.0-00.0	415	100.0	0100-0100
\$50,000- 74,999	469	137,447	1	0.0	00.0-00.0				468	100.0	0100-0100
\$75,000+	791	237,146				1	0.1	00.0-00.2	790	99.9	99.8-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 6: FRUITS AND VEGETABLES CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE

DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100% PURE FRUIT JUICES? DO NOT INCLUDE
FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100% JUICE.
(FRUITJU2)

- 1 MALES AND FEMALES
- 2 MALES ONLY
- 3 FEMALES ONLY

DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN,
OR CANNED FRUIT (FRUIT2)

- 4 MALES AND FEMALES
- 5 MALES ONLY
- 6 FEMALES ONLY

DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED,
BLACK, AND GARBANZOBEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS? DO NOT INCLUDE LONG GREEN BEANS (BEANS)

- 7 MALES AND FEMALES
- 8 MALES ONLY
- 9 FEMALES ONLY

DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI
OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (DARKGRNV)

- 10 MALES AND FEMALES
- 11 MALES ONLY
- 12 FEMALES ONLY

DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES,
PUMPKIN, WINTER SQUASH, OR CARROTS? (ORANGEV)

- 13 MALES AND FEMALES
- 14 MALES ONLY
- 15 FEMALES ONLY

NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU
EAT OTHER VEGETABLES? EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT PEAS,
LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH AS BAKED OR MASHED POTATOES. (VEGOTHER)

- 16 MALES AND FEMALES
- 17 MALES ONLY
- 18 FEMALES ONLY

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 6: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

* * * * *

TABLE

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 6: FRUITS AND VEGETABLES**

TABLE 1: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100% PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100% JUICE. (FRUITJU2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-99 Times per day			01-99 Times per week			01-99 Times per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4738	2,148,193	1396	26.1	21.3-30.8	1027	25.0	20.3-29.7	1104	20.7	16.6-24.9	1211	28.2	22.8-33.7
Male	1761	1,033,847	540	29.7	22.0-37.4	399	26.5	18.9-34.1	434	22.4	15.7-29.1	388	21.4	14.4-28.4
Female	2977	1,114,346	856	22.7	17.1-28.3	628	23.6	17.8-29.4	670	19.2	14.3-24.1	823	34.5	26.7-42.4
White/Non-Hisp	3406	809,559	1015	26.9	21.6-32.2	694	27.6	21.0-34.1	776	23.0	18.6-27.5	921	22.5	18.7-26.3
Other Race	1298	1,331,047	372	25.6	18.6-32.5	329	23.3	16.8-29.7	316	19.4	13.3-25.5	281	31.8	23.5-40.1
18-24	167	301,130	49	20.6	10.7-30.6									
25-34	304	532,726				78	20.9	11.3-30.4						
35-44	637	402,438	145	19.8	10.3-29.2				162	23.6	13.7-33.5	136	20.7	12.2-29.3
45-54	972	351,249				236	16.7	10.1-23.4	251	23.3	13.9-32.7			
55-64	1053	257,504	273	22.6	12.8-32.4	199	19.4	11.0-27.7	283	20.4	12.4-28.4			
65+	1571	292,616				246	12.9	07.9-18.0	296	15.2	10.1-20.2			
Less Than H.S.	291	454,218				55	13.6	04.7-22.4						
H.S. or G.E.D.	1156	530,579	368	25.6	16.3-34.8				246	18.2	10.5-26.0			
Some Post-H.S.	1321	532,682	389	23.8	16.2-31.4				317	24.0	14.5-33.5	336	27.1	17.2-37.1
College Graduate	1959	628,624	557	27.9	20.2-35.6	452	27.7	21.8-33.7	480	22.6	17.7-27.5	470	21.8	16.5-27.1
\$25,000- 34,999	467	207,176				87	13.7	05.4-21.9						
\$35,000- 49,999	659	268,713				145	23.5	14.0-33.0						
\$50,000- 74,999	728	258,337	186	20.4	11.8-29.1									
\$75,000+	1421	516,185	376	24.6	18.0-31.2	334	24.6	18.1-31.1	360	28.8	20.8-36.9	351	22.0	14.4-29.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 6: FRUITS AND VEGETABLES

TABLE 2: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100% PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100% JUICE. (FRUITJU2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-99 Times per day			01-99 Times per week			01-99 Times per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1761	1,033,847	540	29.7	22.0-37.4	399	26.5	18.9-34.1	434	22.4	15.6-29.1	388	21.4	14.4-28.4
White/Non-Hisp	1292	391,824	407	34.0	24.6-43.4	271	28.1	18.3-38.0	320	20.6	15.3-26.0	294	17.2	12.6-21.8
18-24	79	148,565										8	3.8	00.1-07.5
35-44	222	205,564	53	18.6	08.9-28.3							33	11.8	04.7-19.0
45-54	391	176,920				92	9.9	03.8-16.0						
55-64	410	119,519				82	11.2	05.7-16.6						
65+	529	117,162				79	16.4	06.8-26.0	111	15.9	07.5-24.4			
Some Post-H.S.	455	267,014										108	15.1	05.3-24.8
College Graduate	766	293,580				191	27.2	18.8-35.6	194	24.2	15.9-32.4	148	18.2	10.9-25.5
\$25,000- 34,999	162	83,303				32	10.4	00.6-20.2						
\$35,000- 49,999	244	142,704							58	9.7	04.0-15.4			
\$75,000+	632	281,889				159	18.5	12.4-24.5				118	15.6	07.1-24.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010**

SECTION 6: FRUITS AND VEGETABLES

TABLE 3: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100% PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100% JUICE. (FRUITJU2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-99 Times per day			01-99 Times per week			01-99 Times per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2977	1,114,346	856	22.7	17.1-28.3	628	23.6	17.8-29.4	670	19.2	14.3-24.1	823	34.5	26.7-42.4
White/Non-Hisp	2114	417,735	608	20.2	16.1-24.3	423	27.0	18.4-35.7	456	25.3	18.4-32.1	627	27.5	21.8-33.2
Other Race	850	693,703	242	24.0	15.4-32.6	203	21.5	14.0-28.9	210	15.6	09.1-22.1			
18-24	88	152,565	23	14.6	04.7-24.5									
25-34	186	267,244	47	19.2	09.8-28.6	49	16.4	06.9-25.9						
35-44	415	196,874							106	16.1	08.9-23.3			
45-54	581	174,329	121	19.7	10.5-29.0				144	20.9	11.6-30.3			
55-64	643	137,985							166	18.0	08.8-27.2			
65+	1042	175,454				167	10.6	05.3-15.9	185	14.7	08.4-20.9			
Less Than H.S.	179	237,072				29	10.2	02.7-17.8						
H.S. or G.E.D.	735	276,543	233	20.0	10.8-29.1									
Some Post-H.S.	866	265,668	249	20.7	13.0-28.4	191	19.2	11.1-27.2	198	20.9	11.0-30.8			
College Graduate	1193	335,044	324	25.7	15.9-35.4	261	28.2	19.8-36.6	286	21.2	15.6-26.7	322	25.0	17.5-32.4
\$35,000- 49,999	415	126,010	106	11.8	05.6-18.0									
\$50,000- 74,999	467	136,396							96	17.1	09.1-25.1			
\$75,000+	789	234,296	192	19.5	12.0-27.1				189	18.9	13.1-24.7			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 6: FRUITS AND VEGETABLES**

**TABLE 4: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT (FRUIT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-99 Times per day			01-99 Times per week			01-99 Times per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4747	2,137,090	2534	43.7	38.2-49.1	1188	31.4	26.2-36.6	912	20.1	15.5-24.7	113	4.8	01.5-08.1
Male	1761	1,020,583	788	39.4	31.2-47.6	484	31.7	23.9-39.4	434	24.5	17.5-31.6	55	4.4	00.0-09.4
Female	2986	1,116,507	1746	47.6	40.3-54.8	704	31.2	24.2-38.3	478	16.0	10.0-22.0	58	5.2	00.7-09.6
White/Non-Hisp	3410	810,971	1884	47.7	41.8-53.6	811	31.9	25.2-38.5	642	18.9	15.3-22.6	73	1.5	00.8-02.1
Other Race	1303	1,318,532	631	41.0	33.0-49.0	372	31.3	23.9-38.6	262	20.9	13.8-27.9	38	6.9	01.6-12.2
18-24	168	301,661							23	6.5	02.1-11.0	3	1.8	00.0-04.2
25-34	306	533,816										5	3.7	00.0-09.4
35-44	640	405,542										11	0.9	00.0-02.0
45-54	972	351,643							206	19.0	10.6-27.5			
55-64	1055	244,053										28	1.4	00.4-02.3
65+	1572	289,845				363	20.3	13.9-26.8	285	13.7	09.3-18.1			
H.S. or G.E.D.	1160	531,967							239	14.8	08.5-21.1	41	2.2	00.5-04.0
Some Post-H.S.	1326	534,129				341	26.9	17.3-36.4	282	22.5	13.2-31.8	28	4.0	00.0-09.7
College Graduate	1962	631,799	1133	53.3	46.4-60.2	469	28.6	22.8-34.3	331	16.6	12.2-21.1	29	1.5	00.4-02.6
\$15,000- 24,999	730	501,896										17	1.4	00.3-02.6
\$25,000- 34,999	470	207,666							77	11.0	03.7-18.4	13	1.7	00.1-03.3
\$35,000- 49,999	659	268,840							124	15.5	07.3-23.8	11	0.8	00.0-01.8
\$50,000- 74,999	729	259,380				192	22.6	14.0-31.1				15	7.1	00.0-18.2
\$75,000+	1421	518,959	801	47.0	38.8-55.3	340	27.3	20.2-34.3	257	23.8	15.8-31.8	23	1.9	00.2-03.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 6: FRUITS AND VEGETABLES**

TABLE 5: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT (FRUIT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-99 Times per day			01-99 Times per week			01-99 Times per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1761	1,020,583	788	39.4	31.2-47.6	484	31.7	23.9-39.4	434	24.5	17.5-31.6	55	4.4	00.0-09.4
White/Non-Hisp	1294	392,447	591	42.5	33.2-51.8	341	31.5	22.0-41.1	325	24.0	17.7-30.2	37	2.0	00.8-03.1
Other Race	446	623,457										16	6.0	00.0-14.0
18-24	80	149,096							16	10.4	02.0-18.7	3	3.6	00.0-08.6
25-34	119	265,857										3	0.9	00.0-02.4
35-44	222	205,564										4	0.5	00.0-01.1
55-64	409	105,609										10	1.9	00.0-03.9
65+	528	116,920				127	19.1	09.9-28.4	118	17.9	09.7-26.0	15	2.0	00.0-04.1
H.S. or G.E.D.	424	255,196							95	16.5	07.7-25.3	18	2.0	00.5-03.6
Some Post-H.S.	455	267,014										14	1.8	00.0-04.4
College Graduate	765	293,236				217	31.5	22.7-40.2	173	22.7	14.7-30.7	15	1.5	00.0-02.9
\$15,000- 24,999	227	222,830										8	2.4	00.0-04.8
\$25,000- 34,999	162	83,415										6	1.8	00.0-04.4
\$35,000- 49,999	244	142,704							54	13.5	04.2-22.9	6	1.3	00.0-03.3
\$50,000- 74,999	261	121,941										7	0.3	00.0-00.7
\$75,000+	631	281,845				171	26.5	16.9-36.0				13	2.5	00.0-05.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 6: FRUITS AND VEGETABLES**

TABLE 6: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT (FRUIT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-99 Times per day			01-99 Times per week			01-99 Times per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2986	1,116,507	1746	47.6	40.3-54.8	704	31.2	24.2-38.3	478	16.0	10.0-22.0	58	5.2	00.7-09.6
White/Non-Hisp	2116	418,524	1293	52.6	44.7-60.5	470	32.2	22.9-41.5	317	14.2	10.0-18.4	36	1.0	00.3-01.7
Other Race	857	695,075				231	30.6	20.9-40.4	159	17.2	07.9-26.4	22	7.7	00.7-14.7
18-24	88	152,565							7	2.8	00.0-06.2			
25-34	187	267,959										2	6.5	00.0-17.4
35-44	418	199,978										7	1.3	00.0-03.4
45-54	581	174,739										9	4.2	00.0-09.2
55-64	646	138,444										18	1.0	00.2-01.7
65+	1044	172,925				236	21.2	12.3-30.0	167	10.9	06.0-15.8			
H.S. or G.E.D.	736	276,772							144	13.3	04.2-22.4	23	2.4	00.0-05.6
Some Post-H.S.	871	267,115				224	24.2	14.7-33.8	149	17.9	08.8-27.0	14	6.3	00.0-17.1
College Graduate	1197	338,563	773	61.0	52.4-69.6	252	26.0	18.3-33.8	158	11.4	07.0-15.8	14	1.6	00.0-03.2
\$15,000- 24,999	503	279,066										9	0.7	00.0-01.4
\$25,000- 34,999	308	124,251							43	10.7	00.8-20.7	7	1.6	00.0-03.7
\$35,000- 49,999	415	126,137										5	0.1	00.0-00.3
\$75,000+	790	237,114							99	11.0	06.1-16.0	10	1.2	00.0-03.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 6: FRUITS AND VEGETABLES**

TABLE 7: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, AND GARBANZOBEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS? DO NOT INCLUDE LONG GREEN BEANS (BEANS)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-99 Times per day			01-99 Times per week			01-99 Times per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4741	2,151,471	297	9.4	05.7-13.1	1639	33.8	28.7-38.9	1895	35.1	29.9-40.2	910	21.8	16.8-26.8
Male	1758	1,032,353	115	10.3	04.6-16.0	597	31.0	23.7-38.2	718	37.8	29.7-46.0	328	20.9	13.5-28.4
Female	2983	1,119,119	182	8.5	03.7-13.3	1042	36.4	29.3-43.5	1177	32.5	26.2-38.8	582	22.6	15.8-29.4
White/Non-Hisp	3403	808,812	161	3.4	02.3-04.5	1175	32.0	27.1-36.9	1407	39.6	34.3-44.9	660	24.9	17.5-32.4
Other Race	1305	1,335,334	132	13.0	07.2-18.8	454	34.8	27.1-42.4	475	32.3	24.6-40.0	244	19.9	13.3-26.6
18-24	168	301,661	10	3.9	00.0-08.2									
25-34	306	533,816										43	13.7	04.8-22.6
35-44	638	405,208	57	9.2	03.3-15.2									
45-54	972	350,233	63	8.5	00.0-18.7									
55-64	1054	257,312				364	28.7	18.8-38.6	433	27.5	18.8-36.2			
65+	1570	292,750	96	6.5	02.8-10.2									
H.S. or G.E.D.	1154	530,935	71	8.7	03.1-14.2									
Some Post-H.S.	1325	532,718	71	3.3	01.1-05.6							284	24.6	14.9-34.2
College Graduate	1959	631,258	108	5.0	02.8-07.2	768	40.1	33.2-46.9	792	37.0	30.7-43.2	291	18.0	10.6-25.3
Less than \$15,000	335	219,531	26	6.6	00.0-15.1									
\$25,000- 34,999	471	207,928	29	6.2	00.0-14.2									
\$35,000- 49,999	659	268,594	36	7.3	01.5-13.1									
\$50,000- 74,999	728	259,028	34	3.4	00.2-06.6							143	16.7	08.3-25.1
\$75,000+	1419	518,369	88	6.3	02.4-10.2	561	36.8	28.7-44.8	561	37.0	28.9-45.1	209	19.9	13.4-26.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 6: FRUITS AND VEGETABLES

TABLE 8: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, AND GARBANZOBEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS? DO NOT INCLUDE LONG GREEN BEANS (BEANS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-99 Times per day			01-99 Times per week			01-99 Times per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1758	1,032,353	115	10.3	04.6-16.0	597	31.0	23.7-38.2	718	37.8	29.7-46.0	328	20.9	13.5-28.4
White/Non-Hisp	1291	390,794	66	3.7	01.8-05.6	442	31.2	24.2-38.2	548	37.6	29.7-45.5			
Other Race	447	637,142	48	14.4	05.3-23.4							90	17.0	07.9-26.1
18-24	80	149,096	4	5.6	00.0-13.9									
35-44	221	205,399	18	4.8	01.0-08.6									
65+	527	116,833	35	8.6	01.0-16.2							105	14.8	08.3-21.3
Less Than H.S.	112	217,145				27	9.0	02.1-16.0						
H.S. or G.E.D.	420	254,463	30	6.9	00.8-13.0									
Some Post-H.S.	455	265,944	25	2.4	00.7-04.1									
College Graduate	764	292,728	43	6.2	02.2-10.2	288	38.0	28.1-47.8	308	35.7	26.2-45.2			
Less than \$15,000	103	89,671	9	2.8	00.0-06.2									
\$15,000- 24,999	226	235,296										34	5.9	00.9-11.0
\$35,000- 49,999	243	142,442	16	7.8	00.5-15.1									
\$50,000- 74,999	260	121,670	11	5.6	00.0-12.3									
\$75,000+	630	281,397	36	4.1	01.1-07.1							93	20.1	12.1-28.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 6: FRUITS AND VEGETABLES

TABLE 9: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, AND GARBANZOBEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS? DO NOT INCLUDE LONG GREEN BEANS (BEANS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-99 Times per day			01-99 Times per week			01-99 Times per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2983	1,119,119	182	8.5	03.7-13.3	1042	36.4	29.3-43.5	1177	32.5	26.2-38.8	582	22.6	15.8-29.4
White/Non-Hisp	2112	418,019	95	3.1	02.0-04.2	733	32.8	26.0-39.6	859	41.5	34.5-48.5	425	22.6	13.7-31.5
Other Race	858	698,192	84	11.7	04.2-19.3				314	27.0	17.9-36.2	154	22.6	13.1-32.1
18-24	88	152,565	6	2.2	00.0-04.6									
25-34	187	267,959										26	10.0	01.7-18.3
45-54	582	174,683	36	2.5	01.0-03.9							94	15.7	06.4-24.9
65+	1043	175,916	61	5.1	01.8-08.5									
Less Than H.S.	180	237,324							46	11.0	03.5-18.4			
H.S. or G.E.D.	734	276,472	41	10.3	01.4-19.3									
Some Post-H.S.	870	266,775	46	4.3	00.1-08.5									
College Graduate	1195	338,530	65	4.0	01.9-06.0	480	41.9	32.6-51.2	484	38.1	29.8-46.4	166	16.0	08.2-23.8
\$15,000- 24,999	501	278,791							185	18.3	09.0-27.6			
\$25,000- 34,999	308	124,251	17	2.7	00.0-06.4									
\$35,000- 49,999	416	126,152	20	6.7	00.0-16.0									
\$50,000- 74,999	468	137,358	23	1.5	00.5-02.5									
\$75,000+	789	236,971	52	9.0	01.4-16.6				295	31.8	22.6-40.9			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 6: FRUITS AND VEGETABLES**

**TABLE 10: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (DARKGRNV)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-99 Times per day			01-99 Times per week			01-99 Times per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4746	2,153,141	949	15.9	12.0-19.8	2073	45.8	40.3-51.3	1465	30.9	25.7-36.2	259	7.4	04.1-10.6
Male	1759	1,033,524	254	14.1	08.0-20.2	749	40.2	32.2-48.2	626	37.0	28.6-45.3	130	8.7	03.9-13.6
Female	2987	1,119,617	695	17.5	12.6-22.5	1324	51.1	43.7-58.4	839	25.3	19.0-31.7	129	6.1	01.7-10.5
White/Non-Hisp	3404	809,410	687	19.0	13.6-24.4	1480	42.4	36.6-48.1	1040	28.4	24.1-32.8	197	10.2	04.3-16.1
Other Race	1308	1,336,145	254	13.9	08.6-19.2	578	47.9	39.7-56.0	416	32.5	24.5-40.5	60	5.7	01.9-09.5
25-34	306	533,816										14	7.6	00.5-14.6
35-44	639	405,377	126	12.3	07.0-17.5							19	6.1	00.0-13.9
45-54	973	351,661	181	9.8	06.3-13.3							46	2.3	01.0-03.7
55-64	1056	258,044	233	13.8	06.9-20.7							52	9.2	00.0-19.3
65+	1571	292,090							506	22.9	16.4-29.3	108	9.4	03.7-15.1
Less Than H.S.	291	453,684	51	11.0	02.0-19.9							34	7.6	00.7-14.5
H.S. or G.E.D.	1157	531,480	212	15.9	07.1-24.7				374	26.9	17.8-36.1			
Some Post-H.S.	1325	533,959	238	15.3	06.8-23.9							64	5.4	00.8-09.9
College Graduate	1962	631,929	446	19.9	14.8-25.0	924	54.8	48.0-61.6	529	22.1	17.4-26.8	63	3.2	00.7-05.7
Less than \$15,000	335	218,718										35	5.3	01.4-09.2
\$15,000- 24,999	728	515,508	126	7.6	03.3-11.9									
\$25,000- 34,999	471	207,928										32	2.2	00.6-03.8
\$35,000- 49,999	660	268,856	112	11.5	05.4-17.6				218	24.0	14.7-33.3	37	6.6	00.0-16.3
\$50,000- 74,999	729	259,117										27	2.8	00.8-04.8
\$75,000+	1420	518,936	294	16.2	10.9-21.5	701	50.0	41.7-58.3	378	27.1	19.2-35.1	47	6.7	01.6-11.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 6: FRUITS AND VEGETABLES**

TABLE 11: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (DARKGRNV)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-99 Times per day			01-99 Times per week			01-99 Times per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1759	1,033,524	254	14.1	08.0-20.3	749	40.2	32.2-48.2	626	37.0	28.6-45.3	130	8.7	03.9-13.6
White/Non-Hisp	1289	391,058	181	17.8	08.2-27.5	550	43.8	34.5-53.1	460	30.9	23.9-37.9	98	7.4	03.2-11.6
Other Race	449	637,788	69	11.9	04.0-19.7							30	9.6	02.1-17.0
18-24	80	149,096	13	9.6	00.4-18.7							10	5.7	00.0-11.5
35-44	221	205,399	29	8.9	03.1-14.6									
45-54	391	176,921	52	6.2	02.2-10.1							25	1.9	00.3-03.5
65+	525	116,006										46	8.3	02.3-14.4
Less Than H.S.	111	216,359	14	5.1	00.0-12.7									
Some Post-H.S.	455	266,866										32	9.0	00.0-17.9
College Graduate	765	293,390	128	14.1	09.1-19.1				255	28.3	19.8-36.7	33	5.3	00.1-10.5
Less than \$15,000	103	88,881	16	7.7	00.0-17.5							14	3.2	00.0-06.8
\$15,000- 24,999	226	236,577	40	6.8	00.8-12.8									
\$25,000- 34,999	163	83,677										17	3.1	00.1-06.2
\$35,000- 49,999	244	142,704	22	8.6	01.4-15.7							16	1.7	00.3-03.0
\$50,000- 74,999	260	121,670										18	3.8	00.0-07.5
\$75,000+	630	281,822	93	8.2	04.8-11.6							31	11.3	02.4-20.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 6: FRUITS AND VEGETABLES**

TABLE 12: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (DARKGRNV)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-99 Times per day			01-99 Times per week			01-99 Times per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2987	1,119,617	695	17.5	12.6-22.5	1324	51.1	43.7-58.4	839	25.3	19.0-31.7	129	6.1	01.7-10.5
White/Non-Hisp	2115	418,352	506	20.1	14.7-25.5	930	41.1	34.3-47.8	580	26.1	20.7-31.5			
Other Race	859	698,357	185	15.8	08.6-23.0				255	24.8	15.2-34.5	30	2.1	00.0-04.4
18-24	88	152,565							17	9.8	02.5-17.0			
25-34	187	267,959	42	17.3	07.6-27.1							4	5.3	00.0-15.1
35-44	418	199,978	97	15.8	07.0-24.5							7	0.6	00.0-01.4
45-54	582	174,740	129	13.6	08.3-18.8							21	2.7	00.6-04.8
55-64	645	138,432	159	9.4	05.0-13.9							26	3.6	00.0-07.3
65+	1046	176,085							310	21.2	12.9-29.5	62	10.1	01.5-18.6
Less Than H.S.	180	237,324										19	6.6	00.0-13.4
H.S. or G.E.D.	736	276,643	158	10.5	04.5-16.5				225	17.3	09.6-24.9			
Some Post-H.S.	870	267,093	180	16.4	07.3-25.6							32	1.8	00.4-03.2
College Graduate	1197	338,539	318	24.9	16.9-32.9	575	56.9	48.1-65.7	274	16.7	12.1-21.4	30	1.4	00.5-02.3
Less than \$15,000	232	129,837										21	6.8	00.8-12.7
\$15,000- 24,999	502	278,931	86	8.3	02.1-14.5									
\$25,000- 34,999	308	124,251										15	1.5	00.0-03.3
\$35,000- 49,999	416	126,152	90	14.8	04.9-24.7									
\$50,000- 74,999	469	137,447	127	15.7	09.2-22.2							9	1.9	00.0-03.9
\$75,000+	790	237,114							171	16.8	11.0-22.7	16	1.2	00.0-02.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 6: FRUITS AND VEGETABLES**

TABLE 13: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (ORANGEV)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-99 Times per day			01-99 Times per week			01-99 Times per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4749	2,154,380	349	5.6	03.5-07.8	1871	39.7	34.3-45.1	1948	34.5	29.5-39.5	581	20.2	14.7-25.6
Male	1763	1,034,608	96	3.2	01.5-04.9	601	35.7	27.8-43.6	794	35.2	27.8-42.7	272	25.9	17.2-34.6
Female	2986	1,119,772	253	7.9	04.1-11.7	1270	43.4	36.2-50.7	1154	33.8	27.1-40.5	309	14.9	08.5-21.2
White/Non-Hisp	3409	811,324	232	4.1	03.1-05.1	1404	41.3	35.1-47.4	1379	38.2	33.1-43.3	394	16.4	10.6-22.2
Other Race	1308	1,335,733	114	6.6	03.2-10.0	457	38.7	30.9-46.4	555	32.2	24.8-39.7	182	22.5	14.6-30.4
18-24	168	301,661	8	2.3	00.5-04.2				53	18.0	09.9-26.2			
25-34	306	533,816	14	3.3	00.5-06.1									
35-44	640	405,542	50	9.3	00.5-18.1									
45-54	974	351,718	69	4.4	02.1-06.7									
55-64	1057	258,056	73	8.7	01.8-15.7							120	14.4	07.0-21.8
65+	1571	293,095	134	7.2	03.6-10.9				674	33.8	25.0-42.6			
Less Than H.S.	291	454,456	22	2.4	00.5-04.4									
H.S. or G.E.D.	1160	531,746	81	4.7	01.5-08.0				489	33.8	24.2-43.3			
Some Post-H.S.	1325	534,232	93	5.6	02.1-09.1							180	20.2	10.5-29.8
College Graduate	1963	631,858	153	8.8	03.1-14.5	885	43.5	36.8-50.3	753	36.5	30.2-42.8	172	11.2	04.5-17.9
Less than \$15,000	336	219,710	29	4.3	00.5-08.2									
\$15,000- 24,999	730	515,686	47	8.0	00.5-15.4									
\$25,000- 34,999	469	207,921	37	5.0	00.4-09.5									
\$35,000- 49,999	658	268,593	54	4.1	01.7-06.5									
\$50,000- 74,999	729	259,117	48	4.3	01.0-07.6							80	11.6	04.9-18.4
\$75,000+	1423	519,035	104	6.3	02.7-09.9	629	45.0	36.6-53.3	545	38.2	30.0-46.4	145	10.5	06.8-14.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 6: FRUITS AND VEGETABLES

TABLE 14: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (ORANGEV)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-99 Times per day			01-99 Times per week			01-99 Times per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1763	1,034,608	96	3.2	01.5-04.9	601	35.7	27.8-43.6	794	35.2	27.8-42.7	272	25.9	17.2-34.6
White/Non-Hisp	1296	392,850	70	3.7	02.1-05.2	442	34.6	25.1-44.1	594	40.7	32.5-48.9	190	21.1	11.5-30.6
Other Race	448	637,344	25	2.9	00.3-05.5									
18-24	80	149,096	5	2.6	00.0-05.4									
25-34	119	265,857	6	1.0	00.0-02.0									
35-44	222	205,564	7	1.2	00.0-02.8									
45-54	392	176,948	17	2.5	00.0-05.3									
55-64	411	119,611	21	8.7	00.0-19.3									
65+	527	116,898	40	8.1	01.1-15.0									
Less Than H.S.	112	217,145	7	1.8	00.0-04.2									
H.S. or G.E.D.	424	254,969	27	4.0	00.5-07.5									
Some Post-H.S.	455	267,105	27	4.2	00.0-09.3									
College Graduate	766	293,319	35	2.7	01.0-04.3	301	37.9	28.3-47.5						
Less than \$15,000	104	89,873	7	1.6	00.0-04.1									
\$15,000- 24,999	228	236,625	10	1.5	00.0-03.6									
\$25,000- 34,999	162	83,675	10	0.8	00.0-01.6									
\$35,000- 49,999	243	142,442	15	3.9	00.6-07.2									
\$50,000- 74,999	260	121,670	14	5.5	00.0-12.2									
\$75,000+	632	281,889	30	4.9	00.1-09.7							77	14.7	08.3-21.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 6: FRUITS AND VEGETABLES

TABLE 15: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (ORANGEV)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-99 Times per day			01-99 Times per week			01-99 Times per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2986	1,119,772	253	7.9	04.1-11.7	1270	43.4	36.2-50.7	1154	33.8	27.1-40.5	309	14.9	08.5-21.2
White/Non-Hisp	2113	418,475	162	4.6	03.3-05.9	962	47.5	39.8-55.3	785	35.9	29.5-42.2	204	12.0	05.4-18.7
Other Race	860	698,389	89	9.9	03.9-15.8							103	16.6	07.2-25.9
18-24	88	152,565	3	2.1	00.0-04.6				28	15.6	06.0-25.2			
25-34	187	267,959	8	5.5	00.1-11.0							19	7.1	00.0-16.9
45-54	582	174,771	52	6.3	02.8-09.8							66	9.3	02.6-16.0
55-64	646	138,444	52	8.8	00.0-17.8							70	11.4	01.6-21.2
65+	1044	176,197	94	6.7	02.8-10.5									
Less Than H.S.	179	237,311	15	3.0	00.0-06.1									
H.S. or G.E.D.	736	276,777	54	5.4	00.1-10.7									
Some Post-H.S.	870	267,127	66	6.9	02.0-11.8									
College Graduate	1197	338,539	118	14.1	04.1-24.0	584	48.4	39.3-57.6	415	32.9	25.1-40.7	80	4.6	02.4-06.9
Less than \$15,000	232	129,837	22	6.2	00.0-12.4									
\$15,000- 24,999	502	279,061										58	3.9	01.7-06.0
\$25,000- 34,999	307	124,246	27	7.8	00.2-15.4									
\$35,000- 49,999	415	126,151	39	4.4	01.0-07.8									
\$50,000- 74,999	469	137,447	34	3.3	01.2-05.4							37	5.7	02.3-09.1
\$75,000+	791	237,146	74	8.0	02.6-13.3				266	30.1	21.1-39.1	68	5.6	02.7-08.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 6: FRUITS AND VEGETABLES**

**TABLE 16: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH
AS BAKED OR MASHED POTATOES. (VEGOTHER)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-99 Times per day			01-99 Times per week			01-99 Times per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4744	2,153,573	1625	31.5	26.2-36.8	1764	35.5	30.5-40.5	1302	31.2	25.8-36.6	53	1.8	00.1-03.4
Male	1761	1,034,288	530	31.1	22.8-39.4	646	32.8	25.6-40.0	554	35.3	27.1-43.6	31	0.8	00.3-01.3
Female	2983	1,119,285	1095	31.9	25.2-38.7	1118	38.0	31.1-44.8	748	27.4	20.3-34.5	22	2.7	00.0-05.8
White/Non-Hisp	3405	810,686	1261	36.6	30.0-43.2	1237	36.6	31.3-41.9	880	26.1	21.8-30.4	27	0.7	00.2-01.3
Other Race	1307	1,335,569	354	28.3	20.9-35.7	517	34.8	27.5-42.2	410	34.4	26.3-42.6	26	2.4	00.0-05.1
18-24	168	301,661										6	2.2	00.0-04.4
25-34	306	533,816										5	3.3	00.0-09.0
35-44	640	405,542										11	2.6	00.0-06.6
45-54	975	351,720										7	0.3	00.0-00.6
55-64	1053	257,925	369	23.8	14.7-32.8							9	0.5	00.0-01.1
65+	1569	292,418							464	24.6	17.8-31.5	14	0.5	00.0-00.9
Less Than H.S.	288	453,877										11	4.6	00.0-11.4
H.S. or G.E.D.	1160	531,999										21	1.2	00.3-02.0
Some Post-H.S.	1325	533,906				463	33.3	24.0-42.6				6	1.7	00.0-04.6
College Graduate	1960	631,701	732	33.6	26.6-40.5	757	41.6	34.6-48.5	457	24.5	18.8-30.2	14	0.4	00.0-00.9
Less than \$15,000	336	219,684										9	0.8	00.0-01.7
\$15,000- 24,999	728	515,054										16	3.7	00.0-09.7
\$25,000- 34,999	469	207,790										5	0.1	00.0-00.3
\$35,000- 49,999	657	268,572										8	4.5	00.0-10.5
\$50,000- 74,999	730	259,388				271	29.5	19.5-39.4				1	0.0	00.0-00.0
\$75,000+	1422	519,016	539	33.3	25.5-41.1	560	40.7	32.3-49.1	315	25.7	18.9-32.6	8	0.3	00.0-00.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 6: FRUITS AND VEGETABLES**

**TABLE 17: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH
AS BAKED OR MASHED POTATOES. (VEGOTHER)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-99 Times per day			01-99 Times per week			01-99 Times per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1761	1,034,288	530	31.1	22.8-39.4	646	32.8	25.6-40.0	554	35.3	27.1-43.6	31	0.8	00.3-01.3
White/Non-Hisp	1294	392,534				471	34.7	27.2-42.3	393	29.3	22.4-36.2	17	1.0	00.1-01.9
Other Race	448	637,344										14	0.7	00.1-01.2
18-24	80	149,096										4	2.1	00.0-04.6
25-34	119	265,857										3	0.5	00.0-01.1
35-44	222	205,564										5	0.9	00.0-02.3
45-54	392	176,948										4	0.5	00.0-01.0
55-64	409	119,501										6	0.3	00.0-00.7
65+	527	116,688	165	19.2	10.2-28.1							8	0.4	00.0-01.0
Less Than H.S.	111	216,908										4	0.3	00.0-00.8
H.S. or G.E.D.	424	255,222										14	2.1	00.4-03.9
Some Post-H.S.	454	266,773										2	0.1	00.0-00.3
College Graduate	765	293,312				293	37.0	27.4-46.6	222	32.5	22.9-42.2	10	0.5	00.0-01.3
Less than \$15,000	104	89,873										6	1.0	00.0-02.5
\$15,000- 24,999	227	236,297										7	0.8	00.0-01.9
\$25,000- 34,999	163	83,677										2	0.2	00.0-00.4
\$35,000- 49,999	242	142,424										6	2.7	00.0-05.4
\$50,000- 74,999	261	121,941										1	0.0	00.0-00.0
\$75,000+	632	281,889	195	21.0	13.9-28.2							6	0.4	00.0-00.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 6: FRUITS AND VEGETABLES

TABLE 18: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH
AS BAKED OR MASHED POTATOES. (VEGOTHER)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-99 Times per day			01-99 Times per week			01-99 Times per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2983	1,119,285	1095	31.9	25.2-38.7	1118	38.0	31.1-44.8	748	27.4	20.3-34.5	22	2.7	00.0-05.8
White/Non-Hisp	2111	418,152	848	38.1	30.2-46.0	766	38.3	31.0-45.7	487	23.1	17.6-28.5	10	0.5	00.0-01.0
Other Race	859	698,225	244	28.2	18.7-37.8							12	4.1	00.0-09.0
18-24	88	152,565										2	2.3	00.0-06.0
25-34	187	267,959										2	6.0	00.0-17.1
35-44	418	199,978							83	18.5	10.2-26.9	6	4.3	00.0-12.1
45-54	583	174,772										3	0.2	00.0-00.4
55-64	644	138,424										3	0.7	00.0-01.7
65+	1042	175,730							290	21.8	13.6-30.0	6	0.5	00.0-01.1
H.S. or G.E.D.	736	276,777										7	0.3	00.0-00.5
Some Post-H.S.	871	267,132										4	3.2	00.0-09.1
College Graduate	1195	338,389	492	36.7	28.5-45.0	464	45.5	36.1-54.9	235	17.5	11.1-23.9	4	0.3	00.0-00.8
Less than \$15,000	232	129,811							82	16.8	07.2-26.5	3	0.7	00.0-01.7
\$15,000- 24,999	501	278,757										9	6.2	00.0-17.0
\$25,000- 34,999	306	124,112										3	0.1	00.0-00.3
\$35,000- 49,999	415	126,147										2	6.5	00.0-18.6
\$75,000+	790	237,127				305	33.1	23.6-42.7	139	18.8	10.8-26.8	2	0.1	00.0-00.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 7: SUGAR SWEETENED BEVERAGES AND MENU LABELING CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE

DURING THE PAST MONTH, HOW OFTEN DID YOU DRINK REGULAR SODA OR POP THAT CONTAINS SUGAR? DO NOT INCLUDE DIET SODA OR DIET POP. (SUGRSODA)

- 1 MALES AND FEMALES
- 2 MALES ONLY
- 3 FEMALES ONLY

DURING THE PAST MONTH, HOW OFTEN DID YOU DRINK SUGAR-SWEETENED FRUIT DRINKS (SUCH AS KOOL-AID AND LEMONADE), SWEET TEA, SPORTS OR ENERGY DRINKS (SUCH AS RED BULL AND GATORADE)? DO NOT INCLUDE 100% FRUIT JUICE, DIET DRINKS, OR ARTIFICIALLY SWEETENED DRINKS. (SUGRDRNK)

- 4 MALES AND FEMALES
- 5 MALES ONLY
- 6 FEMALES ONLY

THE NEXT QUESTION IS ABOUT EATING OUT AT FAST FOOD AND CHAIN RESTAURANTS. WHEN CALORIE INFORMATION IS AVAILABLE IN THE RESTAURANT, HOW OFTEN DOES THIS INFORMATION HELP YOU DECIDE WHAT TO ORDER? (CALINFO)

- 7 MALES AND FEMALES
- 8 MALES ONLY
- 9 FEMALES ONLY

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 7: SUGAR SWEETENED BEVERAGES AND MENU LABELING

TABLE 1: DURING THE PAST MONTH, HOW OFTEN DID YOU DRINK REGULAR SODA OR POP THAT CONTAINS SUGAR? DO NOT INCLUDE DIET SODA OR DIET POP. (SUGRSODA)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-99 Times per day			01-99 Times per week			01-99 Times per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4758	2,154,787	505	16.9	12.1-21.7	647	18.0	14.0-22.0	1183	25.5	20.9-30.1	2423	39.5	34.1-45.0
Male	1767	1,035,559	256	19.6	12.2-26.9	262	19.6	13.1-26.0	470	27.9	20.7-35.1	779	33.0	25.1-40.9
Female	2991	1,119,229	249	14.5	08.2-20.8	385	16.6	11.7-21.5	713	23.3	17.5-29.1	1644	45.6	38.3-53.0
White/Non-Hisp	3416	811,769	317	15.7	09.7-21.7	359	11.7	09.4-14.1	762	27.3	21.8-32.9	1978	45.2	39.4-51.1
Other Race	1308	1,335,433	184	17.8	10.9-24.6	282	21.7	15.5-27.9	409	24.4	17.8-31.0	433	36.2	28.1-44.2
25-34	305	533,129				69	21.1	12.0-30.2	93	18.3	10.3-26.3			
35-44	640	405,542				125	17.8	10.4-25.3						
45-54	975	351,720	91	8.3	02.6-14.0									
65+	1579	294,149	128	9.7	05.0-14.5	144	8.9	04.6-13.2	324	14.8	10.2-19.5	983	66.5	57.5-75.5
Less Than H.S.	293	454,913				48	11.6	03.3-19.9						
H.S. or G.E.D.	1161	532,057				163	22.4	13.4-31.5	275	21.0	12.1-29.9	557	26.6	18.4-34.9
Some Post-H.S.	1329	534,254	151	16.2	07.4-24.9	178	15.4	08.9-21.9	352	22.6	15.6-29.7			
College Graduate	1964	631,473	146	7.7	04.5-10.9	255	20.9	13.7-28.2	485	27.4	21.9-33.0	1078	43.9	37.0-50.9
Less than \$15,000	336	219,779	46	12.6	03.1-22.1									
\$15,000- 24,999	733	516,136				96	15.7	07.4-23.9						
\$25,000- 34,999	471	207,928				71	14.7	04.8-24.6						
\$35,000- 49,999	659	268,169							187	23.5	14.2-32.8			
\$50,000- 74,999	730	259,388	93	14.4	07.2-21.7	104	19.9	10.5-29.3						
\$75,000+	1423	519,035	120	10.7	03.9-17.5	183	17.2	10.8-23.6	334	24.9	18.5-31.2	786	47.2	38.9-55.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 7: SUGAR SWEETENED BEVERAGES AND MENU LABELING

TABLE 2: DURING THE PAST MONTH, HOW OFTEN DID YOU DRINK REGULAR SODA OR POP THAT CONTAINS SUGAR? DO NOT INCLUDE DIET SODA OR DIET POP. (SUGRSODA)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-99 Times per day			01-99 Times per week			01-99 Times per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1767	1,035,559	256	19.6	12.2-26.9	262	19.6	13.1-26.0	470	27.9	20.7-35.1	779	33.0	25.1-40.9
White/Non-Hisp	1297	393,092	171	19.5	09.7-29.4	167	13.9	10.0-17.8	320	26.6	19.9-33.4	639	40.0	30.7-49.2
35-44	222	205,564				49	16.4	07.9-24.9						
55-64	411	119,611	61	7.6	03.7-11.5									
65+	531	117,849	61	12.0	03.2-20.8	56	10.3	02.8-17.8	116	16.8	09.3-24.3			
Less Than H.S.	113	217,589				18	10.6	00.9-20.2						
H.S. or G.E.D.	424	255,211							113	16.0	06.2-25.8			
College Graduate	767	293,581	77	9.8	04.4-15.1				200	29.8	21.3-38.4	380	35.1	26.0-44.2
Less than \$15,000	104	89,873				19	8.9	00.0-18.1						
\$15,000- 24,999	230	237,070				30	13.1	04.0-22.2				89	16.1	06.8-25.4
\$35,000- 49,999	244	142,704	29	10.3	02.4-18.2									
\$75,000+	632	281,889				80	15.3	06.5-24.2	154	25.8	16.5-35.2			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 7: SUGAR SWEETENED BEVERAGES AND MENU LABELING

TABLE 3: DURING THE PAST MONTH, HOW OFTEN DID YOU DRINK REGULAR SODA OR POP THAT CONTAINS SUGAR? DO NOT INCLUDE DIET SODA OR DIET POP. (SUGRSODA)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-99 Times per day			01-99 Times per week			01-99 Times per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2991	1,119,229	249	14.5	08.2-20.8	385	16.6	11.7-21.5	713	23.3	17.5-29.1	1644	45.6	38.3-53.0
White/Non-Hisp	2119	418,676	146	12.1	05.3-18.8	192	9.7	06.8-12.6	442	28.0	19.5-36.5	1339	50.2	42.5-57.9
Other Race	859	697,645	103	16.0	06.8-25.2	192	20.8	13.1-28.5	264	20.4	12.9-27.8			
25-34	186	267,272							53	19.5	09.7-29.2			
35-44	418	199,978							125	22.3	12.8-31.8			
45-54	583	174,772	36	3.7	00.5-06.9	89	14.9	05.7-24.0						
65+	1048	176,300	67	8.2	03.1-13.3	88	8.0	02.9-13.0	208	13.6	07.7-19.4			
Some Post-H.S.	873	267,148	87	16.3	07.3-25.3	106	11.5	05.1-17.8	224	21.9	13.6-30.1			
College Graduate	1197	337,892	69	5.9	02.2-09.7	145	17.1	10.7-23.5	285	25.4	18.2-32.5	698	51.6	42.5-60.7
Less than \$15,000	232	129,906	29	10.5	02.8-18.2				63	12.4	04.6-20.2			
\$25,000- 34,999	308	124,251	25	8.6	01.0-16.3	42	7.1	01.0-13.2						
\$35,000- 49,999	415	125,466				51	10.9	02.8-18.9						
\$50,000- 74,999	469	137,447	44	8.8	04.2-13.5									
\$75,000+	791	237,146	44	4.6	02.1-07.1	103	19.4	10.2-28.6	180	23.7	15.4-31.9			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 7: SUGAR SWEETENED BEVERAGES AND MENU LABELING

TABLE 4: DURING THE PAST MONTH, HOW OFTEN DID YOU DRINK SUGAR-SWEETENED FRUIT DRINKS (SUCH AS KOOL-AID AND LEMONADE), SWEET TEA, SPORTS OR ENERGY DRINKS (SUCH AS RED BULL AND GATORADE)? DO NOT INCLUDE 100% FRUIT JUICE, DIET DRINKS, OR ARTIFICIALLY SWEETENED DRINKS. (SUGDRNK)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-99 Times per day			01-99 Times per week			01-99 Times per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4757	2,155,270	302	14.2	09.4-19.0	485	18.5	13.9-23.1	891	23.6	19.0-28.2	3079	43.7	38.3-49.1
Male	1767	1,035,570	119	18.6	10.7-26.6	220	19.4	12.1-26.7	401	26.9	19.7-34.1	1027	35.1	27.9-42.3
Female	2990	1,119,700	183	10.1	04.8-15.4	265	17.7	11.9-23.5	490	20.5	14.6-26.4	2052	51.7	44.3-59.1
White/Non-Hisp	3413	811,496	141	7.3	02.2-12.4	276	14.3	10.1-18.4	554	21.3	17.3-25.2	2442	57.2	51.2-63.1
Other Race	1310	1,336,188	160	18.5	11.5-25.5	205	21.0	14.0-27.9	331	25.1	18.1-32.1	614	35.5	28.0-42.9
25-34	306	533,816										117	27.0	17.7-36.2
35-44	640	405,542										312	31.8	22.8-40.9
55-64	1056	258,038	42	7.5	00.0-15.3	65	4.6	02.2-07.0						
65+	1578	293,963	75	3.6	01.7-05.4	96	5.4	02.3-08.5	193	11.7	07.2-16.2	1214	79.4	73.0-85.8
Less Than H.S.	292	454,900				45	11.2	03.3-19.1						
H.S. or G.E.D.	1160	531,866				112	20.7	11.3-30.1	198	15.2	09.0-21.4			
Some Post-H.S.	1329	534,254	89	13.6	05.7-21.5				264	26.0	16.9-35.2			
College Graduate	1965	632,159	82	4.7	01.8-07.7	191	21.1	13.0-29.1	374	25.0	19.5-30.5	1318	49.2	42.2-56.2
\$15,000- 24,999	732	516,001	69	11.3	03.5-19.1									
\$25,000- 34,999	470	207,793				42	7.1	01.7-12.5						
\$35,000- 49,999	659	268,838	43	15.2	05.5-25.0				139	17.8	09.9-25.7			
\$75,000+	1423	519,035	60	12.8	04.7-21.0	126	12.0	07.4-16.6	281	28.4	20.6-36.3	956	46.7	38.6-54.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 7: SUGAR SWEETENED BEVERAGES AND MENU LABELING

TABLE 5: DURING THE PAST MONTH, HOW OFTEN DID YOU DRINK SUGAR-SWEETENED FRUIT DRINKS (SUCH AS KOOL-AID AND LEMONADE), SWEET TEA, SPORTS OR ENERGY DRINKS (SUCH AS RED BULL AND GATORADE)? DO NOT INCLUDE 100% FRUIT JUICE, DIET DRINKS, OR ARTIFICIALLY SWEETENED DRINKS. (SUGDRNK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-99 Times per day			01-99 Times per week			01-99 Times per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1767	1,035,570	119	18.6	10.7-26.6	220	19.4	12.1-26.7	401	26.9	19.7-34.1	1027	35.1	27.9-42.3
White/Non-Hisp	1297	393,104	58	11.0	01.0-21.0	143	15.7	10.5-20.9	274	23.1	17.0-29.2	822	50.1	40.8-59.4
Other Race	449	637,788										191	25.8	16.6-35.1
35-44	222	205,564				42	17.5	08.4-26.6						
55-64	410	119,594				27	5.6	01.5-09.8						
65+	532	117,878	28	2.6	00.9-04.3	40	3.6	01.5-05.7	88	14.8	06.7-22.8	376	79.0	69.7-88.4
Less Than H.S.	113	217,589				18	5.0	00.0-10.1						
H.S. or G.E.D.	424	255,222							90	14.4	07.6-21.3			
College Graduate	767	293,581	31	6.3	00.3-12.3				179	28.7	19.8-37.6	462	38.8	29.6-47.9
\$25,000- 34,999	163	83,677				18	4.5	00.3-08.7						
\$35,000- 49,999	243	142,686							61	11.1	04.6-17.5			
\$50,000- 74,999	261	121,941	15	2.8	00.1-05.4									
\$75,000+	632	281,889				72	13.3	07.6-19.0						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 7: SUGAR SWEETENED BEVERAGES AND MENU LABELING

TABLE 6: DURING THE PAST MONTH, HOW OFTEN DID YOU DRINK SUGAR-SWEETENED FRUIT DRINKS (SUCH AS KOOL-AID AND LEMONADE), SWEET TEA, SPORTS OR ENERGY DRINKS (SUCH AS RED BULL AND GATORADE)? DO NOT INCLUDE 100% FRUIT JUICE, DIET DRINKS, OR ARTIFICIALLY SWEETENED DRINKS. (SUGDRNK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-99 Times per day			01-99 Times per week			01-99 Times per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2990	1,119,700	183	10.1	04.8-15.4	265	17.7	11.9-23.5	490	20.5	14.6-26.4	2052	51.7	44.3-59.1
White/Non-Hisp	2116	418,392	83	3.8	02.1-05.5	133	12.9	06.5-19.4	280	19.5	14.4-24.6	1620	63.8	56.5-71.1
Other Race	861	698,400	100	14.0	05.7-22.2	130	20.6	12.1-29.1	208	21.2	12.3-30.1			
45-54	583	174,772	43	6.6	02.1-11.0	52	12.6	04.3-20.9						
55-64	646	138,444	26	1.5	00.4-02.7	38	3.7	01.2-06.2						
65+	1046	176,085	47	4.2	01.3-07.1	56	6.6	01.7-11.6	105	9.6	04.4-14.7	838	79.6	71.0-88.2
Less Than H.S.	179	237,311	14	4.1	00.0-08.3									
Some Post-H.S.	873	267,148				79	13.7	05.3-22.1						
College Graduate	1198	338,579	51	3.4	01.7-05.0	96	16.6	06.8-26.4	195	21.7	14.9-28.6	856	58.3	48.8-67.7
Less than \$15,000	233	129,975	20	7.8	00.8-14.9									
\$15,000- 24,999	502	278,931	40	6.4	00.6-12.3									
\$25,000- 34,999	307	124,115	23	2.2	00.0-04.7	24	8.8	00.3-17.3						
\$50,000- 74,999	469	137,447							76	17.9	09.3-26.6			
\$75,000+	791	237,146	30	5.3	02.0-08.5	54	10.5	02.9-18.1						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 7: SUGAR SWEETENED BEVERAGES AND MENU LABELING**

TABLE 7: THE NEXT QUESTION IS ABOUT EATING OUT AT FAST FOOD AND CHAIN RESTAURANTS. WHEN CALORIE INFORMATION IS AVAILABLE IN THE RESTAURANT, HOW OFTEN DOES THIS INFORMATION HELP YOU DECIDE WHAT TO ORDER? (CALINFO)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Most of the time		N	About half the time		N	Sometimes		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
TOTAL	4751	2,154,257	470	8.4	05.3-11.4	597	9.7	07.1-12.3	386	8.6	05.6-11.7	1095	27.6	22.6-32.7	1822	39.9	34.4-45.4
Male	1765	1,034,938	125	9.5	03.6-15.4	146	4.9	03.0-06.8	141	7.8	04.3-11.2	391	26.4	18.8-33.9	835	47.6	39.2-56.0
Female	2986	1,119,319	345	7.3	05.3-09.3	451	14.2	09.6-18.7	245	9.4	04.6-14.3	704	28.8	22.0-35.6	987	32.8	25.8-39.7
White/Non-Hisp	3411	811,136	335	9.7	07.1-12.3	442	10.4	07.9-12.8	277	9.3	06.3-12.3	752	22.5	18.1-27.0	1311	43.3	36.9-49.6
Other Race	1307	1,335,541	132	7.6	03.0-12.3	152	9.4	05.5-13.3	109	8.3	03.7-12.8	337	30.7	23.1-38.3	493	37.9	30.0-45.9
18-24	168	301,661				24	9.5	02.5-16.6	21	7.0	02.4-11.7						
25-34	306	533,816	30	4.7	01.6-07.9	42	7.3	03.2-11.5	27	10.4	02.9-17.9						
35-44	640	405,542	60	9.3	01.0-17.6	94	10.0	05.4-14.6	58	12.2	02.6-21.8	182	27.6	18.0-37.1			
45-54	974	351,279				117	8.3	04.1-12.4	90	4.6	02.6-06.6						
55-64	1055	257,849	109	5.9	01.9-09.9	131	10.3	03.5-17.0	67	5.8	00.1-11.6						
65+	1574	293,579	139	6.5	03.0-10.0				121	7.1	00.4-13.9				604	36.0	26.3-45.6
Less Than H.S.	292	454,472				25	7.2	00.0-15.2	18	1.7	00.0-04.0						
H.S. or G.E.D.	1159	531,546	87	7.9	01.3-14.5	111	6.0	02.9-09.1	86	7.8	02.7-12.9	267	23.0	14.3-31.7			
Some Post-H.S.	1327	534,130	125	4.0	02.4-05.6	169	7.9	04.3-11.5	124	9.8	02.4-17.2						
College Graduate	1962	632,018	238	10.8	07.4-14.3	291	16.3	11.3-21.3	157	13.3	07.0-19.7	447	24.4	17.5-31.4	688	30.4	24.9-36.0
Less than \$15,000	335	219,641				32	7.0	01.6-12.4	22	0.7	00.2-01.3						
\$15,000- 24,999	730	515,425	62	7.3	00.0-14.9	74	5.5	02.3-08.7	62	8.5	00.8-16.1						
\$25,000- 34,999	471	207,928	39	6.1	01.3-10.9												
\$35,000- 49,999	660	268,856	58	7.7	02.1-13.4	87	10.9	04.0-17.9	49	3.7	01.5-05.8						
\$50,000- 74,999	729	259,257	77	5.2	02.7-07.8	101	7.0	04.0-10.1	49	5.1	02.1-08.0						
\$75,000+	1423	519,035	170	8.0	05.4-10.7	200	14.9	09.5-20.3	143	15.3	08.0-22.7	321	24.7	17.7-31.7	513	34.9	26.8-43.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 7: SUGAR SWEETENED BEVERAGES AND MENU LABELING**

TABLE 7: THE NEXT QUESTION IS ABOUT EATING OUT AT FAST FOOD AND CHAIN RESTAURANTS. WHEN CALORIE INFORMATION IS AVAILABLE IN THE RESTAURANT, HOW OFTEN DOES THIS INFORMATION HELP YOU DECIDE WHAT TO ORDER? (CALINFO)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never noticed or never looked for calorie information			Usually cannot find calorie information			Never eats at fast food restaurant		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4751	2,154,257	48	1.4	00.0-02.8	15	0.7	00.0-01.5	318	3.7	01.6-05.8
Male	1765	1,034,938	18	0.4	00.1-00.8	7	0.8	00.0-02.1	102	2.6	01.3-03.8
Female	2986	1,119,319	30	2.2	00.0-05.0	8	0.6	00.0-01.6	216	4.7	00.8-08.6
White/Non-Hisp	3411	811,136	37	0.5	00.2-00.9	10	0.1	00.0-00.3	247	4.2	03.0-05.3
Other Race	1307	1,335,541	11	1.9	00.0-04.2	5	1.0	00.0-02.3	68	3.3	00.0-06.6
18-24	168	301,661	2	0.6	00.0-01.5				1	0.0	00.0-00.0
25-34	306	533,816	2	3.4	00.0-09.1	3	2.5	00.0-05.8	4	4.5	00.0-12.5
35-44	640	405,542							12	0.7	00.1-01.3
45-54	974	351,279	6	1.1	00.0-02.5	3	0.0	00.0-00.1	38	3.1	00.7-05.5
55-64	1055	257,849	7	0.8	00.0-01.8	3	0.0	00.0-00.0	77	4.8	02.0-07.7
65+	1574	293,579	30	1.1	00.3-01.9	5	0.2	00.0-00.6	180	9.7	05.8-13.6
Less Than H.S.	292	454,472	4	0.6	00.0-01.7	1	0.0	00.0-00.0	32	8.2	00.0-17.7
H.S. or G.E.D.	1159	531,546	12	0.3	00.0-00.6	4	1.3	00.0-03.9	96	2.9	01.3-04.6
Some Post-H.S.	1327	534,130	12	3.7	00.0-09.3	3	0.0	00.0-00.1	75	1.7	00.9-02.5
College Graduate	1962	632,018	20	0.8	00.0-01.7	7	1.1	00.0-03.0	114	2.8	01.7-03.8
Less than \$15,000	335	219,641	6	0.5	00.0-01.1	1	3.2	00.0-09.4	29	2.2	00.6-03.7
\$15,000- 24,999	730	515,425	11	1.2	00.0-02.4	3	0.1	00.0-00.2	61	7.9	00.0-16.3
\$25,000- 34,999	471	207,928	7	0.5	00.0-01.1	2	0.0	00.0-00.1	37	2.8	00.5-05.2
\$35,000- 49,999	660	268,856	8	0.3	00.0-00.6				47	3.5	01.1-06.0
\$50,000- 74,999	729	259,257	7	6.5	00.0-17.7	2	2.3	00.0-06.7	39	2.1	00.9-03.3
\$75,000+	1423	519,035	3	0.6	00.0-01.6	4	0.1	00.0-00.1	69	1.5	00.8-02.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 7: SUGAR SWEETENED BEVERAGES AND MENU LABELING**

TABLE 8: THE NEXT QUESTION IS ABOUT EATING OUT AT FAST FOOD AND CHAIN RESTAURANTS. WHEN CALORIE INFORMATION IS AVAILABLE IN THE RESTAURANT, HOW OFTEN DOES THIS INFORMATION HELP YOU DECIDE WHAT TO ORDER? (CALINFO)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Most of the time			About half the time			Sometimes			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1765	1,034,938	125	9.5	03.6-15.4	146	4.9	03.0-06.8	141	7.8	04.3-11.2	391	26.4	18.8-33.9	835	47.6	39.2-56.0
White/Non-Hisp	1298	393,122	84	5.1	02.3-07.9	104	6.0	03.5-08.4	96	8.8	04.9-12.7	287	20.1	14.5-25.7	633	55.9	47.3-64.5
Other Race	447	637,145	39	12.3	03.0-21.6	41	4.3	01.6-07.0	45	7.2	02.2-12.2						
18-24	80	149,096				11	5.4	00.3-10.4	9	8.1	00.3-15.8						
25-34	119	265,857	7	2.2	00.0-05.3	10	1.9	00.0-03.8	10	8.1	00.7-15.5						
35-44	222	205,564				19	9.7	02.2-17.2	20	7.2	01.7-12.7						
45-54	391	176,507				34	4.4	00.8-08.0	31	2.9	00.8-04.9						
55-64	410	119,409	31	7.0	00.0-14.8	30	4.4	01.4-07.3									
65+	531	117,871	36	5.7	00.0-12.3	42	4.2	01.8-06.7									
Less Than H.S.	112	217,148				10	3.4	00.2-06.7	7	3.1	00.0-07.7						
H.S. or G.E.D.	424	255,037				28	3.8	00.0-08.0				80	10.1	05.2-15.1			
Some Post-H.S.	456	267,106	28	1.8	00.5-03.1	34	3.6	01.1-06.2	35	5.5	00.0-11.5						
College Graduate	766	293,574	62	7.8	02.7-12.8	74	8.2	03.8-12.6	61	9.3	04.7-13.9				336	39.4	29.6-49.2
Less than \$15,000	103	89,671				5	1.6	00.0-03.9	6	0.2	00.0-00.5	19	3.1	00.0-06.2			
\$15,000- 24,999	229	236,629				17	3.2	00.2-06.1	18	8.3	00.0-17.2						
\$25,000- 34,999	163	83,677				13	1.9	00.0-03.9									
\$35,000- 49,999	244	142,704	14	4.4	00.0-10.1	21	2.9	00.4-05.4	17	3.9	00.5-07.4						
\$50,000- 74,999	261	121,941	17	1.8	00.3-03.2	18	3.8	00.7-06.9	19	4.5	00.3-08.6						
\$75,000+	632	281,889	44	4.1	00.6-07.6	62	10.1	04.4-15.8	62	10.1	04.7-15.4						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 7: SUGAR SWEETENED BEVERAGES AND MENU LABELING**

TABLE 8: THE NEXT QUESTION IS ABOUT EATING OUT AT FAST FOOD AND CHAIN RESTAURANTS. WHEN CALORIE INFORMATION IS AVAILABLE IN THE RESTAURANT, HOW OFTEN DOES THIS INFORMATION HELP YOU DECIDE WHAT TO ORDER? (CALINFO)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never noticed or never looked for calorie information			Usually cannot find calorie information			Never eats at fast food restaurant		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1765	1,034,938	18	0.4	00.1-00.8	7	0.8	00.0-02.1	102	2.6	01.3-03.8
White/Non-Hisp	1298	393,122	16	0.7	00.1-01.3	5	0.2	00.0-00.6	73	3.2	01.8-04.5
Other Race	447	637,145	2	0.3	00.0-00.6	2	1.1	00.0-03.3	27	2.1	00.3-03.9
18-24	80	149,096	1	0.4	00.0-01.1						
25-34	119	265,857				2	2.8	00.0-07.9	3	0.5	00.0-01.4
35-44	222	205,564							4	0.6	00.0-01.3
45-54	391	176,507	4	0.4	00.0-01.1	2	0.1	00.0-00.1	14	3.8	00.0-08.3
55-64	410	119,409	3	0.9	00.0-02.7	1	0.0	00.0-00.0	26	4.0	00.9-07.1
65+	531	117,871	10	1.8	00.0-03.6	2	0.4	00.0-01.3	53	10.6	03.1-18.1
Less Than H.S.	112	217,148	1	0.0	00.0-00.0	1	0.0	00.0-00.1	12	3.4	00.0-07.4
H.S. or G.E.D.	424	255,037	4	0.3	00.0-00.8	1	2.7	00.0-08.0	32	3.6	00.4-06.7
Some Post-H.S.	456	267,106	3	0.8	00.0-01.9	1	0.0	00.0-00.0	21	1.1	00.0-02.2
College Graduate	766	293,574	10	0.5	00.0-01.0	4	0.3	00.0-00.7	36	2.5	01.1-04.0
Less than \$15,000	103	89,671	2	0.6	00.0-01.9				13	3.3	00.0-06.9
\$15,000- 24,999	229	236,629	5	0.9	00.0-01.9	2	0.2	00.0-00.5	21	5.0	00.2-09.9
\$25,000- 34,999	163	83,677	2	0.3	00.0-01.0	2	0.1	00.0-00.2	7	0.9	00.0-01.9
\$35,000- 49,999	244	142,704	3	0.1	00.0-00.2				16	2.1	00.5-03.8
\$50,000- 74,999	261	121,941	4	0.9	00.0-02.7				10	1.8	00.0-03.7
\$75,000+	632	281,889	1	0.1	00.0-00.2	1	0.0	00.0-00.0	23	1.2	00.1-02.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 7: SUGAR SWEETENED BEVERAGES AND MENU LABELING**

TABLE 9: THE NEXT QUESTION IS ABOUT EATING OUT AT FAST FOOD AND CHAIN RESTAURANTS. WHEN CALORIE INFORMATION IS AVAILABLE IN THE RESTAURANT, HOW OFTEN DOES THIS INFORMATION HELP YOU DECIDE WHAT TO ORDER? (CALINFO)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Most of the time			About half the time			Sometimes			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2986	1,119,319	345	7.3	05.3-09.3	451	14.2	09.6-18.7	245	9.4	04.6-14.3	704	28.8	22.0-35.6	987	32.8	25.8-39.7
White/Non-Hisp	2113	418,015	251	14.0	09.8-18.2	338	14.5	10.5-18.5	181	9.8	05.3-14.3	465	24.8	18.1-31.5	678	31.3	23.2-39.4
Other Race	860	698,396	93	3.4	01.9-04.9	111	14.0	07.1-20.8	64	9.2	01.9-16.6						
18-24	88	152,565	10	5.3	00.5-10.1				12	6.0	00.9-11.1						
25-34	187	267,959	23	7.2	01.7-12.7	32	12.8	04.8-20.7							61	18.9	09.7-28.2
35-44	418	199,978	46	7.6	03.0-12.2	75	10.3	05.1-15.5									
45-54	583	174,772	79	11.3	06.3-16.3	83	12.2	05.2-19.2	59	6.4	03.2-09.7						
55-64	645	138,440	78	4.9	02.1-07.8				39	2.2	00.8-03.6						
65+	1043	175,708	103	7.0	03.2-10.9				79	3.5	01.9-05.1						
Less Than H.S.	180	237,324	7	2.3	00.0-05.2				11	0.5	00.0-01.1						
H.S. or G.E.D.	735	276,509	65	5.2	01.8-08.6	83	8.0	03.3-12.7	48	3.5	01.3-05.7						
Some Post-H.S.	871	267,024	97	6.2	03.3-09.0	135	12.2	05.8-18.6									
College Graduate	1196	338,444	176	13.5	08.8-18.2	217	23.2	15.2-31.3				264	17.9	12.8-22.9	352	22.7	16.8-28.5
Less than \$15,000	232	129,971	24	5.2	00.7-09.6	27	10.7	02.0-19.4	16	1.1	00.2-02.0						
\$15,000- 24,999	501	278,795	42	3.3	00.5-06.1	57	7.4	02.0-12.8									
\$25,000- 34,999	308	124,251	27	3.9	00.3-07.6												
\$35,000- 49,999	416	126,152	44	11.5	01.6-21.5				32	3.4	00.9-05.9						
\$50,000- 74,999	468	137,316	60	8.3	03.7-12.9	83	9.9	05.0-14.8	30	5.6	01.4-09.8						
\$75,000+	791	237,146	126	12.7	08.3-17.0	138	20.7	11.3-30.0				188	17.4	11.9-22.9	207	24.5	15.6-33.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 7: SUGAR SWEETENED BEVERAGES AND MENU LABELING**

TABLE 9: THE NEXT QUESTION IS ABOUT EATING OUT AT FAST FOOD AND CHAIN RESTAURANTS. WHEN CALORIE INFORMATION IS AVAILABLE IN THE RESTAURANT, HOW OFTEN DOES THIS INFORMATION HELP YOU DECIDE WHAT TO ORDER? (CALINFO)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never noticed or never looked for calorie information			Usually cannot find calorie information			Never eats at fast food restaurant		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2986	1,119,319	30	2.2	00.0-05.0	8	0.6	00.0-01.6	216	4.7	00.8-08.6
White/Non-Hisp	2113	418,015	21	0.4	00.1-00.7	5	0.0	00.0-00.1	174	5.2	03.4-07.0
Other Race	860	698,396	9	3.3	00.0-07.7	3	0.9	00.0-02.6	41	4.3	00.0-10.5
18-24	88	152,565	1	0.8	00.0-02.4				1	0.0	00.0-00.0
25-34	187	267,959	2	6.9	00.0-17.9	1	2.2	00.0-06.5			
35-44	418	199,978							8	0.8	00.0-01.8
45-54	583	174,772	2	1.7	00.0-04.5	1	0.0	00.0-00.0	24	2.3	00.7-04.0
55-64	645	138,440	4	0.8	00.0-01.8	2	0.0	00.0-00.0	51	5.6	00.9-10.2
65+	1043	175,708	20	0.7	00.2-01.1	3	0.1	00.0-00.2	127	9.1	05.0-13.2
Less Than H.S.	180	237,324	3	1.1	00.0-03.2						
H.S. or G.E.D.	735	276,509	8	0.3	00.0-00.7	3	0.0	00.0-00.0	64	2.4	01.1-03.6
Some Post-H.S.	871	267,024	9	6.6	00.0-17.4	2	0.0	00.0-00.1	54	2.3	01.2-03.4
College Graduate	1196	338,444	10	1.1	00.0-02.7	3	1.8	00.0-05.2	78	3.0	01.4-04.5
Less than \$15,000	232	129,971	4	0.4	00.0-01.1				16	1.4	00.3-02.5
\$15,000- 24,999	501	278,795	6	1.4	00.0-03.4	1	0.0	00.0-00.0			
\$25,000- 34,999	308	124,251	5	0.7	00.0-01.6				30	4.1	00.2-08.0
\$35,000- 49,999	416	126,152	5	0.5	00.0-01.3				31	5.1	00.3-10.0
\$50,000- 74,999	468	137,316				2	4.3	00.0-12.6	29	2.3	00.7-03.9
\$75,000+	791	237,146	2	1.2	00.0-03.5	3	0.1	00.0-00.3	46	1.9	01.0-02.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 8: DISABILITY CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE

ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)

1 MALES AND FEMALES

2 MALES ONLY

3 FEMALES ONLY

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 8: DISABILITY

TABLE 1: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)	
TOTAL	4754	2,153,594	951	14.8	10.6-19.0		3803	85.2	81.0-89.4	
Male	1765	1,035,530	317	13.9	07.8-19.9		1448	86.1	80.1-92.2	
Female	2989	1,118,064	634	15.6	09.9-21.4		2355	84.4	78.6-90.1	
White/Non-Hisp	3412	811,566	732	13.8	11.3-16.4		2680	86.2	83.6-88.7	
Other Race	1309	1,334,478	213	15.4	08.8-21.9		1096	84.6	78.1-91.2	
25-34	305	532,106	27	4.7	01.8-07.6		278	95.3	92.4-98.2	
35-44	639	405,523	58	10.5	04.0-16.9		581	89.5	83.1-96.0	
65+	1580	294,246	453	21.7	15.3-28.1		1127	78.3	71.9-84.7	
H.S. or G.E.D.	1162	531,985	244	12.1	05.3-19.0		918	87.9	81.0-94.7	
Some Post-H.S.	1328	532,544	310	14.7	08.2-21.2		1018	85.3	78.8-91.8	
College Graduate	1962	632,100	322	9.0	06.3-11.8		1640	91.0	88.2-93.7	
\$35,000- 49,999	660	268,856	129	8.7	04.5-13.0		531	91.3	87.0-95.5	
\$50,000- 74,999	729	259,349	116	5.7	03.2-08.2		613	94.3	91.8-96.8	
\$75,000+	1422	519,017	186	6.2	03.6-08.8		1236	93.8	91.2-96.4	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 8: DISABILITY

TABLE 2: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)	
Male	1765	1,035,530	317	13.9	07.8-19.9		1448	86.1	80.1-92.2	
White/Non-Hisp	1296	393,100	249	13.1	09.0-17.1		1047	86.9	82.9-91.0	
Other Race	449	637,788	65	14.5	04.9-24.0		384	85.5	76.0-95.1	
25-34	119	265,857	12	4.2	00.4-08.0		107	95.8	92.0-99.6	
35-44	221	205,545	22	8.2	01.8-14.6		199	91.8	85.4-98.2	
Some Post-H.S.	456	267,106	94	9.1	04.1-14.1		362	90.9	85.9-95.9	
College Graduate	766	293,562	126	9.5	04.9-14.1		640	90.5	85.9-95.1	
\$15,000- 24,999	230	237,070	65	15.9	05.9-25.9		165	84.1	74.1-94.1	
\$25,000- 34,999	163	83,677	31	6.6	00.8-12.4		132	93.4	87.6-99.2	
\$35,000- 49,999	244	142,704	43	10.5	03.2-17.8		201	89.5	82.2-96.8	
\$50,000- 74,999	261	121,941	38	3.3	01.1-05.5		223	96.7	94.5-98.9	
\$75,000+	631	281,870	80	7.2	02.8-11.7		551	92.8	88.3-97.2	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010**

SECTION 8: DISABILITY

TABLE 3: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)	
Female	2989	1,118,064	634	15.6	09.9-21.4		2355	84.4	78.6-90.1	
White/Non-Hisp	2116	418,466	483	14.6	11.4-17.7		1633	85.4	82.3-88.6	
Other Race	860	696,690	148	16.2	07.2-25.2		712	83.8	74.8-92.8	
25-34	186	266,249	15	5.3	00.9-09.6		171	94.7	90.4-99.1	
65+	1048	176,368	311	22.1	13.8-30.4		737	77.9	69.6-86.2	
H.S. or G.E.D.	737	276,746	171	8.3	04.6-12.0		566	91.7	88.0-95.4	
College Graduate	1196	338,538	196	8.6	05.4-11.8		1000	91.4	88.2-94.6	
\$35,000- 49,999	416	126,152	86	6.8	02.8-10.7		330	93.2	89.3-97.2	
\$50,000- 74,999	468	137,408	78	7.9	03.7-12.0		390	92.1	88.0-96.3	
\$75,000+	791	237,146	106	4.9	02.9-07.0		685	95.1	93.0-97.1	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 9: DEMOGRAPHICS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE

WHAT IS YOUR AGE? (AGE)

- 1 MALES AND FEMALES
- 2 MALES ONLY
- 3 FEMALES ONLY

ARE YOU HISPANIC OR LATINO? (HISPANC2)

- 4 MALES AND FEMALES
- 5 MALES ONLY
- 6 FEMALES ONLY

WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)

- 7 MALES AND FEMALES
- 8 MALES ONLY
- 9 FEMALES ONLY

WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

- 10 MALES AND FEMALES
- 11 MALES ONLY
- 12 FEMALES ONLY

HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN2)

- 13 MALES AND FEMALES
- 14 MALES ONLY
- 15 FEMALES ONLY

ARE YOU: (MARITAL STATUS) (MARITAL)

- 16 MALES AND FEMALES
- 17 MALES ONLY
- 18 FEMALES ONLY

HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)

- 19 MALES AND FEMALES
- 20 MALES ONLY
- 21 FEMALES ONLY

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 9: DEMOGRAPHICS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE

WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)

22 MALES AND FEMALES

23 MALES ONLY

24 FEMALES ONLY

ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)

25 MALES AND FEMALES

26 MALES ONLY

27 FEMALES ONLY

IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)

28 MALES AND FEMALES

29 MALES ONLY

30 FEMALES ONLY

ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)

31 MALES AND FEMALES

32 MALES ONLY

33 FEMALES ONLY

ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)

34 MALES AND FEMALES

35 MALES ONLY

36 FEMALES ONLY

WHAT COUNTY DO YOU LIVE IN? (CTYCODE)

37 MALES AND FEMALES

38 MALES ONLY

39 FEMALES ONLY

WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

40 MALES AND FEMALES

41 MALES ONLY

42 FEMALES ONLY

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 9: DEMOGRAPHICS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE

	DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)
43	MALES AND FEMALES
44	MALES ONLY
45	FEMALES ONLY
	HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)
46	MALES AND FEMALES
47	MALES ONLY
48	FEMALES ONLY
	DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT LANDLINE TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF LANDLINE TELEPHONE SERVICE BECAUSE OF WEATHER OR NATURAL DISASTERS. (TELSERV3)
49	MALES AND FEMALES
50	MALES ONLY
51	FEMALES ONLY
	INDICATE SEX OF RESPONDENT. (SEX)
52	MALES AND FEMALES
53	MALES ONLY
54	FEMALES ONLY
	TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)
55	MALES AND FEMALES
56	MALES ONLY
57	FEMALES ONLY

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS
TABLE 1: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Age 18 - 24			Age 25 - 34			Age 35 - 44			Age 45 - 54			Age 55 - 64			Age 65 or older		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4727	2,145,041	168	14.1	09.8-18.4	306	24.9	19.6-30.1	640	18.9	14.8-23.0	975	16.4	12.2-20.6	1057	12.0	08.9-15.1	1581	13.7	10.5-16.9
Male	1756	1,034,954	80	14.4	08.3-20.5	119	25.7	17.6-33.7	222	19.9	13.6-26.1	392	17.1	09.9-24.3	411	11.6	07.5-15.6	532	11.4	07.4-15.3
Female	2971	1,110,087	88	13.7	07.6-19.8	187	24.1	17.3-30.9	418	18.0	12.7-23.4	583	15.7	11.2-20.3	646	12.5	07.8-17.2	1049	15.9	11.0-20.8
White/Non-Hisp	3395	810,027	105	17.3	10.6-24.1	157	20.1	13.7-26.4	352	16.2	12.9-19.5	683	17.4	14.5-20.4	796	11.3	09.3-13.4	1302	17.6	15.1-20.1
Other Race	1300	1,327,470	63	12.2	06.6-17.7	146	27.7	20.2-35.3	284	20.6	14.3-26.9	286	15.8	09.3-22.4	250	12.3	07.4-17.1	271	11.4	06.4-16.3
18-24	168	301,661	168	100.0	0100-0100															
25-34	306	533,816				306	100.0	0100-0100												
35-44	640	405,542							640	100.0	0100-0100									
45-54	975	351,720										975	100.0	0100-0100						
55-64	1057	258,056													1057	100.0	0100-0100			
65+	1581	294,247																1581	100.0	0100-0100
Less Than H.S.	293	454,913	12	4.7	00.8-08.6															
H.S. or G.E.D.	1157	531,683				50	19.0	09.1-28.8	114	19.8	10.8-28.7	181	12.2	06.9-17.6	240	9.1	05.0-13.2	515	15.1	09.7-20.4
Some Post-H.S.	1322	532,971	62	18.0	08.8-27.2				152	16.0	09.2-22.7	267	15.0	09.2-20.8	309	9.1	05.5-12.8	442	9.3	06.5-12.1
College Graduate	1946	623,423	37	8.4	04.4-12.4	154	29.3	22.7-35.9	339	23.5	17.5-29.5	476	18.0	11.6-24.4	458	12.0	08.4-15.5	482	8.9	06.7-11.0
Less than \$15,000	335	219,541	12	4.6	01.0-08.1	24	10.0	01.7-18.4												
\$15,000- 24,999	727	515,723	37	15.8	06.0-25.6				56	15.6	05.9-25.3				124	12.8	03.1-22.6	367	13.3	08.7-17.8
\$25,000- 34,999	471	207,928										60	13.7	04.1-23.2	89	15.7	05.8-25.7			
\$35,000- 49,999	659	268,692	27	10.9	04.4-17.3				74	15.4	07.1-23.6				126	10.3	04.4-16.2			
\$50,000- 74,999	725	258,701	21	8.9	04.2-13.5				109	10.8	06.3-15.3				187	8.8	05.6-12.1	184	8.1	04.3-11.9
\$75,000+	1414	510,649	36	9.4	04.7-14.1	90	27.9	19.1-36.6	292	31.8	23.6-39.9	431	15.5	12.1-18.9	371	11.3	07.2-15.5	194	4.1	02.7-05.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010**

SECTION 9: DEMOGRAPHICS

TABLE 2: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Age 18 - 24			Age 25 - 34			Age 35 - 44			Age 45 - 54			Age 55 - 64			Age 65 or older		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1756	1,034,954	80	14.4	08.3-20.5	119	25.7	17.6-33.7	222	19.9	13.6-26.1	392	17.1	09.9-24.3	411	11.6	07.5-15.6	532	11.4	07.4-15.3
White/Non-Hisp	1289	392,595							131	20.2	14.4-26.0	273	13.7	10.2-17.2	328	13.4	09.9-16.9	445	15.6	12.0-19.3
Other Race	447	637,716	33	12.8	05.3-20.2				91	19.8	10.3-29.3				76	10.4	04.2-16.5	82	8.8	02.8-14.8
18-24	80	149,096	80	100.0	0100-0100															
25-34	119	265,857				119	100.0	0100-0100												
35-44	222	205,564							222	100.0	0100-0100									
45-54	392	176,948										392	100.0	0100-0100						
55-64	411	119,611													411	100.0	0100-0100			
65+	532	117,878																532	100.0	0100-0100
Less Than H.S.	113	217,589	10	8.1	00.3-15.9															
H.S. or G.E.D.	422	255,178										86	13.4	04.7-22.0	92	10.3	03.8-16.7	143	14.4	05.3-23.5
Some Post-H.S.	456	267,106							48	13.5	06.1-20.8	100	11.0	03.4-18.6	115	9.3	03.3-15.3	136	5.9	03.3-08.5
College Graduate	760	293,048	13	5.7	01.1-10.3				114	24.7	17.3-32.2				186	12.2	07.6-16.8	203	9.5	05.9-13.1
Less than \$15,000	104	89,873	6	4.1	00.0-09.0										25	5.8	00.2-11.4	31	9.1	01.0-17.3
\$15,000- 24,999	229	237,042																88	11.9	05.2-18.6
\$25,000- 34,999	163	83,677	5	2.7	00.0-05.9				13	5.5	00.0-11.6	22	5.2	00.2-10.3						
\$35,000- 49,999	244	142,704													35	7.4	02.0-12.9			
\$50,000- 74,999	260	121,894	10	9.8	01.9-17.7				33	8.7	02.9-14.4				61	8.5	03.5-13.6	74	10.1	02.5-17.7
\$75,000+	627	281,598	16	6.4	01.5-11.2							186	10.9	07.7-14.2	177	13.0	06.9-19.1	95	3.9	02.3-05.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010**

SECTION 9: DEMOGRAPHICS

TABLE 3: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Age 18 - 24			Age 25 - 34			Age 35 - 44			Age 45 - 54			Age 55 - 64			Age 65 or older		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2971	1,110,087	88	13.7	07.6-19.8	187	24.1	17.3-30.9	418	18.0	12.7-23.4	583	15.7	11.2-20.3	646	12.5	07.8-17.2	1049	15.9	11.0-20.8
White/Non-Hisp	2106	417,431	58	17.4	08.6-26.2	92	20.3	12.3-28.2	221	12.5	09.2-15.9	410	20.9	16.3-25.5	468	9.4	07.1-11.8	857	19.5	16.0-22.9
Other Race	853	689,754	30	11.6	03.4-19.7	94	26.6	16.7-36.4	193	21.4	13.0-29.7	173	12.7	05.8-19.5	174	14.0	06.7-21.4	189	13.8	06.1-21.4
18-24	88	152,565	88	100.0	0100-0100															
25-34	187	267,959				187	100.0	0100-0100												
35-44	418	199,978							418	100.0	0100-0100									
45-54	583	174,772										583	100.0	0100-0100						
55-64	646	138,444													646	100.0	0100-0100			
65+	1049	176,369																1049	100.0	0100-0100
Less Than H.S.	180	237,324	2	1.6	00.0-04.1				20	6.1	00.9-11.2									
H.S. or G.E.D.	735	276,505										95	11.2	04.7-17.7	148	8.0	02.8-13.1	372	15.7	09.7-21.6
Some Post-H.S.	866	265,865	35	14.2	05.0-23.5							167	19.0	10.5-27.5	194	9.0	04.8-13.2	306	12.8	08.0-17.6
College Graduate	1186	330,375	24	10.8	04.5-17.0	93	29.5	20.8-38.1	225	22.4	13.1-31.8	293	17.3	12.9-21.7	272	11.8	06.5-17.1	279	8.3	05.9-10.7
Less than \$15,000	231	129,668	6	4.9	00.0-09.8	17	9.2	00.9-17.5				29	8.3	00.8-15.8						
\$15,000- 24,999	498	278,681																279	14.4	08.1-20.7
\$25,000- 34,999	308	124,251													52	10.7	02.6-18.7			
\$35,000- 49,999	415	125,988	13	6.8	01.5-12.0							67	12.5	05.6-19.3				169	14.0	06.6-21.3
\$50,000- 74,999	465	136,807	11	8.1	02.7-13.4				76	12.7	06.1-19.3				126	9.1	05.0-13.2	110	6.4	03.6-09.1
\$75,000+	787	229,051	20	13.2	04.8-21.6				176	23.3	14.6-32.1	245	21.1	14.7-27.5	194	9.3	03.8-14.8	99	4.2	02.0-06.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 4: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)	
TOTAL	4749	2,154,422	338	24.0	18.7-29.3		4411	76.0	70.7-81.3	
Male	1759	1,034,805	134	26.3	18.3-34.2		1625	73.7	65.8-81.7	
Female	2990	1,119,616	204	22.0	14.9-29.0		2786	78.0	71.0-85.1	
White/Non-Hisp	3417	811,798					3417	100.0	0100-0100	
Other Race	1310	1,336,188	338	38.7	30.8-46.7		972	61.3	53.3-69.2	
65+	1577	294,101	35	11.2	02.6-19.8		1542	88.8	80.2-97.4	
H.S. or G.E.D.	1161	531,708	90	25.2	15.3-35.2		1071	74.8	64.8-84.7	
Some Post-H.S.	1325	534,018	75	17.7	08.7-26.8		1250	82.3	73.2-91.3	
College Graduate	1961	631,779	66	10.3	05.3-15.3		1895	89.7	84.7-94.7	
\$35,000- 49,999	658	268,749	43	14.7	05.3-24.1		615	85.3	75.9-94.7	
\$75,000+	1423	519,035	47	17.2	08.3-26.0		1376	82.8	74.0-91.7	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 5: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)	
Male	1759	1,034,805	134	26.3	18.3-34.2		1625	73.7	65.8-81.7	
White/Non-Hisp	1298	393,122					1298	100.0	0100-0100	
College Graduate	764	293,443	23	11.4	03.7-19.2		741	88.6	80.8-96.3	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 6: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)	
Female	2990	1,119,616	204	22.0	14.9-29.0		2786	78.0	71.0-85.1	
White/Non-Hisp	2119	418,676					2119	100.0	0100-0100	
65+	1047	176,243	21	8.2	00.0-17.0		1026	91.8	83.0-0100	
College Graduate	1197	338,336	43	9.4	02.9-15.8		1154	90.6	84.2-97.1	
\$35,000- 49,999	416	126,152	23	9.2	00.0-19.2		393	90.8	80.8-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 7: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4729	2,138,952	4688	98.9	98.2-99.6	41	1.1	00.4-01.8
Male	1749	1,021,655	1736	99.1	98.1-0100	13	0.9	00.0-01.9
Female	2980	1,117,297	2952	98.7	97.8-99.7	28	1.3	00.3-02.2
White/Non-Hisp	3417	811,798	3403	99.0	98.1-99.8	14	1.0	00.2-01.9
Other Race	1306	1,325,867	1280	98.9	97.9-99.9	26	1.1	00.1-02.1
18-24	168	301,661	163	97.2	94.0-0100	5	2.8	00.0-06.0
25-34	302	530,604	300	100.0	99.9-0100	2	0.0	00.0-00.1
35-44	634	404,381	626	98.7	96.5-0100	8	1.3	00.0-03.5
45-54	969	341,894	958	99.9	99.8-0100	11	0.1	00.0-00.2
55-64	1048	256,012	1037	96.9	94.3-99.5	11	3.1	00.5-05.7
65+	1576	293,911	1572	99.4	98.6-0100	4	0.6	00.0-01.4
Less Than H.S.	292	454,834	288	99.9	99.7-0100	4	0.1	00.0-00.3
H.S. or G.E.D.	1157	528,528	1148	98.7	96.9-0100	9	1.3	00.0-03.1
Some Post-H.S.	1321	523,759	1307	98.6	97.0-0100	14	1.4	00.0-03.0
College Graduate	1951	629,830	1937	98.6	97.4-99.8	14	1.4	00.2-02.6
Less than \$15,000	335	218,836	332	99.9	99.9-0100	3	0.1	00.0-00.1
\$15,000- 24,999	728	512,535	723	99.6	99.1-0100	5	0.4	00.0-00.9
\$25,000- 34,999	469	207,922	463	99.5	98.9-0100	6	0.5	00.0-01.1
\$35,000- 49,999	655	268,445	650	96.8	93.7-0100	5	3.2	00.0-06.3
\$50,000- 74,999	729	250,025	720	99.1	98.0-0100	9	0.9	00.0-02.0
\$75,000+	1417	517,540	1407	99.7	99.4-0100	10	0.3	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010**

SECTION 9: DEMOGRAPHICS

TABLE 8: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1749	1,021,655	1736	99.1	98.1-0100	13	0.9	00.0-01.9
White/Non-Hisp	1298	393,122	1294	99.3	98.1-0100	4	0.7	00.0-01.9
Other Race	448	628,425	439	98.9	97.5-0100	9	1.1	00.0-02.5
18-24	80	149,096	77	95.8	89.9-0100	3	4.2	00.0-10.1
25-34	117	262,973	117	100.0	0100-0100			
35-44	222	205,564	219	99.8	99.4-0100	3	0.2	00.0-00.6
45-54	386	167,122	383	99.9	99.7-0100	3	0.1	00.0-00.3
55-64	405	118,759	401	97.7	93.8-0100	4	2.3	00.0-06.2
65+	528	117,543	528	100.0	0100-0100			
Less Than H.S.	113	217,589	110	99.8	99.4-0100	3	0.2	00.0-00.6
H.S. or G.E.D.	422	251,964	422	100.0	0100-0100			
Some Post-H.S.	451	257,551	447	97.6	94.3-0100	4	2.4	00.0-05.7
College Graduate	759	292,568	753	98.9	97.2-0100	6	1.1	00.0-02.8
Less than \$15,000	103	89,795	103	100.0	0100-0100			
\$15,000- 24,999	228	233,800	226	99.9	99.8-0100	2	0.1	00.0-00.2
\$25,000- 34,999	162	83,675	160	99.5	98.4-0100	2	0.5	00.0-01.6
\$35,000- 49,999	241	142,386	239	96.6	91.9-0100	2	3.4	00.0-08.1
\$50,000- 74,999	260	112,578	257	99.6	98.9-0100	3	0.4	00.0-01.1
\$75,000+	629	281,457	626	99.9	99.8-0100	3	0.1	00.0-00.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010**

SECTION 9: DEMOGRAPHICS

TABLE 9: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2980	1,117,297	2952	98.7	97.8-99.7	28	1.3	00.3-02.2
White/Non-Hisp	2119	418,676	2109	98.7	97.5-99.9	10	1.3	00.1-02.5
Other Race	858	697,442	841	98.9	97.5-0100	17	1.1	00.0-02.5
18-24	88	152,565	86	98.6	95.8-0100	2	1.4	00.0-04.2
25-34	185	267,631	183	99.9	99.9-0100	2	0.1	00.0-00.1
35-44	412	198,817	407	97.7	93.3-0100	5	2.3	00.0-06.7
45-54	583	174,772	575	99.9	99.8-0100	8	0.1	00.0-00.2
55-64	643	137,253	636	96.3	92.7-99.9	7	3.7	00.1-07.3
65+	1048	176,368	1044	99.0	97.7-0100	4	1.0	00.0-02.3
Less Than H.S.	179	237,245	178	99.9	99.8-0100	1	0.1	00.0-00.2
H.S. or G.E.D.	735	276,565	726	97.5	94.1-0100	9	2.5	00.0-05.9
Some Post-H.S.	870	266,208	860	99.6	99.0-0100	10	0.4	00.0-01.0
College Graduate	1192	337,261	1184	98.3	96.6-0100	8	1.7	00.0-03.4
Less than \$15,000	232	129,041	229	99.9	99.8-0100	3	0.1	00.0-00.2
\$15,000- 24,999	500	278,734	497	99.3	98.3-0100	3	0.7	00.0-01.7
\$25,000- 34,999	307	124,247	303	99.5	98.9-0100	4	0.5	00.0-01.1
\$35,000- 49,999	414	126,059	411	97.1	93.0-0100	3	2.9	00.0-07.0
\$50,000- 74,999	469	137,447	463	98.6	96.8-0100	6	1.4	00.0-03.2
\$75,000+	788	236,082	781	99.5	98.7-0100	7	0.5	00.0-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS

TABLE 10: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)
Denominator excludes: Respondents with do not know/refused/missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS

TABLE 13: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, now on active duty			Yes, on active duty during the last 12 months, but not now			Yes, on active duty in the past, but not during the last 12 months			No, training for Reserves or National Guard only			No, never served in the military		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4756	2,154,428	9	1.0	00.0-03.0	12	1.2	00.0-03.3	491	6.9	04.8-09.0	39	0.4	00.2-00.7	4205	90.4	87.1-93.8
Male	1766	1,035,166	7	2.1	00.0-06.1	10	2.6	00.0-06.7	465	12.0	08.4-15.6	34	0.8	00.3-01.4	1250	82.5	76.3-88.7
Female	2990	1,119,262	2	0.0	00.0-00.0	2	0.0	00.0-00.0	26	2.2	00.0-04.6	5	0.0	00.0-00.1	2955	97.8	95.4-0100
White/Non-Hisp	3414	811,243	3	0.0	00.0-00.1	8	3.1	00.0-08.4	398	9.2	07.2-11.3	30	0.5	00.2-00.9	2975	87.0	81.9-92.2
Other Race	1309	1,335,853	6	1.6	00.0-04.8	4	0.1	00.0-00.3	91	5.4	02.3-08.5	9	0.3	00.0-00.7	1199	92.5	88.2-96.8
18-24	168	301,661										1	0.1	00.0-00.4			
25-34	306	533,816	2	4.0	00.0-11.7	2	0.5	00.0-01.2	9	1.8	00.2-03.4	1	0.1	00.0-00.4	292	93.6	85.8-0100
35-44	640	405,542	3	0.1	00.0-00.2				25	8.0	01.4-14.7	1	0.2	00.0-00.6	611	91.7	85.0-98.3
45-54	973	351,234	1	0.0	00.0-00.1	2	0.1	00.0-00.2	37	4.7	00.0-10.1	4	0.1	00.0-00.1	929	95.1	89.8-0100
55-64	1056	257,801	2	0.1	00.0-00.3				106	8.9	04.2-13.6	12	0.5	00.1-00.9	936	90.5	85.7-95.3
65+	1579	293,843	1	0.0	00.0-00.0	4	0.0	00.0-00.1	312	22.5	14.1-31.0	20	1.9	00.3-03.5	1242	75.5	66.9-84.2
Less Than H.S.	293	454,913							28	3.7	01.2-06.2	1	0.1	00.0-00.3	264	96.2	93.7-98.8
H.S. or G.E.D.	1160	531,295	2	0.0	00.0-00.1	3	0.0	00.0-00.1	138	8.4	03.9-13.0	2	0.4	00.0-01.2	1015	91.1	86.5-95.7
Some Post-H.S.	1329	534,254	4	4.1	00.0-11.7	6	4.8	00.0-12.6	148	9.1	03.2-15.1	15	0.4	00.1-00.6			
College Graduate	1964	632,027	3	0.0	00.0-00.1	3	0.2	00.0-00.5	176	6.0	03.5-08.4	21	0.7	00.2-01.2	1761	93.1	90.6-95.6
Less than \$15,000	337	219,848				1	0.0	00.0-00.0	23	2.3	00.4-04.1	2	0.4	00.0-01.1	311	97.3	95.3-99.3
\$15,000- 24,999	732	515,801				2	0.0	00.0-00.1	79	5.7	02.7-08.7	5	0.5	00.0-01.3	646	93.7	90.6-96.9
\$25,000- 34,999	471	207,928										3	0.4	00.0-01.0			
\$35,000- 49,999	660	268,856	2	0.0	00.0-00.1	2	0.6	00.0-01.7	96	8.6	02.4-14.8	4	0.4	00.0-01.0	556	90.4	84.0-96.8
\$50,000- 74,999	730	259,388				2	0.9	00.0-02.1	79	8.4	01.2-15.6	5	0.3	00.0-00.6			
\$75,000+	1422	518,903	4	0.1	00.0-00.2	3	0.1	00.0-00.3	117	5.9	03.3-08.6	18	0.5	00.1-00.9	1280	93.4	90.6-96.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS

TABLE 14: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, now on active duty			Yes, on active duty during the last 12 months, but not now			Yes, on active duty in the past, but not during the last 12 months			No, training for Reserves or National Guard only			No, never served in the military		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1766	1,035,166	7	2.1	00.0-06.1	10	2.6	00.0-06.7	465	12.0	08.4-15.6	34	0.8	00.3-01.4	1250	82.5	76.3-88.7
White/Non-Hisp	1296	392,699	3	0.1	00.0-00.2	6	6.5	00.0-16.9	386	18.1	13.6-22.5	27	1.1	00.5-01.8	874	74.3	64.8-83.8
Other Race	449	637,788	4	3.4	00.0-09.8	4	0.2	00.0-00.6	77	8.2	03.1-13.3	7	0.7	00.0-01.4	357	87.5	79.6-95.4
18-24	80	149,096										1	0.3	00.0-00.8			
25-34	119	265,857				2	1.0	00.0-02.4	7	2.2	00.0-04.5	1	0.3	00.0-00.8			
35-44	222	205,564	1	0.1	00.0-00.3				21	6.5	01.9-11.1	1	0.4	00.0-01.2	199	93.0	88.2-97.7
45-54	391	176,796	1	0.1	00.0-00.3	1	0.1	00.0-00.2	32	9.2	00.0-19.8	3	0.1	00.0-00.2			
55-64	411	119,611	2	0.2	00.0-00.6							9	0.7	00.0-01.5			
65+	531	117,607	1	0.0	00.0-00.0	3	0.1	00.0-00.2				19	4.7	00.6-08.9			
Less Than H.S.	113	217,589							27	7.7	02.0-13.5	1	0.2	00.0-00.6	85	92.1	86.3-97.9
H.S. or G.E.D.	424	254,969	2	0.1	00.0-00.3	3	0.1	00.0-00.2	131	16.1	07.0-25.3	2	0.8	00.0-02.5	286	82.9	73.5-92.2
Some Post-H.S.	456	267,106							136	10.8	03.3-18.3	13	0.6	00.1-01.2			
College Graduate	767	293,581	2	0.1	00.0-00.2	1	0.4	00.0-01.1	170	12.7	07.4-17.9	18	1.5	00.4-02.5	576	85.4	79.9-90.9
Less than \$15,000	104	89,873				1	0.0	00.0-00.1	21	5.5	00.0-11.1	2	1.0	00.0-02.9	80	93.5	87.1-99.8
\$15,000- 24,999	230	237,070				2	0.1	00.0-00.2	74	11.1	04.7-17.5	5	1.1	00.0-02.9	149	87.7	80.9-94.6
\$25,000- 34,999	163	83,677										2	1.1	00.0-02.6			
\$35,000- 49,999	244	142,704	1	0.0	00.0-00.1	2	1.1	00.0-03.2	92	10.3	04.7-15.8	3	0.7	00.0-01.8	146	87.9	81.4-94.4
\$50,000- 74,999	261	121,941				2	1.9	00.0-04.6				5	0.6	00.0-01.4			
\$75,000+	632	281,889	3	0.1	00.0-00.3	1	0.2	00.0-00.5	111	10.8	05.8-15.8	15	0.8	00.1-01.5	502	88.1	82.9-93.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS

TABLE 15: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, now on active duty			Yes, on active duty during the last 12 months, but not now			Yes, on active duty in the past, but not during the last 12 months			No, training for Reserves or National Guard only			No, never served in the military		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2990	1,119,262	2	0.0	00.0-00.0	2	0.0	00.0-00.0	26	2.2	00.0-04.6	5	0.0	00.0-00.1	2955	97.8	95.4-0100
White/Non-Hisp	2118	418,543				2	0.0	00.0-00.1	12	0.9	00.0-02.4	3	0.0	00.0-00.0	2101	99.0	97.6-0100
Other Race	860	698,066	2	0.0	00.0-00.1				14	2.9	00.0-06.7	2	0.0	00.0-00.1	842	97.0	93.2-0100
18-24	88	152,565													88	100.0	0100-0100
25-34	187	267,959							2	1.3	00.0-03.7				185	98.7	96.3-0100
35-44	418	199,978	2	0.1	00.0-00.2												
45-54	582	174,437				1	0.1	00.0-00.2	5	0.3	00.0-00.5	1	0.0	00.0-00.0	575	99.7	99.4-0100
55-64	645	138,190							7	0.3	00.0-00.7	3	0.2	00.0-00.6	635	99.4	98.9-0100
65+	1048	176,236				1	0.0	00.0-00.1	8	0.3	00.0-00.7	1	0.0	00.0-00.0	1038	99.7	99.3-0100
Less Than H.S.	180	237,324							1	0.0	00.0-00.0				179	100.0	0100-0100
H.S. or G.E.D.	736	276,326							7	1.3	00.0-03.5				729	98.7	96.5-0100
Some Post-H.S.	873	267,148	1	0.0	00.0-00.1				12	7.5	00.0-17.0	2	0.1	00.0-00.3	858	92.4	82.9-0100
College Graduate	1197	338,446	1	0.0	00.0-00.1	2	0.0	00.0-00.1	6	0.1	00.0-00.3	3	0.0	00.0-00.0	1185	99.8	99.6-99.9
Less than \$15,000	233	129,975							2	0.1	00.0-00.1				231	99.9	99.9-0100
\$15,000- 24,999	502	278,732							5	1.2	00.0-03.4				497	98.8	96.6-0100
\$25,000- 34,999	308	124,251										1	0.0	00.0-00.0			
\$35,000- 49,999	416	126,152	1	0.1	00.0-00.2				4	6.7	00.0-18.8	1	0.0	00.0-00.1	410	93.2	81.1-0100
\$50,000- 74,999	469	137,447							4	0.6	00.0-01.4				465	99.4	98.6-0100
\$75,000+	790	237,014	1	0.0	00.0-00.1	2	0.1	00.0-00.2	6	0.1	00.0-00.2	3	0.1	00.0-00.3	778	99.7	99.4-99.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 16: ARE YOU: (MARITAL STATUS) (MARITAL)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Married		N	Divorced		N	Widowed		N	Separated		N	Never married		A member of an unmarried couple		
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4736	2,142,292	2426	34.7	29.6-39.7	606	27.2	21.8-32.6	779	13.0	09.5-16.5	82	6.5	03.5-09.4	748	15.5	11.6-19.4	95	3.2	00.9-05.4
Male	1762	1,035,382	1043	41.5	33.4-49.6	201	27.7	19.4-36.1	151	5.8	03.4-08.2	22	5.0	00.5-09.5	319	16.6	11.0-22.2	26	3.4	00.0-06.8
Female	2974	1,106,911	1383	28.3	22.2-34.3	405	26.7	19.7-33.6	628	19.7	13.6-25.8	60	7.8	04.0-11.7	429	14.5	09.1-20.0	69	3.0	00.1-05.9
White/Non-Hisp	3402	810,449	1809	33.4	29.1-37.8	408	31.3	24.5-38.1	637	15.0	12.5-17.5	30	6.5	00.8-12.2	472	11.9	09.2-14.7	46	1.9	00.5-03.2
Other Race	1304	1,324,399	603	35.3	27.6-43.0	197	24.8	17.1-32.5	136	11.7	06.2-17.2	51	6.4	03.2-09.6	269	17.8	11.8-23.8	48	4.0	00.5-07.5
18-24	168	301,661	3	1.5	00.0-03.4	2	7.2	00.0-19.9	1	0.7	00.0-02.1									
25-34	305	531,953				12	13.4	03.8-23.1	1	0.8	00.0-02.2	10	5.5	01.1-10.0	113	20.4	11.3-29.6	25	4.2	00.0-09.9
35-44	637	405,237							7	1.1	00.0-02.6	15	9.9	01.8-18.0	99	1.7	00.9-02.5	21	0.9	00.1-01.8
45-54	967	351,195	610	28.6	20.1-37.1							22	5.4	01.1-09.7	155	2.2	01.1-03.4	15	0.2	00.0-00.3
55-64	1054	255,498							93	17.9	08.5-27.3	20	5.6	00.0-11.4	132	1.1	00.3-02.0	16	0.8	00.0-02.2
65+	1574	293,604	614	14.3	09.6-19.0	206	23.0	13.0-32.9				12	2.4	00.0-05.0	98	0.3	00.1-00.5	3	0.0	00.0-00.0
Less Than H.S.	290	452,586										16	4.8	00.9-08.7	35	8.8	00.6-17.0	13	6.3	00.0-13.4
H.S. or G.E.D.	1160	531,726	509	21.2	14.6-27.8				307	14.1	08.7-19.5	25	9.3	02.8-15.8	156	20.1	10.2-30.1	16	4.3	00.0-10.5
Some Post-H.S.	1324	533,569				185	23.9	15.9-32.0	231	9.9	06.0-13.7	25	8.1	00.0-16.4	223	19.7	12.0-27.5	36	2.2	00.0-04.4
College Graduate	1953	622,374	1167	45.6	38.9-52.4	238	29.9	21.8-38.0	169	6.8	04.6-09.1	16	3.9	00.6-07.2	333	12.9	08.4-17.4	30	0.8	00.3-01.4
Less than \$15,000	332	217,399													91	11.7	03.4-19.9	5	0.1	00.0-00.4
\$15,000- 24,999	731	516,003							245	14.4	06.3-22.4	29	5.9	01.9-09.9	135	18.7	09.1-28.2	23	4.8	00.0-10.8
\$25,000- 34,999	471	207,928	158	17.1	07.2-27.0							9	6.8	00.0-13.7				5	0.2	00.0-00.5
\$35,000- 49,999	660	268,856	299	24.6	14.9-34.4				127	10.9	06.2-15.6	7	4.5	00.0-10.7	113	15.2	07.6-22.7	17	2.6	00.0-05.7
\$50,000- 74,999	729	259,331				112	24.2	14.2-34.2	62	8.6	02.9-14.3	7	2.6	00.0-06.2	135	15.0	07.7-22.3	22	1.1	00.0-02.5
\$75,000+	1418	509,639	1130	61.3	53.1-69.5	97	19.3	12.9-25.7	43	2.3	01.0-03.7	8	3.2	00.0-06.9	122	11.7	05.7-17.7	18	2.1	00.0-04.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 17: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Married		N	Divorced		N	Widowed		N	Separated		N	Never married		A member of an unmarried couple		
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)	N	%	C.I. (95%)
Male	1762	1,035,382	1043	41.5	33.4-49.6	201	27.7	19.4-36.1	151	5.8	03.4-08.2	22	5.0	00.5-09.5	319	16.6	11.0-22.2	26	3.4	00.0-06.8
White/Non-Hisp	1295	393,051	785	37.8	30.4-45.3	139	30.8	21.0-40.7	126	10.3	07.1-13.5	5	6.2	00.0-16.7	228	12.2	07.8-16.7	12	2.6	00.2-05.0
Other Race	449	637,788							23	3.1	00.0-06.4	17	4.3	01.1-07.4	87	19.4	10.7-28.1	14	3.9	00.0-09.3
18-24	80	149,096				1	0.6	00.0-01.9												
25-34	119	265,857										2	0.9	00.0-02.4				5	0.4	00.0-00.9
35-44	222	205,564							3	1.7	00.0-04.6	3	2.2	00.0-04.9	25	1.2	00.4-02.0	5	0.4	00.0-01.0
45-54	390	176,863							5	1.7	00.0-03.9	4	3.0	00.0-08.1	72	1.9	00.6-03.3	5	0.2	00.0-00.4
55-64	410	119,560							18	5.1	01.6-08.6				54	0.7	00.3-01.0	1	0.0	00.0-00.0
65+	530	117,810										5	3.0	00.0-06.9	42	0.3	00.1-00.6			
Less Than H.S.	112	217,563							15	5.3	01.4-09.1	6	1.2	00.0-02.6				3	2.7	00.0-06.7
H.S. or G.E.D.	424	255,234							55	10.2	01.9-18.5	10	7.4	00.4-14.4				6	7.3	00.0-19.7
Some Post-H.S.	455	267,028							42	3.9	01.6-06.2							9	3.4	00.0-07.7
College Graduate	766	293,539							39	4.2	01.8-06.6	2	0.8	00.0-02.3	132	12.3	06.1-18.5	8	0.6	00.0-01.2
Less than \$15,000	102	89,769							15	6.3	00.1-12.5	2	1.2	00.0-03.4				3	0.3	00.0-01.0
\$15,000- 24,999	230	237,070							37	6.5	02.4-10.6	13	8.0	00.7-15.2				3	0.9	00.0-02.6
\$25,000- 34,999	163	83,677										1	0.4	00.0-01.4	43	5.0	00.6-09.4	1	0.4	00.0-01.1
\$35,000- 49,999	244	142,704							36	6.1	02.7-09.5	1	0.0	00.0-00.1				5	3.8	00.0-09.4
\$50,000- 74,999	261	121,941							10	3.7	00.0-07.4	1	3.7	00.0-11.0				4	1.8	00.0-04.8
\$75,000+	631	281,847				34	16.8	08.7-25.0	12	2.1	00.0-04.3	2	1.3	00.0-03.7	47	10.4	01.9-19.0	9	2.7	00.0-06.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 18: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Married		N	Divorced		N	Widowed		N	Separated		N	Never married		A member of an unmarried couple		
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)	N	%	C.I. (95%)
Female	2974	1,106,911	1383	28.3	22.2-34.3	405	26.7	19.7-33.6	628	19.7	13.6-25.8	60	7.8	04.0-11.7	429	14.5	09.1-20.0	69	3.0	00.1-05.9
White/Non-Hisp	2107	417,398	1024	29.2	24.2-34.3	269	31.8	22.5-41.1	511	19.5	15.7-23.3	25	6.7	01.6-11.8	244	11.7	08.3-15.1	34	1.2	00.1-02.2
Other Race	855	686,611	356	27.8	18.5-37.0	136	23.7	14.3-33.1	113	19.7	10.2-29.2	34	8.4	03.0-13.8	182	16.3	07.9-24.8	34	4.1	00.0-08.7
18-24	88	152,565	3	2.9	00.0-06.9				1	1.4	00.0-04.1	1	2.0	00.0-06.0				5	4.4	00.0-09.2
25-34	186	266,096							1	1.5	00.0-04.5	8	10.2	01.5-18.8	59	12.8	04.9-20.6	20	7.9	00.0-19.1
35-44	415	199,673							4	0.5	00.0-01.4				74	2.2	00.9-03.5	16	1.5	00.0-03.1
45-54	577	174,331	356	29.0	19.5-38.5							18	7.9	01.2-14.6	83	2.5	00.8-04.3	10	0.1	00.0-00.2
55-64	644	135,938	341	19.4	10.1-28.7							14	2.8	00.6-05.0	78	1.5	00.0-03.1	15	1.5	00.0-04.1
65+	1044	175,794	312	8.0	04.2-11.8	150	16.5	09.4-23.5				7	2.0	00.0-05.5	56	0.3	00.0-00.7	3	0.0	00.0-00.0
Less Than H.S.	178	235,023										10	8.0	00.6-15.5	14	4.2	00.0-09.5			
H.S. or G.E.D.	736	276,493	287	17.6	09.5-25.7				252	17.7	10.3-25.1							10	1.5	00.0-03.4
Some Post-H.S.	869	266,541							189	15.9	08.8-22.9	21	5.9	00.0-12.2				27	1.0	00.0-02.0
College Graduate	1187	328,835	651	38.9	31.1-46.7				130	9.2	05.6-12.8	14	6.6	00.6-12.6	201	13.4	07.0-19.8	22	1.1	00.2-02.0
Less than \$15,000	230	127,631	36	11.7	02.7-20.7	48	13.0	03.8-22.3							52	8.0	01.9-14.2	2	0.0	00.0-00.0
\$15,000- 24,999	501	278,933										16	4.2	00.1-08.3				20	8.0	00.0-18.8
\$25,000- 34,999	308	124,251	95	9.6	03.3-15.9													4	0.1	00.0-00.2
\$35,000- 49,999	416	126,152							91	16.4	07.5-25.3				68	10.9	02.8-18.9	12	1.3	00.0-02.8
\$50,000- 74,999	468	137,390							52	12.9	03.1-22.7	6	1.6	00.0-03.3	81	12.3	06.0-18.7	18	0.4	00.0-00.8
\$75,000+	787	227,791				63	22.4	12.4-32.3	31	2.6	01.3-04.0	6	5.6	00.0-13.1	75	13.3	05.0-21.6	9	1.4	00.0-03.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 19: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or more Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4751	2,153,464	547	18.3	13.9-22.7	554	21.0	16.2-25.8	228	7.0	04.2-09.9	78	3.2	00.9-05.5	24	0.6	00.1-01.0	3320	49.9	44.3-55.5
Male	1765	1,035,352	211	18.7	12.2-25.2	198	20.1	12.9-27.4	71	6.4	02.0-10.9	27	1.8	00.2-03.3	9	0.5	00.0-01.1	1249	52.4	44.0-60.8
Female	2986	1,118,112	336	18.0	11.9-24.0	356	21.7	15.4-28.1	157	7.6	04.0-11.2	51	4.5	00.4-08.6	15	0.6	00.0-01.3	2071	47.6	40.3-54.9
White/Non-Hisp	3409	809,698	301	16.3	11.1-21.5	332	15.0	11.1-19.0	132	5.2	02.8-07.7	43	1.9	00.9-02.9	11	0.4	00.1-00.6	2590	61.2	55.2-67.1
Other Race	1309	1,336,187	239	19.6	13.2-26.0	220	24.7	17.4-31.9	96	8.2	03.8-12.5	34	4.0	00.4-07.6	13	0.7	00.0-01.5	707	42.9	34.8-50.9
18-24	168	301,661				11	3.7	00.1-07.4	7	1.8	00.0-03.8	2	0.3	00.0-00.7						
25-34	306	533,816	56	17.5	08.3-26.7							12	8.8	00.2-17.4	6	0.8	00.0-02.2			
35-44	639	405,450	121	16.9	10.3-23.4				112	12.8	07.8-17.8	44	2.7	01.5-04.0	11	0.7	00.2-01.1			
45-54	967	349,707							56	2.1	01.2-03.0	17	1.4	00.0-02.8	4	1.3	00.0-03.2			
55-64	1057	258,056	78	8.2	01.7-14.7	36	9.7	02.3-17.0	11	2.1	00.0-04.5				2	0.2	00.0-00.6	930	79.8	70.1-89.5
65+	1581	294,247	39	3.7	01.1-06.2	10	0.9	00.0-02.0	7	0.4	00.0-00.7	3	1.8	00.0-04.3	1	0.0	00.0-00.1	1521	93.3	89.4-97.1
Less Than H.S.	293	454,913	27	8.1	02.6-13.7				21	5.5	01.5-09.5	5	6.4	00.0-15.8	3	1.7	00.0-03.9			
H.S. or G.E.D.	1162	532,149				96	20.9	11.5-30.4	39	2.8	01.1-04.5	18	2.5	00.0-05.1	9	0.4	00.1-00.7			
Some Post-H.S.	1327	532,935	149	22.5	12.9-32.0	137	18.3	09.6-27.1	53	11.4	02.1-20.7	20	3.4	00.2-06.6	4	0.1	00.0-00.2			
College Graduate	1959	631,380	243	20.3	13.6-27.1	279	18.0	13.6-22.4	114	8.1	04.1-12.1	35	1.3	00.7-01.9	8	0.3	00.1-00.6	1280	52.0	44.9-59.0
Less than \$15,000	337	219,848	31	7.3	01.9-12.7				10	2.8	00.0-06.4	5	1.4	00.0-03.1	7	2.3	00.0-05.6			
\$15,000- 24,999	732	516,135							26	4.3	01.2-07.4	9	5.9	00.0-14.2	3	0.7	00.0-01.8			
\$25,000- 34,999	471	207,928							19	2.3	00.5-04.1	8	3.1	00.0-06.5	2	0.6	00.0-01.7			
\$35,000- 49,999	660	268,856				56	11.6	01.8-21.4	25	9.2	01.9-16.6	7	3.8	00.0-08.7	2	0.2	00.0-00.6			
\$50,000- 74,999	730	259,388	93	17.1	09.0-25.1							15	4.3	00.0-10.0	3	0.1	00.0-00.3			
\$75,000+	1420	517,490	203	20.7	14.5-26.8	268	27.9	19.5-36.2	103	10.6	03.9-17.4	30	1.5	00.7-02.2	7	0.4	00.1-00.7	809	39.0	31.4-46.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010**

SECTION 9: DEMOGRAPHICS

TABLE 20: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or more Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1765	1,035,352	211	18.7	12.2-25.2	198	20.1	12.9-27.4	71	6.4	01.9-10.9	27	1.8	00.2-03.4	9	0.5	00.0-01.1	1249	52.4	44.0-60.8
White/Non-Hisp	1296	392,892	123	14.1	09.4-18.7	121	12.4	08.2-16.7	43	3.5	02.0-05.0	13	1.5	00.4-02.6	3	0.4	00.0-00.8	993	68.1	61.0-75.1
Other Race	449	637,788							28	8.2	01.1-15.4	14	1.9	00.0-04.4	6	0.6	00.0-01.6			
18-24	80	149,096				5	5.0	00.0-11.8	2	0.5	00.0-01.6	1	0.2	00.0-00.5						
25-34	119	265,857										4	3.4	00.0-09.0	2	0.2	00.0-00.5			
35-44	222	205,564	44	17.2	08.6-25.8				34	11.6	04.5-18.7	16	2.7	00.6-04.8	2	0.5	00.0-01.1			
45-54	390	176,715							20	1.7	00.5-02.9	6	2.1	00.0-05.0	3	1.9	00.0-05.4			
55-64	411	119,611				14	7.9	00.0-18.5	6	2.0	00.0-04.0				2	0.5	00.0-01.4			
65+	532	117,878	8	2.3	00.2-04.5	4	0.3	00.0-00.8	3	0.1	00.0-00.3							517	97.2	95.0-99.5
Less Than H.S.	113	217,589	12	8.2	00.0-16.9				4	2.3	00.0-06.6	2	1.1	00.0-03.2	1	1.4	00.0-04.2			
H.S. or G.E.D.	424	255,234	51	11.5	04.8-18.2				15	4.2	00.8-07.6	6	0.8	00.0-02.0	7	0.8	00.1-01.4			
Some Post-H.S.	456	267,106										9	3.9	00.0-09.5						
College Graduate	766	293,354				100	14.5	08.2-20.9	38	7.8	01.9-13.7	10	1.2	00.3-02.1	1	0.2	00.0-00.5			
Less than \$15,000	104	89,873	10	3.3	00.0-07.1				3	3.4	00.0-09.7	1	0.1	00.0-00.4	3	1.0	00.0-02.4			
\$15,000- 24,999	230	237,070							7	2.5	00.0-06.5	2	1.6	00.0-03.9	3	1.5	00.0-04.0			
\$25,000- 34,999	163	83,677				8	3.8	00.0-10.3	4	2.1	00.0-04.7	2	0.3	00.0-00.9						
\$35,000- 49,999	244	142,704				15	5.4	01.1-09.8				2	0.2	00.0-00.7	1	0.3	00.0-01.0			
\$50,000- 74,999	261	121,941	30	10.2	03.6-16.7							6	7.3	00.0-19.2	1	0.2	00.0-00.5			
\$75,000+	632	281,889	101	24.5	14.6-34.4				35	5.2	02.5-07.9	13	1.7	00.5-02.8	1	0.2	00.0-00.5	373	36.0	26.2-45.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 21: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or more Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2986	1,118,112	336	18.0	11.9-24.0	356	21.7	15.4-28.1	157	7.6	04.0-11.2	51	4.5	00.4-08.6	15	0.6	00.0-01.3	2071	47.6	40.3-54.9
White/Non-Hisp	2113	416,806	178	18.4	09.5-27.3	211	17.5	11.0-23.9	89	6.9	02.4-11.3	30	2.3	00.7-03.9	8	0.4	00.1-00.7	1597	54.6	46.5-62.7
Other Race	860	698,399	155	17.7	09.7-25.7	144	24.4	15.0-33.7	68	8.1	03.0-13.2	20	5.8	00.0-12.3	7	0.8	00.0-01.9			
18-24	88	152,565				6	2.5	00.0-05.1	5	3.0	00.0-06.9	1	0.4	00.0-01.1						
25-34	187	267,959	41	17.4	08.6-26.1										4	1.5	00.0-04.2	49	13.3	05.3-21.3
35-44	417	199,886	77	16.5	06.5-26.5				78	14.0	07.0-21.0	28	2.7	01.3-04.2	9	0.9	00.2-01.6			
45-54	577	172,993							36	2.5	01.2-03.8	11	0.6	00.1-01.2	1	0.7	00.0-01.9			
55-64	646	138,444	39	3.1	00.9-05.3				5	2.2	00.0-06.2									
65+	1049	176,369	31	4.5	00.4-08.6	6	1.2	00.0-03.2	4	0.5	00.0-01.1	3	3.0	00.0-07.2	1	0.1	00.0-00.2	1004	90.6	84.3-97.0
Less Than H.S.	180	237,324	15	8.1	01.2-15.0				17	8.4	01.6-15.1				2	2.0	00.0-05.3			
H.S. or G.E.D.	738	276,916							24	1.5	00.3-02.8	12	4.1	00.0-09.0	2	0.1	00.0-00.2			
Some Post-H.S.	871	265,829	93	17.5	08.1-26.9							11	2.9	00.0-05.9	4	0.2	00.0-00.4			
College Graduate	1193	338,026	151	16.3	11.1-21.4	179	20.9	14.9-27.0	76	8.3	02.9-13.7	25	1.4	00.7-02.2	7	0.4	00.1-00.8	755	52.6	43.6-61.6
Less than \$15,000	233	129,975	21	10.1	01.7-18.6				7	2.5	00.0-06.7	4	2.2	00.0-05.2	4	3.1	00.0-08.7			
\$15,000- 24,999	502	279,065							19	5.8	01.0-10.6									
\$25,000- 34,999	308	124,251							15	2.4	00.0-04.9	6	4.9	00.0-10.6	2	1.0	00.0-02.8			
\$35,000- 49,999	416	126,152	49	8.4	03.5-13.2				16	7.5	00.6-14.5	5	7.7	00.0-17.9	1	0.1	00.0-00.4			
\$50,000- 74,999	469	137,447							22	4.2	01.6-06.7	9	1.5	00.2-02.9	2	0.1	00.0-00.4			
\$75,000+	788	235,601	102	16.0	10.0-22.1	159	22.4	15.7-29.2				17	1.2	00.5-01.9	6	0.6	00.1-01.1			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS

TABLE 22: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never attended school or only kindergarten			Grades 1 through 8 (Elementary)			Grades 9 through 11 (Some high school)			Grade 12 or GED (High school graduate)			College 1 year to 3 years (Some college or technical school)			College 4 years or more (College graduate)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4750	2,153,482	6	0.2	00.0-00.5	110	8.2	04.0-12.3	177	12.7	08.1-17.4	1163	24.7	19.9-29.6	1329	24.8	20.1-29.5	1965	29.4	25.1-33.6
Male	1761	1,033,515	2	0.1	00.0-00.3	45	6.2	01.4-10.9	66	14.8	07.1-22.4	425	24.7	17.7-31.7	456	25.8	18.2-33.5	767	28.4	22.1-34.7
Female	2989	1,119,966	4	0.4	00.0-00.9	65	10.0	03.4-16.6	111	10.8	05.4-16.2	738	24.7	18.1-31.4	873	23.9	18.1-29.6	1198	30.2	24.6-35.9
White/Non-Hisp	3411	811,536	1	0.0	00.0-00.0	32	0.7	00.3-01.1	86	7.4	04.6-10.1	849	25.7	19.1-32.3	919	23.9	18.6-29.3	1524	42.3	36.9-47.8
Other Race	1308	1,334,449	5	0.4	00.0-00.9	78	12.8	06.3-19.3	91	16.1	08.9-23.2	307	23.9	17.2-30.6	400	25.4	18.5-32.3	427	21.5	15.8-27.2
18-24	168	301,661				2	0.3	00.0-00.9	10	6.8	01.1-12.5							37	17.3	08.2-26.4
25-34	306	533,816				6	8.6	00.0-18.3	6	5.8	00.0-12.3									
35-44	638	403,803	1	0.2	00.0-00.5	11	2.4	00.0-05.1							152	21.1	12.5-29.6			
45-54	973	351,464	1	0.0	00.0-00.1							181	18.5	10.3-26.7	267	22.7	13.7-31.8			
55-64	1055	258,003	2	0.4	00.0-01.1							240	18.7	10.6-26.8	309	18.9	11.4-26.4	458	28.9	19.3-38.5
65+	1578	294,243	2	1.1	00.0-03.2							515	27.2	18.4-36.1	442	16.9	11.7-22.0	482	18.8	13.3-24.2
Less Than H.S.	293	454,913	6	1.1	00.0-02.6															
H.S. or G.E.D.	1163	532,155										1163	100.0	0100-0100						
Some Post-H.S.	1329	534,254													1329	100.0	0100-0100			
College Graduate	1965	632,159																1965	100.0	0100-0100
Less than \$15,000	336	219,833	4	1.9	00.0-04.9	28	5.5	01.1-09.8							95	11.8	04.9-18.8	48	4.7	01.9-07.5
\$15,000- 24,999	733	516,136	1	0.0	00.0-00.1										237	18.9	09.4-28.5	112	9.4	02.2-16.6
\$25,000- 34,999	470	207,926							25	9.7	02.5-16.8									
\$35,000- 49,999	660	268,856				6	1.2	00.0-02.9												
\$50,000- 74,999	730	259,388							8	1.9	00.0-04.2	142	15.9	09.1-22.7				339	29.8	20.5-39.1
\$75,000+	1422	517,311				5	0.4	00.0-00.9	8	6.0	00.0-13.5	158	11.4	06.7-16.0	267	20.2	12.0-28.5	984	62.0	52.8-71.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 23: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never attended school or only kindergarten			Grades 1 through 8 (Elementary)			Grades 9 through 11 (Some high school)			Grade 12 or GED (High school graduate)			College 1 year to 3 years (Some college or technical school)			College 4 years or more (College graduate)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1761	1,033,515	2	0.1	00.0-00.3	45	6.2	01.4-10.9	66	14.8	07.1-22.4	425	24.7	17.7-31.7	456	25.8	18.2-33.5	767	28.4	22.1-34.7
White/Non-Hisp	1295	392,863	1	0.0	00.0-00.1	12	0.7	00.1-01.3	34	8.3	03.8-12.8	289	22.7	13.4-32.0	334	27.3	17.6-37.0	625	41.1	32.9-49.3
Other Race	448	636,063	1	0.1	00.0-00.4	33	9.6	02.0-17.2				133	25.6	15.7-35.5				133	20.6	12.0-29.3
18-24	80	149,096				2	0.7	00.0-01.9										13	11.1	01.5-20.8
25-34	119	265,857				1	0.3	00.0-01.0	2	6.9	00.0-18.9									
35-44	221	203,839				5	2.6	00.0-07.1							48	17.6	08.4-26.9			
45-54	390	176,692	1	0.1	00.0-00.2															
55-64	410	119,560	1	0.8	00.0-02.3				9	7.1	00.0-14.3									
65+	531	117,876				22	4.6	01.7-07.6							136	13.4	07.7-19.0			
Less Than H.S.	113	217,589	2	0.5	00.0-01.3															
H.S. or G.E.D.	425	255,240										425	100.0	0100-0100						
Some Post-H.S.	456	267,106													456	100.0	0100-0100			
College Graduate	767	293,581																767	100.0	0100-0100
Less than \$15,000	104	89,873	2	1.1	00.0-03.3	11	3.8	00.0-07.7										21	5.7	00.0-11.3
\$15,000- 24,999	230	237,070																37	8.2	01.6-14.8
\$25,000- 34,999	162	83,675							8	8.3	00.0-17.9				40	7.9	01.2-14.7			
\$35,000- 49,999	244	142,704				4	2.0	00.0-05.3				73	14.6	06.1-23.1						
\$50,000- 74,999	261	121,941							4	0.5	00.0-01.2									
\$75,000+	631	280,164				5	0.8	00.0-01.7				83	11.2	05.7-16.7						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010**

SECTION 9: DEMOGRAPHICS

TABLE 24: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never attended school or only kindergarten			Grades 1 through 8 (Elementary)			Grades 9 through 11 (Some high school)			Grade 12 or GED (High school graduate)			College 1 year to 3 years (Some college or technical school)			College 4 years or more (College graduate)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2989	1,119,966	4	0.4	00.0-00.9	65	10.0	03.4-16.6	111	10.8	05.4-16.2	738	24.7	18.1-31.4	873	23.9	18.1-29.6	1198	30.2	24.6-35.9
White/Non-Hisp	2116	418,673				20	0.7	00.2-01.2	52	6.5	03.1-09.8	560	28.5	19.4-37.7	585	20.8	16.6-25.0	899	43.5	36.3-50.7
Other Race	860	698,386	4	0.6	00.0-01.5				59	13.5	05.2-21.8	174	22.4	13.4-31.4	284	25.6	16.8-34.4	294	22.3	14.8-29.8
18-24	88	152,565							2	2.5	00.0-06.3									
25-34	187	267,959							4	4.7	00.0-09.5									
35-44	417	199,964	1	0.4	00.0-01.1	6	2.2	00.0-05.3	13	4.7	00.0-09.3									
45-54	583	174,772							15	6.2	00.0-12.8	95	17.7	08.2-27.2						
55-64	645	138,443	1	0.1	00.0-00.3	8	4.6	00.0-09.9							194	17.2	08.1-26.3			
65+	1047	176,367	2	1.8	00.0-05.3							372	24.5	15.3-33.7	306	19.2	11.4-27.1	279	15.5	09.5-21.4
Less Than H.S.	180	237,324	4	1.7	00.0-04.4															
H.S. or G.E.D.	738	276,916										738	100.0	0100-0100						
Some Post-H.S.	873	267,148													873	100.0	0100-0100			
College Graduate	1198	338,579																1198	100.0	0100-0100
Less than \$15,000	232	129,960	2	2.5	00.0-07.2	17	6.6	00.0-13.3							69	12.7	04.6-20.7	27	4.0	01.1-06.9
\$15,000- 24,999	503	279,066	1	0.0	00.0-00.1										158	16.3	07.1-25.5			
\$25,000- 34,999	308	124,251							17	10.6	00.7-20.5									
\$35,000- 49,999	416	126,152				2	0.2	00.0-00.4	10	2.8	00.0-07.1									
\$50,000- 74,999	469	137,447							4	3.1	00.0-07.4	85	10.5	05.2-15.9						
\$75,000+	791	237,146										75	11.5	03.7-19.4						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 25: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed for wages			Self-employed			Out of work for more than 1 year			Out of work for less than 1 year			A homemaker		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4752	2,155,048	1972	45.0	39.5-50.5	343	5.7	03.5-07.9	222	6.7	03.8-09.5	131	6.4	03.2-09.7	363	7.7	04.6-10.8
Male	1761	1,035,091	756	49.1	40.7-57.5	191	8.4	04.1-12.7	98	6.2	03.1-09.4	61	9.1	03.1-15.2	3	0.1	00.0-00.2
Female	2991	1,119,957	1216	41.2	34.3-48.1	152	3.2	01.8-04.7	124	7.1	02.4-11.8	70	3.9	01.5-06.4	360	14.7	09.0-20.4
White/Non-Hisp	3412	811,522	1383	47.8	41.8-53.8	260	10.3	05.1-15.4	139	4.2	02.8-05.6	78	4.5	02.1-07.0	269	7.5	04.0-10.9
Other Race	1308	1,335,983	577	43.4	35.4-51.4	82	3.0	01.6-04.4	81	8.2	03.7-12.8	51	7.6	02.6-12.6	94	7.9	03.3-12.5
18-24	168	301,661				7	2.1	00.0-04.4	5	4.7	00.0-12.0	17	7.3	01.8-12.9	2	0.9	00.0-02.6
25-34	306	533,816				24	8.4	00.5-16.4	17	8.8	01.8-15.8	18	11.0	01.1-21.0			
35-44	637	405,271				60	5.4	02.5-08.3	32	4.8	01.8-07.8	30	9.0	00.1-17.9	77	10.7	03.7-17.7
45-54	974	351,615				102	7.2	04.1-10.2				34	4.7	00.7-08.7	77	4.0	01.9-06.2
55-64	1055	257,983				94	5.6	02.4-08.8	63	8.9	02.5-15.2	22	1.4	00.2-02.7	51	3.5	00.8-06.2
65+	1580	294,230	144	5.0	03.1-06.9	54	3.5	00.6-06.4	36	2.2	00.8-03.6	9	0.3	00.0-00.6	124	6.1	03.3-08.9
Less Than H.S.	293	454,913				6	0.9	00.0-02.4	21	8.2	00.0-17.1	12	6.8	00.0-14.6			
H.S. or G.E.D.	1161	532,078	358	31.6	21.8-41.5	53	7.0	00.0-14.6	60	8.9	03.1-14.8	43	8.4	01.7-15.2	108	11.2	03.9-18.6
Some Post-H.S.	1328	534,073				83	4.3	02.3-06.3	73	7.6	01.3-13.9	27	8.1	00.0-16.6	76	1.6	00.9-02.2
College Graduate	1961	632,033	1005	64.9	58.9-70.9	201	9.4	06.2-12.5	68	2.9	01.5-04.4	49	3.1	01.0-05.2	122	4.1	02.7-05.6
Less than \$15,000	337	219,848				12	1.1	00.0-02.1	42	5.7	00.0-12.2	16	1.6	00.1-03.0			
\$15,000- 24,999	733	516,136				25	1.6	00.4-02.8	77	15.4	05.9-24.8						
\$25,000- 34,999	471	207,928							22	4.5	00.8-08.2				27	3.7	00.9-06.5
\$35,000- 49,999	659	268,848				35	5.4	00.5-10.2	25	3.3	00.6-06.0	14	3.8	00.0-08.3			
\$50,000- 74,999	730	259,388	391	71.2	61.8-80.7	63	6.6	02.7-10.5	20	2.3	00.4-04.2	19	3.3	00.7-05.9	37	3.1	00.6-05.5
\$75,000+	1421	518,835	888	69.2	61.8-76.5	150	8.2	05.3-11.1	20	4.5	00.0-10.5	22	2.4	00.2-04.6	115	4.5	02.9-06.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 25: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A student			Retired			Unable to work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4752	2,155,048	121	10.1	06.4-13.9	1394	12.8	09.5-16.1	206	5.6	02.7-08.4
Male	1761	1,035,091	46	8.5	04.2-12.7	540	12.6	08.4-16.8	66	5.9	00.7-11.0
Female	2991	1,119,957	75	11.7	05.7-17.6	854	12.9	07.9-18.0	140	5.3	02.5-08.0
White/Non-Hisp	3412	811,522	70	7.8	05.0-10.6	1099	14.8	12.6-17.0	114	3.1	01.7-04.6
Other Race	1308	1,335,983	50	11.6	05.8-17.4	284	11.6	06.4-16.8	89	6.8	02.2-11.3
18-24	168	301,661							4	0.5	00.0-01.2
25-34	306	533,816	21	5.2	01.3-09.1				4	0.6	00.0-01.6
35-44	637	405,271	11	4.4	00.0-10.2	3	0.2	00.0-00.5	17	4.5	00.0-09.0
45-54	974	351,615	6	2.1	00.0-05.8	16	0.7	00.2-01.2			
55-64	1055	257,983	3	0.2	00.0-00.6				80	11.4	03.5-19.2
65+	1580	294,230	3	6.4	00.0-18.1				56	7.5	01.8-13.1
Less Than H.S.	293	454,913	6	7.1	00.0-15.4						
H.S. or G.E.D.	1161	532,078				448	13.4	08.4-18.4	55	4.0	00.3-07.6
Some Post-H.S.	1328	534,073	52	14.2	07.2-21.1	392	9.5	06.0-13.1	73	4.5	01.0-08.0
College Graduate	1961	632,033	27	4.5	01.5-07.6	460	10.6	07.4-13.7	29	0.5	00.2-00.8
Less than \$15,000	337	219,848	15	8.4	00.0-17.4						
\$15,000- 24,999	733	516,136	21	8.3	02.5-14.1	310	16.0	07.4-24.7	70	3.5	01.5-05.4
\$25,000- 34,999	471	207,928							16	2.3	00.1-04.5
\$35,000- 49,999	659	268,848	24	8.5	02.6-14.4				10	3.3	00.0-09.2
\$50,000- 74,999	730	259,388	14	6.7	00.8-12.5	176	6.6	04.3-09.0	10	0.2	00.0-00.4
\$75,000+	1421	518,835	22	4.8	02.4-07.1	195	6.1	02.9-09.4	9	0.3	00.0-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 26: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed for wages			Self-employed			Out of work for more than 1 year			Out of work for less than 1 year			A homemaker		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1761	1,035,091	756	49.1	40.7-57.5	191	8.4	04.1-12.7	98	6.2	03.1-09.4	61	9.1	03.1-15.2	3	0.1	00.0-00.2
White/Non-Hisp	1294	392,866	549	47.1	37.8-56.4	150	15.5	05.8-25.1	61	4.6	02.5-06.8	38	3.8	01.0-06.6	1	0.0	00.0-00.1
Other Race	447	637,582				41	4.2	01.6-06.7	35	7.3	02.3-12.2	21	12.5	03.0-22.0	2	0.1	00.0-00.2
18-24	80	149,096				2	0.3	00.0-00.7									
25-34	119	265,857							9	5.2	00.0-10.9						
35-44	220	205,301				29	6.9	02.1-11.7	13	6.8	01.7-12.0						
45-54	391	176,844				57	9.0	03.4-14.5	30	3.4	00.8-06.0	18	3.9	00.0-08.6	1	0.2	00.0-00.7
55-64	410	119,559				56	9.3	02.8-15.7				8	0.9	00.0-02.0	2	0.3	00.0-00.6
65+	531	117,861	45	3.6	01.5-05.6	29	7.4	00.4-14.4	15	2.7	00.0-05.5	1	0.1	00.0-00.2			
Less Than H.S.	113	217,589				3	1.8	00.0-04.9	6	1.0	00.0-02.4				1	0.2	00.0-00.6
H.S. or G.E.D.	423	255,163													1	0.1	00.0-00.2
Some Post-H.S.	455	266,925				50	6.5	02.5-10.5	30	3.4	00.8-06.0						
College Graduate	765	293,482	393	64.1	54.8-73.4	104	11.2	06.6-15.9	30	4.4	01.5-07.4	22	2.1	00.8-03.4	1	0.0	00.0-00.1
Less than \$15,000	104	89,873				4	0.8	00.0-02.0				8	2.8	00.0-06.4	1	0.2	00.0-00.7
\$15,000- 24,999	230	237,070				14	2.8	00.5-05.1									
\$25,000- 34,999	163	83,677							7	3.4	00.0-07.0	7	1.0	00.0-02.2	1	0.5	00.0-01.5
\$35,000- 49,999	244	142,704				20	5.0	00.8-09.3	16	3.8	00.4-07.1	6	0.9	00.0-02.2			
\$50,000- 74,999	261	121,941				34	9.4	01.6-17.3	7	3.3	00.0-06.9	8	2.0	00.0-05.3			
\$75,000+	631	281,708	400	71.6	62.5-80.7	87	10.3	05.6-15.1	11	2.0	00.0-04.1	14	3.8	00.0-07.9	1	0.0	00.0-00.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 26: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A student			Retired			Unable to work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1761	1,035,091	46	8.5	04.2-12.7	540	12.6	08.4-16.8	66	5.9	00.7-11.1
White/Non-Hisp	1294	392,866	30	9.6	04.5-14.6	433	15.7	12.0-19.3	32	3.8	01.2-06.4
Other Race	447	637,582	16	7.8	01.6-14.0	100	10.7	04.3-17.1	33	6.8	00.0-14.9
18-24	80	149,096							4	1.0	00.0-02.4
25-34	119	265,857	9	5.8	00.0-11.7				2	1.1	00.0-03.2
35-44	220	205,301	1	0.1	00.0-00.2	2	0.3	00.0-01.0	8	3.5	00.0-07.5
45-54	391	176,844				12	1.2	00.1-02.4			
55-64	410	119,559							27	5.4	00.6-10.1
65+	531	117,861	2	0.1	00.0-00.3	431	84.3	75.7-92.8	8	1.8	00.0-03.9
Less Than H.S.	113	217,589	4	5.1	00.0-11.2						
H.S. or G.E.D.	423	255,163				149	14.6	05.8-23.5	20	6.2	00.0-13.5
Some Post-H.S.	455	266,925	20	11.6	03.9-19.3	147	8.7	03.1-14.2	18	2.8	00.0-05.9
College Graduate	765	293,482	6	5.7	00.0-11.7	198	11.9	07.0-16.7	11	0.6	00.1-01.1
Less than \$15,000	104	89,873	4	4.3	00.0-11.1	31	9.0	00.9-17.0			
\$15,000- 24,999	230	237,070	6	7.6	00.0-16.0	94	12.4	05.6-19.1	27	4.2	00.6-07.8
\$25,000- 34,999	163	83,677	3	3.4	00.0-08.1				6	3.2	00.0-07.9
\$35,000- 49,999	244	142,704							1	0.3	00.0-00.9
\$50,000- 74,999	261	121,941	6	4.9	00.0-10.9	70	6.9	02.9-10.9	3	0.2	00.0-00.5
\$75,000+	631	281,708	6	2.9	00.0-05.7	109	8.8	03.0-14.6	3	0.5	00.0-01.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 27: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed for wages			Self-employed			Out of work for more than 1 year			Out of work for less than 1 year			A homemaker		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2991	1,119,957	1216	41.2	34.3-48.1	152	3.2	01.8-04.7	124	7.1	02.4-11.8	70	3.9	01.5-06.4	360	14.7	09.0-20.4
White/Non-Hisp	2118	418,656	834	48.5	40.8-56.2	110	5.4	02.3-08.4	78	3.7	01.9-05.6	40	5.3	01.3-09.2	268	14.5	08.1-20.8
Other Race	861	698,400	378	36.8	27.1-46.5	41	1.9	00.5-03.3	46	9.1	01.7-16.4	30	3.2	00.0-06.3	92	15.0	06.6-23.3
18-24	88	152,565				5	4.0	00.0-08.6	2	0.9	00.0-02.3	6	4.2	00.0-08.5	2	1.9	00.0-05.1
25-34	187	267,959				7	3.0	00.0-07.5				10	3.4	00.0-07.9			
35-44	417	199,970				31	3.8	00.6-07.0	19	2.7	00.0-05.8	15	7.7	00.0-18.1			
45-54	583	174,772				45	5.3	02.3-08.4				16	5.5	00.0-11.8	76	7.9	03.6-12.2
55-64	645	138,425				38	2.4	00.5-04.2	36	6.1	00.6-11.5	14	1.8	00.0-04.0	49	6.3	01.1-11.4
65+	1049	176,369	99	5.9	03.0-08.9	25	0.9	00.4-01.4	21	1.9	00.5-03.3	8	0.5	00.0-01.0	124	10.2	05.1-15.3
Less Than H.S.	180	237,324	22	7.1	00.6-13.6	3	0.0	00.0-00.1				5	2.8	00.0-07.5			
H.S. or G.E.D.	738	276,916				19	1.5	00.1-02.9	28	2.6	00.0-05.4	20	3.1	00.8-05.4			
Some Post-H.S.	873	267,148				33	2.1	00.8-03.4				18	5.7	00.0-13.5	76	3.2	01.8-04.5
College Graduate	1196	338,551	612	65.5	57.8-73.3	97	7.7	03.3-12.1	38	1.6	00.9-02.4	27	4.0	00.3-07.7	121	7.7	04.9-10.4
Less than \$15,000	233	129,975				8	1.3	00.0-02.8	20	2.8	00.2-05.4	8	0.7	00.0-01.6			
\$15,000- 24,999	503	279,066				11	0.7	00.0-01.7				19	1.3	00.1-02.5			
\$25,000- 34,999	308	124,251				9	3.0	00.0-07.9	15	5.3	00.0-10.9				26	5.9	01.1-10.7
\$35,000- 49,999	415	126,145				15	5.8	00.0-14.8	9	2.8	00.0-07.2	8	7.1	00.0-16.3			
\$50,000- 74,999	469	137,447				29	4.0	01.2-06.9	13	1.4	00.0-03.1	11	4.4	00.4-08.3	37	5.8	01.2-10.4
\$75,000+	790	237,127				63	5.7	02.5-08.8				8	0.6	00.0-01.4	114	9.9	06.1-13.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 27: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A student			Retired			Unable to work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2991	1,119,957	75	11.7	05.7-17.6	854	12.9	07.9-18.0	140	5.3	02.5-08.0
White/Non-Hisp	2118	418,656	40	6.2	03.6-08.7	666	14.0	11.4-16.6	82	2.6	01.2-03.9
Other Race	861	698,400	34	15.0	05.7-24.3	184	12.3	04.3-20.3	56	6.8	02.4-11.2
18-24	88	152,565									
25-34	187	267,959	12	4.7	00.0-09.7				2	0.1	00.0-00.2
35-44	417	199,970				1	0.0	00.0-00.1	9	5.5	00.0-13.6
45-54	583	174,772	6	4.2	00.0-11.5	4	0.2	00.0-00.4	26	2.8	00.6-05.0
55-64	645	138,425	3	0.4	00.0-01.1						
65+	1049	176,369							48	11.2	02.0-20.4
Less Than H.S.	180	237,324									
H.S. or G.E.D.	738	276,916				299	12.2	07.2-17.2	35	1.9	00.0-03.7
Some Post-H.S.	873	267,148				245	10.4	06.2-14.7	55	6.2	00.1-12.4
College Graduate	1196	338,551	21	3.5	01.4-05.7	262	9.4	05.4-13.5	18	0.5	00.2-00.8
Less than \$15,000	233	129,975									
\$15,000- 24,999	503	279,066	15	8.9	00.8-17.0				43	2.9	01.0-04.8
\$25,000- 34,999	308	124,251				126	10.9	04.8-16.9	10	1.7	00.0-03.7
\$35,000- 49,999	415	126,145	10	3.0	00.2-05.8				9	6.8	00.0-18.9
\$50,000- 74,999	469	137,447	8	8.2	00.0-17.8	106	6.4	03.6-09.1	7	0.3	00.0-00.6
\$75,000+	790	237,127	16	7.1	03.1-11.0	86	3.0	01.3-04.7	6	0.1	00.0-00.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 28: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			Less than \$15,000 (\$10,000 to less than \$15,000)			Less than \$20,000 (\$15,000 to less than \$20,000)			Less than \$25,000 (\$20,000 to less than \$25,000)			Less than \$35,000 (\$25,000 to less than \$35,000)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4354	1,991,192	144	4.5	01.6-07.4	193	6.5	03.4-09.7	322	14.6	09.6-19.7	411	11.3	07.4-15.2	471	10.4	06.8-14.0
Male	1634	957,154	48	4.7	00.0-10.1	56	4.7	00.6-08.8	92	12.9	05.9-20.0	138	11.8	06.4-17.2	163	8.7	03.6-13.9
Female	2720	1,034,037	96	4.3	01.9-06.8	137	8.2	03.5-12.9	230	16.1	08.9-23.4	273	10.8	05.2-16.4	308	12.0	07.0-17.1
White/Non-Hisp	3106	741,287	69	2.5	01.3-03.7	109	3.0	01.7-04.3	200	8.5	03.2-13.8	274	7.2	05.0-09.5	318	10.4	04.9-15.9
Other Race	1228	1,243,182	74	5.7	01.2-10.3	83	8.6	03.7-13.6	119	18.2	10.8-25.6	135	13.6	07.5-19.6	151	10.5	05.8-15.3
18-24	143	210,725	7	3.4	00.3-06.5	5	1.3	00.0-02.7							10	8.8	00.0-19.9
25-34	299	531,933	9	1.5	00.0-04.1	15	2.6	00.4-04.9				26	6.7	02.1-11.4	27	8.0	00.1-15.8
35-44	608	386,222	13	3.4	00.0-08.1				26	3.6	01.3-05.9				46	5.8	00.1-11.5
45-54	906	341,666				25	5.2	00.0-11.0				45	4.1	01.1-07.1	60	8.3	02.5-14.2
55-64	980	241,668	41	5.6	00.2-10.9	42	8.7	00.7-16.7	49	7.3	00.9-13.7				89	13.6	05.3-21.8
65+	1395	269,019	41	5.2	01.8-08.7				153	11.6	06.4-16.9	214	13.8	09.1-18.5			
Less Than H.S.	259	417,038													41	12.0	02.2-21.8
H.S. or G.E.D.	1059	470,557	50	8.4	02.7-14.1	72	7.8	01.3-14.2				169	17.7	09.2-26.2	172	13.5	04.2-22.9
Some Post-H.S.	1214	492,112	35	1.4	00.4-02.4	60	3.9	01.4-06.4	105	12.0	03.2-20.8	132	7.8	03.1-12.6	138	10.5	03.7-17.3
College Graduate	1819	609,743	26	1.0	00.4-01.6	22	0.7	00.2-01.2	44	2.2	01.0-03.3	68	5.8	00.0-11.7	119	7.0	04.0-09.9
\$25,000- 34,999	471	207,928													471	100.0	0100-0100
\$35,000- 49,999	660	268,856															
\$50,000- 74,999	730	259,388															
\$75,000+	1423	519,035															

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 28: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL WEIGHTED		Less than \$50,000 (\$35,000 to less than \$50,000)			Less than \$75,000 (\$50,000 to less than \$75,000)			\$75,000 or more		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4354	1,991,192	660	13.5	09.9-17.1	730	13.0	09.7-16.4	1423	26.1	21.8-30.3
Male	1634	957,154	244	14.9	09.0-20.9	261	12.7	07.4-18.1	632	29.5	22.7-36.2
Female	2720	1,034,037	416	12.2	08.0-16.4	469	13.3	09.2-17.4	791	22.9	17.7-28.1
White/Non-Hisp	3106	741,287	465	16.4	11.7-21.1	527	15.5	12.6-18.4	1144	36.5	31.6-41.3
Other Race	1228	1,243,182	190	11.8	06.8-16.8	202	11.6	06.5-16.7	274	20.0	14.0-25.9
18-24	143	210,725	27	13.9	05.6-22.2	21	10.9	05.0-16.9			
25-34	299	531,933	45	13.8	06.3-21.4				90	26.8	16.8-36.7
35-44	608	386,222	74	10.7	04.9-16.5	109	7.2	04.2-10.2			
45-54	906	341,666				162	17.8	09.2-26.4	431	23.2	15.8-30.5
55-64	980	241,668	126	11.4	04.9-17.9	187	9.5	05.9-13.0	371	23.9	14.6-33.3
65+	1395	269,019				184	7.8	04.2-11.4	194	7.7	04.8-10.6
Less Than H.S.	259	417,038	24	6.8	00.0-14.2	8	1.2	00.0-02.6	13	8.0	00.0-17.4
H.S. or G.E.D.	1059	470,557	183	11.4	05.0-17.9	142	8.8	05.0-12.5	158	12.5	07.1-17.9
Some Post-H.S.	1214	492,112	236	15.4	10.0-20.9				267	21.2	12.2-30.3
College Graduate	1819	609,743	217	18.1	10.4-25.9	339	12.7	09.3-16.0	984	52.6	45.2-60.0
\$25,000- 34,999	471	207,928									
\$35,000- 49,999	660	268,856	660	100.0	0100-0100						
\$50,000- 74,999	730	259,388				730	100.0	0100-0100			
\$75,000+	1423	519,035							1423	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 29: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			Less than \$15,000 (\$10,000 to less than \$15,000)			Less than \$20,000 (\$15,000 to less than \$20,000)			Less than \$25,000 (\$20,000 to less than \$25,000)			Less than \$35,000 (\$25,000 to less than \$35,000)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1634	957,154	48	4.7	00.0-10.1	56	4.7	00.6-08.8	92	12.9	05.9-20.0	138	11.8	06.4-17.2	163	8.7	03.6-13.9
White/Non-Hisp	1199	348,239	30	2.0	00.8-03.2	33	3.0	00.7-05.4	57	4.3	01.9-06.7	87	8.9	04.5-13.3			
Other Race	423	604,713	17	6.3	00.0-14.7	23	5.7	00.0-12.0				49	13.0	04.9-21.2	57	6.7	01.9-11.5
18-24	69	91,017	2	1.8	00.0-04.6	4	2.2	00.0-05.0							5	2.5	00.0-05.2
25-34	117	265,223	3	2.7	00.0-07.8	4	1.2	00.0-03.2				11	8.7	00.5-16.9			
35-44	212	199,723	3	0.1	00.0-00.3				6	2.8	00.0-05.9				13	2.3	00.0-04.6
45-54	367	173,399				9	5.7	00.0-15.8				18	5.2	00.0-10.3	22	2.5	00.2-04.8
55-64	384	115,246	12	2.3	00.1-04.6	13	2.2	00.0-04.3									
65+	478	112,179	9	2.0	00.0-04.1	22	5.3	01.6-09.1	30	9.9	01.0-18.8	58	15.3	07.1-23.5			
Less Than H.S.	106	207,001													16	8.2	00.0-17.1
H.S. or G.E.D.	390	230,202	15	4.9	00.0-11.0	16	4.9	00.0-12.5									
Some Post-H.S.	426	234,793	10	0.6	00.0-01.4	16	3.5	00.0-07.4				45	7.5	00.5-14.5	40	2.8	00.8-04.8
College Graduate	710	283,432	9	0.8	00.0-01.7	12	1.0	00.1-01.9	13	2.3	00.2-04.3	24	4.6	00.0-09.4	39	6.4	02.3-10.5
\$25,000- 34,999	163	83,677													163	100.0	0100-0100
\$35,000- 49,999	244	142,704															
\$50,000- 74,999	261	121,941															
\$75,000+	632	281,889															

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 29: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL WEIGHTED		Less than \$50,000 (\$35,000 to less than \$50,000)			Less than \$75,000 (\$50,000 to less than \$75,000)			\$75,000 or more		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1634	957,154	244	14.9	09.0-20.9	261	12.7	07.4-18.1	632	29.5	22.7-36.2
White/Non-Hisp	1199	348,239	172	15.1	10.2-20.0	194	14.0	10.1-18.0	521	40.2	33.0-47.4
Other Race	423	604,713	68	14.8	05.9-23.8	66	12.1	03.9-20.3	108	23.4	13.8-33.0
18-24	69	91,017									
25-34	117	265,223	18	10.0	01.9-18.2						
35-44	212	199,723	26	10.5	03.1-18.0	33	5.3	02.0-08.6			
45-54	367	173,399							186	17.8	08.7-26.9
55-64	384	115,246	35	9.2	02.9-15.6	61	9.0	04.2-13.8			
65+	478	112,179				74	11.0	03.3-18.7	95	9.9	05.1-14.6
Less Than H.S.	106	207,001				4	0.3	00.0-00.7			
H.S. or G.E.D.	390	230,202	73	9.0	04.2-13.9	57	11.6	04.6-18.6	83	13.6	06.4-20.8
Some Post-H.S.	426	234,793	77	13.7	06.5-20.8						
College Graduate	710	283,432				114	9.2	05.7-12.7			
\$25,000- 34,999	163	83,677									
\$35,000- 49,999	244	142,704	244	100.0	0100-0100						
\$50,000- 74,999	261	121,941				261	100.0	0100-0100			
\$75,000+	632	281,889							632	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 30: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			Less than \$15,000 (\$10,000 to less than \$15,000)			Less than \$20,000 (\$15,000 to less than \$20,000)			Less than \$25,000 (\$20,000 to less than \$25,000)			Less than \$35,000 (\$25,000 to less than \$35,000)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2720	1,034,037	96	4.3	01.9-06.8	137	8.2	03.5-12.9	230	16.1	08.9-23.4	273	10.8	05.2-16.4	308	12.0	07.0-17.1
White/Non-Hisp	1907	393,048	39	3.0	01.0-05.0	76	2.9	01.7-04.2	143	12.2	02.8-21.6	187	5.7	04.1-07.3	213	8.6	05.4-11.9
Other Race	805	638,469	57	5.2	01.4-08.9	60	11.4	03.9-18.9				86	14.0	05.2-22.9	94	14.2	06.3-22.0
18-24	74	119,708	5	4.6	00.0-09.8	1	0.6	00.0-01.9				7	5.1	00.0-10.9			
25-34	182	266,710	6	0.4	00.0-00.8	11	4.1	00.2-08.1				15	4.7	00.2-09.3	17	5.1	00.4-09.8
35-44	396	186,499	10	6.8	00.0-16.5				20	4.5	01.0-07.9						
45-54	539	168,267	13	1.6	00.1-03.1	16	4.8	00.0-10.1				27	3.0	00.0-06.1			
55-64	596	126,423	29	8.5	00.0-18.5				30	3.6	00.9-06.3				52	10.5	02.6-18.3
65+	917	156,839	32	7.6	01.7-13.4				123	12.9	06.4-19.4	156	12.7	07.2-18.2			
Less Than H.S.	153	210,037	19	3.6	00.1-07.2												
H.S. or G.E.D.	669	240,356	35	11.7	02.3-21.1							120	13.3	05.8-20.8	105	9.0	03.2-14.9
Some Post-H.S.	788	257,319	25	2.1	00.4-03.8	44	4.3	01.2-07.4	71	9.5	03.5-15.5	87	8.2	01.7-14.6			
College Graduate	1109	326,311	17	1.1	00.2-02.0	10	0.5	00.1-00.9	31	2.1	00.8-03.4	44	6.8	00.0-16.9	80	7.5	03.3-11.7
\$25,000- 34,999	308	124,251													308	100.0	0100-0100
\$35,000- 49,999	416	126,152															
\$50,000- 74,999	469	137,447															
\$75,000+	791	237,146															

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 30: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL WEIGHTED		Less than \$50,000 (\$35,000 to less than \$50,000)			Less than \$75,000 (\$50,000 to less than \$75,000)			\$75,000 or more		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2720	1,034,037	416	12.2	08.0-16.4	469	13.3	09.2-17.4	791	22.9	17.7-28.1
White/Non-Hisp	1907	393,048	293	17.5	09.9-25.1	333	16.9	12.6-21.1	623	33.2	26.6-39.7
Other Race	805	638,469	122	9.0	04.5-13.4	136	11.2	05.0-17.3	166	16.7	09.4-23.9
18-24	74	119,708	13	7.1	01.1-13.1	11	9.2	02.3-16.1			
25-34	182	266,710									
35-44	396	186,499	48	10.9	01.8-19.9	76	9.3	04.2-14.5			
45-54	539	168,267	67	9.3	04.3-14.4						
55-64	596	126,423				126	9.9	04.6-15.1			
65+	917	156,839	169	11.2	05.2-17.3	110	5.6	03.0-08.1	99	6.2	02.5-09.8
Less Than H.S.	153	210,037	12	1.8	00.0-04.5	4	2.0	00.0-04.9			
H.S. or G.E.D.	669	240,356				85	6.0	02.9-09.2	75	11.4	03.3-19.5
Some Post-H.S.	788	257,319	159	17.1	09.0-25.1						
College Graduate	1109	326,311	135	14.0	07.2-20.8	225	15.7	10.4-21.1	567	52.4	42.7-62.0
\$25,000- 34,999	308	124,251									
\$35,000- 49,999	416	126,152	416	100.0	0100-0100						
\$50,000- 74,999	469	137,447				469	100.0	0100-0100			
\$75,000+	791	237,146							791	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 31: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101-150 lbs			151-200 lbs			201-250 lbs			251 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4674	2,132,455	55	2.0	00.2-03.9	1547	29.7	24.6-34.8	2092	47.8	42.3-53.4	749	15.7	11.7-19.6	231	4.8	02.2-07.4
Male	1761	1,034,632	3	0.2	00.0-00.5	159	13.6	06.5-20.7	957	59.3	51.0-67.5	484	19.1	14.1-24.2	158	7.8	02.7-12.8
Female	2913	1,097,823	52	3.8	00.3-07.3	1388	44.8	37.5-52.1	1135	37.1	29.9-44.2	265	12.4	06.1-18.6	73	1.9	00.6-03.3
White/Non-Hisp	3352	804,006	39	1.0	00.3-01.6	1194	32.8	27.2-38.3	1459	49.1	43.1-55.2	496	12.9	10.3-15.4	164	4.3	02.9-05.7
Other Race	1292	1,321,211	16	2.7	00.0-05.6	344	27.9	20.4-35.3	620	46.9	38.7-55.2	247	17.4	11.3-23.5	65	5.1	01.0-09.2
18-24	168	301,661	5	2.9	00.0-06.3							13	5.0	00.7-09.2	4	1.4	00.0-02.9
25-34	301	527,026	2	0.3	00.0-00.9							44	13.7	05.5-21.8	13	1.4	00.2-02.6
35-44	634	404,893	7	1.6	00.0-03.4							107	20.9	11.6-30.2	43	3.4	01.5-05.4
45-54	950	347,408	3	0.6	00.0-01.6							193	14.5	07.4-21.6			
55-64	1031	256,214	6	0.4	00.0-00.8	303	20.9	11.7-30.0							66	8.4	01.0-15.7
65+	1562	292,879	31	8.1	00.0-19.9	584	28.5	20.2-36.8							51	7.6	00.0-17.1
Less Than H.S.	290	448,530	6	4.5	00.0-12.5										11	5.1	00.0-11.6
H.S. or G.E.D.	1150	531,267	21	1.6	00.1-03.1	392	24.3	16.1-32.5				168	11.9	06.9-17.0	62	5.0	01.2-08.8
Some Post-H.S.	1299	530,274	10	1.0	00.0-02.6	403	25.4	15.5-35.4				225	22.8	13.4-32.3	81	2.3	01.2-03.5
College Graduate	1928	620,486	18	1.5	00.2-02.8	664	35.2	28.5-42.0	854	44.5	37.6-51.3	315	12.4	09.1-15.7	77	6.4	00.0-13.1
Less than \$15,000	334	219,697										59	9.3	03.3-15.3	23	4.3	00.0-10.0
\$15,000- 24,999	727	510,100	14	2.0	00.0-04.1							96	13.2	04.0-22.3	30	3.0	00.0-06.1
\$25,000- 34,999	469	207,622	8	0.8	00.0-01.8										22	1.4	00.1-02.7
\$35,000- 49,999	651	267,882	8	0.9	00.0-02.0	199	22.0	12.8-31.3				96	7.3	04.0-10.6			
\$50,000- 74,999	720	257,737	5	0.4	00.0-01.1							119	15.9	06.6-25.3	36	5.5	02.3-08.8
\$75,000+	1394	508,247	7	1.2	00.0-02.6	447	26.6	20.6-32.6	591	44.3	35.9-52.6	270	25.4	16.8-34.0	79	2.6	01.4-03.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 32: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101-150 lbs			151-200 lbs			201-250 lbs			251 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1761	1,034,632	3	0.2	00.0-00.5	159	13.6	06.5-20.7	957	59.3	51.0-67.5	484	19.1	14.1-24.2	158	7.8	02.7-12.9
White/Non-Hisp	1295	392,283							713	57.3	48.0-66.6	349	20.8	15.8-25.8	119	6.2	03.9-08.5
Other Race	448	637,764	3	0.3	00.0-00.8	44	12.4	02.7-22.0				130	18.2	10.7-25.7	37	8.8	00.7-16.9
18-24	80	149,096										13	10.0	01.2-18.8	2	1.3	00.0-03.2
25-34	119	265,857	1	0.1	00.0-00.3	5	2.3	00.0-04.7							5	0.9	00.0-02.0
35-44	222	205,564													31	5.6	01.9-09.3
45-54	390	176,262	1	1.0	00.0-02.9												
55-64	409	119,407	1	0.0	00.0-00.1	31	4.5	01.2-07.8									
65+	531	117,871				55	9.9	04.3-15.5									
Less Than H.S.	113	217,589	1	0.0	00.0-00.0												
H.S. or G.E.D.	424	255,215	1	0.1	00.0-00.3	36	10.4	01.4-19.4				121	16.8	09.2-24.4	42	6.9	00.8-13.1
Some Post-H.S.	455	266,525													52	3.0	01.1-05.0
College Graduate	765	293,421	1	0.6	00.0-01.7	65	7.8	04.4-11.1				207	20.7	13.9-27.5			
Less than \$15,000	104	89,873	1	0.0	00.0-00.1										12	1.5	00.0-03.2
\$15,000- 24,999	230	237,070	2	0.8	00.0-02.2	41	10.8	01.0-20.6				57	12.2	04.8-19.6	17	5.5	00.0-12.1
\$25,000- 34,999	163	83,677				17	6.0	00.5-11.6							19	2.0	00.1-03.8
\$35,000- 49,999	244	142,704				22	8.3	01.2-15.5				53	10.3	04.1-16.6			
\$50,000- 74,999	261	121,941				12	3.6	00.0-07.2							26	7.7	02.3-13.0
\$75,000+	632	281,889				40	4.9	02.0-07.8							55	4.0	01.8-06.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 33: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101-150 lbs			151-200 lbs			201-250 lbs			251 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2913	1,097,823	52	3.8	00.3-07.3	1388	44.8	37.5-52.1	1135	37.1	29.9-44.2	265	12.4	06.1-18.6	73	1.9	00.6-03.3
White/Non-Hisp	2057	411,722	39	1.9	00.5-03.2	1080	48.9	41.3-56.6	746	41.4	32.8-50.0	147	5.3	03.0-07.7	45	2.5	00.8-04.2
Other Race	844	683,448	13	5.0	00.0-10.5							117	16.6	07.0-26.3	28	1.6	00.0-03.5
18-24	88	152,565	5	5.7	00.0-12.6										2	1.5	00.0-03.9
25-34	182	261,169	1	0.6	00.0-01.6										8	1.9	00.0-04.1
35-44	412	199,329	7	3.2	00.0-06.9										12	1.2	00.0-02.6
45-54	560	171,145	2	0.3	00.0-00.8							59	7.5	01.3-13.7	21	1.1	00.0-02.5
55-64	622	136,806	5	0.7	00.0-01.6										18	5.9	00.0-14.9
65+	1031	175,008													12	0.9	00.2-01.6
Less Than H.S.	177	230,942													3	1.7	00.0-04.3
H.S. or G.E.D.	726	276,051	20	3.0	00.1-06.0							47	7.4	00.4-14.5	20	3.3	00.0-07.9
Some Post-H.S.	844	263,749	10	2.1	00.0-05.1										29	1.6	00.2-03.0
College Graduate	1163	327,065	17	2.4	00.0-04.7	599	59.9	51.3-68.5	418	31.6	23.5-39.7	108	5.0	03.0-06.9	21	1.2	00.3-02.1
Less than \$15,000	230	129,824										29	6.8	00.0-13.7	11	6.1	00.0-15.7
\$15,000- 24,999	497	273,030	12	3.0	00.0-06.7										13	0.8	00.0-01.7
\$25,000- 34,999	306	123,945	8	1.4	00.0-03.1										3	1.0	00.0-02.8
\$35,000- 49,999	407	125,178	8	1.8	00.0-04.3							43	3.9	01.5-06.2	7	2.1	00.0-04.7
\$50,000- 74,999	459	135,796	5	0.8	00.0-02.0							37	3.2	01.0-05.3	10	3.7	00.0-08.0
\$75,000+	762	226,358	7	2.6	00.0-05.9				255	26.7	17.6-35.8				24	0.8	00.3-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 34: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4735	2,148,521	273	6.7	04.1-09.3	2307	42.0	36.5-47.4	1780	42.1	36.5-47.7	364	9.1	05.8-12.4	11	0.1	00.0-00.3
Male	1762	1,034,726	6	0.9	00.0-02.4	192	14.5	08.2-20.9	1193	65.6	57.5-73.7	360	18.7	12.2-25.3	11	0.3	00.0-00.6
Female	2973	1,113,795	267	12.1	07.4-16.7	2115	67.4	60.3-74.6	587	20.3	13.8-26.8	4	0.2	00.0-00.6			
White/Non-Hisp	3410	810,740	171	3.0	02.1-04.0	1611	44.0	37.9-50.2	1348	40.5	35.2-45.8	273	12.1	07.0-17.3	7	0.3	00.0-00.8
Other Race	1294	1,330,288	101	8.9	04.7-13.1	683	40.8	32.9-48.7	419	43.0	34.6-51.3	87	7.3	03.0-11.6	4	0.0	00.0-00.1
18-24	168	301,661	10	1.9	00.4-03.4							19	11.0	02.2-19.7			
25-34	306	533,816	16	9.5	01.3-17.8							31	11.5	02.8-20.3			
35-44	635	403,352	31	2.1	00.6-03.6							57	8.0	04.2-11.7	3	0.5	00.0-01.4
45-54	970	350,524	34	3.5	00.5-06.6										4	0.1	00.0-00.3
55-64	1053	255,597	46	12.9	03.6-22.1							85	8.2	02.2-14.3	2	0.1	00.0-00.2
65+	1571	293,100	135	11.2	05.2-17.3							77	3.5	02.0-05.0	1	0.0	00.0-00.0
Less Than H.S.	284	449,782	49	12.5	03.6-21.4							9	1.9	00.0-03.9			
H.S. or G.E.D.	1160	531,791	88	6.7	02.7-10.7							83	12.4	03.6-21.2	4	0.0	00.0-00.1
Some Post-H.S.	1324	533,478	75	5.1	00.0-10.7							97	6.9	02.2-11.7	2	0.1	00.0-00.2
College Graduate	1959	631,571	61	3.8	01.4-06.2	897	44.1	37.1-51.2	822	38.5	32.1-44.9	174	13.2	06.5-19.9	5	0.3	00.0-01.0
Less than \$15,000	334	219,505	38	11.8	03.1-20.6							12	0.6	00.0-01.3			
\$15,000- 24,999	729	514,316	72	7.5	01.1-13.8							48	7.0	01.6-12.4			
\$25,000- 34,999	470	207,895	41	7.4	00.0-15.5										1	0.1	00.0-00.3
\$35,000- 49,999	660	268,856	30	4.2	00.0-08.9												
\$50,000- 74,999	729	258,748	32	8.6	00.0-19.7							56	4.5	02.1-06.9	3	0.0	00.0-00.1
\$75,000+	1419	518,555	34	3.0	00.3-05.7	588	38.4	30.3-46.5	627	43.2	34.9-51.5	163	14.9	09.0-20.7	7	0.5	00.0-01.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 35: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1762	1,034,726	6	0.9	00.0-02.4	192	14.5	08.2-20.9	1193	65.6	57.5-73.7	360	18.7	12.2-25.3	11	0.3	00.0-00.6
White/Non-Hisp	1296	392,378	1	0.0	00.0-00.0							271	24.5	15.1-34.0	7	0.6	00.0-01.6
Other Race	448	637,764	5	1.4	00.0-03.9	79	15.6	07.5-23.6				85	15.2	06.6-23.9	4	0.0	00.0-00.1
18-24	80	149,096	1	0.2	00.0-00.6												
25-34	119	265,857				10	5.6	00.0-11.4									
35-44	222	205,564	1	0.0	00.0-00.1							57	15.6	07.8-23.5	3	1.0	00.0-02.8
45-54	391	176,844													4	0.2	00.0-00.5
55-64	410	119,560	1	7.0	00.0-19.9										2	0.2	00.0-00.5
65+	530	117,231	3	0.2	00.0-00.4	68	11.0	04.9-17.0	382	80.0	71.6-88.5	76	8.8	04.5-13.0	1	0.0	00.0-00.1
Less Than H.S.	113	217,589	4	4.1	00.0-11.5							8	3.9	00.0-08.1			
H.S. or G.E.D.	424	255,215	1	0.0	00.0-00.1										4	0.1	00.0-00.2
Some Post-H.S.	455	266,466	1	0.0	00.0-00.0							96	13.8	04.3-23.4	2	0.1	00.0-00.3
College Graduate	766	293,574				62	10.4	04.6-16.1							5	0.8	00.0-02.1
Less than \$15,000	104	89,873				17	4.5	00.0-09.2	75	94.0	88.2-99.7	12	1.5	00.0-03.4			
\$15,000- 24,999	230	237,070	3	0.1	00.0-00.4												
\$25,000- 34,999	163	83,677				26	9.1	00.0-18.7							1	0.3	00.0-00.8
\$35,000- 49,999	244	142,704				29	7.1	01.6-12.6									
\$50,000- 74,999	260	121,301										56	9.5	03.5-15.5	3	0.0	00.0-00.1
\$75,000+	632	281,889				45	11.1	03.7-18.6							7	0.9	00.0-02.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 36: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2973	1,113,795	267	12.1	07.4-16.7	2115	67.4	60.3-74.6	587	20.3	13.8-26.8	4	0.2	00.0-00.6
White/Non-Hisp	2114	418,363	170	5.9	04.0-07.7	1500	73.1	67.6-78.7	442	20.4	15.4-25.4	2	0.5	00.0-01.5
Other Race	846	692,525	96	15.8	08.4-23.2							2	0.0	00.0-00.0
18-24	88	152,565	9	3.5	00.4-06.6							1	1.4	00.0-04.1
25-34	187	267,959							48	17.6	08.3-26.9			
35-44	413	197,788	30	4.2	01.1-07.3									
45-54	579	173,681	34	7.1	01.1-13.1	379	76.6	67.7-85.6	166	16.2	10.1-22.3			
55-64	643	136,037										2	0.2	00.0-00.5
65+	1041	175,869							124	9.5	04.3-14.6	1	0.0	00.0-00.0
Less Than H.S.	171	232,193										1	0.0	00.0-00.1
H.S. or G.E.D.	736	276,576	87	12.8	05.1-20.5									
Some Post-H.S.	869	267,011										1	0.0	00.0-00.0
College Graduate	1193	337,997	61	7.1	02.7-11.6	835	73.5	66.3-80.6	295	18.7	12.9-24.5	2	0.7	00.0-01.9
\$15,000- 24,999	499	277,246										2	0.1	00.0-00.2
\$25,000- 34,999	307	124,218	39	5.6	01.2-10.1									
\$35,000- 49,999	416	126,152	30	9.1	00.0-18.7							2	1.7	00.0-04.9
\$50,000- 74,999	469	137,447							114	15.9	09.0-22.9			
\$75,000+	787	236,666	34	6.6	00.9-12.4	543	70.9	61.2-80.6	210	22.4	14.0-30.9			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 37: WHAT COUNTY DO YOU LIVE IN? (CTYCODE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid FIPS County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)
TOTAL	4760	2,155,368	4760	100.0	0100-0100
Male	1768	1,035,588	1768	100.0	0100-0100
Female	2992	1,119,780	2992	100.0	0100-0100
White/Non-Hisp	3417	811,798	3417	100.0	0100-0100
Other Race	1309	1,335,984	1309	100.0	0100-0100
18-24	168	301,661	168	100.0	0100-0100
25-34	306	533,816	306	100.0	0100-0100
35-44	640	405,542	640	100.0	0100-0100
45-54	975	351,720	975	100.0	0100-0100
55-64	1057	258,056	1057	100.0	0100-0100
65+	1580	294,043	1580	100.0	0100-0100
Less Than H.S.	292	454,709	292	100.0	0100-0100
H.S. or G.E.D.	1163	532,155	1163	100.0	0100-0100
Some Post-H.S.	1329	534,254	1329	100.0	0100-0100
College Graduate	1965	632,159	1965	100.0	0100-0100
Less than \$15,000	336	219,644	336	100.0	0100-0100
\$15,000- 24,999	733	516,136	733	100.0	0100-0100
\$25,000- 34,999	471	207,928	471	100.0	0100-0100
\$35,000- 49,999	660	268,856	660	100.0	0100-0100
\$50,000- 74,999	730	259,388	730	100.0	0100-0100
\$75,000+	1423	519,035	1423	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 38: WHAT COUNTY DO YOU LIVE IN? (CTYCODE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid FIPS County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)
Male	1768	1,035,588	1768	100.0	0100-0100
White/Non-Hisp	1298	393,122	1298	100.0	0100-0100
Other Race	449	637,788	449	100.0	0100-0100
18-24	80	149,096	80	100.0	0100-0100
25-34	119	265,857	119	100.0	0100-0100
35-44	222	205,564	222	100.0	0100-0100
45-54	392	176,948	392	100.0	0100-0100
55-64	411	119,611	411	100.0	0100-0100
65+	532	117,878	532	100.0	0100-0100
Less Than H.S.	113	217,589	113	100.0	0100-0100
H.S. or G.E.D.	425	255,240	425	100.0	0100-0100
Some Post-H.S.	456	267,106	456	100.0	0100-0100
College Graduate	767	293,581	767	100.0	0100-0100
Less than \$15,000	104	89,873	104	100.0	0100-0100
\$15,000- 24,999	230	237,070	230	100.0	0100-0100
\$25,000- 34,999	163	83,677	163	100.0	0100-0100
\$35,000- 49,999	244	142,704	244	100.0	0100-0100
\$50,000- 74,999	261	121,941	261	100.0	0100-0100
\$75,000+	632	281,889	632	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 39: WHAT COUNTY DO YOU LIVE IN? (CTYCODE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid FIPS County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)
Female	2992	1,119,780	2992	100.0	0100-0100
White/Non-Hisp	2119	418,676	2119	100.0	0100-0100
Other Race	860	698,197	860	100.0	0100-0100
18-24	88	152,565	88	100.0	0100-0100
25-34	187	267,959	187	100.0	0100-0100
35-44	418	199,978	418	100.0	0100-0100
45-54	583	174,772	583	100.0	0100-0100
55-64	646	138,444	646	100.0	0100-0100
65+	1048	176,165	1048	100.0	0100-0100
Less Than H.S.	179	237,120	179	100.0	0100-0100
H.S. or G.E.D.	738	276,916	738	100.0	0100-0100
Some Post-H.S.	873	267,148	873	100.0	0100-0100
College Graduate	1198	338,579	1198	100.0	0100-0100
Less than \$15,000	232	129,771	232	100.0	0100-0100
\$15,000- 24,999	503	279,066	503	100.0	0100-0100
\$25,000- 34,999	308	124,251	308	100.0	0100-0100
\$35,000- 49,999	416	126,152	416	100.0	0100-0100
\$50,000- 74,999	469	137,447	469	100.0	0100-0100
\$75,000+	791	237,146	791	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 40: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid ZIP Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)
TOTAL	4721	2,150,353	4721	100.0	0100-0100
Male	1751	1,033,445	1751	100.0	0100-0100
Female	2970	1,116,908	2970	100.0	0100-0100
White/Non-Hisp	3392	808,782	3392	100.0	0100-0100
Other Race	1298	1,334,031	1298	100.0	0100-0100
18-24	167	301,634	167	100.0	0100-0100
25-34	305	533,452	305	100.0	0100-0100
35-44	638	404,735	638	100.0	0100-0100
45-54	965	349,739	965	100.0	0100-0100
55-64	1050	257,336	1050	100.0	0100-0100
65+	1567	293,242	1567	100.0	0100-0100
Less Than H.S.	290	454,010	290	100.0	0100-0100
H.S. or G.E.D.	1154	530,947	1154	100.0	0100-0100
Some Post-H.S.	1317	532,998	1317	100.0	0100-0100
College Graduate	1953	630,501	1953	100.0	0100-0100
Less than \$15,000	333	219,455	333	100.0	0100-0100
\$15,000- 24,999	730	515,386	730	100.0	0100-0100
\$25,000- 34,999	469	207,925	469	100.0	0100-0100
\$35,000- 49,999	658	268,158	658	100.0	0100-0100
\$50,000- 74,999	727	258,547	727	100.0	0100-0100
\$75,000+	1410	517,254	1410	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 41: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid ZIP Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)
Male	1751	1,033,445	1751	100.0	0100-0100
White/Non-Hisp	1286	391,073	1286	100.0	0100-0100
Other Race	447	637,739	447	100.0	0100-0100
18-24	80	149,096	80	100.0	0100-0100
25-34	118	265,493	118	100.0	0100-0100
35-44	222	205,564	222	100.0	0100-0100
45-54	389	176,291	389	100.0	0100-0100
55-64	407	118,961	407	100.0	0100-0100
65+	526	117,497	526	100.0	0100-0100
Less Than H.S.	112	217,511	112	100.0	0100-0100
H.S. or G.E.D.	422	254,393	422	100.0	0100-0100
Some Post-H.S.	453	267,067	453	100.0	0100-0100
College Graduate	761	292,594	761	100.0	0100-0100
Less than \$15,000	103	89,857	103	100.0	0100-0100
\$15,000- 24,999	229	237,060	229	100.0	0100-0100
\$25,000- 34,999	162	83,675	162	100.0	0100-0100
\$35,000- 49,999	242	142,006	242	100.0	0100-0100
\$50,000- 74,999	261	121,941	261	100.0	0100-0100
\$75,000+	626	280,761	626	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 42: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid ZIP Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)
Female	2970	1,116,908	2970	100.0	0100-0100
White/Non-Hisp	2106	417,709	2106	100.0	0100-0100
Other Race	851	696,291	851	100.0	0100-0100
18-24	87	152,538	87	100.0	0100-0100
25-34	187	267,959	187	100.0	0100-0100
35-44	416	199,171	416	100.0	0100-0100
45-54	576	173,447	576	100.0	0100-0100
55-64	643	138,375	643	100.0	0100-0100
65+	1041	175,745	1041	100.0	0100-0100
Less Than H.S.	178	236,500	178	100.0	0100-0100
H.S. or G.E.D.	732	276,553	732	100.0	0100-0100
Some Post-H.S.	864	265,931	864	100.0	0100-0100
College Graduate	1192	337,906	1192	100.0	0100-0100
Less than \$15,000	230	129,598	230	100.0	0100-0100
\$15,000- 24,999	501	278,325	501	100.0	0100-0100
\$25,000- 34,999	307	124,250	307	100.0	0100-0100
\$35,000- 49,999	416	126,152	416	100.0	0100-0100
\$50,000- 74,999	466	136,606	466	100.0	0100-0100
\$75,000+	784	236,493	784	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 43: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)	
TOTAL	4749	2,153,295	335	2.6	01.9-03.3		4414	97.4	96.7-98.1	
Male	1760	1,033,454	151	2.8	01.8-03.9		1609	97.2	96.1-98.2	
Female	2989	1,119,841	184	2.3	01.5-03.2		2805	97.7	96.8-98.5	
White/Non-Hisp	3408	810,746	255	3.5	02.6-04.3		3153	96.5	95.7-97.4	
Other Race	1307	1,334,963	77	2.0	01.1-03.0		1230	98.0	97.0-98.9	
18-24	168	301,661	4	0.9	00.0-01.9		164	99.1	98.1-0100	
25-34	306	533,816	12	1.8	00.3-03.3		294	98.2	96.7-99.7	
35-44	638	404,410	32	1.8	00.8-02.8		606	98.2	97.2-99.2	
45-54	973	351,341	74	3.4	01.5-05.2		899	96.6	94.8-98.5	
55-64	1053	257,786	100	4.1	02.1-06.1		953	95.9	93.9-97.9	
65+	1578	293,760	111	4.6	02.0-07.2		1467	95.4	92.8-98.0	
Less Than H.S.	293	454,913	3	0.7	00.0-01.8		290	99.3	98.2-0100	
H.S. or G.E.D.	1161	531,840	51	2.1	00.7-03.4		1110	97.9	96.6-99.3	
Some Post-H.S.	1328	534,161	92	2.2	01.0-03.4		1236	97.8	96.6-99.0	
College Graduate	1956	630,291	189	4.6	03.1-06.2		1767	95.4	93.8-96.9	
Less than \$15,000	336	219,455	11	1.9	00.0-04.4		325	98.1	95.6-0100	
\$15,000- 24,999	733	516,136	22	1.2	00.1-02.3		711	98.8	97.7-99.9	
\$25,000- 34,999	471	207,928	19	2.6	00.0-05.4		452	97.4	94.6-0100	
\$35,000- 49,999	659	268,550	46	3.1	00.8-05.5		613	96.9	94.5-99.2	
\$50,000- 74,999	730	259,388	41	2.0	00.6-03.3		689	98.0	96.7-99.4	
\$75,000+	1419	518,716	165	4.6	03.1-06.1		1254	95.4	93.9-96.9	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 44: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1760	1,033,454	151	2.8	01.8-03.9	1609	97.2	96.1-98.2	
White/Non-Hisp	1292	392,120	120	4.0	02.6-05.3	1172	96.0	94.7-97.4	
Other Race	447	636,656	29	2.1	00.6-03.6	418	97.9	96.4-99.4	
18-24	80	149,096	1	0.5	00.0-01.6	79	99.5	98.4-0100	
25-34	119	265,857	9	2.6	00.0-05.3	110	97.4	94.7-0100	
35-44	220	204,432	12	2.0	00.3-03.7	208	98.0	96.3-99.7	
45-54	390	176,569	35	3.8	00.4-07.2	355	96.2	92.8-99.6	
55-64	408	119,380	47	5.9	02.3-09.5	361	94.1	90.5-97.7	
65+	531	117,485	46	3.2	01.3-05.1	485	96.8	94.9-98.7	
Less Than H.S.	113	217,589	1	1.1	00.0-03.2	112	98.9	96.8-0100	
H.S. or G.E.D.	424	254,933	22	1.5	00.3-02.7	402	98.5	97.3-99.7	
Some Post-H.S.	456	267,106	27	0.7	00.1-01.2	429	99.3	98.8-99.9	
College Graduate	760	291,753	101	7.3	04.1-10.5	659	92.7	89.5-95.9	
Less than \$15,000	103	89,481				103	100.0	0100-0100	
\$15,000- 24,999	230	237,070	12	2.0	00.0-04.3	218	98.0	95.7-0100	
\$25,000- 34,999	163	83,677	9	4.2	00.0-10.8	154	95.8	89.2-0100	
\$35,000- 49,999	243	142,398	17	1.2	00.2-02.3	226	98.8	97.7-99.8	
\$50,000- 74,999	261	121,941	18	2.0	00.1-03.9	243	98.0	96.1-99.9	
\$75,000+	629	281,609	83	5.8	03.2-08.4	546	94.2	91.6-96.8	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 45: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2989	1,119,841	184	2.3	01.5-03.2	2805	97.7	96.8-98.5	
White/Non-Hisp	2116	418,626	135	3.0	01.9-04.1	1981	97.0	95.9-98.1	
Other Race	860	698,307	48	1.9	00.7-03.2	812	98.1	96.8-99.3	
18-24	88	152,565	3	1.3	00.0-02.9	85	98.7	97.1-0100	
25-34	187	267,959	3	1.0	00.0-02.2	184	99.0	97.8-0100	
35-44	418	199,978	20	1.5	00.4-02.7	398	98.5	97.3-99.6	
45-54	583	174,772	39	2.9	01.2-04.6	544	97.1	95.4-98.8	
55-64	645	138,405	53	2.6	00.7-04.6	592	97.4	95.4-99.3	
65+	1047	176,274	65	5.5	01.3-09.7	982	94.5	90.3-98.7	
Less Than H.S.	180	237,324	2	0.4	00.0-01.1	178	99.6	98.9-0100	
H.S. or G.E.D.	737	276,907	29	2.6	00.3-04.9	708	97.4	95.1-99.7	
Some Post-H.S.	872	267,055	65	3.7	01.4-06.1	807	96.3	93.9-98.6	
College Graduate	1196	338,537	88	2.4	01.4-03.3	1108	97.6	96.7-98.6	
Less than \$15,000	233	129,975	11	3.3	00.0-07.5	222	96.7	92.5-0100	
\$15,000- 24,999	503	279,066	10	0.5	00.0-01.0	493	99.5	99.0-0100	
\$25,000- 34,999	308	124,251	10	1.5	00.0-03.2	298	98.5	96.8-0100	
\$35,000- 49,999	416	126,152	29	5.3	00.5-10.1	387	94.7	89.9-99.5	
\$50,000- 74,999	469	137,447	23	1.9	00.0-03.8	446	98.1	96.2-0100	
\$75,000+	790	237,107	82	3.2	01.9-04.5	708	96.8	95.5-98.1	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 46: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Three residential telephone numbers			Four residential telephone numbers			Six or more residential telephone numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	328	50,865	19	2.1	00.2-04.0	4	0.7	00.0-02.0	1	0.0	00.0-00.0
Male	148	28,167	10	2.5	00.0-05.4	1	0.1	00.0-00.4	1	0.0	00.0-00.0
Female	180	22,698	9	1.5	00.0-03.8	3	1.5	00.0-04.3			
White/Non-Hisp	251	27,281	16	3.7	00.3-07.1	2	0.1	00.0-00.4	1	0.0	00.0-00.0
Other Race	74	23,424	3	0.2	00.0-00.5	2	1.4	00.0-04.2			
45-54	71	10,506	2	0.4	00.0-01.1	3	3.5	00.0-09.8	1	0.0	00.0-00.0
55-64	98	10,440	4	0.2	00.0-00.5						
65+	109	10,519	11	4.4	00.0-09.7						
Some Post-H.S.	92	11,785	4	0.2	00.0-00.5	1	0.0	00.0-00.0	1	0.0	00.0-00.0
College Graduate	184	27,766	11	2.2	00.0-04.9	2	1.3	00.0-03.7			
\$75,000+	162	22,531	8	2.5	00.0-05.8	2	1.6	00.0-04.5			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010**

SECTION 9: DEMOGRAPHICS

TABLE 47: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Three residential telephone numbers			Four residential telephone numbers			Six or more residential telephone numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	148	28,167	10	2.5	00.0-05.4	1	0.1	00.0-00.4	1	0.0	00.0-00.0
White/Non-Hisp	118	15,250	8	4.3	00.0-09.5	1	0.2	00.0-00.7	1	0.0	00.0-00.0
College Graduate	98	20,190	7	2.6	00.0-06.3	1	0.2	00.0-00.6			
\$75,000+	81	15,333	5	3.1	00.0-07.9	1	0.2	00.0-00.7			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010**

SECTION 9: DEMOGRAPHICS

TABLE 48: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Three residential telephone numbers			Four residential telephone numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	180	22,698	9	1.5	00.0-03.8	3	1.5	00.0-04.3
White/Non-Hisp	133	12,031	8	2.8	00.0-07.1	1	0.0	00.0-00.0
55-64	52	3,584	3	0.4	00.0-01.2			
65+	63	6,738	5	4.9	00.0-12.8			
Some Post-H.S.	65	9,968	3	0.2	00.0-00.4	1	0.0	00.0-00.0
College Graduate	86	7,576	4	1.1	00.0-02.9	1	4.4	00.0-12.7
\$75,000+	81	7,198	3	1.2	00.0-03.1	1	4.6	00.0-13.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 49: DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT LANDLINE TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF LANDLINE TELEPHONE SERVICE BECAUSE OF WEATHER OR NATURAL DISASTERS. (TELSERV3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4748	2,146,729	126	3.2	01.8-04.6	4622	96.8	95.4-98.2	
Male	1760	1,027,291	45	1.4	00.7-02.1	1715	98.6	97.9-99.3	
Female	2988	1,119,438	81	4.8	02.2-07.3	2907	95.2	92.7-97.8	
White/Non-Hisp	3408	810,144	51	1.4	00.7-02.1	3357	98.6	97.9-99.3	
Other Race	1306	1,328,999	70	4.2	02.0-06.4	1236	95.8	93.6-98.0	
18-24	168	301,661	6	1.5	00.0-03.7	162	98.5	96.3-0100	
25-34	306	533,816	13	2.5	00.6-04.4	293	97.5	95.6-99.4	
35-44	640	405,542	25	5.9	00.0-11.8	615	94.1	88.2-0100	
45-54	971	350,855	37	2.8	01.0-04.5	934	97.2	95.5-99.0	
55-64	1052	250,288	24	3.1	00.8-05.4	1028	96.9	94.6-99.2	
65+	1578	294,036	20	3.0	00.0-06.0	1558	97.0	94.0-0100	
Less Than H.S.	293	454,913	16	1.8	00.3-03.3	277	98.2	96.7-99.7	
H.S. or G.E.D.	1159	531,484	33	4.9	01.0-08.9	1126	95.1	91.1-99.0	
Some Post-H.S.	1328	527,601	46	3.8	00.4-07.3	1282	96.2	92.7-99.6	
College Graduate	1957	630,641	31	2.1	00.8-03.4	1926	97.9	96.6-99.2	
Less than \$15,000	336	218,994	25	4.3	00.8-07.7	311	95.7	92.3-99.2	
\$15,000- 24,999	730	515,665	22	3.7	00.1-07.3	708	96.3	92.7-99.9	
\$25,000- 34,999	470	207,923	15	3.6	00.0-07.5	455	96.4	92.5-0100	
\$35,000- 49,999	660	268,856	19	3.5	00.7-06.3	641	96.5	93.7-99.3	
\$50,000- 74,999	730	259,388	13	1.0	00.1-02.0	717	99.0	98.0-99.9	
\$75,000+	1419	512,053	22	3.3	00.0-06.9	1397	96.7	93.1-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 50: DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT LANDLINE TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF LANDLINE TELEPHONE SERVICE BECAUSE OF WEATHER OR NATURAL DISASTERS. (TELSERV3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1760	1,027,291	45	1.4	00.7-02.1	1715	98.6	97.9-99.3	
White/Non-Hisp	1292	391,609	19	1.5	00.4-02.5	1273	98.5	97.5-99.6	
Other Race	447	631,003	24	1.4	00.4-02.3	423	98.6	97.7-99.6	
18-24	80	149,096	5	1.1	00.0-02.4	75	98.9	97.6-0100	
25-34	119	265,857	4	1.1	00.0-02.4	115	98.9	97.6-0100	
35-44	222	205,564	7	2.1	00.0-04.4	215	97.9	95.6-0100	
45-54	389	176,418	14	1.6	00.0-03.1	375	98.4	96.9-0100	
55-64	406	111,844	8	2.1	00.1-04.2	398	97.9	95.8-99.9	
65+	532	117,878	6	0.3	00.0-00.6	526	99.7	99.4-0100	
Less Than H.S.	113	217,589	7	0.9	00.0-01.8	106	99.1	98.2-0100	
H.S. or G.E.D.	424	255,108	13	2.3	00.4-04.1	411	97.7	95.9-99.6	
Some Post-H.S.	455	260,453	15	0.5	00.1-01.0	440	99.5	99.0-99.9	
College Graduate	761	292,069	10	1.8	00.1-03.5	751	98.2	96.5-99.9	
Less than \$15,000	103	89,020	10	2.8	00.0-06.2	93	97.2	93.8-0100	
\$15,000- 24,999	230	237,070	5	0.8	00.0-01.9	225	99.2	98.1-0100	
\$25,000- 34,999	163	83,677	4	0.9	00.0-02.3	159	99.1	97.7-0100	
\$35,000- 49,999	244	142,704	9	2.2	00.0-04.6	235	97.8	95.4-0100	
\$50,000- 74,999	261	121,941	4	0.3	00.0-00.7	257	99.7	99.3-0100	
\$75,000+	628	274,906	9	2.0	00.2-03.8	619	98.0	96.2-99.8	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 51: DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT LANDLINE TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF LANDLINE TELEPHONE SERVICE BECAUSE OF WEATHER OR NATURAL DISASTERS. (TELSERV3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2988	1,119,438	81	4.8	02.2-07.3	2907	95.2	92.7-97.8	
White/Non-Hisp	2116	418,534	32	1.3	00.5-02.2	2084	98.7	97.8-99.5	
Other Race	859	697,996	46	6.8	02.7-10.9	813	93.2	89.1-97.3	
18-24	88	152,565	1	2.0	00.0-06.0	87	98.0	94.0-0100	
25-34	187	267,959	9	3.8	00.3-07.4	178	96.2	92.6-99.7	
45-54	582	174,437	23	3.9	00.9-07.0	559	96.1	93.0-99.1	
55-64	646	138,444	16	3.8	00.0-07.7	630	96.2	92.3-0100	
65+	1046	176,158	14	4.8	00.0-09.8	1032	95.2	90.2-0100	
Less Than H.S.	180	237,324	9	2.6	00.0-05.4	171	97.4	94.6-0100	
H.S. or G.E.D.	735	276,376	20	7.4	00.2-14.6	715	92.6	85.4-99.8	
Some Post-H.S.	873	267,148	31	7.1	00.5-13.7	842	92.9	86.3-99.5	
College Graduate	1196	338,572	21	2.4	00.3-04.4	1175	97.6	95.6-99.7	
Less than \$15,000	233	129,975	15	5.3	00.1-10.5	218	94.7	89.5-99.9	
\$15,000- 24,999	500	278,596	17	6.2	00.0-12.8	483	93.8	87.2-0100	
\$25,000- 34,999	307	124,245	11	5.4	00.0-11.9	296	94.6	88.1-0100	
\$35,000- 49,999	416	126,152	10	5.1	00.0-10.3	406	94.9	89.7-0100	
\$50,000- 74,999	469	137,447	9	1.7	00.0-03.4	460	98.3	96.6-0100	
\$75,000+	791	237,146	13	4.8	00.0-12.1	778	95.2	87.9-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010**

SECTION 9: DEMOGRAPHICS

TABLE 52: INDICATE SEX OF RESPONDENT. (SEX)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Male		N	Female	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
TOTAL	4761	2,155,572	1768	48.0	42.5-53.6	2993	52.0	46.4-57.5
Male	1768	1,035,588	1768	100.0	0100-0100			
Female	2993	1,119,984				2993	100.0	0100-0100
White/Non-Hisp	3417	811,798	1298	48.4	42.4-54.4	2119	51.6	45.6-57.6
Other Race	1310	1,336,188	449	47.7	39.5-55.9	861	52.3	44.1-60.5
College Graduate	1965	632,159	767	46.4	39.4-53.5	1198	53.6	46.5-60.6
\$75,000+	1423	519,035	632	54.3	46.1-62.5	791	45.7	37.5-53.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 53: INDICATE SEX OF RESPONDENT. (SEX)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Male	
	TOTAL	WEIGHTED		%	C.I. (95%)
Male	1768	1,035,588	1768	100.0	0100-0100
White/Non-Hisp	1298	393,122	1298	100.0	0100-0100
Other Race	449	637,788	449	100.0	0100-0100
18-24	80	149,096	80	100.0	0100-0100
25-34	119	265,857	119	100.0	0100-0100
35-44	222	205,564	222	100.0	0100-0100
45-54	392	176,948	392	100.0	0100-0100
55-64	411	119,611	411	100.0	0100-0100
65+	532	117,878	532	100.0	0100-0100
Less Than H.S.	113	217,589	113	100.0	0100-0100
H.S. or G.E.D.	425	255,240	425	100.0	0100-0100
Some Post-H.S.	456	267,106	456	100.0	0100-0100
College Graduate	767	293,581	767	100.0	0100-0100
Less than \$15,000	104	89,873	104	100.0	0100-0100
\$15,000- 24,999	230	237,070	230	100.0	0100-0100
\$25,000- 34,999	163	83,677	163	100.0	0100-0100
\$35,000- 49,999	244	142,704	244	100.0	0100-0100
\$50,000- 74,999	261	121,941	261	100.0	0100-0100
\$75,000+	632	281,889	632	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 54: INDICATE SEX OF RESPONDENT. (SEX)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Female	
	TOTAL	WEIGHTED		%	C.I. (95%)
Female	2993	1,119,984	2993	100.0	0100-0100
White/Non-Hisp	2119	418,676	2119	100.0	0100-0100
Other Race	861	698,400	861	100.0	0100-0100
18-24	88	152,565	88	100.0	0100-0100
25-34	187	267,959	187	100.0	0100-0100
35-44	418	199,978	418	100.0	0100-0100
45-54	583	174,772	583	100.0	0100-0100
55-64	646	138,444	646	100.0	0100-0100
65+	1049	176,369	1049	100.0	0100-0100
Less Than H.S.	180	237,324	180	100.0	0100-0100
H.S. or G.E.D.	738	276,916	738	100.0	0100-0100
Some Post-H.S.	873	267,148	873	100.0	0100-0100
College Graduate	1198	338,579	1198	100.0	0100-0100
Less than \$15,000	233	129,975	233	100.0	0100-0100
\$15,000- 24,999	503	279,066	503	100.0	0100-0100
\$25,000- 34,999	308	124,251	308	100.0	0100-0100
\$35,000- 49,999	416	126,152	416	100.0	0100-0100
\$50,000- 74,999	469	137,447	469	100.0	0100-0100
\$75,000+	791	237,146	791	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

**TABLE 55: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)	
TOTAL	712	621,958	24	2.1	00.9-03.3		688	97.9	96.7-99.1	
Female	712	621,958	24	2.1	00.9-03.3		688	97.9	96.7-99.1	
White/Non-Hisp	383	210,147	16	4.7	01.3-08.0		367	95.3	92.0-98.7	
Other Race	323	411,274	8	0.8	00.0-01.5		315	99.2	98.5-0100	
18-24	88	152,565	2	1.6	00.0-04.9		86	98.4	95.1-0100	
25-34	186	267,244	13	3.3	01.1-05.6		173	96.7	94.4-98.9	
35-44	417	199,630	9	0.8	00.1-01.6		408	99.2	98.4-99.9	
H.S. or G.E.D.	123	180,609	5	1.4	00.0-04.2		118	98.6	95.8-0100	
Some Post-H.S.	206	158,799	2	0.1	00.0-00.2		204	99.9	99.8-0100	
College Graduate	351	206,866	16	4.9	02.0-07.8		335	95.1	92.2-98.0	
\$15,000- 24,999	93	171,171	4	0.2	00.0-00.5		89	99.8	99.5-0100	
\$25,000- 34,999	55	47,785					55	100.0	0100-0100	
\$35,000- 49,999	89	75,885	2	0.9	00.0-02.8		87	99.1	97.2-0100	
\$50,000- 74,999	129	81,339	1	0.2	00.0-00.7		128	99.8	99.3-0100	
\$75,000+	252	150,489	15	6.2	02.2-10.1		237	93.8	89.9-97.8	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS

TABLE 56: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 9: DEMOGRAPHICS**

TABLE 57: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Female	712	621,958	24	2.1	00.9-03.3	688	97.9	96.7-99.1
White/Non-Hisp	383	210,147	16	4.7	01.3-08.0	367	95.3	92.0-98.7
Other Race	323	411,274	8	0.8	00.0-01.5	315	99.2	98.5-0100
18-24	88	152,565	2	1.6	00.0-04.9	86	98.4	95.1-0100
25-34	186	267,244	13	3.3	01.1-05.6	173	96.7	94.4-98.9
35-44	417	199,630	9	0.8	00.1-01.6	408	99.2	98.4-99.9
H.S. or G.E.D.	123	180,609	5	1.4	00.0-04.2	118	98.6	95.8-0100
Some Post-H.S.	206	158,799	2	0.1	00.0-00.2	204	99.9	99.8-0100
College Graduate	351	206,866	16	4.9	02.0-07.8	335	95.1	92.2-98.0
\$15,000- 24,999	93	171,171	4	0.2	00.0-00.5	89	99.8	99.5-0100
\$25,000- 34,999	55	47,785				55	100.0	0100-0100
\$35,000- 49,999	89	75,885	2	0.9	00.0-02.8	87	99.1	97.2-0100
\$50,000- 74,999	129	81,339	1	0.2	00.0-00.7	128	99.8	99.3-0100
\$75,000+	252	150,489	15	6.2	02.2-10.1	237	93.8	89.9-97.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 10: PHYSICAL ACTIVITY CONTENTS

* NOTE *****
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE

	DURING THE PAST MONTH, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY3)
1	MALES AND FEMALES
2	MALES ONLY
3	FEMALES ONLY
	WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXERACT3)
4	MALES AND FEMALES
5	MALES ONLY
6	FEMALES ONLY
	HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)
7	MALES AND FEMALES
8	MALES ONLY
9	FEMALES ONLY
	AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
10	MALES AND FEMALES
11	MALES ONLY
12	FEMALES ONLY
	WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXERACT4)
13	MALES AND FEMALES
14	MALES ONLY
15	FEMALES ONLY
	HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)
16	MALES AND FEMALES
17	MALES ONLY
18	FEMALES ONLY
	AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
19	MALES AND FEMALES
20	MALES ONLY
21	FEMALES ONLY

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 10: PHYSICAL ACTIVITY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

* * * * *

TABLE

DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN
YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY
WEIGHT LIKE YOGA, SIT-UPS, OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (EX0FTSTR)

22 MALES AND FEMALES

23 MALES ONLY

24 FEMALES ONLY

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 1: DURING THE PAST MONTH, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4718	2,130,728	3361	72.9	67.9-77.9	1357	27.1	22.1-32.1	
Male	1757	1,033,591	1294	77.1	70.1-84.1	463	22.9	15.9-29.9	
Female	2961	1,097,137	2067	69.0	61.9-76.0	894	31.0	24.0-38.1	
White/Non-Hisp	3395	802,312	2471	78.5	75.1-81.9	924	21.5	18.1-24.9	
Other Race	1289	1,320,830	864	69.6	61.9-77.3	425	30.4	22.7-38.1	
18-24	168	301,661	141	88.2	79.3-97.2	27	11.8	02.8-20.7	
H.S. or G.E.D.	1153	527,031	705	72.6	64.0-81.2	448	27.4	18.8-36.0	
Some Post-H.S.	1317	531,465	920	72.0	62.4-81.6	397	28.0	18.4-37.6	
College Graduate	1949	616,596	1576	83.4	79.3-87.6	373	16.6	12.4-20.7	
\$35,000- 49,999	650	261,605	479	82.9	73.8-91.9	171	17.1	08.1-26.2	
\$75,000+	1414	509,328	1136	79.9	72.7-87.1	278	20.1	12.9-27.3	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 2: DURING THE PAST MONTH, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Male	1757	1,033,591	1294	77.1	70.1-84.1	463	22.9	15.9-29.9
White/Non-Hisp	1291	391,866	959	80.6	75.7-85.5	332	19.4	14.5-24.3
18-24	80	149,096	69	90.4	81.5-99.3	11	9.6	00.7-18.5
25-34	117	265,490	97	87.0	77.3-96.8	20	13.0	03.2-22.7
Some Post-H.S.	455	266,678	333	85.3	77.7-92.8	122	14.7	07.2-22.3
College Graduate	763	292,821	631	83.8	76.9-90.7	132	16.2	09.3-23.1
\$75,000+	627	280,746	505	87.1	81.5-92.6	122	12.9	07.4-18.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 3: DURING THE PAST MONTH, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2961	1,097,137	2067	69.0	61.9-76.0	894	31.0	24.0-38.1	
White/Non-Hisp	2104	410,446	1512	76.4	71.8-81.1	592	23.6	18.9-28.2	
45-54	579	169,447	436	79.1	70.5-87.6	143	20.9	12.4-29.5	
College Graduate	1186	323,776	945	83.2	78.2-88.1	241	16.8	11.9-21.8	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

**TABLE 4: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXERACT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Active Gaming Devices (Wii Fit, Dance, Dance revolution)			Aerobics video or class			Basketball			Bicycling machine exercise			Bicycling			Bowling		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3361	1,552,974	6	0.1	00.0-00.1	112	1.3	00.8-01.8	17	1.0	00.0-02.0	96	2.0	00.0-04.1	45	2.2	00.0-05.0	20	0.6	00.0-01.5
Male	1297	796,535	2	0.0	00.0-00.1	20	0.9	00.2-01.5	17	1.9	00.0-03.8	41	3.0	00.0-06.9	27	1.0	00.2-01.8	10	0.2	00.0-00.3
Female	2064	756,439	4	0.1	00.0-00.2	92	1.8	01.0-02.6				55	1.0	00.3-01.8	18	3.3	00.0-09.0	10	1.0	00.0-02.8
White/Non-Hisp	2470	629,652	4	0.1	00.0-00.1	83	2.1	01.2-03.0	5	0.5	00.0-01.0	73	1.2	00.8-01.7	33	1.6	00.5-02.7	15	0.3	00.1-00.6
Other Race	865	918,757	2	0.0	00.0-00.1	28	0.8	00.2-01.4	12	1.3	00.0-03.0	21	2.6	00.0-06.1	11	2.5	00.0-07.2	5	0.8	00.0-02.2
18-24	141	266,197				2	0.9	00.0-02.5	4	1.4	00.0-03.1									
25-34	231	381,307				3	0.3	00.0-00.6	6	2.6	00.0-06.6	2	0.8	00.0-02.3	2	0.4	00.0-01.3			
35-44	468	295,603	1	0.0	00.0-00.1	19	2.2	00.5-03.8	3	0.2	00.0-00.6	11	6.8	00.0-17.1	3	1.3	00.0-03.0			
45-54	735	261,133	3	0.2	00.0-00.5	27	1.7	00.6-02.7	3	0.1	00.0-00.3	18	0.7	00.1-01.2	12	0.9	00.0-01.9	4	2.7	00.0-07.7
55-64	723	170,684	2	0.1	00.0-00.2	25	1.4	00.0-02.8	1	0.1	00.0-00.2	22	0.9	00.3-01.4				5	0.5	00.0-01.2
65+	1038	176,168				35	2.2	00.6-03.7				41	2.8	01.4-04.3	10	0.5	00.0-01.0	11	0.8	00.2-01.5
Less Than H.S.	155	271,974				1	0.0	00.0-00.0				1	0.0	00.0-00.0				1	0.1	00.0-00.3
H.S. or G.E.D.	705	382,736	3	0.1	00.0-00.3	15	0.4	00.1-00.7	8	1.3	00.1-02.6	14	4.6	00.0-12.7	5	0.1	00.0-00.3	9	0.3	00.0-00.6
Some Post-H.S.	921	382,713	2	0.1	00.0-00.2	25	1.0	00.2-01.9	1	2.0	00.0-05.8	28	0.9	00.4-01.4	10	1.2	00.0-02.5	6	1.9	00.0-05.3
College Graduate	1573	513,550	1	0.0	00.0-00.1	71	2.9	01.5-04.3	8	0.4	00.0-00.9	53	2.0	00.7-03.3	27	1.1	00.3-02.0	4	0.1	00.0-00.3
Less than \$15,000	184	111,341				2	0.0	00.0-00.1				1	0.1	00.0-00.3				2	0.4	00.0-01.2
\$15,000- 24,999	440	362,681				16	1.0	00.2-01.8				16	4.9	00.0-13.4	8	7.0	00.0-18.6	5	0.2	00.0-00.4
\$25,000- 34,999	302	132,537	1	0.2	00.0-00.7	7	0.2	00.0-00.5	2	0.6	00.0-01.8	8	0.3	00.0-00.6	8	2.3	00.0-05.2	2	0.2	00.0-00.6
\$35,000- 49,999	478	216,764	1	0.0	00.0-00.1	11	1.2	00.0-03.1	3	0.8	00.0-02.0	11	0.6	00.0-01.1	5	0.1	00.0-00.2	3	0.3	00.0-00.6
\$50,000- 74,999	537	190,043	3	0.2	00.0-00.4	26	1.7	00.5-02.9	2	4.1	00.0-11.7	10	0.7	00.0-01.5	9	1.7	00.0-03.9	3	3.7	00.0-10.5
\$75,000+	1137	406,484				41	2.4	01.1-03.8	9	0.7	00.0-01.4	39	2.1	00.5-03.6	11	0.2	00.0-00.5	4	0.1	00.0-00.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 10: PHYSICAL ACTIVITY

TABLE 4: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXERACT3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Boxing		N	Calisthenics		N	Dancing-ballet, ballroom, Latin, hip hop, etc		N	Elliptical EFX machine exercise		N	Frisbee		Gardening (spading, weeding, digging, filling)		
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3361	1,552,974	2	0.0	00.0-00.0	66	1.8	00.6-02.9	27	0.6	00.1-01.1	65	1.5	00.6-02.5	2	0.2	00.0-00.5	66	1.3	00.0-02.5
Male	1297	796,535	2	0.0	00.0-00.0	32	0.9	00.4-01.4	2	0.0	00.0-00.0	29	1.1	00.2-02.1	2	0.3	00.0-00.9	26	0.6	00.1-01.0
Female	2064	756,439				34	2.6	00.4-04.9	25	1.3	00.3-02.3	36	1.9	00.2-03.6				40	2.0	00.0-04.5
White/Non-Hisp	2470	629,652	1	0.0	00.0-00.0	50	2.3	00.4-04.1	19	1.0	00.1-01.8	54	2.2	01.0-03.5	1	0.0	00.0-00.0	53	1.2	00.5-01.8
Other Race	865	918,757	1	0.0	00.0-00.0	16	1.4	00.0-02.9	8	0.4	00.0-01.0	11	1.0	00.0-02.4	1	0.3	00.0-00.8	11	1.3	00.0-03.4
18-24	141	266,197				2	0.3	00.0-00.9	4	2.0	00.0-04.0	3	1.1	00.0-02.5	1	0.9	00.0-02.8			
25-34	231	381,307	1	0.0	00.0-00.0	4	0.6	00.0-01.6	1	0.7	00.0-02.2	9	2.6	00.0-05.9	1	0.0	00.0-00.0	4	0.4	00.0-01.0
35-44	468	295,603				10	1.2	00.3-02.1	5	0.3	00.0-00.5	12	1.6	00.0-03.6				5	0.6	00.0-01.5
45-54	735	261,133	1	0.0	00.0-00.0	20	4.3	00.0-08.8	4	0.2	00.0-00.6	20	1.5	00.5-02.6				13	1.2	00.0-02.6
55-64	723	170,684				15	4.9	00.0-12.0	4	0.1	00.0-00.1	10	0.4	00.1-00.7				15	6.2	00.0-16.7
65+	1038	176,168				14	0.6	00.1-01.2	9	0.3	00.0-00.6	10	0.7	00.1-01.3				29	1.6	00.3-02.8
Less Than H.S.	155	271,974				4	2.7	00.0-06.8	2	0.0	00.0-00.1							3	3.9	00.0-10.7
H.S. or G.E.D.	705	382,736				12	1.3	00.0-02.7	7	1.1	00.0-02.3	5	0.1	00.0-00.2				16	0.7	00.0-01.4
Some Post-H.S.	921	382,713	2	0.0	00.0-00.0	14	0.9	00.1-01.6	6	0.1	00.0-00.2	13	0.5	00.1-00.8				23	0.9	00.0-01.9
College Graduate	1573	513,550				36	2.3	00.0-04.7	12	1.0	00.0-02.2	47	4.2	01.4-06.9	2	0.5	00.0-01.4	24	0.6	00.1-01.1
Less than \$15,000	184	111,341				2	1.9	00.0-05.1	3	0.0	00.0-00.0	1	0.0	00.0-00.1						
\$15,000- 24,999	440	362,681				8	0.4	00.0-01.1	1	0.0	00.0-00.0	2	0.2	00.0-00.5				11	0.6	00.0-01.3
\$25,000- 34,999	302	132,537	1	0.0	00.0-00.1	7	4.5	00.0-12.4	1	0.1	00.0-00.3	4	0.2	00.0-00.7				9	1.2	00.0-02.8
\$35,000- 49,999	478	216,764				8	0.5	00.0-01.2	4	0.2	00.0-00.5	5	0.3	00.0-00.5	1	1.2	00.0-03.4	13	0.3	00.0-00.5
\$50,000- 74,999	537	190,043				10	1.1	00.0-02.3	7	0.8	00.0-02.0	10	3.8	00.0-09.8				7	0.4	00.0-01.0
\$75,000+	1137	406,484	1	0.0	00.0-00.0	26	3.3	00.1-06.5	11	1.9	00.1-03.7	38	3.4	01.3-05.5	1	0.0	00.0-00.0	14	0.9	00.0-02.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 4: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXERACT3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Golf (with motorized cart)						Golf (without motorized cart)			Handball			Hiking – cross-country			Hockey			Horseback riding		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	3361	1,552,974	20	0.3	00.1-00.5	11	0.2	00.0-00.3	3	0.1	00.0-00.2	3	0.0	00.0-00.1	4	0.1	00.0-00.2	4	0.0	00.0-00.1			
Male	1297	796,535	12	0.4	00.0-00.8	9	0.3	00.0-00.6	1	0.0	00.0-00.0	3	0.1	00.0-00.1	4	0.2	00.0-00.5	1	0.0	00.0-00.1			
Female	2064	756,439	8	0.2	00.0-00.4	2	0.0	00.0-00.1	2	0.2	00.0-00.5							3	0.0	00.0-00.1			
White/Non-Hisp	2470	629,652	15	0.4	00.1-00.6	10	0.2	00.0-00.6				3	0.1	00.0-00.2	4	0.3	00.0-00.6	4	0.1	00.0-00.2			
Other Race	865	918,757	4	0.3	00.0-00.6	1	0.1	00.0-00.3	3	0.1	00.0-00.4												
18-24	141	266,197							1	0.4	00.0-01.3				1	0.4	00.0-01.2						
25-34	231	381,307																					
35-44	468	295,603	2	0.3	00.0-00.7	2	0.0	00.0-00.0							1	0.2	00.0-00.5	1	0.1	00.0-00.2			
45-54	735	261,133	4	0.5	00.0-01.1	3	0.4	00.0-01.2	1	0.0	00.0-00.1	1	0.1	00.0-00.3	2	0.0	00.0-00.1	1	0.1	00.0-00.2			
55-64	723	170,684	7	1.2	00.0-03.0	1	0.1	00.0-00.2	1	0.0	00.0-00.1	2	0.1	00.0-00.3				1	0.0	00.0-00.0			
65+	1038	176,168	7	0.4	00.0-00.7	5	0.7	00.0-01.9										1	0.1	00.0-00.2			
Less Than H.S.	155	271,974	1	0.3	00.0-00.8	1	0.4	00.0-01.1	2	0.5	00.0-01.3												
H.S. or G.E.D.	705	382,736	6	0.3	00.0-00.7							1	0.0	00.0-00.1				1	0.0	00.0-00.1			
Some Post-H.S.	921	382,713	5	0.1	00.0-00.3	7	0.3	00.0-00.8	1	0.0	00.0-00.0							1	0.0	00.0-00.1			
College Graduate	1573	513,550	8	0.4	00.0-01.0	3	0.0	00.0-00.1				2	0.1	00.0-00.1	4	0.3	00.0-00.7	2	0.0	00.0-00.1			
Less than \$15,000	184	111,341				2	1.0	00.0-02.8															
\$15,000- 24,999	440	362,681	3	0.2	00.0-00.7				1	0.0	00.0-00.1												
\$25,000- 34,999	302	132,537	1	0.2	00.0-00.5													1	0.1	00.0-00.3			
\$35,000- 49,999	478	216,764	5	0.2	00.0-00.4	3	0.5	00.0-01.4				2	0.1	00.0-00.3									
\$50,000- 74,999	537	190,043	2	0.1	00.0-00.3	2	0.1	00.0-00.2	1	0.0	00.0-00.1				2	0.5	00.0-01.6	1	0.0	00.0-00.0			
\$75,000+	1137	406,484	8	0.7	00.0-01.5	4	0.0	00.0-00.1				1	0.1	00.0-00.2	2	0.1	00.0-00.4	1	0.0	00.0-00.1			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 4: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXERACT3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Hunting small game – quail			Inline Skating			Jogging			Mowing lawn			Paddleball			Painting papering house		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3361	1,552,974	1	0.1	00.0-00.2	3	0.0	00.0-00.1	24	1.8	00.3-03.4	4	0.1	00.0-00.1	2	0.0	00.0-00.1	3	0.0	00.0-00.1
Male	1297	796,535	1	0.1	00.0-00.4	2	0.1	00.0-00.2	12	2.3	00.0-04.8	4	0.1	00.0-00.3	1	0.1	00.0-00.2			
Female	2064	756,439				1	0.0	00.0-00.0	12	1.4	00.0-03.0				1	0.0	00.0-00.1	3	0.1	00.0-00.2
White/Non-Hisp	2470	629,652	1	0.2	00.0-00.5	2	0.1	00.0-00.2	16	1.9	00.0-03.9	4	0.1	00.0-00.3	2	0.1	00.0-00.3	3	0.1	00.0-00.2
Other Race	865	918,757				1	0.0	00.0-00.0	8	1.8	00.0-04.0									
18-24	141	266,197							2	2.0	00.0-04.9									
25-34	231	381,307	1	0.3	00.0-00.9				4	2.2	00.0-05.4									
35-44	468	295,603				1	0.2	00.0-00.5	6	1.1	00.0-02.2	1	0.2	00.0-00.5	2	0.2	00.0-00.6			
45-54	735	261,133				1	0.0	00.0-00.1	5	3.8	00.0-10.6							1	0.1	00.0-00.2
55-64	723	170,684				1	0.0	00.0-00.1	3	0.7	00.0-01.6	1	0.1	00.0-00.2						
65+	1038	176,168							4	0.3	00.0-00.9	2	0.2	00.0-00.5				2	0.2	00.0-00.7
Less Than H.S.	155	271,974										1	0.1	00.0-00.3						
H.S. or G.E.D.	705	382,736	1	0.3	00.0-00.9				3	0.3	00.0-00.6							2	0.1	00.0-00.3
Some Post-H.S.	921	382,713				1	0.0	00.0-00.1	7	4.1	00.0-09.2	2	0.1	00.0-00.1						
College Graduate	1573	513,550				2	0.1	00.0-00.3	14	2.3	00.0-04.7	1	0.1	00.0-00.3	2	0.1	00.0-00.3	1	0.0	00.0-00.1
Less than \$15,000	184	111,341							2	0.5	00.0-01.5									
\$15,000- 24,999	440	362,681							1	0.1	00.0-00.4							2	0.1	00.0-00.3
\$25,000- 34,999	302	132,537							1	0.4	00.0-01.1									
\$35,000- 49,999	478	216,764				1	0.2	00.0-00.6	2	3.5	00.0-09.0									
\$50,000- 74,999	537	190,043							4	5.3	00.0-14.6									
\$75,000+	1137	406,484	1	0.3	00.0-00.8	1	0.0	00.0-00.0	9	1.0	00.0-02.0	2	0.1	00.0-00.4	2	0.2	00.0-00.4			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 4: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXERACT3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Pilates			N	Racquetball			N	Raking lawn			N	Running			N	Rowing machine exercise			N	Skating – ice or roller		
	TOTAL	WEIGHTED		%	C.I. (95%)	%		C.I. (95%)	%	C.I. (95%)		%	C.I. (95%)	%		C.I. (95%)	%	C.I. (95%)		%	C.I. (95%)	%		C.I. (95%)		
TOTAL	3361	1,552,974	7	0.0	00.0-00.1	8	0.2	00.0-00.4	1	0.0	00.0-00.0	264	18.4	12.4-24.5	1	0.0	00.0-00.0	7	0.1	00.0-00.1						
Male	1297	796,535	2	0.0	00.0-00.0	6	0.3	00.0-00.8				152	24.6	15.0-34.3	1	0.0	00.0-00.1	3	0.1	00.0-00.2						
Female	2064	756,439	5	0.1	00.0-00.1	2	0.0	00.0-00.1	1	0.0	00.0-00.0	112	11.9	05.3-18.5				4	0.0	00.0-00.1						
White/Non-Hisp	2470	629,652	5	0.0	00.0-00.1	7	0.4	00.0-01.0	1	0.0	00.0-00.0	168	14.5	07.9-21.2	1	0.0	00.0-00.1	5	0.1	00.0-00.2						
Other Race	865	918,757	2	0.0	00.0-00.1	1	0.0	00.0-00.1				95	21.2	12.1-30.3				2	0.0	00.0-00.0						
18-24	141	266,197																								
25-34	231	381,307	1	0.0	00.0-00.0																					
35-44	468	295,603	1	0.0	00.0-00.1	2	0.8	00.0-02.0				65	10.4	05.5-15.4				3	0.2	00.0-00.5						
45-54	735	261,133	4	0.2	00.0-00.3	3	0.1	00.0-00.2	1	0.0	00.0-00.1							1	0.0	00.0-00.1						
55-64	723	170,684	1	0.1	00.0-00.2	2	0.2	00.0-00.4				20	1.4	00.5-02.3				3	0.1	00.0-00.2						
65+	1038	176,168				1	0.0	00.0-00.0				12	0.4	00.0-00.7	1	0.1	00.0-00.4									
Less Than H.S.	155	271,974																								
H.S. or G.E.D.	705	382,736	1	0.0	00.0-00.0	1	0.0	00.0-00.0																		
Some Post-H.S.	921	382,713	2	0.0	00.0-00.1	2	0.5	00.0-01.4	1	0.0	00.0-00.1							3	0.1	00.0-00.3						
College Graduate	1573	513,550	4	0.1	00.0-00.2	5	0.2	00.0-00.4				143	15.5	10.4-20.7	1	0.1	00.0-00.2	4	0.1	00.0-00.1						
Less than \$15,000	184	111,341										8	4.0	00.1-07.9				1	0.0	00.0-00.0						
\$15,000- 24,999	440	362,681																1	0.0	00.0-00.0						
\$25,000- 34,999	302	132,537				2	1.4	00.0-04.0				14	6.5	00.0-12.9												
\$35,000- 49,999	478	216,764	1	0.1	00.0-00.2	1	0.0	00.0-00.0				28	10.9	04.0-17.8												
\$50,000- 74,999	537	190,043	1	0.0	00.0-00.1	1	0.0	00.0-00.1																		
\$75,000+	1137	406,484	4	0.1	00.0-00.2	4	0.2	00.0-00.5	1	0.0	00.0-00.1	123	18.1	10.6-25.5				5	0.2	00.0-00.4						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 4: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXERACT3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sledding, tobogganing			Snow blowing			Snow shoveling by hand			Snow skiing			Soccer			Softball Baseball		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3361	1,552,974	1	0.0	00.0-00.0	1	0.0	00.0-00.0	23	0.0	00.0-00.1	4	0.0	00.0-00.1	13	1.3	00.1-02.6	1	0.3	00.0-00.7
Male	1297	796,535							13	0.1	00.0-00.1	3	0.1	00.0-00.2	13	2.6	00.1-05.1	1	0.5	00.0-01.5
Female	2064	756,439	1	0.0	00.0-00.0	1	0.0	00.0-00.0	10	0.0	00.0-00.0	1	0.0	00.0-00.0						
White/Non-Hisp	2470	629,652	1	0.0	00.0-00.0	1	0.0	00.0-00.0	21	0.1	00.0-00.1	4	0.1	00.0-00.3	6	0.7	00.1-01.2	1	0.6	00.0-01.8
Other Race	865	918,757							2	0.0	00.0-00.0				7	1.8	00.0-03.9			
18-24	141	266,197													3	3.0	00.0-07.5			
25-34	231	381,307													4	2.6	00.0-06.6			
35-44	468	295,603	1	0.0	00.0-00.0				2	0.0	00.0-00.1	1	0.2	00.0-00.5	4	1.0	00.0-02.1	1	1.3	00.0-03.9
45-54	735	261,133							5	0.1	00.0-00.2	1	0.1	00.0-00.2	1	0.0	00.0-00.0			
55-64	723	170,684				1	0.0	00.0-00.0	4	0.0	00.0-00.1	1	0.0	00.0-00.0	1	0.0	00.0-00.0			
65+	1038	176,168							11	0.1	00.0-00.2	1	0.0	00.0-00.1						
Less Than H.S.	155	271,974							2	0.0	00.0-00.1				1	0.5	00.0-01.4			
H.S. or G.E.D.	705	382,736							7	0.0	00.0-00.1				3	0.4	00.0-01.1			
Some Post-H.S.	921	382,713				1	0.0	00.0-00.0	4	0.0	00.0-00.1	1	0.0	00.0-00.0	4	2.5	00.0-06.5			
College Graduate	1573	513,550	1	0.0	00.0-00.0				10	0.1	00.0-00.1	3	0.1	00.0-00.3	5	1.6	00.0-03.9	1	0.8	00.0-02.2
Less than \$15,000	184	111,341				1	0.0	00.0-00.0	2	0.1	00.0-00.2									
\$15,000- 24,999	440	362,681							6	0.0	00.0-00.0				4	2.5	00.0-06.7			
\$25,000- 34,999	302	132,537							3	0.0	00.0-00.0									
\$35,000- 49,999	478	216,764							2	0.0	00.0-00.1				4	3.4	00.0-08.9			
\$50,000- 74,999	537	190,043							5	0.0	00.0-00.1				1	0.5	00.0-01.6			
\$75,000+	1137	406,484	1	0.0	00.0-00.0				4	0.1	00.0-00.2	3	0.2	00.0-00.4	3	0.7	00.0-01.6	1	1.0	00.0-02.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 4: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXERACT3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Stair climbing Stair master			Surfing			Swimming			Swimming in laps			Tai Chi			Tennis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3361	1,552,974	12	0.1	00.0-00.2	1	0.0	00.0-00.0	43	0.5	00.2-00.7	13	0.2	00.0-00.4	3	0.0	00.0-00.0	24	0.4	00.1-00.7
Male	1297	796,535	4	0.1	00.0-00.1	1	0.0	00.0-00.0	13	0.3	00.0-00.6	9	0.1	00.0-00.2				9	0.5	00.0-01.0
Female	2064	756,439	8	0.2	00.0-00.4				30	0.6	00.2-00.9	4	0.3	00.0-00.7	3	0.0	00.0-00.1	15	0.3	00.0-00.5
White/Non-Hisp	2470	629,652	7	0.2	00.0-00.5	1	0.0	00.0-00.0	40	1.1	00.5-01.6	13	0.5	00.0-00.9	3	0.0	00.0-00.1	22	0.9	00.1-01.6
Other Race	865	918,757	5	0.1	00.0-00.1				3	0.0	00.0-00.1							2	0.0	00.0-00.1
18-24	141	266,197							3	0.8	00.0-01.8									
25-34	231	381,307																2	0.8	00.0-02.0
35-44	468	295,603	2	0.3	00.0-00.8				3	0.4	00.0-00.8	1	0.0	00.0-00.0				5	0.5	00.0-01.1
45-54	735	261,133	5	0.3	00.0-00.5	1	0.0	00.0-00.1	6	0.5	00.0-01.1	7	0.9	00.0-02.1				3	0.1	00.0-00.2
55-64	723	170,684	2	0.0	00.0-00.0				8	0.2	00.0-00.4	3	0.2	00.0-00.5	1	0.0	00.0-00.0	4	0.2	00.0-00.4
65+	1038	176,168	3	0.3	00.0-00.6				23	1.3	00.5-02.0	2	0.0	00.0-00.1	2	0.1	00.0-00.4	10	0.5	00.0-00.9
Less Than H.S.	155	271,974	1	0.1	00.0-00.3															
H.S. or G.E.D.	705	382,736	1	0.0	00.0-00.1				8	0.4	00.0-01.0							2	0.0	00.0-00.1
Some Post-H.S.	921	382,713	4	0.0	00.0-00.1	1	0.0	00.0-00.1	14	0.6	00.1-01.0	1	0.0	00.0-00.1				2	0.4	00.0-01.2
College Graduate	1573	513,550	6	0.3	00.0-00.6				21	0.6	00.2-01.1	12	0.6	00.0-01.1	3	0.1	00.0-00.1	20	0.8	00.1-01.6
Less than \$15,000	184	111,341	1	0.2	00.0-00.7															
\$15,000- 24,999	440	362,681							9	0.2	00.0-00.4									
\$25,000- 34,999	302	132,537	4	0.7	00.0-01.9	1	0.1	00.0-00.2	3	0.2	00.0-00.6							1	0.0	00.0-00.0
\$35,000- 49,999	478	216,764	1	0.1	00.0-00.2				5	0.1	00.0-00.2	1	0.2	00.0-00.7	1	0.1	00.0-00.2	1	0.1	00.0-00.2
\$50,000- 74,999	537	190,043	1	0.0	00.0-00.0				9	1.0	00.0-02.1	3	0.0	00.0-00.1				1	0.0	00.0-00.1
\$75,000+	1137	406,484	5	0.2	00.0-00.3				13	0.7	00.1-01.3	9	0.6	00.0-01.3	1	0.0	00.0-00.0	20	1.4	00.2-02.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 4: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXERACT3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Volleyball			Walking			Waterskiing			Weight lifting			Wrestling			Yoga		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3361	1,552,974	6	0.2	00.0-00.5	1852	50.0	43.4-56.5	3	0.0	00.0-00.0	88	4.0	01.7-06.2	2	0.1	00.0-00.2	33	0.6	00.3-00.9
Male	1297	796,535	3	0.3	00.0-00.9	607	40.3	31.0-49.6	1	0.0	00.0-00.0	61	5.8	02.3-09.3	2	0.2	00.0-00.4	4	0.3	00.0-00.7
Female	2064	756,439	3	0.0	00.0-00.1	1245	60.1	51.5-68.7	2	0.0	00.0-00.0	27	2.1	00.0-04.9				29	0.9	00.4-01.3
White/Non-Hisp	2470	629,652	6	0.4	00.0-01.1	1360	51.8	44.4-59.1	1	0.0	00.0-00.0	60	4.3	01.9-06.6	2	0.2	00.0-00.5	24	1.0	00.4-01.5
Other Race	865	918,757				479	48.7	38.9-58.4	2	0.0	00.0-00.0	26	3.8	00.3-07.3				9	0.3	00.0-00.6
18-24	141	266,197										12	6.7	01.0-12.3	1	0.4	00.0-01.2	1	0.1	00.0-00.2
25-34	231	381,307	1	0.6	00.0-01.8				1	0.0	00.0-00.1	10	5.0	00.0-11.1				3	0.2	00.0-00.5
35-44	468	295,603	1	0.0	00.0-00.0							14	6.1	00.0-13.3				8	1.0	00.0-02.0
45-54	735	261,133	1	0.1	00.0-00.2				1	0.0	00.0-00.0	25	1.2	00.4-01.9	1	0.1	00.0-00.3	10	1.4	00.2-02.7
55-64	723	170,684							1	0.0	00.0-00.0	20	1.9	00.1-03.6				5	0.3	00.0-00.9
65+	1038	176,168	3	0.1	00.0-00.3							6	0.5	00.0-01.0				6	0.4	00.1-00.8
Less Than H.S.	155	271,974										4	3.4	00.0-07.9						
H.S. or G.E.D.	705	382,736	3	0.6	00.0-01.8				2	0.0	00.0-00.1	14	2.3	00.2-04.4	1	0.3	00.0-00.8	3	0.3	00.0-00.7
Some Post-H.S.	921	382,713	2	0.0	00.0-00.0				1	0.0	00.0-00.0	21	7.5	00.0-15.3				12	0.4	00.1-00.8
College Graduate	1573	513,550	1	0.0	00.0-00.1	780	46.1	37.8-54.4				48	3.0	01.2-04.7	1	0.0	00.0-00.1	18	1.2	00.4-02.0
Less than \$15,000	184	111,341																2	0.4	00.0-01.0
\$15,000- 24,999	440	362,681	1	0.0	00.0-00.1							7	0.9	00.0-01.9	1	0.3	00.0-00.9	4	0.2	00.0-00.5
\$25,000- 34,999	302	132,537																2	0.1	00.0-00.3
\$35,000- 49,999	478	216,764	2	0.0	00.0-00.0				2	0.0	00.0-00.1	13	3.3	00.0-07.2				3	0.6	00.0-01.6
\$50,000- 74,999	537	190,043	2	1.2	00.0-03.6							14	3.6	00.0-07.5	1	0.1	00.0-00.4	4	1.0	00.0-02.2
\$75,000+	1137	406,484	1	0.0	00.0-00.1	535	35.7	27.5-43.8				42	6.6	00.9-12.3				11	0.8	00.1-01.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 4: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXERACT3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Other _____			No other physical activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3361	1,552,974	342	8.4	05.0-11.7	2	0.0	00.0-00.0
Male	1297	796,535	128	10.3	04.1-16.4	1	0.0	00.0-00.0
Female	2064	756,439	214	6.3	04.1-08.6	1	0.0	00.0-00.0
White/Non-Hisp	2470	629,652	253	7.1	05.1-09.1	2	0.0	00.0-00.0
Other Race	865	918,757	86	9.2	03.7-14.7			
18-24	141	266,197	10	4.7	00.6-08.7			
25-34	231	381,307	18	7.7	02.1-13.3			
35-44	468	295,603						
45-54	735	261,133	56	3.0	01.4-04.6			
55-64	723	170,684	58	2.7	01.4-04.0	1	0.0	00.0-00.1
65+	1038	176,168				1	0.0	00.0-00.1
Less Than H.S.	155	271,974						
H.S. or G.E.D.	705	382,736	79	4.9	02.2-07.5			
Some Post-H.S.	921	382,713	88	4.5	02.0-07.1			
College Graduate	1573	513,550	160	10.1	05.6-14.5	2	0.0	00.0-00.0
Less than \$15,000	184	111,341	17	3.4	00.0-06.9			
\$15,000- 24,999	440	362,681	49	3.9	01.4-06.4			
\$25,000- 34,999	302	132,537	35	8.1	00.8-15.4			
\$35,000- 49,999	478	216,764						
\$50,000- 74,999	537	190,043	43	5.5	01.5-09.6	1	0.0	00.0-00.0
\$75,000+	1137	406,484	124	15.7	06.5-24.9	1	0.0	00.0-00.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 10: PHYSICAL ACTIVITY

TABLE 5: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXERACT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Active Gaming Devices (Wii Fit, Dance, Dance revolution)			Aerobics video or class			Basketball			Bicycling machine exercise			Bicycling			Bowling		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1297	796,535	2	0.0	00.0-00.1	20	0.9	00.2-01.5	17	1.9	00.0-03.8	41	3.0	00.0-06.9	27	1.0	00.2-01.8	10	0.2	00.0-00.3
White/Non-Hisp	961	316,173	2	0.1	00.0-00.2	16	1.0	00.3-01.7	5	1.0	00.0-02.0	33	1.6	00.7-02.4	22	2.5	00.5-04.5	9	0.5	00.1-00.9
Other Race	320	478,607				4	0.8	00.0-01.7	12	2.5	00.0-05.7	6	3.9	00.0-10.4	4	0.0	00.0-00.1	1	0.0	00.0-00.1
18-24	69	134,836							4	2.8	00.0-06.2									
25-34	97	231,046							6	4.4	00.0-10.9	1	0.1	00.0-00.4	1	0.7	00.0-02.1			
35-44	169	157,011				5	2.5	00.0-05.3	3	0.4	00.0-01.1				3	2.5	00.0-05.7			
45-54	299	127,158	1	0.1	00.0-00.3	6	0.9	00.0-02.1	3	0.2	00.0-00.6	6	0.4	00.0-00.8	4	0.2	00.0-00.6	1	0.1	00.0-00.4
55-64	289	73,458	1	0.1	00.0-00.4	7	2.0	00.0-04.9	1	0.1	00.0-00.4	8	0.7	00.1-01.4	13	2.6	00.0-05.4	3	0.8	00.0-02.0
65+	364	72,437				2	0.4	00.0-01.1				19	3.1	00.8-05.4	6	0.7	00.0-01.5	6	1.1	00.0-02.3
Less Than H.S.	70	134,180				1	0.0	00.0-00.0							1	0.1	00.0-00.2			
H.S. or G.E.D.	259	188,421				1	0.1	00.0-00.3	8	2.7	00.1-05.4				3	0.1	00.0-00.4	5	0.4	00.0-00.9
Some Post-H.S.	334	227,463	1	0.1	00.0-00.2	2	0.5	00.0-01.4	1	3.3	00.0-09.8	11	0.5	00.0-01.0	7	1.8	00.0-04.0	3	0.1	00.0-00.2
College Graduate	630	244,488	1	0.0	00.0-00.1	16	2.3	00.4-04.2	8	0.9	00.0-01.9	24	2.3	00.7-03.8	16	1.6	00.0-03.1	2	0.2	00.0-00.6
Less than \$15,000	62	32,616				1	0.1	00.0-00.2										1	1.3	00.0-04.0
\$15,000- 24,999	144	169,508													4	1.1	00.0-03.2	1	0.0	00.0-00.0
\$25,000- 34,999	106	60,321							2	1.4	00.0-04.0	5	0.3	00.0-00.6	4	3.3	00.0-09.2	2	0.5	00.0-01.4
\$35,000- 49,999	184	117,117							3	1.5	00.0-03.8	6	0.7	00.0-01.5	2	0.0	00.0-00.0	1	0.2	00.0-00.7
\$50,000- 74,999	191	100,249	1	0.1	00.0-00.4	2	0.2	00.0-00.6				3	0.5	00.0-01.2	5	3.1	00.0-07.3	2	0.2	00.0-00.5
\$75,000+	506	243,998				15	2.6	00.5-04.7	9	1.2	00.0-02.3	19	1.6	00.4-02.7	9	0.4	00.0-00.7	2	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 10: PHYSICAL ACTIVITY

TABLE 5: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXERACT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Boxing		N	Calisthenics		N	Dancing-ballet, ballroom, Latin, hip hop, etc		N	Elliptical EFX machine exercise		N	Frisbee		Gardening (spading, weeding, digging, filling)		
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)	N	%	C.I. (95%)
Male	1297	796,535	2	0.0	00.0-00.0	32	0.9	00.4-01.4	2	0.0	00.0-00.0	29	1.1	00.2-02.1	2	0.3	00.0-00.9	26	0.6	00.1-01.0
White/Non-Hisp	961	316,173	1	0.0	00.0-00.0	26	1.4	00.6-02.2	1	0.0	00.0-00.0	26	2.0	00.1-04.0	1	0.0	00.0-00.0	19	1.2	00.2-02.2
Other Race	320	478,607	1	0.0	00.0-00.0	6	0.6	00.0-01.3	1	0.0	00.0-00.0	3	0.6	00.0-01.4	1	0.5	00.0-01.6	6	0.1	00.0-00.3
18-24	69	134,836										1	0.6	00.0-01.7	1	1.9	00.0-05.6			
25-34	97	231,046	1	0.0	00.0-00.1	3	0.2	00.0-00.6				3	1.0	00.0-02.7	1	0.0	00.0-00.0	1	0.5	00.0-01.4
35-44	169	157,011				5	1.2	00.0-02.5				2	2.2	00.0-05.9				2	0.3	00.0-00.9
45-54	299	127,158	1	0.0	00.0-00.1	7	1.6	00.0-03.5	1	0.0	00.0-00.0	11	1.5	00.1-02.8				8	0.8	00.0-01.6
55-64	289	73,458				6	2.5	00.0-05.9				7	0.7	00.0-01.4				7	0.8	00.0-01.6
65+	364	72,437				10	1.1	00.0-02.3	1	0.0	00.0-00.0	5	0.4	00.0-00.9				8	1.8	00.0-04.6
Less Than H.S.	70	134,180				2	0.0	00.0-00.1	1	0.0	00.0-00.0							2	0.8	00.0-02.3
H.S. or G.E.D.	259	188,421				4	0.7	00.0-01.9				1	0.0	00.0-00.0				5	0.4	00.0-01.0
Some Post-H.S.	334	227,463	2	0.0	00.0-00.1	8	1.4	00.1-02.7	1	0.0	00.0-00.0	5	0.2	00.0-00.4				9	0.3	00.0-00.7
College Graduate	630	244,488				18	1.1	00.4-01.8				23	3.5	00.5-06.6	2	1.0	00.0-03.0	10	0.8	00.0-01.7
Less than \$15,000	62	32,616							2	0.0	00.0-00.0							2	0.3	00.0-00.8
\$15,000- 24,999	144	169,508				3	0.8	00.0-02.2				2	0.4	00.0-01.1				3	0.2	00.0-00.5
\$25,000- 34,999	106	60,321	1	0.1	00.0-00.3	3	0.5	00.0-01.5				2	0.0	00.0-00.1				4	2.0	00.0-05.6
\$35,000- 49,999	184	117,117				4	0.1	00.0-00.4				3	0.2	00.0-00.6	1	2.1	00.0-06.4	2	0.1	00.0-00.2
\$50,000- 74,999	191	100,249				6	1.9	00.0-04.2				3	0.4	00.0-00.9				5	0.8	00.0-01.8
\$75,000+	506	243,998	1	0.0	00.0-00.0	14	1.4	00.4-02.4				18	3.1	00.2-06.1	1	0.0	00.0-00.0	7	0.7	00.0-01.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 10: PHYSICAL ACTIVITY

TABLE 5: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXERACT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Golf (with motorized cart)						Golf (without motorized cart)			Handball			Hiking – cross-country			Hockey			Horseback riding		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1297	796,535	12	0.4	00.0-00.8	9	0.3	00.0-00.6	1	0.0	00.0-00.0	3	0.1	00.0-00.1	4	0.2	00.0-00.5	1	0.0	00.0-00.1			
White/Non-Hisp	961	316,173	9	0.6	00.0-01.1	8	0.4	00.0-01.1							3	0.1	00.0-00.3	4	0.5	00.0-01.2	1	0.0	00.0-00.1
Other Race	320	478,607	2	0.3	00.0-00.9	1	0.2	00.0-00.6	1	0.0	00.0-00.0												
18-24	69	134,836													1	0.8	00.0-02.3						
25-34	97	231,046																					
35-44	169	157,011	2	0.5	00.0-01.4	2	0.0	00.0-00.0										1	0.3	00.0-00.9			
45-54	299	127,158	2	0.3	00.0-00.8	3	0.9	00.0-02.4							1	0.2	00.0-00.5	2	0.1	00.0-00.2	1	0.1	00.0-00.4
55-64	289	73,458	6	2.6	00.0-06.6	1	0.1	00.0-00.4	1	0.1	00.0-00.2	2	0.3	00.0-00.7									
65+	364	72,437	2	0.4	00.0-01.2	3	1.5	00.0-04.2															
Less Than H.S.	70	134,180				1	0.7	00.0-02.2															
H.S. or G.E.D.	259	188,421	3	0.5	00.0-01.3										1	0.1	00.0-00.3						
Some Post-H.S.	334	227,463	4	0.2	00.0-00.5	5	0.5	00.0-01.3	1	0.0	00.0-00.1												
College Graduate	630	244,488	5	0.8	00.0-02.0	3	0.1	00.0-00.2							2	0.1	00.0-00.3	4	0.6	00.0-01.6	1	0.1	00.0-00.2
Less than \$15,000	62	32,616				2	3.4	00.0-09.7															
\$15,000- 24,999	144	169,508																					
\$25,000- 34,999	106	60,321	1	0.4	00.0-01.2																		
\$35,000- 49,999	184	117,117	2	0.1	00.0-00.3	2	0.9	00.0-02.5							2	0.2	00.0-00.5						
\$50,000- 74,999	191	100,249	2	0.2	00.0-00.5	1	0.0	00.0-00.0	1	0.0	00.0-00.1							2	1.0	00.0-03.1			
\$75,000+	506	243,998	7	1.1	00.0-02.5	4	0.1	00.0-00.2							1	0.1	00.0-00.3	2	0.2	00.0-00.6			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 10: PHYSICAL ACTIVITY

TABLE 5: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXERACT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Hunting small game – quail			Inline Skating			Jogging			Mowing lawn			Paddleball			Pilates		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1297	796,535	1	0.1	00.0-00.4	2	0.1	00.0-00.2	12	2.3	00.0-04.8	4	0.1	00.0-00.3	1	0.1	00.0-00.2	2	0.0	00.0-00.0
White/Non-Hisp	961	316,173	1	0.4	00.0-01.1	2	0.2	00.0-00.5	8	1.1	00.0-02.3	4	0.3	00.0-00.6	1	0.1	00.0-00.4	2	0.0	00.0-00.1
Other Race	320	478,607							4	3.1	00.0-07.2									
18-24	69	134,836							1	2.7	00.0-08.1									
25-34	97	231,046	1	0.5	00.0-01.5				1	0.7	00.0-02.1									
35-44	169	157,011				1	0.3	00.0-00.9	3	1.4	00.0-03.2	1	0.3	00.0-00.9	1	0.3	00.0-00.9			
45-54	299	127,158				1	0.1	00.0-00.2										1	0.0	00.0-00.0
55-64	289	73,458							2	0.9	00.0-02.5	1	0.2	00.0-00.6				1	0.1	00.0-00.4
65+	364	72,437							3	0.8	00.0-02.2	2	0.4	00.0-01.1						
Less Than H.S.	70	134,180										1	0.2	00.0-00.5						
H.S. or G.E.D.	259	188,421	1	0.6	00.0-01.8				2	0.5	00.0-01.2									
Some Post-H.S.	334	227,463				1	0.0	00.0-00.1	5	6.2	00.0-14.7	2	0.1	00.0-00.2				1	0.0	00.0-00.0
College Graduate	630	244,488				1	0.2	00.0-00.6	5	1.3	00.0-02.9	1	0.2	00.0-00.6	1	0.2	00.0-00.6	1	0.0	00.0-00.1
Less than \$15,000	62	32,616																		
\$15,000- 24,999	144	169,508							1	0.3	00.0-00.8									
\$25,000- 34,999	106	60,321							1	0.8	00.0-02.5									
\$35,000- 49,999	184	117,117				1	0.4	00.0-01.2												
\$50,000- 74,999	191	100,249																		
\$75,000+	506	243,998	1	0.5	00.0-01.4				5	1.0	00.0-02.3	2	0.2	00.0-00.6	1	0.2	00.0-00.6	2	0.0	00.0-00.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 10: PHYSICAL ACTIVITY

TABLE 5: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXERACT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Racquetball			Running			Rowing machine exercise			Skating – ice or roller			Snow shoveling by hand			Snow skiing		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1297	796,535	6	0.3	00.0-00.8	152	24.6	15.0-34.3	1	0.0	00.0-00.1	3	0.1	00.0-00.2	13	0.1	00.0-00.1	3	0.1	00.0-00.2
White/Non-Hisp	961	316,173	6	0.8	00.0-02.0				1	0.1	00.0-00.2	3	0.2	00.0-00.4	12	0.1	00.0-00.3	3	0.2	00.0-00.5
Other Race	320	478,607													1	0.0	00.0-00.1			
18-24	69	134,836																		
25-34	97	231,046																		
35-44	169	157,011	2	1.4	00.0-03.8	32	9.5	04.3-14.8				1	0.3	00.0-00.8	2	0.1	00.0-00.2	1	0.3	00.0-00.9
45-54	299	127,158	2	0.1	00.0-00.4										4	0.2	00.0-00.5	1	0.1	00.0-00.4
55-64	289	73,458	1	0.1	00.0-00.4	13	2.4	00.5-04.3				2	0.2	00.0-00.4	2	0.0	00.0-00.0	1	0.0	00.0-00.0
65+	364	72,437	1	0.0	00.0-00.0	8	0.7	00.0-01.5	1	0.4	00.0-01.1				5	0.2	00.0-00.5			
Less Than H.S.	70	134,180													1	0.0	00.0-00.1			
H.S. or G.E.D.	259	188,421	1	0.0	00.0-00.0										4	0.0	00.0-00.1			
Some Post-H.S.	334	227,463	2	0.8	00.0-02.4							2	0.2	00.0-00.6	2	0.0	00.0-00.1	1	0.0	00.0-00.0
College Graduate	630	244,488	3	0.3	00.0-00.7	79	15.7	09.0-22.4	1	0.1	00.0-00.3	1	0.0	00.0-00.1	6	0.1	00.0-00.3	2	0.3	00.0-00.7
Less than \$15,000	62	32,616				5	8.9	00.0-20.0				1	0.1	00.0-00.2	2	0.2	00.0-00.6			
\$15,000- 24,999	144	169,508																		
\$25,000- 34,999	106	60,321	2	3.0	00.0-09.1	6	5.9	00.0-15.4							2	0.0	00.0-00.0			
\$35,000- 49,999	184	117,117	1	0.0	00.0-00.0										1	0.1	00.0-00.2			
\$50,000- 74,999	191	100,249	1	0.1	00.0-00.3										4	0.1	00.0-00.2			
\$75,000+	506	243,998	2	0.3	00.0-00.7	71	17.0	07.1-26.9				2	0.2	00.0-00.6	3	0.1	00.0-00.2	2	0.3	00.0-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 10: PHYSICAL ACTIVITY

TABLE 5: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXERACT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Soccer			N	Softball Baseball			N	Stair climbing Stair master			N	Surfing			N	Swimming			N	Swimming in laps		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)			%	C.I. (95%)			%	C.I. (95%)			%	C.I. (95%)			%	C.I. (95%)	
Male	1297	796,535	13	2.6	00.1-05.1		1	0.5	00.0-01.5		4	0.1	00.0-00.1		1	0.0	00.0-00.0		13	0.3	00.0-00.6		9	0.1	00.0-00.2	
White/Non-Hisp	961	316,173	6	1.3	00.1-02.5		1	1.2	00.0-03.6		4	0.1	00.0-00.3		1	0.0	00.0-00.1		13	0.9	00.1-01.6		9	0.2	00.0-00.4	
Other Race	320	478,607	7	3.5	00.0-07.6																					
18-24	69	134,836	3	5.9	00.0-14.8														1	0.6	00.0-01.7					
25-34	97	231,046	4	4.3	00.0-11.0																					
35-44	169	157,011	4	1.8	00.0-04.0		1	2.5	00.0-07.3										2	0.6	00.0-01.4		1	0.0	00.0-00.0	
45-54	299	127,158	1	0.0	00.0-00.0						3	0.3	00.0-00.8		1	0.1	00.0-00.2		2	0.5	00.0-01.5		3	0.3	00.0-00.6	
55-64	289	73,458	1	0.0	00.0-00.0						1	0.0	00.0-00.1						1	0.0	00.0-00.1		3	0.5	00.0-01.1	
65+	364	72,437																	7	0.6	00.0-01.1		2	0.1	00.0-00.3	
Less Than H.S.	70	134,180	1	1.0	00.0-02.9																					
H.S. or G.E.D.	259	188,421	3	0.8	00.0-02.2														2	0.3	00.0-00.8					
Some Post-H.S.	334	227,463	4	4.2	00.0-11.0						1	0.0	00.0-00.0		1	0.0	00.0-00.1		3	0.2	00.0-00.6		1	0.0	00.0-00.1	
College Graduate	630	244,488	5	3.4	00.0-08.2		1	1.6	00.0-04.7		3	0.2	00.0-00.4						8	0.7	00.0-01.6		8	0.3	00.0-00.5	
Less than \$15,000	62	32,616																								
\$15,000- 24,999	144	169,508	4	5.3	00.0-14.3														1	0.0	00.0-00.0					
\$25,000- 34,999	106	60,321													1	0.1	00.0-00.4		1	0.0	00.0-00.0					
\$35,000- 49,999	184	117,117	4	6.3	00.0-16.4														1	0.0	00.0-00.0					
\$50,000- 74,999	191	100,249	1	1.0	00.0-03.1						1	0.0	00.0-00.0						2	0.1	00.0-00.4		3	0.1	00.0-00.2	
\$75,000+	506	243,998	3	1.2	00.0-02.6		1	1.6	00.0-04.7		3	0.2	00.0-00.4						8	1.1	00.1-02.1		6	0.3	00.0-00.5	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 10: PHYSICAL ACTIVITY

TABLE 5: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXERACT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Tennis			Volleyball			Walking			Waterskiing			Weight lifting			Wrestling		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1297	796,535	9	0.5	00.0-01.0	3	0.3	00.0-00.9	607	40.3	31.0-49.7	1	0.0	00.0-00.0	61	5.8	02.3-09.3	2	0.2	00.0-00.4
White/Non-Hisp	961	316,173	9	1.2	00.0-02.6	3	0.7	00.0-02.1				1	0.0	00.0-00.0	40	7.6	03.0-12.2	2	0.4	00.0-01.1
Other Race	320	478,607													20	4.6	00.0-09.6			
18-24	69	134,836																1	0.8	00.0-02.4
25-34	97	231,046	2	1.4	00.0-03.3	1	1.0	00.0-02.9							8	7.9	00.0-17.9			
35-44	169	157,011													9	4.0	00.1-07.8			
45-54	299	127,158	1	0.0	00.0-00.1										20	1.9	00.3-03.5	1	0.2	00.0-00.5
55-64	289	73,458	3	0.4	00.0-00.9							1	0.0	00.0-00.1	9	2.0	00.0-04.7			
65+	364	72,437	3	0.5	00.0-01.3	2	0.1	00.0-00.3							4	0.9	00.0-02.2			
Less Than H.S.	70	134,180													4	6.9	00.0-16.2			
H.S. or G.E.D.	259	188,421				2	1.2	00.0-03.6				1	0.0	00.0-00.0	12	4.4	00.1-08.8	1	0.6	00.0-01.7
Some Post-H.S.	334	227,463	1	0.7	00.0-02.0	1	0.0	00.0-00.0							15	7.4	00.0-17.1			
College Graduate	630	244,488	8	1.0	00.0-02.3										29	4.8	01.2-08.4	1	0.1	00.0-00.3
Less than \$15,000	62	32,616																		
\$15,000- 24,999	144	169,508													5	1.5	00.0-03.5	1	0.6	00.0-01.9
\$25,000- 34,999	106	60,321													4	2.7	00.0-06.5			
\$35,000- 49,999	184	117,117				1	0.0	00.0-00.0				1	0.0	00.0-00.0	12	6.0	00.0-13.4			
\$50,000- 74,999	191	100,249				2	2.3	00.0-06.8							10	6.3	00.0-13.9	1	0.2	00.0-00.7
\$75,000+	506	243,998	8	1.6	00.0-03.4										27	9.7	00.5-18.9			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 5: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXERACT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yoga		Other_____			No other physical activity		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1297	796,535	4	0.3	00.0-00.7	128	10.3	04.1-16.4	1	0.0	00.0-00.0
White/Non-Hisp	961	316,173	2	0.4	00.0-00.9	94	6.2	03.7-08.7	1	0.0	00.0-00.0
Other Race	320	478,607	2	0.3	00.0-00.8	32	12.9	03.0-22.9			
18-24	69	134,836				4	3.8	00.0-09.2			
25-34	97	231,046				10	8.0	00.0-16.1			
35-44	169	157,011	2	1.1	00.0-02.8						
45-54	299	127,158	1	0.5	00.0-01.6	24	3.0	00.5-05.5			
55-64	289	73,458	1	0.1	00.0-00.3	25	3.5	01.3-05.7			
65+	364	72,437							1	0.0	00.0-00.1
Less Than H.S.	70	134,180									
H.S. or G.E.D.	259	188,421	1	0.3	00.0-01.0	23	3.4	00.7-06.0			
Some Post-H.S.	334	227,463				27	3.9	00.3-07.6			
College Graduate	630	244,488	3	0.7	00.0-01.8	69	11.6	03.6-19.5	1	0.0	00.0-00.0
Less than \$15,000	62	32,616				5	3.6	00.0-08.6			
\$15,000- 24,999	144	169,508				21	4.7	01.0-08.5			
\$25,000- 34,999	106	60,321				10	2.7	00.0-05.6			
\$35,000- 49,999	184	117,117									
\$50,000- 74,999	191	100,249	2	0.7	00.0-02.1	15	1.8	00.0-03.8	1	0.0	00.0-00.1
\$75,000+	506	243,998	2	0.7	00.0-01.8						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 10: PHYSICAL ACTIVITY

TABLE 6: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXERACT3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL WEIGHTED		Active Gaming Devices (Wii Fit, Dance, Dance revolution)			Aerobics video or class			Bicycling machine exercise			Bicycling			Bowling			Calisthenics		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2064	756,439	4	0.1	00.0-00.2	92	1.8	01.0-02.6	55	1.0	00.3-01.8	18	3.3	00.0-09.0	10	1.0	00.0-02.8	34	2.6	00.4-04.9
White/Non-Hisp	1509	313,479	2	0.1	00.0-00.1	67	3.2	01.5-04.8	40	0.9	00.5-01.4	11	0.7	00.0-01.4	6	0.2	00.0-00.5	24	3.1	00.0-06.7
Other Race	545	440,150	2	0.1	00.0-00.2	24	0.8	00.2-01.5	15	1.1	00.0-02.5	7	5.2	00.0-14.8	4	1.6	00.0-04.6	10	2.4	00.0-05.3
18-24	72	131,361				2	1.9	00.0-05.2										2	0.6	00.0-01.9
25-34	134	150,261				3	0.6	00.0-01.6	1	1.9	00.0-05.5	1	0.0	00.0-00.0				1	1.2	00.0-03.5
35-44	299	138,592	1	0.1	00.0-00.2	14	1.8	00.4-03.1	5	0.1	00.0-00.3							5	1.1	00.0-02.4
45-54	436	133,975	2	0.3	00.0-00.8	21	2.3	00.7-04.0	12	1.0	00.0-01.9	8	1.6	00.0-03.4	3	5.2	00.0-14.8	13	6.8	00.0-15.2
55-64	434	97,226	1	0.0	00.0-00.1	18	1.0	00.1-01.9	14	1.0	00.1-01.8				2	0.4	00.0-01.0	9	6.7	00.0-18.8
65+	674	103,731				33	3.5	00.8-06.1	22	2.6	00.7-04.5	4	0.4	00.0-01.0	5	0.6	00.0-01.3	4	0.3	00.0-00.7
Less Than H.S.	85	137,794							1	0.0	00.0-00.1				1	0.2	00.0-00.7	2	5.2	00.0-13.5
H.S. or G.E.D.	446	194,315	3	0.2	00.0-00.6	14	0.8	00.2-01.4	8	0.4	00.0-00.7	2	0.1	00.0-00.4	4	0.2	00.0-00.6	8	1.9	00.0-04.3
Some Post-H.S.	587	155,250	1	0.1	00.0-00.2	23	1.9	00.2-03.5	17	1.5	00.4-02.6	3	0.3	00.0-00.9	3	4.5	00.0-12.8	6	0.2	00.0-00.3
College Graduate	943	269,063				55	3.5	01.5-05.5	29	1.8	00.0-03.9	11	0.7	00.0-01.5	2	0.1	00.0-00.1	18	3.3	00.0-07.8
Less than \$15,000	122	78,725				1	0.0	00.0-00.0	1	0.1	00.0-00.4				1	0.1	00.0-00.2	2	2.6	00.0-07.3
\$15,000- 24,999	296	193,172				16	1.8	00.2-03.4	10	0.3	00.0-00.6				4	0.3	00.0-00.8	5	0.1	00.0-00.2
\$25,000- 34,999	196	72,215	1	0.4	00.0-01.3	7	0.4	00.0-00.9	3	0.4	00.0-00.9	4	1.4	00.0-04.0						
\$35,000- 49,999	294	99,647	1	0.1	00.0-00.3	11	2.6	00.0-06.8	5	0.4	00.0-01.0	3	0.2	00.0-00.4	2	0.3	00.0-00.9	4	0.8	00.0-02.4
\$50,000- 74,999	346	89,794	2	0.2	00.0-00.5	24	3.4	01.0-05.8	7	1.0	00.0-02.4	4	0.2	00.0-00.6				4	0.3	00.0-00.7
\$75,000+	631	162,486				26	2.2	01.0-03.5	20	2.9	00.0-06.3	2	0.0	00.0-00.1	2	0.1	00.0-00.2	12	6.1	00.0-13.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 10: PHYSICAL ACTIVITY

TABLE 6: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXERACT3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Dancing-ballet, ballroom, Latin, hip hop, etc			Elliptical EFX machine exercise			Gardening (spading, weeding, digging, filling)			Golf (with motorized cart)			Golf (without motorized cart)			Handball		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2064	756,439	25	1.3	00.3-02.3	36	1.9	00.2-03.6	40	2.0	00.0-04.5	8	0.2	00.0-00.4	2	0.0	00.0-00.1	2	0.2	00.0-00.5
White/Non-Hisp	1509	313,479	18	2.0	00.3-03.7	28	2.4	01.0-03.9	34	1.2	00.3-02.0	6	0.2	00.0-00.3	2	0.1	00.0-00.1			
Other Race	545	440,150	7	0.9	00.0-02.1	8	1.5	00.0-04.2	5	2.6	00.0-06.9	2	0.2	00.0-00.5				2	0.3	00.0-00.8
18-24	72	131,361	4	4.0	00.0-08.3	2	1.6	00.0-04.3										1	0.9	00.0-02.7
25-34	134	150,261	1	1.9	00.0-05.5	6	5.1	00.0-12.8	3	0.2	00.0-00.5									
35-44	299	138,592	5	0.5	00.0-01.1	10	1.0	00.2-01.7	3	1.0	00.0-02.8									
45-54	436	133,975	3	0.5	00.0-01.2	9	1.6	00.0-03.3	5	1.5	00.0-04.2	2	0.6	00.0-01.7				1	0.0	00.0-00.1
55-64	434	97,226	4	0.1	00.0-00.2	3	0.1	00.0-00.2				1	0.2	00.0-00.5						
65+	674	103,731	8	0.5	00.0-01.1	5	0.9	00.0-01.9	21	1.4	00.4-02.3	5	0.3	00.0-00.7	2	0.2	00.0-00.4			
Less Than H.S.	85	137,794	1	0.1	00.0-00.3							1	0.5	00.0-01.6				2	0.9	00.0-02.6
H.S. or G.E.D.	446	194,315	7	2.1	00.0-04.6	4	0.2	00.0-00.5	11	1.0	00.0-02.3	3	0.1	00.0-00.3						
Some Post-H.S.	587	155,250	5	0.3	00.0-00.6	8	0.9	00.0-01.7	14	1.7	00.0-04.0	1	0.0	00.0-00.1	2	0.1	00.0-00.3			
College Graduate	943	269,063	12	2.0	00.0-04.2	24	4.7	00.2-09.2	14	0.4	00.1-00.7	3	0.1	00.0-00.3						
Less than \$15,000	122	78,725	1	0.0	00.0-00.0	1	0.0	00.0-00.1												
\$15,000- 24,999	296	193,172	1	0.0	00.0-00.0				8	1.0	00.0-02.3	3	0.5	00.0-01.2				1	0.0	00.0-00.1
\$25,000- 34,999	196	72,215	1	0.2	00.0-00.5	2	0.4	00.0-01.2	5	0.6	00.0-01.3									
\$35,000- 49,999	294	99,647	4	0.5	00.0-01.1	2	0.3	00.0-00.7	11	0.5	00.0-01.0	3	0.3	00.0-00.8	1	0.1	00.0-00.2			
\$50,000- 74,999	346	89,794	7	1.6	00.0-04.1	7	7.6	00.0-19.8	2	0.1	00.0-00.3				1	0.1	00.0-00.4			
\$75,000+	631	162,486	11	4.9	00.5-09.3	20	3.8	01.2-06.5	7	1.3	00.0-03.5	1	0.1	00.0-00.2						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 6: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXERACT3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Horseback riding			Inline Skating			Jogging			Paddleball			Painting papering house			Pilates		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2064	756,439	3	0.0	00.0-00.1	1	0.0	00.0-00.0	12	1.4	00.0-03.0	1	0.0	00.0-00.1	3	0.1	00.0-00.2	5	0.1	00.0-00.1
White/Non-Hisp	1509	313,479	3	0.1	00.0-00.2				8	2.8	00.0-06.6	1	0.1	00.0-00.2	3	0.2	00.0-00.5	3	0.1	00.0-00.1
Other Race	545	440,150				1	0.0	00.0-00.0	4	0.4	00.0-00.9							2	0.1	00.0-00.2
18-24	72	131,361							1	1.2	00.0-03.5									
25-34	134	150,261							3	4.5	00.0-12.2							1	0.0	00.0-00.0
35-44	299	138,592	1	0.1	00.0-00.4				3	0.8	00.0-02.0	1	0.1	00.0-00.4				1	0.0	00.0-00.1
45-54	436	133,975							3	0.3	00.0-00.7				1	0.1	00.0-00.4	3	0.3	00.0-00.7
55-64	434	97,226	1	0.0	00.0-00.0	1	0.0	00.0-00.1	1	0.5	00.0-01.5									
65+	674	103,731	1	0.1	00.0-00.4				1	0.0	00.0-00.0				2	0.4	00.0-01.2			
Less Than H.S.	85	137,794																		
H.S. or G.E.D.	446	194,315	1	0.1	00.0-00.2				1	0.0	00.0-00.1				2	0.2	00.0-00.6	1	0.0	00.0-00.1
Some Post-H.S.	587	155,250	1	0.1	00.0-00.3				2	1.1	00.0-03.0							1	0.1	00.0-00.3
College Graduate	943	269,063	1	0.0	00.0-00.0	1	0.0	00.0-00.0	9	3.2	00.0-07.6	1	0.1	00.0-00.2	1	0.1	00.0-00.2	3	0.1	00.0-00.2
Less than \$15,000	122	78,725							2	0.8	00.0-02.1									
\$15,000- 24,999	296	193,172													2	0.2	00.0-00.6			
\$25,000- 34,999	196	72,215	1	0.2	00.0-00.6															
\$35,000- 49,999	294	99,647							2	7.6	00.0-19.2							1	0.1	00.0-00.4
\$50,000- 74,999	346	89,794	1	0.0	00.0-00.0				1	0.1	00.0-00.4							1	0.1	00.0-00.2
\$75,000+	631	162,486	1	0.1	00.0-00.3	1	0.0	00.0-00.1	4	1.1	00.0-02.4	1	0.1	00.0-00.3				2	0.2	00.0-00.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 6: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXERACT3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Racquetball			Raking lawn			Running			Skating – ice or roller			Sledding, tobogganing			Snow blowing		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2064	756,439	2	0.0	00.0-00.1	1	0.0	00.0-00.0	112	11.9	05.3-18.5	4	0.0	00.0-00.1	1	0.0	00.0-00.0	1	0.0	00.0-00.0
White/Non-Hisp	1509	313,479	1	0.0	00.0-00.1	1	0.0	00.0-00.1	77	10.2	06.5-13.8	2	0.0	00.0-00.1	1	0.0	00.0-00.0	1	0.0	00.0-00.0
Other Race	545	440,150	1	0.0	00.0-00.1							2	0.0	00.0-00.1						
18-24	72	131,361																		
25-34	134	150,261							20	8.0	02.7-13.3									
35-44	299	138,592							33	11.5	02.7-20.2	2	0.1	00.0-00.3	1	0.0	00.0-00.0			
45-54	436	133,975	1	0.1	00.0-00.3	1	0.1	00.0-00.2	21	2.9	00.7-05.1	1	0.1	00.0-00.3						
55-64	434	97,226	1	0.2	00.0-00.5				7	0.6	00.0-01.2	1	0.0	00.0-00.0				1	0.0	00.0-00.0
65+	674	103,731							4	0.2	00.0-00.4									
Less Than H.S.	85	137,794							1	1.9	00.0-05.8									
H.S. or G.E.D.	446	194,315																		
Some Post-H.S.	587	155,250				1	0.1	00.0-00.2	37	8.9	03.9-14.0	1	0.0	00.0-00.0				1	0.0	00.0-00.0
College Graduate	943	269,063	2	0.1	00.0-00.3				64	15.4	07.7-23.1	3	0.1	00.0-00.2	1	0.0	00.0-00.0			
Less than \$15,000	122	78,725							3	2.0	00.0-04.9							1	0.0	00.0-00.0
\$15,000- 24,999	296	193,172							9	1.4	00.0-03.0	1	0.0	00.0-00.0						
\$25,000- 34,999	196	72,215							8	6.9	00.0-15.7									
\$35,000- 49,999	294	99,647							9	6.5	00.0-13.2									
\$50,000- 74,999	346	89,794							16	8.8	02.3-15.2									
\$75,000+	631	162,486	2	0.2	00.0-00.4	1	0.1	00.0-00.2				3	0.2	00.0-00.4	1	0.0	00.0-00.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 6: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXERACT3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Snow shoveling by hand			Snow skiing			Stair climbing Stair master			Swimming			Swimming in laps			Tai Chi		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2064	756,439	10	0.0	00.0-00.0	1	0.0	00.0-00.0	8	0.2	00.0-00.4	30	0.6	00.2-00.9	4	0.3	00.0-00.7	3	0.0	00.0-00.1
White/Non-Hisp	1509	313,479	9	0.0	00.0-00.0	1	0.0	00.0-00.0	3	0.3	00.0-00.8	27	1.3	00.4-02.1	4	0.7	00.0-01.6	3	0.1	00.0-00.2
Other Race	545	440,150	1	0.0	00.0-00.0				5	0.1	00.0-00.3	3	0.1	00.0-00.2						
18-24	72	131,361										2	1.1	00.0-02.7						
25-34	134	150,261																		
35-44	299	138,592							2	0.6	00.0-01.7	1	0.1	00.0-00.4						
45-54	436	133,975	1	0.0	00.0-00.0				2	0.2	00.0-00.5	4	0.4	00.0-01.1	4	1.6	00.0-03.9			
55-64	434	97,226	2	0.0	00.0-00.1				1	0.0	00.0-00.0	7	0.3	00.0-00.7				1	0.0	00.0-00.0
65+	674	103,731	6	0.0	00.0-00.1	1	0.0	00.0-00.1	3	0.4	00.0-01.0	16	1.8	00.5-03.0				2	0.3	00.0-00.6
Less Than H.S.	85	137,794	1	0.0	00.0-00.0				1	0.2	00.0-00.6									
H.S. or G.E.D.	446	194,315	3	0.0	00.0-00.0				1	0.1	00.0-00.2	6	0.6	00.0-01.5						
Some Post-H.S.	587	155,250	2	0.0	00.0-00.0				3	0.1	00.0-00.2	11	1.1	00.1-02.1						
College Graduate	943	269,063	4	0.0	00.0-00.1	1	0.0	00.0-00.0	3	0.4	00.0-01.0	13	0.5	00.1-00.9	4	0.8	00.0-01.9	3	0.1	00.0-00.2
Less than \$15,000	122	78,725							1	0.3	00.0-01.0									
\$15,000- 24,999	296	193,172	6	0.0	00.0-00.0							8	0.4	00.0-00.7						
\$25,000- 34,999	196	72,215	1	0.0	00.0-00.0				4	1.2	00.0-03.4	2	0.4	00.0-01.2						
\$35,000- 49,999	294	99,647	1	0.0	00.0-00.0				1	0.1	00.0-00.4	4	0.2	00.0-00.5	1	0.5	00.0-01.4	1	0.1	00.0-00.4
\$50,000- 74,999	346	89,794	1	0.0	00.0-00.0							7	1.9	00.0-04.2						
\$75,000+	631	162,486	1	0.0	00.0-00.1	1	0.0	00.0-00.1	2	0.1	00.0-00.4	5	0.3	00.0-00.6	3	1.0	00.0-02.8	1	0.0	00.0-00.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 6: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXERACT3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Tennis			Volleyball			Walking			Waterskiing			Weight lifting			Yoga		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2064	756,439	15	0.3	00.0-00.5	3	0.0	00.0-00.1	1245	60.1	51.5-68.7	2	0.0	00.0-00.0	27	2.1	00.0-04.9	29	0.9	00.4-01.3
White/Non-Hisp	1509	313,479	13	0.5	00.0-01.1	3	0.1	00.0-00.2	905	59.1	50.5-67.7				20	0.9	00.3-01.5	22	1.6	00.5-02.6
Other Race	545	440,150	2	0.1	00.0-00.2							2	0.0	00.0-00.1	6	2.9	00.0-07.7	7	0.4	00.0-00.7
18-24	72	131,361													2	0.6	00.0-01.5	1	0.1	00.0-00.4
25-34	134	150,261										1	0.1	00.0-00.2	2	0.5	00.0-01.5	3	0.5	00.0-01.2
35-44	299	138,592	5	1.0	00.0-02.3	1	0.0	00.0-00.0										6	0.9	00.0-01.8
45-54	436	133,975	2	0.2	00.0-00.4	1	0.1	00.0-00.4				1	0.0	00.0-00.0	5	0.4	00.0-00.9	9	2.3	00.0-04.5
55-64	434	97,226	1	0.0	00.0-00.1										11	1.8	00.0-04.1	4	0.5	00.0-01.5
65+	674	103,731	7	0.5	00.0-01.0	1	0.1	00.0-00.4							2	0.2	00.0-00.5	6	0.7	00.1-01.4
Less Than H.S.	85	137,794																		
H.S. or G.E.D.	446	194,315	2	0.1	00.0-00.2	1	0.1	00.0-00.2				1	0.0	00.0-00.1	2	0.2	00.0-00.5	2	0.2	00.0-00.6
Some Post-H.S.	587	155,250	1	0.0	00.0-00.0	1	0.0	00.0-00.0				1	0.0	00.0-00.0				12	1.0	00.2-01.9
College Graduate	943	269,063	12	0.7	00.1-01.4	1	0.1	00.0-00.2							19	1.3	00.3-02.3	15	1.7	00.5-02.9
Less than \$15,000	122	78,725																2	0.5	00.0-01.5
\$15,000- 24,999	296	193,172				1	0.1	00.0-00.2							2	0.4	00.0-01.0	4	0.4	00.0-00.9
\$25,000- 34,999	196	72,215	1	0.0	00.0-00.0													2	0.2	00.0-00.6
\$35,000- 49,999	294	99,647	1	0.1	00.0-00.4	1	0.0	00.0-00.0				1	0.1	00.0-00.3	1	0.1	00.0-00.2	3	1.4	00.0-03.5
\$50,000- 74,999	346	89,794	1	0.0	00.0-00.1										4	0.6	00.0-01.2	2	1.3	00.0-03.4
\$75,000+	631	162,486	12	1.2	00.1-02.3	1	0.1	00.0-00.3							15	1.9	00.3-03.5	9	1.1	00.3-01.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 6: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXERACT3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Other _____			No other physical activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2064	756,439	214	6.3	04.1-08.6	1	0.0	00.0-00.0
White/Non-Hisp	1509	313,479	159	8.0	04.9-11.1	1	0.0	00.0-00.0
Other Race	545	440,150	54	5.1	02.1-08.2			
18-24	72	131,361	6	5.6	00.0-11.8			
25-34	134	150,261	8	7.3	00.4-14.2			
35-44	299	138,592	36	7.3	02.4-12.3			
45-54	436	133,975	32	2.9	01.0-04.9			
55-64	434	97,226	33	2.1	00.6-03.6	1	0.0	00.0-00.1
65+	674	103,731	99	13.0	05.8-20.2			
Less Than H.S.	85	137,794	6	2.8	00.0-06.5			
H.S. or G.E.D.	446	194,315	56	6.3	01.7-10.9			
Some Post-H.S.	587	155,250	61	5.4	02.3-08.5			
College Graduate	943	269,063	91	8.7	04.3-13.1	1	0.0	00.0-00.0
Less than \$15,000	122	78,725	12	3.3	00.0-07.7			
\$15,000- 24,999	296	193,172	28	3.2	00.0-06.6			
\$25,000- 34,999	196	72,215						
\$35,000- 49,999	294	99,647	34	6.3	01.2-11.4			
\$50,000- 74,999	346	89,794	28	9.7	02.0-17.4			
\$75,000+	631	162,486	71	8.5	04.6-12.4	1	0.0	00.0-00.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 7: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per week			Times per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3334	1,536,078	2468	76.5	71.0-81.9	866	23.5	18.1-29.0
Male	1284	787,593	900	68.9	59.7-78.2	384	31.1	21.8-40.3
Female	2050	748,485	1568	84.4	80.0-88.7	482	15.6	11.3-20.0
White/Non-Hisp	2454	628,097	1821	71.2	63.3-79.2	633	28.8	20.8-36.7
Other Race	854	903,415	632	80.2	73.1-87.4	222	19.8	12.6-26.9
35-44	465	288,593	361	82.0	73.4-90.7	104	18.0	09.3-26.6
45-54	734	260,726	550	80.7	71.8-89.6	184	19.3	10.4-28.2
65+	1026	175,077	747	75.4	67.1-83.8	279	24.6	16.2-32.9
College Graduate	1571	513,490	1227	80.8	75.2-86.3	344	19.2	13.7-24.8
\$35,000- 49,999	478	216,764	342	82.1	74.3-89.8	136	17.9	10.2-25.7
\$75,000+	1133	405,879	870	71.7	63.1-80.4	263	28.3	19.6-36.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 10: PHYSICAL ACTIVITY

TABLE 8: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per week			Times per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1284	787,593	900	68.9	59.7-78.2	384	31.1	21.8-40.3
College Graduate	629	244,456	463	78.2	70.5-85.9	166	21.8	14.1-29.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 9: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per week			Times per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2050	748,485	1568	84.4	80.0-88.7	482	15.6	11.3-20.0
White/Non-Hisp	1500	312,704	1156	82.7	77.9-87.5	344	17.3	12.5-22.1
Other Race	540	432,971	405	85.8	79.3-92.4	135	14.2	07.6-20.7
25-34	134	150,261	111	90.1	83.0-97.2	23	9.9	02.8-17.0
35-44	296	131,582	238	89.6	82.6-96.6	58	10.4	03.4-17.4
45-54	436	133,975	333	84.9	77.5-92.3	103	15.1	07.7-22.5
65+	667	103,135	504	81.6	72.9-90.2	163	18.4	09.8-27.1
H.S. or G.E.D.	439	186,847	314	88.2	81.7-94.7	125	11.8	05.3-18.3
Some Post-H.S.	584	155,016	434	83.7	77.3-90.2	150	16.3	09.8-22.7
College Graduate	942	269,033	764	83.1	75.0-91.1	178	16.9	08.9-25.0
\$15,000- 24,999	292	186,107	210	88.7	81.6-95.8	82	11.3	04.2-18.4
\$25,000- 34,999	196	72,215	141	91.4	86.3-96.4	55	8.6	03.6-13.7
\$35,000- 49,999	294	99,647	224	84.8	75.3-94.4	70	15.2	05.6-24.7
\$50,000- 74,999	344	89,551	259	84.8	78.2-91.4	85	15.2	08.6-21.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 10: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Under One Hour			1-2 Hours			2-3 Hours			3-4 Hours			4-5 Hours		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3321	1,495,061	2037	53.9	47.5-60.4	976	34.8	28.5-41.2	182	8.8	05.1-12.5	61	0.9	00.5-01.4	39	1.0	00.3-01.8
Male	1278	746,905	698	45.4	35.8-54.9	413	40.0	30.7-49.4	102	12.2	05.9-18.5	29	1.1	00.3-01.9	25	0.7	00.2-01.3
Female	2043	748,156	1339	62.5	53.7-71.3	563	29.6	20.9-38.3	80	5.4	01.6-09.2	32	0.7	00.2-01.2	14	1.3	00.0-02.7
White/Non-Hisp	2440	603,865	1520	53.8	46.6-60.9	703	36.5	28.6-44.4	123	6.2	04.0-08.4	49	1.8	00.8-02.9	24	0.8	00.2-01.3
Other Race	857	886,643	503	54.1	44.3-63.9	266	33.7	24.5-42.8	58	10.6	04.6-16.6	12	0.3	00.0-00.6	14	1.2	00.0-02.4
18-24	137	226,383							13	6.6	01.9-11.2	3	1.2	00.0-02.8	3	0.6	00.0-01.6
25-34	230	373,724							23	10.4	02.2-18.5	6	1.1	00.0-02.4	3	0.5	00.0-01.2
35-44	466	288,651										8	0.5	00.0-01.1	6	1.7	00.0-04.7
45-54	733	260,718							34	7.5	00.5-14.5	10	0.8	00.0-01.7	6	0.2	00.0-00.5
55-64	718	170,382							25	1.1	00.4-01.8	14	0.9	00.1-01.7	14	1.9	00.0-03.9
65+	1014	173,497	672	74.3	65.2-83.4	251	17.7	10.8-24.7	55	4.5	01.5-07.5	19	1.0	00.4-01.7	7	2.0	00.0-05.0
Less Than H.S.	149	270,949										6	0.6	00.0-01.5	2	0.3	00.0-00.7
H.S. or G.E.D.	691	357,292							50	8.7	03.0-14.5	18	1.2	00.0-02.5	13	2.7	00.0-05.7
Some Post-H.S.	905	351,384							55	14.6	04.7-24.4	18	1.1	00.2-02.1	12	0.3	00.0-00.6
College Graduate	1569	513,436	1002	63.5	56.5-70.5	458	29.6	23.2-36.0	72	5.3	02.8-07.8	19	0.8	00.2-01.3	12	0.7	00.0-01.5
Less than \$15,000	177	110,355										7	0.6	00.0-01.5	3	2.9	00.0-07.7
\$15,000- 24,999	432	355,082							22	3.9	00.0-08.5	12	0.5	00.1-00.9	5	0.3	00.0-00.7
\$25,000- 34,999	299	131,617										2	0.2	00.0-00.6			
\$35,000- 49,999	476	216,208							27	2.6	00.8-04.4	8	1.1	00.0-02.3	7	0.2	00.0-00.4
\$50,000- 74,999	532	182,182							26	6.5	00.0-13.8	14	2.4	00.0-05.2	3	0.1	00.0-00.3
\$75,000+	1132	406,055	680	53.7	44.5-62.9	360	28.2	20.9-35.5	56	15.2	05.5-24.9	15	0.8	00.2-01.4	16	1.4	00.2-02.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 10: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-6 Hours			6-7 Hours			7-8 Hours			8-9 Hours			9-10 Hours		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3321	1,495,061	12	0.2	00.0-00.5	3	0.0	00.0-00.1	2	0.0	00.0-00.1	8	0.2	00.0-00.4	1	0.0	00.0-00.0
Male	1278	746,905	4	0.2	00.0-00.4	1	0.1	00.0-00.2	1	0.0	00.0-00.0	5	0.3	00.0-00.7			
Female	2043	748,156	8	0.3	00.0-00.7	2	0.0	00.0-00.1	1	0.1	00.0-00.2	3	0.0	00.0-00.1	1	0.0	00.0-00.1
White/Non-Hisp	2440	603,865	10	0.4	00.0-00.9	2	0.0	00.0-00.1	2	0.1	00.0-00.3	6	0.5	00.0-00.9	1	0.0	00.0-00.1
Other Race	857	886,643	2	0.1	00.0-00.3	1	0.0	00.0-00.1				1	0.0	00.0-00.0			
18-24	137	226,383	1	0.6	00.0-01.9				1	0.2	00.0-00.7	1	0.4	00.0-01.1			
25-34	230	373,724										2	0.4	00.0-01.0			
35-44	466	288,651										1	0.2	00.0-00.5			
45-54	733	260,718	2	0.4	00.0-01.2	1	0.2	00.0-00.5							1	0.1	00.0-00.2
55-64	718	170,382	3	0.2	00.0-00.4				1	0.0	00.0-00.0						
65+	1014	173,497	5	0.4	00.0-00.9	2	0.1	00.0-00.2				3	0.0	00.0-00.0			
Less Than H.S.	149	270,949				1	0.2	00.0-00.5									
H.S. or G.E.D.	691	357,292	6	0.6	00.0-01.5				1	0.0	00.0-00.0	6	0.7	00.0-01.5			
Some Post-H.S.	905	351,384	2	0.3	00.0-00.8	1	0.0	00.0-00.0	1	0.1	00.0-00.4	2	0.1	00.0-00.3			
College Graduate	1569	513,436	4	0.1	00.0-00.2	1	0.0	00.0-00.1							1	0.0	00.0-00.1
Less than \$15,000	177	110,355				1	0.0	00.0-00.0									
\$15,000- 24,999	432	355,082	7	0.2	00.0-00.5	1	0.1	00.0-00.4				1	0.2	00.0-00.7			
\$25,000- 34,999	299	131,617							1	0.0	00.0-00.0	1	0.0	00.0-00.0			
\$35,000- 49,999	476	216,208	2	0.5	00.0-01.3	1	0.1	00.0-00.2									
\$50,000- 74,999	532	182,182	1	0.0	00.0-00.1							1	0.2	00.0-00.6			
\$75,000+	1132	406,055	2	0.4	00.0-01.1							3	0.4	00.0-01.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY

TABLE 11: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Under One Hour			1-2 Hours			2-3 Hours			3-4 Hours			4-5 Hours		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1278	746,905	698	45.4	35.8-54.9	413	40.0	30.7-49.4	102	12.2	05.9-18.5	29	1.1	00.3-01.9	25	0.7	00.2-01.3
White/Non-Hisp	948	291,672	540	47.2	37.9-56.6				69	9.2	05.1-13.2	24	2.5	00.5-04.5	18	1.1	00.2-02.0
Other Race	315	453,485							32	14.1	04.2-24.1	5	0.2	00.0-00.5	6	0.5	00.0-01.2
18-24	66	95,049							7	9.5	00.7-18.4				2	0.2	00.0-00.4
25-34	96	223,463										5	1.8	00.0-04.1	2	0.8	00.0-01.9
35-44	169	157,011										3	0.6	00.0-01.5	4	0.1	00.0-00.2
45-54	298	126,751							20	4.2	00.5-07.9	5	1.3	00.0-03.3	4	0.3	00.0-00.8
55-64	286	73,307							13	1.4	00.2-02.6	9	1.5	00.0-03.1	10	3.5	00.0-07.7
65+	353	70,736							21	4.0	01.1-06.9	7	0.8	00.0-01.7	3	0.9	00.0-02.3
Less Than H.S.	64	133,155										2	0.0	00.0-00.1	1	0.1	00.0-00.2
H.S. or G.E.D.	254	170,511							29	10.8	01.8-19.8	10	2.1	00.0-04.9	7	0.6	00.0-01.4
Some Post-H.S.	328	196,806										9	1.4	00.0-03.0	9	0.5	00.0-01.0
College Graduate	628	244,449							40	9.0	03.9-14.1	8	0.8	00.1-01.5	8	1.4	00.0-03.0
Less than \$15,000	58	32,020										5	2.2	00.0-05.5	1	0.1	00.0-00.3
\$15,000- 24,999	142	169,195							8	6.9	00.0-16.2	1	0.0	00.0-00.1	5	0.6	00.0-01.4
\$25,000- 34,999	103	59,402							10	5.8	00.0-13.5	1	0.5	00.0-01.4			
\$35,000- 49,999	182	116,561							14	4.0	00.5-07.5	3	1.5	00.0-03.7	4	0.2	00.0-00.5
\$50,000- 74,999	188	92,631							17	3.9	00.1-07.7	9	3.1	00.0-08.1	3	0.2	00.0-00.5
\$75,000+	504	243,634										9	1.1	00.0-02.1	11	1.7	00.0-03.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 10: PHYSICAL ACTIVITY

TABLE 11: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-6 Hours			6-7 Hours			7-8 Hours			8-9 Hours		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1278	746,905	4	0.2	00.0-00.4	1	0.1	00.0-00.2	1	0.0	00.0-00.0	5	0.3	00.0-00.7
White/Non-Hisp	948	291,672	2	0.1	00.0-00.2				1	0.0	00.0-00.0	4	0.8	00.0-01.8
Other Race	315	453,485	2	0.2	00.0-00.7	1	0.1	00.0-00.3				1	0.0	00.0-00.0
18-24	66	95,049										1	0.8	00.0-02.5
25-34	96	223,463										1	0.5	00.0-01.5
35-44	169	157,011										1	0.3	00.0-00.9
45-54	298	126,751	2	0.9	00.0-02.5	1	0.3	00.0-01.0						
55-64	286	73,307	2	0.2	00.0-00.6				1	0.0	00.0-00.1			
65+	353	70,736										1	0.0	00.0-00.0
Less Than H.S.	64	133,155				1	0.3	00.0-01.0						
H.S. or G.E.D.	254	170,511	1	0.1	00.0-00.2				1	0.0	00.0-00.0	5	1.4	00.0-03.2
Some Post-H.S.	328	196,806	2	0.5	00.0-01.5									
College Graduate	628	244,449	1	0.1	00.0-00.2									
Less than \$15,000	58	32,020												
\$15,000- 24,999	142	169,195	1	0.1	00.0-00.2	1	0.3	00.0-00.8				1	0.5	00.0-01.4
\$25,000- 34,999	103	59,402							1	0.0	00.0-00.1			
\$35,000- 49,999	182	116,561	1	0.8	00.0-02.5									
\$50,000- 74,999	188	92,631	1	0.1	00.0-00.2									
\$75,000+	504	243,634	1	0.1	00.0-00.2							3	0.7	00.0-01.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 12: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Under One Hour			1-2 Hours			2-3 Hours			3-4 Hours			4-5 Hours		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2043	748,156	1339	62.5	53.7-71.3	563	29.6	20.9-38.3	80	5.4	01.6-09.2	32	0.7	00.2-01.2	14	1.3	00.0-02.7
White/Non-Hisp	1492	312,193							54	3.4	01.5-05.3	25	1.2	00.3-02.0	6	0.5	00.0-01.2
Other Race	542	433,159							26	6.9	00.5-13.3	7	0.4	00.0-01.0	8	1.9	00.0-04.3
18-24	71	131,334							6	4.4	00.0-08.8	3	2.1	00.0-04.9	1	0.9	00.0-02.7
25-34	134	150,261							5	0.6	00.0-01.6	1	0.0	00.0-00.1	1	0.0	00.0-00.1
35-44	297	131,640										5	0.5	00.0-01.0	2	3.5	00.0-10.2
45-54	435	133,968										5	0.3	00.0-00.6	2	0.1	00.0-00.3
55-64	432	97,075							12	0.9	00.1-01.8	5	0.5	00.0-01.2	4	0.7	00.0-02.1
65+	661	102,761				156	15.8	07.4-24.1	34	4.9	00.1-09.6	12	1.2	00.3-02.1	4	2.7	00.0-07.7
Less Than H.S.	85	137,794							3	2.2	00.0-05.7	4	1.2	00.0-03.0	1	0.4	00.0-01.4
H.S. or G.E.D.	437	186,780							21	6.8	00.0-14.2	8	0.4	00.0-00.7	6	4.6	00.0-10.3
Some Post-H.S.	577	154,578				166	20.5	10.7-30.2				9	0.8	00.0-01.6	3	0.1	00.0-00.2
College Graduate	941	268,987	629	69.5	61.4-77.7	260	27.5	19.6-35.3	32	2.0	00.8-03.1	11	0.8	00.0-01.6	4	0.1	00.0-00.2
Less than \$15,000	119	78,334							9	2.2	00.0-04.8	2	0.0	00.0-00.0	2	4.1	00.0-11.0
\$15,000- 24,999	290	185,887							14	1.3	00.0-02.8	11	0.9	00.0-01.7			
\$25,000- 34,999	196	72,215										1	0.0	00.0-00.1			
\$35,000- 49,999	294	99,647							13	1.0	00.0-01.9	5	0.6	00.0-01.3	3	0.2	00.0-00.5
\$50,000- 74,999	344	89,551										5	1.6	00.0-04.1			
\$75,000+	628	162,421	403	67.4	58.8-75.9	198	27.3	19.6-35.0	15	3.2	00.4-05.9	6	0.3	00.0-00.7	5	0.9	00.0-02.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY

TABLE 12: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-6 Hours			6-7 Hours			7-8 Hours			8-9 Hours			9-10 Hours		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2043	748,156	8	0.3	00.0-00.7	2	0.0	00.0-00.1	1	0.1	00.0-00.2	3	0.0	00.0-00.1	1	0.0	00.0-00.1
White/Non-Hisp	1492	312,193	8	0.7	00.0-01.7	2	0.0	00.0-00.1	1	0.2	00.0-00.5	2	0.1	00.0-00.3	1	0.1	00.0-00.2
Other Race	542	433,159															
18-24	71	131,334	1	1.1	00.0-03.3				1	0.4	00.0-01.2						
25-34	134	150,261										1	0.2	00.0-00.7			
35-44	297	131,640															
45-54	435	133,968													1	0.1	00.0-00.4
55-64	432	97,075	1	0.2	00.0-00.5												
65+	661	102,761	5	0.6	00.0-01.5	2	0.1	00.0-00.4				2	0.0	00.0-00.0			
Less Than H.S.	85	137,794															
H.S. or G.E.D.	437	186,780	5	1.1	00.0-02.7							1	0.0	00.0-00.0			
Some Post-H.S.	577	154,578				1	0.0	00.0-00.0	1	0.3	00.0-01.0	2	0.2	00.0-00.7			
College Graduate	941	268,987	3	0.1	00.0-00.2	1	0.0	00.0-00.1							1	0.1	00.0-00.2
Less than \$15,000	119	78,334				1	0.0	00.0-00.0									
\$15,000- 24,999	290	185,887	6	0.4	00.0-00.9												
\$25,000- 34,999	196	72,215										1	0.0	00.0-00.0			
\$35,000- 49,999	294	99,647	1	0.0	00.0-00.1	1	0.1	00.0-00.4									
\$50,000- 74,999	344	89,551										1	0.4	00.0-01.2			
\$75,000+	628	162,421	1	0.9	00.0-02.6												

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

**TABLE 13: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXERACT4)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Active Gaming Devices (Wii Fit, Dance, Dance revolution)			Aerobics video or class			Badminton			Basketball			Bicycling machine exercise			Bicycling		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3326	1,533,301	12	0.1	00.0-00.3	64	2.5	00.0-05.4	3	0.1	00.0-00.2	34	4.6	00.6-08.7	94	2.4	00.8-03.9	61	2.9	00.5-05.3
Male	1281	785,820	2	0.0	00.0-00.0	3	0.1	00.0-00.4	1	0.0	00.0-00.1	31	8.8	01.1-16.4	35	2.3	00.0-04.7	30	4.3	00.0-08.8
Female	2045	747,481	10	0.3	00.0-00.6	61	5.0	00.0-10.7	2	0.1	00.0-00.3	3	0.3	00.0-00.6	59	2.5	00.6-04.4	31	1.4	00.4-02.4
White/Non-Hisp	2445	619,013	7	0.3	00.0-00.7	38	1.1	00.4-01.7	2	0.1	00.0-00.4	18	1.2	00.5-01.9	65	1.7	00.7-02.8	41	1.1	00.5-01.7
Other Race	856	909,729	5	0.0	00.0-00.1	26	3.5	00.0-08.3	1	0.0	00.0-00.1	16	7.0	00.2-13.7	28	2.7	00.2-05.2	20	4.1	00.2-08.1
18-24	140	266,170	1	0.0	00.0-00.0	1	0.4	00.0-01.3	1	0.3	00.0-00.9	8	6.4	00.0-14.8	3	0.7	00.0-01.6	4	2.0	00.0-04.3
25-34	228	371,957	2	0.2	00.0-00.5	12	1.9	00.2-03.7							4	2.3	00.0-05.7	3	5.8	00.0-14.8
35-44	468	295,603	3	0.0	00.0-00.0	12	1.2	00.1-02.2				9	2.8	00.0-06.2	6	0.6	00.1-01.2	11	1.2	00.2-02.1
45-54	729	253,177	3	0.5	00.0-01.3	11	0.6	00.1-01.2	2	0.2	00.0-00.4	8	0.3	00.0-00.7	23	3.0	00.0-06.6	21	1.1	00.3-01.9
55-64	712	169,783	1	0.0	00.0-00.0							2	0.1	00.0-00.3	23	8.3	00.0-18.1	13	3.8	00.0-09.5
65+	1025	174,879	2	0.0	00.0-00.1	14	0.5	00.1-00.8				1	0.1	00.0-00.2	35	1.6	00.6-02.6	9	2.5	00.0-05.8
Less Than H.S.	149	265,319										2	0.5	00.0-01.3	6	6.5	00.0-14.3	3	7.4	00.0-19.6
H.S. or G.E.D.	697	380,978	2	0.3	00.0-00.8	11	0.7	00.0-01.5	1	0.0	00.0-00.1	7	3.9	00.0-09.7	24	2.4	00.0-05.0	12	1.0	00.0-02.1
Some Post-H.S.	912	372,119	5	0.0	00.0-00.1	19	0.6	00.1-01.2	1	0.2	00.0-00.6				21	1.1	00.0-02.5	15	1.0	00.1-01.8
College Graduate	1561	512,884	5	0.2	00.0-00.4	33	2.1	00.7-03.5	1	0.1	00.0-00.2	18	2.0	00.1-04.0	42	1.2	00.7-01.7	31	3.4	00.7-06.0
Less than \$15,000	182	111,276				3	0.1	00.0-00.3	1	0.7	00.0-02.1	2	2.0	00.0-04.8	3	0.2	00.0-00.5	2	0.0	00.0-00.1
\$15,000- 24,999	438	361,867	2	0.0	00.0-00.0	3	6.2	00.0-17.8							18	2.8	00.0-06.2	5	5.4	00.0-14.4
\$25,000- 34,999	297	126,041				4	0.3	00.0-00.7				2	0.6	00.0-01.9				7	2.2	00.0-05.5
\$35,000- 49,999	472	215,117	2	0.0	00.0-00.1	14	1.5	00.2-02.9	1	0.1	00.0-00.2	1	0.2	00.0-00.7	10	1.7	00.0-04.3	9	2.6	00.0-06.7
\$50,000- 74,999	528	180,816	3	0.7	00.0-01.8	10	1.0	00.0-01.9							17	3.5	00.0-08.4	11	1.5	00.0-02.9
\$75,000+	1128	405,093	4	0.2	00.0-00.5	22	2.3	00.5-04.0	1	0.1	00.0-00.2	11	1.9	00.0-04.3	31	1.1	00.5-01.6	19	2.5	00.0-05.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 13: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXERACT4)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Boating (Canoeing, rowing, kayaking, sailing for pleasure or camping)			Bowling			Boxing			Calisthenics			Carpentry			Dancing-ballet, ballroom, Latin, hip hop, etc		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3326	1,533,301	1	0.0	00.0-00.0	27	0.3	00.1-00.5	1	0.0	00.0-00.0	49	0.7	00.3-01.1	1	0.0	00.0-00.1	37	2.3	00.0-05.4
Male	1281	785,820				17	0.4	00.0-00.8	1	0.0	00.0-00.1	25	0.9	00.3-01.5	1	0.0	00.0-00.1	7	0.1	00.0-00.3
Female	2045	747,481	1	0.0	00.0-00.0	10	0.1	00.0-00.3				24	0.5	00.1-00.9				30	4.6	00.0-10.8
White/Non-Hisp	2445	619,013	1	0.0	00.0-00.1	22	0.5	00.0-01.0				39	1.5	00.6-02.3	1	0.1	00.0-00.2	24	0.6	00.3-01.0
Other Race	856	909,729				5	0.1	00.0-00.2	1	0.0	00.0-00.0	10	0.2	00.0-00.4				13	3.5	00.0-08.6
18-24	140	266,170										2	0.4	00.0-01.1						
25-34	228	371,957				1	0.4	00.0-01.2				2	0.3	00.0-00.9				2	1.1	00.0-03.2
35-44	468	295,603				1	0.0	00.0-00.0	1	0.0	00.0-00.1	7	0.7	00.0-01.3				3	0.4	00.0-00.9
45-54	729	253,177	1	0.0	00.0-00.1	4	0.3	00.0-00.7				11	0.9	00.0-02.0				7	0.4	00.1-00.7
55-64	712	169,783				6	0.4	00.0-00.8				18	1.7	00.1-03.3	1	0.2	00.0-00.7	10	1.5	00.0-03.7
65+	1025	174,879				15	0.7	00.2-01.3				9	0.7	00.0-01.6				11	0.7	00.2-01.3
Less Than H.S.	149	265,319				2	0.0	00.0-00.0				3	0.2	00.0-00.6				3	0.1	00.0-00.1
H.S. or G.E.D.	697	380,978				10	0.4	00.0-00.7	1	0.0	00.0-00.1	7	0.8	00.0-01.7				6	6.4	00.0-18.2
Some Post-H.S.	912	372,119				11	0.6	00.0-01.4				17	1.0	00.1-01.9				15	1.2	00.1-02.4
College Graduate	1561	512,884	1	0.0	00.0-00.1	4	0.1	00.0-00.3				22	0.6	00.1-01.1	1	0.1	00.0-00.2	13	1.2	00.0-02.8
Less than \$15,000	182	111,276				3	0.1	00.0-00.2				4	0.8	00.0-02.2				1	0.1	00.0-00.4
\$15,000- 24,999	438	361,867				1	0.0	00.0-00.1				2	0.1	00.0-00.2				7	0.3	00.0-00.6
\$25,000- 34,999	297	126,041				2	0.2	00.0-00.4				2	0.7	00.0-02.1				6	5.6	00.0-12.6
\$35,000- 49,999	472	215,117				5	0.2	00.0-00.5				9	1.6	00.0-03.2				6	0.5	00.0-00.9
\$50,000- 74,999	528	180,816				5	0.5	00.0-01.1	1	0.1	00.0-00.2	9	1.0	00.0-02.1				7	0.2	00.0-00.5
\$75,000+	1128	405,093	1	0.0	00.0-00.1	5	0.5	00.0-01.2				19	0.8	00.1-01.5	1	0.1	00.0-00.3	7	0.3	00.0-00.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

**TABLE 13: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXERACT4)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Elliptical EFX machine exercise			Gardening (spading, weeding, digging, filling)			Golf (with motorized cart)			Golf (without motorized cart)			Handball			Hiking – cross-country		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3326	1,533,301	60	2.3	00.5-04.0	61	0.9	00.2-01.6	13	0.1	00.0-00.1	11	0.4	00.0-00.8	1	0.0	00.0-00.0	3	0.0	00.0-00.1
Male	1281	785,820	12	0.7	00.0-01.7	19	1.2	00.0-02.5	11	0.1	00.0-00.3	10	0.7	00.0-01.5				2	0.1	00.0-00.2
Female	2045	747,481	48	3.9	00.6-07.2	42	0.6	00.2-01.0	2	0.0	00.0-00.0	1	0.0	00.0-00.1	1	0.0	00.0-00.1	1	0.0	00.0-00.0
White/Non-Hisp	2445	619,013	41	2.4	00.8-03.9	53	1.2	00.5-01.9	13	0.2	00.1-00.4	10	0.6	00.0-01.3				3	0.1	00.0-00.3
Other Race	856	909,729	18	2.2	00.0-04.9	8	0.7	00.0-01.8				1	0.2	00.0-00.7	1	0.0	00.0-00.1			
18-24	140	266,170	1	0.3	00.0-00.9															
25-34	228	371,957	5	0.4	00.0-01.0	2	1.7	00.0-04.3				1	0.6	00.0-01.8						
35-44	468	295,603	14	6.6	00.0-14.2	9	1.1	00.0-02.2				2	0.8	00.0-02.2				1	0.2	00.0-00.6
45-54	729	253,177	24	1.9	00.5-03.2	12	0.6	00.0-01.2	2	0.1	00.0-00.3	5	0.3	00.0-00.6				1	0.0	00.0-00.1
55-64	712	169,783	13	4.5	00.0-11.5	18	0.8	00.1-01.5	5	0.3	00.0-00.6	1	0.1	00.0-00.2	1	0.1	00.0-00.3	1	0.0	00.0-00.0
65+	1025	174,879	3	0.1	00.0-00.3	20	0.9	00.4-01.5	6	0.3	00.0-00.7	2	0.1	00.0-00.3						
Less Than H.S.	149	265,319	1	0.0	00.0-00.0	1	0.6	00.0-01.7												
H.S. or G.E.D.	697	380,978	4	0.1	00.0-00.3	20	1.5	00.0-03.9	1	0.1	00.0-00.2	2	0.6	00.0-01.8	1	0.0	00.0-00.1			
Some Post-H.S.	912	372,119	18	4.4	00.0-10.2	14	0.4	00.1-00.7	5	0.1	00.0-00.1	1	0.0	00.0-00.0				2	0.2	00.0-00.5
College Graduate	1561	512,884	37	3.5	00.6-06.3	26	1.0	00.2-01.8	7	0.2	00.0-00.3	8	0.6	00.0-01.5				1	0.0	00.0-00.0
Less than \$15,000	182	111,276	2	0.1	00.0-00.4															
\$15,000- 24,999	438	361,867	2	0.0	00.0-00.1	11	0.7	00.0-01.6	1	0.0	00.0-00.0	1	0.6	00.0-01.8						
\$25,000- 34,999	297	126,041				6	0.2	00.0-00.3				1	0.1	00.0-00.3						
\$35,000- 49,999	472	215,117	9	3.9	00.0-09.8	13	0.5	00.1-00.9	1	0.0	00.0-00.0									
\$50,000- 74,999	528	180,816	5	0.6	00.0-01.5	10	1.3	00.0-03.1	2	0.2	00.0-00.4	1	1.3	00.0-03.7	1	0.1	00.0-00.3			
\$75,000+	1128	405,093	36	3.1	01.0-05.3	16	1.8	00.0-04.1	6	0.1	00.0-00.2	7	0.2	00.0-00.4				2	0.2	00.0-00.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

**TABLE 13: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXERACT4)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Hockey		Horseback riding			Hunting large game – deer, elk			Hunting small game – quail			Inline Skating			Jogging		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3326	1,533,301	5	0.9	00.0-02.4	3	0.0	00.0-00.1	1	0.0	00.0-00.0	1	0.0	00.0-00.0	1	0.0	00.0-00.0	21	0.8	00.0-01.8
Male	1281	785,820	5	1.8	00.0-04.7				1	0.0	00.0-00.0	1	0.0	00.0-00.0				13	1.2	00.0-02.9
Female	2045	747,481				3	0.1	00.0-00.1							1	0.0	00.0-00.0	8	0.5	00.0-01.3
White/Non-Hisp	2445	619,013	4	0.3	00.0-00.8	3	0.1	00.0-00.2	1	0.0	00.0-00.0	1	0.0	00.0-00.0	1	0.0	00.0-00.0	12	0.3	00.0-00.5
Other Race	856	909,729	1	1.3	00.0-03.8													9	1.2	00.0-02.9
18-24	140	266,170	3	0.8	00.0-01.8													1	0.2	00.0-00.5
25-34	228	371,957	1	3.2	00.0-09.2													4	2.1	00.0-05.7
35-44	468	295,603													1	0.0	00.0-00.0	5	0.4	00.0-00.7
45-54	729	253,177				3	0.2	00.0-00.4										3	0.1	00.0-00.2
55-64	712	169,783	1	0.0	00.0-00.0							1	0.1	00.0-00.2				5	0.2	00.0-00.4
65+	1025	174,879							1	0.0	00.0-00.1							2	1.8	00.0-05.2
Less Than H.S.	149	265,319																		
H.S. or G.E.D.	697	380,978	1	0.3	00.0-00.8													6	2.0	00.0-05.6
Some Post-H.S.	912	372,119	4	3.4	00.0-09.5	1	0.0	00.0-00.1										5	1.0	00.0-02.7
College Graduate	1561	512,884				2	0.1	00.0-00.2	1	0.0	00.0-00.0	1	0.0	00.0-00.1	1	0.0	00.0-00.0	9	0.2	00.0-00.5
Less than \$15,000	182	111,276																4	6.4	00.0-18.4
\$15,000- 24,999	438	361,867	1	0.3	00.0-00.9													1	0.0	00.0-00.0
\$25,000- 34,999	297	126,041																1	0.1	00.0-00.2
\$35,000- 49,999	472	215,117																4	1.5	00.0-04.3
\$50,000- 74,999	528	180,816	3	0.5	00.0-01.6													2	0.2	00.0-00.4
\$75,000+	1128	405,093	1	2.9	00.0-08.4	3	0.1	00.0-00.3	1	0.0	00.0-00.0	1	0.0	00.0-00.1	1	0.0	00.0-00.0	7	0.5	00.0-01.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 13: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXERACT4)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mountain climbing			Mowing lawn			Paddleball			Painting papering house			Pilates			Racquetball		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3326	1,533,301	1	0.1	00.0-00.2	11	0.1	00.0-00.2	1	0.0	00.0-00.1	5	0.1	00.0-00.2	15	0.1	00.0-00.2	6	0.2	00.0-00.5
Male	1281	785,820	1	0.2	00.0-00.5	8	0.1	00.0-00.2	1	0.1	00.0-00.2	1	0.1	00.0-00.4	1	0.0	00.0-00.0	6	0.4	00.0-00.9
Female	2045	747,481				3	0.1	00.0-00.2				4	0.0	00.0-00.0	14	0.3	00.1-00.5			
White/Non-Hisp	2445	619,013				11	0.2	00.0-00.4				2	0.2	00.0-00.5	14	0.3	00.1-00.6	6	0.5	00.0-01.2
Other Race	856	909,729	1	0.1	00.0-00.4				1	0.0	00.0-00.1	3	0.0	00.0-00.0	1	0.0	00.0-00.0			
18-24	140	266,170																1	0.3	00.0-00.9
25-34	228	371,957													1	0.1	00.0-00.4			
35-44	468	295,603	1	0.4	00.0-01.2										3	0.1	00.0-00.3	2	0.7	00.0-02.0
45-54	729	253,177				3	0.3	00.0-00.7	1	0.2	00.0-00.5				6	0.4	00.0-00.9	1	0.1	00.0-00.2
55-64	712	169,783				4	0.3	00.0-00.6				3	0.1	00.0-00.1	3	0.1	00.0-00.2	2	0.1	00.0-00.3
65+	1025	174,879				4	0.1	00.0-00.3				2	0.6	00.0-01.8	2	0.0	00.0-00.1			
Less Than H.S.	149	265,319																		
H.S. or G.E.D.	697	380,978				4	0.1	00.0-00.2							1	0.0	00.0-00.0			
Some Post-H.S.	912	372,119				2	0.0	00.0-00.1				2	0.0	00.0-00.1	2	0.0	00.0-00.1	1	0.0	00.0-00.1
College Graduate	1561	512,884	1	0.2	00.0-00.7	5	0.2	00.0-00.4	1	0.1	00.0-00.2	3	0.2	00.0-00.6	12	0.4	00.1-00.7	5	0.6	00.0-01.4
Less than \$15,000	182	111,276																		
\$15,000- 24,999	438	361,867				3	0.2	00.0-00.4				2	0.0	00.0-00.0	1	0.0	00.0-00.0	1	0.2	00.0-00.6
\$25,000- 34,999	297	126,041										1	0.1	00.0-00.2						
\$35,000- 49,999	472	215,117	1	0.6	00.0-01.7	2	0.1	00.0-00.2							1	0.1	00.0-00.2	1	0.0	00.0-00.0
\$50,000- 74,999	528	180,816				1	0.1	00.0-00.4				2	0.6	00.0-01.7	3	0.3	00.0-00.9	1	0.1	00.0-00.2
\$75,000+	1128	405,093				3	0.0	00.0-00.1	1	0.1	00.0-00.3				10	0.3	00.0-00.6	3	0.5	00.0-01.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

**TABLE 13: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXERACT4)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Raking lawn			Running			Rope skipping			Rowing machine exercise			Scuba diving			Skating – ice or roller		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3326	1,533,301	2	0.0	00.0-00.0	86	4.0	02.0-06.1	1	0.0	00.0-00.0	4	0.1	00.0-00.3	1	0.1	00.0-00.2	5	0.1	00.0-00.2
Male	1281	785,820				44	5.7	02.2-09.3				3	0.2	00.0-00.5	1	0.1	00.0-00.3	3	0.1	00.0-00.3
Female	2045	747,481	2	0.0	00.0-00.1	42	2.3	00.3-04.2	1	0.0	00.0-00.0	1	0.1	00.0-00.2				2	0.1	00.0-00.2
White/Non-Hisp	2445	619,013	2	0.0	00.0-00.1	54	4.9	02.6-07.1				4	0.3	00.0-00.7	1	0.1	00.0-00.4	5	0.2	00.0-00.5
Other Race	856	909,729				31	3.5	00.4-06.5	1	0.0	00.0-00.0									
18-24	140	266,170				20	7.7	02.5-12.8										1	0.3	00.0-00.9
25-34	228	371,957				12	5.3	00.0-11.6												
35-44	468	295,603				24	5.9	00.6-11.3	1	0.0	00.0-00.0	1	0.1	00.0-00.4				1	0.0	00.0-00.0
45-54	729	253,177	1	0.1	00.0-00.3	18	1.1	00.3-01.9										2	0.2	00.0-00.6
55-64	712	169,783	1	0.0	00.0-00.1	8	0.4	00.0-00.8				1	0.2	00.0-00.4	1	0.5	00.0-01.5			
65+	1025	174,879				4	0.5	00.0-01.2				2	0.9	00.0-02.1				1	0.0	00.0-00.0
Less Than H.S.	149	265,319				6	1.9	00.0-04.9				2	0.6	00.0-01.4						
H.S. or G.E.D.	697	380,978				12	4.4	00.2-08.5												
Some Post-H.S.	912	372,119				20	4.7	00.0-10.6										1	0.0	00.0-00.0
College Graduate	1561	512,884	2	0.1	00.0-00.1	47	4.5	02.0-07.0	1	0.0	00.0-00.0	2	0.1	00.0-00.3	1	0.2	00.0-00.5	4	0.3	00.0-00.6
Less than \$15,000	182	111,276				3	0.8	00.0-02.3				2	1.3	00.0-03.4				1	0.1	00.0-00.4
\$15,000- 24,999	438	361,867				12	2.4	00.0-06.1												
\$25,000- 34,999	297	126,041				1	0.1	00.0-00.3												
\$35,000- 49,999	472	215,117				9	3.1	00.0-07.0												
\$50,000- 74,999	528	180,816				15	5.3	00.7-09.9	1	0.0	00.0-00.0							2	0.3	00.0-00.8
\$75,000+	1128	405,093	2	0.1	00.0-00.2	41	8.6	02.6-14.6				2	0.1	00.0-00.4	1	0.2	00.0-00.6	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 13: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXERACT4)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sledding, tobogganing			Snow blowing			Snow shoveling by hand			Snow skiing			Snowshoeing			Soccer		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3326	1,533,301	1	0.1	00.0-00.3	9	0.2	00.0-00.4	56	0.5	00.3-00.8	2	0.0	00.0-00.0	1	0.0	00.0-00.0	5	0.7	00.0-01.7
Male	1281	785,820	1	0.2	00.0-00.5	8	0.3	00.0-00.7	29	0.6	00.2-01.0	1	0.0	00.0-00.0	1	0.0	00.0-00.0	5	1.3	00.0-03.3
Female	2045	747,481				1	0.0	00.0-00.0	27	0.5	00.2-00.7	1	0.0	00.0-00.0						
White/Non-Hisp	2445	619,013				9	0.4	00.0-00.9	50	1.3	00.7-01.8	1	0.0	00.0-00.0	1	0.0	00.0-00.0	2	0.1	00.0-00.3
Other Race	856	909,729	1	0.1	00.0-00.4				6	0.1	00.0-00.1	1	0.0	00.0-00.0				3	1.0	00.0-02.8
18-24	140	266,170																1	0.1	00.0-00.2
25-34	228	371,957																1	2.1	00.0-06.2
35-44	468	295,603	1	0.4	00.0-01.3				3	0.3	00.0-00.8							2	0.2	00.0-00.5
45-54	729	253,177							10	0.5	00.1-00.9									
55-64	712	169,783				3	0.4	00.0-01.0	19	2.0	00.4-03.6	2	0.0	00.0-00.1				1	0.9	00.0-02.6
65+	1025	174,879				6	1.1	00.0-02.8	23	1.5	00.5-02.5				1	0.0	00.0-00.1			
Less Than H.S.	149	265,319				2	0.6	00.0-01.7	1	0.2	00.0-00.6									
H.S. or G.E.D.	697	380,978	1	0.3	00.0-01.0	3	0.1	00.0-00.4	11	0.7	00.1-01.4							1	0.0	00.0-00.1
Some Post-H.S.	912	372,119				2	0.1	00.0-00.2	15	0.4	00.1-00.8							2	2.2	00.0-06.2
College Graduate	1561	512,884				2	0.1	00.0-00.2	29	0.7	00.3-01.0	2	0.0	00.0-00.0	1	0.0	00.0-00.0	2	0.4	00.0-01.0
Less than \$15,000	182	111,276				1	0.0	00.0-00.0												
\$15,000- 24,999	438	361,867				1	0.0	00.0-00.0	8	0.6	00.0-01.3									
\$25,000- 34,999	297	126,041				2	1.5	00.0-04.0	6	0.7	00.0-01.6									
\$35,000- 49,999	472	215,117	1	0.6	00.0-01.8				8	0.3	00.0-00.6	1	0.0	00.0-00.1						
\$50,000- 74,999	528	180,816				1	0.1	00.0-00.4	11	0.8	00.1-01.5							2	4.4	00.0-12.6
\$75,000+	1128	405,093				2	0.1	00.0-00.2	18	0.7	00.3-01.1	1	0.0	00.0-00.0	1	0.0	00.0-00.1	2	0.5	00.0-01.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 13: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXERACT4)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Stair climbing Stair master			Swimming			Swimming in laps			Table tennis			Tai Chi			Tennis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3326	1,533,301	45	0.9	00.3-01.6	36	0.4	00.1-00.7	9	0.0	00.0-00.1	1	0.0	00.0-00.0	5	0.1	00.0-00.1	24	0.8	00.0-01.8
Male	1281	785,820	11	0.1	00.0-00.2	20	0.4	00.0-00.8	1	0.0	00.0-00.1							9	1.0	00.0-02.7
Female	2045	747,481	34	1.8	00.4-03.1	16	0.4	00.0-00.7	8	0.1	00.0-00.2	1	0.0	00.0-00.1	5	0.1	00.0-00.2	15	0.7	00.0-01.7
White/Non-Hisp	2445	619,013	35	1.8	00.4-03.1	28	0.7	00.2-01.2	7	0.1	00.0-00.2	1	0.0	00.0-00.1	4	0.1	00.0-00.3	18	0.3	00.1-00.5
Other Race	856	909,729	10	0.4	00.0-00.9	6	0.2	00.0-00.4	2	0.0	00.0-00.1				1	0.0	00.0-00.0	6	1.2	00.0-02.9
18-24	140	266,170	2	1.4	00.0-03.4	1	0.3	00.0-00.9	2	0.1	00.0-00.2									
25-34	228	371,957	3	1.7	00.0-03.8	1	0.1	00.0-00.2										1	1.1	00.0-03.2
35-44	468	295,603	1	0.0	00.0-00.1	5	0.7	00.0-01.6										5	0.3	00.0-00.6
45-54	729	253,177	10	0.8	00.0-01.7	12	0.3	00.0-00.6	2	0.0	00.0-00.1							6	0.2	00.0-00.5
55-64	712	169,783	6	0.1	00.0-00.3	8	1.0	00.0-02.2	3	0.0	00.0-00.0				2	0.3	00.0-00.9	6	4.2	00.0-11.7
65+	1025	174,879	22	1.1	00.2-02.0	9	0.4	00.0-00.9	2	0.3	00.0-00.6	1	0.1	00.0-00.2	3	0.2	00.0-00.4	6	0.1	00.0-00.2
Less Than H.S.	149	265,319	3	0.2	00.0-00.6															
H.S. or G.E.D.	697	380,978	8	0.8	00.0-02.4	7	0.2	00.0-00.5	3	0.1	00.0-00.3	1	0.0	00.0-00.1	1	0.0	00.0-00.1	2	0.0	00.0-00.1
Some Post-H.S.	912	372,119	9	0.9	00.0-02.3	10	0.5	00.0-01.1	2	0.0	00.0-00.0							5	1.8	00.0-05.3
College Graduate	1561	512,884	25	1.4	00.3-02.5	19	0.6	00.0-01.3	4	0.0	00.0-00.0				4	0.1	00.0-00.3	17	1.1	00.0-02.7
Less than \$15,000	182	111,276	2	0.0	00.0-00.0	1	0.7	00.0-02.1							1	0.4	00.0-01.3			
\$15,000- 24,999	438	361,867	6	1.1	00.0-02.8	3	0.1	00.0-00.1	2	0.1	00.0-00.1	1	0.0	00.0-00.1				1	0.0	00.0-00.0
\$25,000- 34,999	297	126,041	4	0.4	00.0-01.2	3	0.5	00.0-01.5	2	0.3	00.0-00.8							4	3.4	00.0-09.6
\$35,000- 49,999	472	215,117	8	1.6	00.0-04.1	3	0.3	00.0-00.6	2	0.0	00.0-00.0				2	0.0	00.0-00.1	1	0.0	00.0-00.1
\$50,000- 74,999	528	180,816	6	1.4	00.0-03.8	9	0.8	00.0-02.0							2	0.1	00.0-00.4	1	0.0	00.0-00.0
\$75,000+	1128	405,093	18	0.9	00.0-01.8	13	0.6	00.0-01.2	2	0.0	00.0-00.0							16	2.1	00.0-05.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

**TABLE 13: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXERACT4)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Volleyball			Walking			Waterskiing			Weight lifting			Wrestling			Yoga		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3326	1,533,301	5	0.1	00.0-00.2	494	10.6	07.0-14.1	1	0.0	00.0-00.0	216	7.6	04.8-10.4	1	0.1	00.0-00.2	49	2.5	00.1-05.0
Male	1281	785,820	2	0.0	00.0-00.1	182	11.1	05.0-17.3				124	10.2	05.6-14.8	1	0.1	00.0-00.4	3	0.0	00.0-00.0
Female	2045	747,481	3	0.1	00.0-00.3	312	10.0	06.7-13.3	1	0.0	00.0-00.0	92	4.9	01.8-08.0				46	5.2	00.3-10.1
White/Non-Hisp	2445	619,013	4	0.2	00.0-00.4	375	12.0	09.2-14.8	1	0.0	00.0-00.0	163	8.4	05.2-11.5	1	0.2	00.0-00.6	44	2.7	00.6-04.9
Other Race	856	909,729	1	0.0	00.0-00.0	114	9.6	03.9-15.3				52	7.1	02.9-11.4				5	2.4	00.0-06.3
18-24	140	266,170				17	9.2	02.9-15.5				17	8.9	00.5-17.3				2	0.9	00.0-02.1
25-34	228	371,957	2	0.2	00.0-00.6	21	4.4	01.2-07.5				26	7.3	02.2-12.3				6	2.4	00.0-05.7
35-44	468	295,603										44	9.8	02.4-17.2				11	7.5	00.0-18.8
45-54	729	253,177	2	0.1	00.0-00.2	118	11.2	04.9-17.5				61	12.2	03.3-21.2	1	0.5	00.0-01.4	10	1.2	00.0-02.9
55-64	712	169,783				99	8.6	01.3-16.0	1	0.0	00.0-00.0	36	2.0	00.9-03.2				12	0.6	00.1-01.0
65+	1025	174,879	1	0.0	00.0-00.1	159	10.1	05.9-14.3				32	1.5	00.7-02.3				8	1.0	00.0-02.3
Less Than H.S.	149	265,319										5	4.0	00.0-11.0						
H.S. or G.E.D.	697	380,978	1	0.0	00.0-00.1	79	9.0	00.7-17.2				35	8.3	02.5-14.1				1	0.3	00.0-00.9
Some Post-H.S.	912	372,119				148	8.5	04.1-13.0				61	6.2	01.1-11.3	1	0.3	00.0-00.9	13	1.4	00.0-02.8
College Graduate	1561	512,884	4	0.2	00.0-00.5	254	13.9	09.5-18.4	1	0.0	00.0-00.0	115	10.0	05.1-15.0				35	6.4	00.0-13.3
Less than \$15,000	182	111,276				21	3.1	00.5-05.6				3	0.2	00.0-00.5				1	0.0	00.0-00.0
\$15,000- 24,999	438	361,867				56	7.0	00.0-15.6				16	4.2	00.0-09.2	1	0.3	00.0-01.0	4	5.2	00.0-14.6
\$25,000- 34,999	297	126,041				41	8.3	02.2-14.3				16	8.8	00.0-19.5				2	0.0	00.0-00.0
\$35,000- 49,999	472	215,117	2	0.1	00.0-00.2	64	11.5	03.9-19.2				26	4.5	00.8-08.2				11	5.3	00.0-11.3
\$50,000- 74,999	528	180,816	1	0.0	00.0-00.0	68	11.6	03.3-19.9										7	1.1	00.0-02.4
\$75,000+	1128	405,093	2	0.2	00.0-00.6	203	17.2	08.6-25.8				96	13.8	06.8-20.7				21	1.6	00.1-03.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 13: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXERACT4)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Other _____			No other physical activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3326	1,533,301	563	14.2	10.0-18.3	1100	34.9	28.4-41.3
Male	1281	785,820	181	14.9	07.9-21.9	406	29.8	20.7-38.9
Female	2045	747,481	382	13.4	09.2-17.5	694	40.2	31.2-49.2
White/Non-Hisp	2445	619,013	434	18.9	12.3-25.5	768	32.7	24.4-41.0
Other Race	856	909,729	124	11.0	05.9-16.1	323	36.3	27.0-45.7
18-24	140	266,170						
25-34	228	371,957						
35-44	468	295,603	64	10.4	05.3-15.4			
45-54	729	253,177	100	10.1	05.5-14.8			
55-64	712	169,783				230	22.2	13.2-31.3
65+	1025	174,879	215	14.0	08.8-19.2			
Less Than H.S.	149	265,319	22	12.6	03.1-22.2			
H.S. or G.E.D.	697	380,978						
Some Post-H.S.	912	372,119	153	10.7	05.9-15.4			
College Graduate	1561	512,884	263	14.3	09.8-18.8	436	27.4	19.3-35.5
Less than \$15,000	182	111,276						
\$15,000- 24,999	438	361,867	81	6.3	02.3-10.4			
\$25,000- 34,999	297	126,041						
\$35,000- 49,999	472	215,117	81	15.1	07.5-22.6			
\$50,000- 74,999	528	180,816	80	8.5	04.1-12.9			
\$75,000+	1128	405,093	162	12.7	07.8-17.6	305	20.8	14.8-26.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

**TABLE 14: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXERACT4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Active Gaming Devices (Wii Fit, Dance, Dance revolution)			Aerobics video or class			Badminton			Basketball			Bicycling machine exercise			Bicycling		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1281	785,820	2	0.0	00.0-00.0	3	0.1	00.0-00.4	1	0.0	00.0-00.1	31	8.8	01.1-16.4	35	2.3	00.0-04.7	30	4.3	00.0-08.8
White/Non-Hisp	950	313,553	2	0.0	00.0-00.1	1	0.0	00.0-00.1				17	2.3	00.8-03.7	29	1.5	00.6-02.4	18	0.9	00.2-01.7
Other Race	315	470,512				2	0.2	00.0-00.6	1	0.1	00.0-00.2				6	2.8	00.0-06.7	12	6.5	00.0-14.0
18-24	69	134,836													1	0.6	00.0-01.8	1	0.7	00.0-02.1
25-34	96	223,463				1	0.4	00.0-01.2												
35-44	169	157,011				1	0.0	00.0-00.0				9	5.3	00.0-11.6	1	0.3	00.0-00.9	5	1.3	00.0-02.8
45-54	297	125,588							1	0.2	00.0-00.6	7	0.3	00.0-00.6	10	4.7	00.0-12.0	12	1.3	00.0-02.7
55-64	283	72,866										2	0.3	00.0-00.8				5	6.9	00.0-19.3
65+	357	71,467	2	0.1	00.0-00.3							1	0.2	00.0-00.5	15	2.1	00.1-04.2	4	3.1	00.0-08.9
Less Than H.S.	67	133,740										1	0.0	00.0-00.1	2	6.3	00.0-18.2			
H.S. or G.E.D.	257	188,119	1	0.0	00.0-00.0							7	7.9	00.0-19.4	7	3.3	00.0-08.1	8	1.6	00.0-04.0
Some Post-H.S.	328	217,675	1	0.0	00.0-00.1										5	0.4	00.0-00.8	8	1.1	00.0-02.4
College Graduate	625	244,303				3	0.4	00.0-01.2	1	0.1	00.0-00.3	16	3.9	00.0-07.9	21	1.1	00.4-01.7	12	4.5	00.0-09.8
Less than \$15,000	61	32,590										2	6.7	00.0-16.6	1	0.1	00.0-00.2	2	0.1	00.0-00.4
\$15,000- 24,999	143	169,432	1	0.0	00.0-00.0										5	0.9	00.0-02.2			
\$25,000- 34,999	103	59,402										2	1.4	00.0-04.2				2	0.3	00.0-00.7
\$35,000- 49,999	181	115,557	1	0.1	00.0-00.2	1	0.8	00.0-02.4							2	0.2	00.0-00.6	6	4.8	00.0-12.5
\$50,000- 74,999	188	92,571													6	5.3	00.0-14.9	5	1.7	00.0-03.9
\$75,000+	501	243,543							1	0.1	00.0-00.3	11	3.2	00.0-07.2	16	1.1	00.4-01.8	10	2.9	00.0-06.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 14: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXERACT4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Bowling			Boxing			Calisthenics			Carpentry			Dancing-ballet, ballroom, Latin, hip hop, etc			Elliptical EFX machine exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1281	785,820	17	0.4	00.0-00.8	1	0.0	00.0-00.1	25	0.9	00.3-01.5	1	0.0	00.0-00.1	7	0.1	00.0-00.3	12	0.7	00.0-01.7
White/Non-Hisp	950	313,553	15	0.9	00.0-01.9				21	2.1	00.7-03.4	1	0.1	00.0-00.4	6	0.3	00.0-00.6	11	1.7	00.0-04.2
Other Race	315	470,512	2	0.1	00.0-00.1	1	0.0	00.0-00.1	4	0.1	00.0-00.3				1	0.0	00.0-00.1	1	0.0	00.0-00.0
18-24	69	134,836							2	0.9	00.0-02.2									
25-34	96	223,463	1	0.7	00.0-02.0				2	0.5	00.0-01.5							1	0.0	00.0-00.0
35-44	169	157,011	1	0.0	00.0-00.0	1	0.1	00.0-00.3	3	0.5	00.0-01.2							2	2.8	00.0-07.7
45-54	297	125,588	2	0.2	00.0-00.4				5	0.4	00.0-00.9				2	0.3	00.0-00.8	4	0.6	00.0-01.3
55-64	283	72,866	6	0.9	00.0-01.9				9	3.5	00.0-07.1	1	0.5	00.0-01.6				3	0.3	00.0-00.7
65+	357	71,467	7	0.9	00.0-02.1				4	1.2	00.0-03.3				5	0.9	00.0-02.0	2	0.2	00.0-00.6
Less Than H.S.	67	133,740	1	0.0	00.0-00.0				3	0.5	00.0-01.2				1	0.1	00.0-00.2			
H.S. or G.E.D.	257	188,119	6	0.3	00.0-00.6	1	0.1	00.0-00.2	4	1.5	00.0-03.3				1	0.0	00.0-00.1			
Some Post-H.S.	328	217,675	6	0.9	00.0-02.3				8	0.8	00.0-01.7				2	0.1	00.0-00.3	3	0.2	00.0-00.5
College Graduate	625	244,303	4	0.2	00.0-00.6				10	0.7	00.0-01.6	1	0.2	00.0-00.5	3	0.3	00.0-00.6	9	2.1	00.0-05.2
Less than \$15,000	61	32,590	2	0.1	00.0-00.3				4	2.8	00.0-07.6									
\$15,000- 24,999	143	169,432							1	0.0	00.0-00.1									
\$25,000- 34,999	103	59,402	1	0.1	00.0-00.3				2	1.5	00.0-04.7				2	0.6	00.0-01.5			
\$35,000- 49,999	181	115,557	3	0.4	00.0-01.0				2	0.7	00.0-01.9				1	0.2	00.0-00.6	3	0.0	00.0-00.1
\$50,000- 74,999	188	92,571	3	0.3	00.0-00.9	1	0.1	00.0-00.4	4	1.6	00.0-03.8				2	0.1	00.0-00.2	1	0.1	00.0-00.2
\$75,000+	501	243,543	5	0.8	00.0-02.0				10	1.1	00.0-02.2	1	0.2	00.0-00.5	2	0.2	00.0-00.4	7	2.2	00.0-05.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 14: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXERACT4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Gardening (spading, weeding, digging, filling)			Golf (with motorized cart)			Golf (without motorized cart)			Hiking – cross-country			Hockey			Hunting large game – deer, elk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1281	785,820	19	1.2	00.0-02.5	11	0.1	00.0-00.3	10	0.7	00.0-01.5	2	0.1	00.0-00.2	5	1.8	00.0-04.7	1	0.0	00.0-00.0
White/Non-Hisp	950	313,553	17	1.5	00.3-02.8	11	0.4	00.1-00.6	9	1.1	00.0-02.5	2	0.2	00.0-00.6	4	0.6	00.0-01.5	1	0.0	00.0-00.0
Other Race	315	470,512	2	1.0	00.0-02.9				1	0.5	00.0-01.4				1	2.5	00.0-07.3			
18-24	69	134,836													3	1.5	00.0-03.7			
25-34	96	223,463	2	2.8	00.0-07.2				1	1.0	00.0-03.0				1	5.3	00.0-15.3			
35-44	169	157,011	4	0.8	00.0-01.8				2	1.5	00.0-04.2	1	0.4	00.0-01.2						
45-54	297	125,588	3	0.7	00.0-01.9	2	0.2	00.0-00.6	5	0.6	00.0-01.3									
55-64	283	72,866	4	0.8	00.0-02.1	4	0.6	00.0-01.3	1	0.1	00.0-00.4	1	0.0	00.0-00.0	1	0.0	00.0-00.0			
65+	357	71,467	6	0.5	00.0-01.0	5	0.6	00.0-01.4	1	0.1	00.0-00.4							1	0.1	00.0-00.2
Less Than H.S.	67	133,740																		
H.S. or G.E.D.	257	188,119	5	2.6	00.0-07.5	1	0.1	00.0-00.4	1	1.2	00.0-03.6				1	0.6	00.0-01.7			
Some Post-H.S.	328	217,675	3	0.2	00.0-00.5	3	0.0	00.0-00.1	1	0.0	00.0-00.0	1	0.3	00.0-00.9	4	5.8	00.0-16.1			
College Graduate	625	244,303	11	1.7	00.1-03.3	7	0.3	00.0-00.6	8	1.3	00.0-03.1	1	0.0	00.0-00.0				1	0.0	00.0-00.1
Less than \$15,000	61	32,590																		
\$15,000- 24,999	143	169,432	1	0.3	00.0-00.8	1	0.0	00.0-00.0	1	1.3	00.0-03.9				1	0.6	00.0-01.9			
\$25,000- 34,999	103	59,402	1	0.0	00.0-00.1															
\$35,000- 49,999	181	115,557	4	0.3	00.0-00.7	1	0.0	00.0-00.0												
\$50,000- 74,999	188	92,571	1	1.8	00.0-05.3	2	0.3	00.0-00.8	1	2.4	00.0-07.3				3	1.0	00.0-03.1			
\$75,000+	501	243,543	11	2.8	00.0-06.6	5	0.2	00.0-00.3	7	0.4	00.0-00.8	1	0.3	00.0-00.8	1	4.8	00.0-13.9	1	0.0	00.0-00.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 14: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXERACT4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Hunting small game – quail			Jogging			Mountain climbing			Mowing lawn			Paddleball			Painting papering house		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1281	785,820	1	0.0	00.0-00.0	13	1.2	00.0-02.9	1	0.2	00.0-00.5	8	0.1	00.0-00.2	1	0.1	00.0-00.2	1	0.1	00.0-00.4
White/Non-Hisp	950	313,553	1	0.0	00.0-00.1	9	0.4	00.0-00.8				8	0.3	00.0-00.5				1	0.3	00.0-01.0
Other Race	315	470,512				4	1.7	00.0-04.6	1	0.3	00.0-00.8				1	0.1	00.0-00.3			
18-24	69	134,836				1	0.3	00.0-01.1												
25-34	96	223,463				3	3.4	00.0-09.6												
35-44	169	157,011				2	0.4	00.0-01.0	1	0.8	00.0-02.4									
45-54	297	125,588				2	0.1	00.0-00.2				2	0.2	00.0-00.6	1	0.3	00.0-01.0			
55-64	283	72,866	1	0.1	00.0-00.4	3	0.4	00.0-01.0				3	0.6	00.0-01.4						
65+	357	71,467				1	0.1	00.0-00.3				3	0.3	00.0-00.7				1	1.5	00.0-04.4
Less Than H.S.	67	133,740																		
H.S. or G.E.D.	257	188,119				3	4.1	00.0-11.3				3	0.2	00.0-00.5						
Some Post-H.S.	328	217,675				4	0.4	00.0-00.9				2	0.1	00.0-00.2						
College Graduate	625	244,303	1	0.0	00.0-00.1	5	0.3	00.0-00.7	1	0.5	00.0-01.5	3	0.2	00.0-00.4	1	0.2	00.0-00.5	1	0.4	00.0-01.3
Less than \$15,000	61	32,590																		
\$15,000- 24,999	143	169,432										1	0.1	00.0-00.2						
\$25,000- 34,999	103	59,402				1	0.1	00.0-00.4												
\$35,000- 49,999	181	115,557				2	0.1	00.0-00.2	1	1.1	00.0-03.2	2	0.1	00.0-00.3						
\$50,000- 74,999	188	92,571				1	0.2	00.0-00.6				1	0.2	00.0-00.8				1	1.1	00.0-03.4
\$75,000+	501	243,543	1	0.0	00.0-00.1	4	0.7	00.0-01.4				2	0.0	00.0-00.1	1	0.2	00.0-00.5			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 14: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXERACT4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Pilates			Racquetball			Running			Rowing machine exercise			Scuba diving			Skating – ice or roller		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1281	785,820	1	0.0	00.0-00.0	6	0.4	00.0-00.9	44	5.7	02.2-09.3	3	0.2	00.0-00.5	1	0.1	00.0-00.3	3	0.1	00.0-00.3
White/Non-Hisp	950	313,553	1	0.0	00.0-00.1	6	1.0	00.0-02.3	31	7.4	03.2-11.7	3	0.5	00.0-01.2	1	0.3	00.0-00.8	3	0.3	00.0-00.8
Other Race	315	470,512							13	4.6	00.0-09.8									
18-24	69	134,836				1	0.6	00.0-01.7	9	10.5	01.3-19.7							1	0.6	00.0-01.7
25-34	96	223,463							8	8.6	00.0-19.0									
35-44	169	157,011				2	1.3	00.0-03.7	7	5.6	00.0-11.2	1	0.2	00.0-00.7				1	0.0	00.0-00.0
45-54	297	125,588				1	0.1	00.0-00.4	13	1.4	00.0-02.8							1	0.1	00.0-00.4
55-64	283	72,866	1	0.1	00.0-00.4	2	0.3	00.0-00.7	3	0.4	00.0-00.9	1	0.4	00.0-01.0	1	1.2	00.0-03.5			
65+	357	71,467							4	1.3	00.0-03.0	1	1.4	00.0-04.1						
Less Than H.S.	67	133,740							3	3.6	00.0-09.6	1	0.7	00.0-02.2						
H.S. or G.E.D.	257	188,119							5	3.7	00.0-07.8									
Some Post-H.S.	328	217,675				1	0.0	00.0-00.1	6	6.8	00.0-16.9							1	0.0	00.0-00.0
College Graduate	625	244,303	1	0.0	00.0-00.1	5	1.2	00.0-02.9	30	7.6	02.5-12.6	2	0.2	00.0-00.6	1	0.3	00.0-01.0	2	0.4	00.0-01.0
Less than \$15,000	61	32,590										1	3.0	00.0-09.2				1	0.5	00.0-01.4
\$15,000- 24,999	143	169,432				1	0.5	00.0-01.4	2	0.2	00.0-00.4									
\$25,000- 34,999	103	59,402																		
\$35,000- 49,999	181	115,557				1	0.0	00.0-00.0	6	5.6	00.0-12.8									
\$50,000- 74,999	188	92,571				1	0.1	00.0-00.3	9	8.5	00.0-17.5							1	0.0	00.0-00.0
\$75,000+	501	243,543	1	0.0	00.0-00.1	3	0.9	00.0-02.5	26	12.5	02.8-22.2	2	0.2	00.0-00.6	1	0.4	00.0-01.0	1	0.3	00.0-00.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 10: PHYSICAL ACTIVITY

TABLE 14: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXERACT4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sledding, tobogganing			Snow blowing			Snow shoveling by hand			Snow skiing			Snowshoeing			Soccer		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1281	785,820	1	0.2	00.0-00.5	8	0.3	00.0-00.7	29	0.6	00.2-01.0	1	0.0	00.0-00.0	1	0.0	00.0-00.0	5	1.3	00.0-03.3
White/Non-Hisp	950	313,553				8	0.8	00.0-01.8	26	1.5	00.6-02.5	1	0.0	00.0-00.0	1	0.0	00.0-00.1	2	0.2	00.0-00.5
Other Race	315	470,512	1	0.3	00.0-00.8				3	0.0	00.0-00.1							3	2.0	00.0-05.3
18-24	69	134,836																1	0.2	00.0-00.5
25-34	96	223,463																1	3.5	00.0-10.3
35-44	169	157,011	1	0.8	00.0-02.5				3	0.6	00.0-01.5							2	0.4	00.0-01.0
45-54	297	125,588							6	0.5	00.0-01.0									
55-64	283	72,866				3	1.0	00.0-02.4	14	4.2	00.6-07.7	1	0.0	00.0-00.1				1	2.0	00.0-06.0
65+	357	71,467				5	2.6	00.0-06.8	6	0.4	00.0-00.8				1	0.1	00.0-00.4			
Less Than H.S.	67	133,740				2	1.1	00.0-03.4												
H.S. or G.E.D.	257	188,119	1	0.7	00.0-02.1	2	0.2	00.0-00.7	7	1.2	00.0-02.5							1	0.1	00.0-00.3
Some Post-H.S.	328	217,675				2	0.1	00.0-00.3	8	0.3	00.0-00.7							2	3.7	00.0-10.7
College Graduate	625	244,303				2	0.1	00.0-00.4	14	0.8	00.2-01.4	1	0.0	00.0-00.0	1	0.0	00.0-00.1	2	0.8	00.0-02.0
Less than \$15,000	61	32,590				1	0.0	00.0-00.1												
\$15,000- 24,999	143	169,432				1	0.0	00.0-00.0	3	0.9	00.0-02.3									
\$25,000- 34,999	103	59,402				2	3.2	00.0-08.8	3	0.1	00.0-00.3									
\$35,000- 49,999	181	115,557	1	1.1	00.0-03.4				5	0.3	00.0-00.8									
\$50,000- 74,999	188	92,571				1	0.3	00.0-00.9	6	0.9	00.0-02.0									
\$75,000+	501	243,543				2	0.1	00.0-00.3	11	0.8	00.2-01.5	1	0.0	00.0-00.0	1	0.0	00.0-00.1	2	0.8	00.0-02.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY

TABLE 14: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXERACT4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Stair climbing Stair master			Swimming			Swimming in laps			Tennis			Volleyball			Walking		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1281	785,820	11	0.1	00.0-00.2	20	0.4	00.0-00.8	1	0.0	00.0-00.1	9	1.0	00.0-02.7	2	0.0	00.0-00.1	182	11.1	04.9-17.3
White/Non-Hisp	950	313,553	9	0.3	00.0-00.6	15	0.6	00.1-01.1				5	0.3	00.0-00.7	2	0.1	00.0-00.2	139	9.4	06.2-12.7
Other Race	315	470,512	2	0.0	00.0-00.0	3	0.3	00.0-00.8	1	0.0	00.0-00.1	4	1.5	00.0-04.2						
18-24	69	134,836																5	7.5	00.0-17.1
25-34	96	223,463																8	3.9	00.0-08.2
35-44	169	157,011				3	1.2	00.0-03.0				3	0.4	00.0-01.0						
45-54	297	125,588	2	0.1	00.0-00.2	7	0.4	00.0-01.0				1	0.2	00.0-00.5	1	0.1	00.0-00.4	49	7.0	02.3-11.6
55-64	283	72,866	2	0.2	00.0-00.5	4	0.3	00.0-00.7										40	6.8	02.2-11.4
65+	357	71,467	6	0.9	00.0-02.1	6	0.9	00.0-02.0	1	0.2	00.0-00.7	2	0.1	00.0-00.3	1	0.1	00.0-00.3	49	6.7	02.7-10.7
Less Than H.S.	67	133,740																		
H.S. or G.E.D.	257	188,119	3	0.0	00.0-00.0	4	0.2	00.0-00.5	1	0.1	00.0-00.3	1	0.0	00.0-00.1						
Some Post-H.S.	328	217,675	1	0.0	00.0-00.1	6	0.5	00.0-01.2				2	3.1	00.0-09.0				57	5.3	01.7-08.9
College Graduate	625	244,303	7	0.4	00.0-00.7	10	0.7	00.0-01.7				6	0.5	00.0-00.9	2	0.1	00.0-00.2	95	13.1	06.5-19.7
Less than \$15,000	61	32,590	1	0.0	00.0-00.1													8	6.1	00.0-13.5
\$15,000- 24,999	143	169,432				3	0.1	00.0-00.3	1	0.1	00.0-00.3	1	0.0	00.0-00.1						
\$25,000- 34,999	103	59,402	1	0.0	00.0-00.0	2	1.1	00.0-03.4				1	0.1	00.0-00.2				13	7.1	00.0-15.6
\$35,000- 49,999	181	115,557	2	0.2	00.0-00.7	1	0.3	00.0-00.9							1	0.1	00.0-00.2			
\$50,000- 74,999	188	92,571				3	0.0	00.0-00.1										21	2.3	00.0-04.7
\$75,000+	501	243,543	7	0.3	00.0-00.6	9	0.8	00.0-01.8				7	3.2	00.0-08.5	1	0.1	00.0-00.2			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 14: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXERACT4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Weight lifting			Wrestling			Yoga			Other_____			No other physical activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1281	785,820	124	10.2	05.6-14.8	1	0.1	00.0-00.4	3	0.0	00.0-00.0	181	14.9	07.9-21.9	406	29.8	20.7-38.9
White/Non-Hisp	950	313,553	90	11.3	05.6-17.0	1	0.4	00.0-01.1	3	0.0	00.0-00.1						
Other Race	315	470,512	33	9.5	02.8-16.2							34	8.8	01.0-16.7			
18-24	69	134,836	13	9.0	00.0-18.8												
25-34	96	223,463	20	10.5	02.0-19.0										24	10.4	02.0-18.9
35-44	169	157,011										24	7.3	02.7-11.9			
45-54	297	125,588				1	0.9	00.0-02.8	1	0.0	00.0-00.1	33	8.5	02.2-14.8			
55-64	283	72,866	22	3.0	01.0-04.9				1	0.0	00.0-00.0	48	16.6	06.9-26.3			
65+	357	71,467	16	2.2	00.5-03.8				1	0.0	00.0-00.0	52	12.9	04.3-21.5			
Less Than H.S.	67	133,740															
H.S. or G.E.D.	257	188,119	25	11.4	02.0-20.8												
Some Post-H.S.	328	217,675	31	8.0	00.0-16.7	1	0.5	00.0-01.6	2	0.0	00.0-00.0	39	6.6	01.8-11.4			
College Graduate	625	244,303	64	12.6	05.3-19.9				1	0.0	00.0-00.1	95	14.1	06.8-21.4			
Less than \$15,000	61	32,590	1	0.4	00.0-01.1												
\$15,000- 24,999	143	169,432	10	8.6	00.0-19.2	1	0.7	00.0-02.1	1	0.0	00.0-00.0	21	3.0	00.0-06.0			
\$25,000- 34,999	103	59,402	10	7.3	00.0-18.1				1	0.0	00.0-00.0						
\$35,000- 49,999	181	115,557	17	7.3	00.2-14.5							28	12.7	03.5-21.9			
\$50,000- 74,999	188	92,571										24	9.8	01.7-17.8	56	10.7	03.3-18.0
\$75,000+	501	243,543	53	14.7	05.4-23.9				1	0.0	00.0-00.1	64	11.1	03.9-18.3	123	16.4	09.9-23.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 15: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXERACT4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL WEIGHTED		Active Gaming Devices (Wii Fit, Dance, Dance revolution)			Aerobics video or class			Badminton			Basketball			Bicycling machine exercise			Bicycling		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2045	747,481	10	0.3	00.0-00.6	61	5.0	00.0-10.7	2	0.1	00.0-00.3	3	0.3	00.0-00.6	59	2.5	00.6-04.4	31	1.4	00.4-02.4
White/Non-Hisp	1495	305,460	5	0.6	00.0-01.3	37	2.1	00.8-03.4	2	0.3	00.0-00.8	1	0.2	00.0-00.5	36	2.0	00.1-03.8	23	1.2	00.3-02.1
Other Race	541	439,217	5	0.1	00.0-00.2	24	7.0	00.0-16.6				2	0.4	00.0-00.9	22	2.7	00.0-05.6	8	1.6	00.0-03.2
18-24	71	131,334	1	0.0	00.0-00.1	1	0.9	00.0-02.6	1	0.6	00.0-01.8	1	0.9	00.0-02.7	2	0.8	00.0-02.1	3	3.3	00.0-07.9
25-34	132	148,494	2	0.5	00.0-01.3	11	4.2	00.0-08.4				1	0.3	00.0-01.0	4	5.8	00.0-14.1			
35-44	299	138,592	3	0.0	00.0-00.0	11	2.5	00.2-04.9							5	1.0	00.0-02.0	6	1.0	00.0-02.2
45-54	432	127,589	3	0.9	00.0-02.5	11	1.2	00.2-02.3	1	0.1	00.0-00.3	1	0.4	00.0-01.1	13	1.2	00.1-02.4	9	0.9	00.0-01.9
55-64	429	96,917	1	0.0	00.0-00.1										15	5.0	00.0-11.4	8	1.5	00.0-03.8
65+	668	103,412				14	0.8	00.1-01.5							20	1.3	00.3-02.2	5	2.2	00.0-06.0
Less Than H.S.	82	131,579										1	0.9	00.0-02.7	4	6.7	00.0-16.7	1	2.0	00.0-06.1
H.S. or G.E.D.	440	192,860	1	0.5	00.0-01.5	11	1.4	00.0-03.0	1	0.1	00.0-00.2				17	1.6	00.1-03.2	4	0.3	00.0-00.9
Some Post-H.S.	584	154,445	4	0.1	00.0-00.1	19	1.5	00.2-02.9	1	0.5	00.0-01.5				16	2.1	00.0-05.4	7	0.7	00.0-01.7
College Graduate	936	268,581	5	0.4	00.0-00.8	30	3.6	01.1-06.2				2	0.4	00.0-00.9	21	1.3	00.5-02.1	19	2.3	00.3-04.2
Less than \$15,000	121	78,686				3	0.2	00.0-00.4	1	1.0	00.0-03.0				2	0.2	00.0-00.7			
\$15,000- 24,999	295	192,435	1	0.0	00.0-00.0							1	0.3	00.0-00.8	13	4.4	00.0-10.7	3	0.1	00.0-00.3
\$25,000- 34,999	194	66,639				4	0.5	00.0-01.3							7	4.9	00.0-12.5	5	4.0	00.0-10.1
\$35,000- 49,999	291	99,560	1	0.0	00.0-00.0	13	2.4	00.1-04.6	1	0.1	00.0-00.4	1	0.5	00.0-01.4	8	3.5	00.0-09.0	3	0.1	00.0-00.2
\$50,000- 74,999	340	88,245	3	1.4	00.0-03.7	10	2.0	00.1-03.8							11	1.5	00.0-03.0	6	1.2	00.0-03.1
\$75,000+	627	161,550	4	0.5	00.0-01.2	22	5.7	01.4-10.0							15	1.1	00.2-02.0	9	1.8	00.0-03.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

**TABLE 15: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXERACT4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL WEIGHTED		Boating (Canoeing, rowing, kayaking, sailing for pleasure or camping)			Bowling			Calisthenics			Dancing-ballet, ballroom, Latin, hip hop, etc			Elliptical EFX machine exercise			Gardening (spading, weeding, digging, filling)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2045	747,481	1	0.0	00.0-00.0	10	0.1	00.0-00.3	24	0.5	00.1-00.9	30	4.6	00.0-10.8	48	3.9	00.6-07.2	42	0.6	00.2-01.0
White/Non-Hisp	1495	305,460	1	0.0	00.0-00.1	7	0.2	00.0-00.3	18	0.9	00.0-01.8	18	1.0	00.3-01.7	30	3.0	01.1-04.9	36	0.9	00.4-01.3
Other Race	541	439,217				3	0.1	00.0-00.4	6	0.3	00.0-00.6	12	7.1	00.0-17.5	17	4.5	00.0-10.0	6	0.4	00.0-01.1
18-24	71	131,334													1	0.6	00.0-01.8			
25-34	132	148,494										2	2.8	00.0-08.0	4	1.1	00.0-02.5			
35-44	299	138,592							4	0.9	00.0-02.0	3	0.8	00.0-01.9				5	1.3	00.0-03.5
45-54	432	127,589	1	0.1	00.0-00.3	2	0.4	00.0-01.1	6	1.4	00.0-03.5	5	0.5	00.0-00.9	20	3.1	00.5-05.7	9	0.4	00.0-00.8
55-64	429	96,917							9	0.3	00.0-00.8	10	2.6	00.0-06.6	10	7.7	00.0-20.0	14	0.8	00.0-01.7
65+	668	103,412				8	0.6	00.0-01.1	5	0.4	00.0-00.8	6	0.6	00.0-01.2	1	0.0	00.0-00.1	14	1.2	00.3-02.2
Less Than H.S.	82	131,579				1	0.0	00.0-00.0				2	0.0	00.0-00.1	1	0.0	00.0-00.1	1	1.1	00.0-03.5
H.S. or G.E.D.	440	192,860				4	0.4	00.0-01.0	3	0.1	00.0-00.3				4	0.2	00.0-00.5	15	0.4	00.0-00.8
Some Post-H.S.	584	154,445				5	0.2	00.0-00.3	9	1.4	00.0-03.1	13	2.8	00.1-05.5				11	0.8	00.2-01.3
College Graduate	936	268,581	1	0.0	00.0-00.1				12	0.5	00.0-01.1	10	2.1	00.0-05.1	28	4.7	00.1-09.3	15	0.4	00.1-00.7
Less than \$15,000	121	78,686				1	0.1	00.0-00.3				1	0.2	00.0-00.6	2	0.2	00.0-00.5			
\$15,000- 24,999	295	192,435				1	0.1	00.0-00.2	1	0.1	00.0-00.3	7	0.6	00.0-01.2	2	0.1	00.0-00.1	10	1.1	00.0-02.8
\$25,000- 34,999	194	66,639				1	0.2	00.0-00.6										5	0.3	00.0-00.6
\$35,000- 49,999	291	99,560				2	0.0	00.0-00.1	7	2.6	00.0-05.7	5	0.7	00.0-01.5				9	0.7	00.0-01.4
\$50,000- 74,999	340	88,245				2	0.6	00.0-01.7	5	0.3	00.0-00.8	5	0.3	00.0-00.8	4	1.2	00.0-03.0	9	0.8	00.0-01.5
\$75,000+	627	161,550	1	0.1	00.0-00.2				9	0.4	00.0-00.9	5	0.4	00.0-00.7	29	4.6	02.0-07.2	5	0.2	00.0-00.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 15: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXERACT4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Golf (with motorized cart)			Golf (without motorized cart)			Handball			Hiking – cross-country			Horseback riding			Inline Skating		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2045	747,481	2	0.0	00.0-00.0	1	0.0	00.0-00.1	1	0.0	00.0-00.1	1	0.0	00.0-00.0	3	0.1	00.0-00.1	1	0.0	00.0-00.0
White/Non-Hisp	1495	305,460	2	0.0	00.0-00.1	1	0.0	00.0-00.1				1	0.0	00.0-00.1	3	0.1	00.0-00.3	1	0.0	00.0-00.0
Other Race	541	439,217							1	0.0	00.0-00.1									
18-24	71	131,334																		
25-34	132	148,494																		
35-44	299	138,592																1	0.0	00.0-00.0
45-54	432	127,589										1	0.1	00.0-00.2	3	0.4	00.0-00.8			
55-64	429	96,917	1	0.0	00.0-00.0				1	0.2	00.0-00.5									
65+	668	103,412	1	0.1	00.0-00.4	1	0.1	00.0-00.4												
Less Than H.S.	82	131,579																		
H.S. or G.E.D.	440	192,860				1	0.1	00.0-00.2	1	0.1	00.0-00.3									
Some Post-H.S.	584	154,445	2	0.1	00.0-00.2							1	0.1	00.0-00.2	1	0.1	00.0-00.2			
College Graduate	936	268,581													2	0.1	00.0-00.3	1	0.0	00.0-00.0
Less than \$15,000	121	78,686																		
\$15,000- 24,999	295	192,435																		
\$25,000- 34,999	194	66,639				1	0.2	00.0-00.6												
\$35,000- 49,999	291	99,560																		
\$50,000- 74,999	340	88,245							1	0.2	00.0-00.6									
\$75,000+	627	161,550	1	0.0	00.0-00.0							1	0.1	00.0-00.2	3	0.3	00.0-00.6	1	0.0	00.0-00.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 10: PHYSICAL ACTIVITY

TABLE 15: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXERACT4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jogging			Mowing lawn			Painting papering house			Pilates			Raking lawn			Running		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2045	747,481	8	0.5	00.0-01.3	3	0.1	00.0-00.2	4	0.0	00.0-00.0	14	0.3	00.1-00.5	2	0.0	00.0-00.1	42	2.3	00.3-04.2
White/Non-Hisp	1495	305,460	3	0.1	00.0-00.3	3	0.2	00.0-00.5	1	0.0	00.0-00.0	13	0.7	00.1-01.2	2	0.1	00.0-00.2	23	2.2	00.7-03.8
Other Race	541	439,217	5	0.8	00.0-02.1				3	0.0	00.0-00.1	1	0.0	00.0-00.0				18	2.3	00.0-05.3
18-24	71	131,334																11	4.7	00.5-09.0
25-34	132	148,494	1	0.0	00.0-00.1							1	0.3	00.0-01.0				4	0.3	00.0-00.8
35-44	299	138,592	3	0.3	00.0-00.8							3	0.2	00.0-00.7				17	6.4	00.0-15.9
45-54	432	127,589	1	0.1	00.0-00.3	1	0.4	00.0-01.1				6	0.8	00.0-01.8	1	0.2	00.0-00.5	5	0.8	00.0-01.7
55-64	429	96,917	2	0.0	00.0-00.0	1	0.0	00.0-00.1	3	0.1	00.0-00.3	2	0.0	00.0-00.1	1	0.0	00.0-00.1	5	0.4	00.0-01.1
65+	668	103,412	1	3.0	00.0-08.7	1	0.0	00.0-00.0	1	0.0	00.0-00.0	2	0.1	00.0-00.1						
Less Than H.S.	82	131,579																3	0.2	00.0-00.5
H.S. or G.E.D.	440	192,860	3	0.0	00.0-00.1	1	0.0	00.0-00.0				1	0.0	00.0-00.0				7	5.0	00.0-12.2
Some Post-H.S.	584	154,445	1	2.0	00.0-05.8				2	0.1	00.0-00.2	2	0.1	00.0-00.3				14	1.6	00.3-02.9
College Graduate	936	268,581	4	0.2	00.0-00.5	2	0.2	00.0-00.5	2	0.0	00.0-00.0	11	0.7	00.1-01.3	2	0.1	00.0-00.3	17	1.7	00.4-02.9
Less than \$15,000	121	78,686	1	0.0	00.0-00.1													3	1.2	00.0-03.3
\$15,000- 24,999	295	192,435	1	0.0	00.0-00.0	2	0.3	00.0-00.8	2	0.0	00.0-00.0	1	0.0	00.0-00.0				10	4.4	00.0-11.4
\$25,000- 34,999	194	66,639							1	0.1	00.0-00.3							1	0.2	00.0-00.5
\$35,000- 49,999	291	99,560	2	3.1	00.0-09.1							1	0.2	00.0-00.5				3	0.4	00.0-01.0
\$50,000- 74,999	340	88,245	1	0.1	00.0-00.4				1	0.0	00.0-00.0	3	0.6	00.0-01.8				6	2.0	00.0-04.2
\$75,000+	627	161,550	3	0.3	00.0-00.7	1	0.0	00.0-00.1				9	0.8	00.1-01.5	2	0.2	00.0-00.4	15	2.7	00.2-05.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 15: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXERACT4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Rope skipping			Rowing machine exercise			Skating – ice or roller			Snow blowing			Snow shoveling by hand			Snow skiing		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2045	747,481	1	0.0	00.0-00.0	1	0.1	00.0-00.2	2	0.1	00.0-00.2	1	0.0	00.0-00.0	27	0.5	00.2-00.7	1	0.0	00.0-00.0
White/Non-Hisp	1495	305,460				1	0.2	00.0-00.5	2	0.2	00.0-00.5	1	0.0	00.0-00.0	24	1.0	00.4-01.6			
Other Race	541	439,217	1	0.0	00.0-00.0										3	0.1	00.0-00.2	1	0.0	00.0-00.0
18-24	71	131,334																		
25-34	132	148,494																		
35-44	299	138,592	1	0.0	00.0-00.0															
45-54	432	127,589							1	0.4	00.0-01.1				4	0.5	00.0-01.0			
55-64	429	96,917													5	0.4	00.0-00.9	1	0.1	00.0-00.2
65+	668	103,412				1	0.5	00.0-01.5	1	0.0	00.0-00.0	1	0.0	00.0-00.0	17	2.3	00.6-04.0			
Less Than H.S.	82	131,579				1	0.4	00.0-01.2							1	0.4	00.0-01.1			
H.S. or G.E.D.	440	192,860										1	0.0	00.0-00.0	4	0.2	00.0-00.5			
Some Post-H.S.	584	154,445													7	0.6	00.0-01.1			
College Graduate	936	268,581	1	0.0	00.0-00.0				2	0.2	00.0-00.5				15	0.6	00.2-01.0	1	0.0	00.0-00.1
Less than \$15,000	121	78,686				1	0.6	00.0-02.0												
\$15,000- 24,999	295	192,435													5	0.3	00.0-00.8			
\$25,000- 34,999	194	66,639													3	1.1	00.0-02.9			
\$35,000- 49,999	291	99,560													3	0.2	00.0-00.5	1	0.1	00.0-00.2
\$50,000- 74,999	340	88,245	1	0.0	00.0-00.1				1	0.5	00.0-01.6				5	0.7	00.0-01.5			
\$75,000+	627	161,550													7	0.5	00.1-01.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 15: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXERACT4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Stair climbing Stair master			Swimming			Swimming in laps			Table tennis			Tai Chi			Tennis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2045	747,481	34	1.8	00.4-03.1	16	0.4	00.0-00.7	8	0.1	00.0-00.2	1	0.0	00.0-00.1	5	0.1	00.0-00.2	15	0.7	00.0-01.7
White/Non-Hisp	1495	305,460	26	3.3	00.5-06.0	13	0.9	00.0-01.8	7	0.1	00.0-00.3	1	0.0	00.0-00.1	4	0.3	00.0-00.6	13	0.3	00.1-00.5
Other Race	541	439,217	8	0.7	00.0-01.9	3	0.0	00.0-00.0	1	0.0	00.0-00.1				1	0.0	00.0-00.0	2	0.9	00.0-02.7
18-24	71	131,334	2	2.8	00.0-06.9	1	0.6	00.0-01.8	2	0.1	00.0-00.3									
25-34	132	148,494	3	4.1	00.0-09.6	1	0.2	00.0-00.5										1	2.7	00.0-07.9
35-44	299	138,592	1	0.0	00.0-00.1	2	0.0	00.0-00.1										2	0.1	00.0-00.3
45-54	432	127,589	8	1.5	00.0-03.3	5	0.2	00.0-00.5	2	0.0	00.0-00.1							5	0.3	00.0-00.6
55-64	429	96,917	4	0.1	00.0-00.2	4	1.4	00.0-03.7	3	0.0	00.0-00.1				2	0.6	00.0-01.6	3	0.3	00.0-00.7
65+	668	103,412	16	1.2	00.0-02.4	3	0.1	00.0-00.2	1	0.3	00.0-00.8	1	0.1	00.0-00.4	3	0.3	00.0-00.6	4	0.1	00.0-00.3
Less Than H.S.	82	131,579	3	0.4	00.0-01.2															
H.S. or G.E.D.	440	192,860	5	1.6	00.0-04.8	3	0.2	00.0-00.5	2	0.2	00.0-00.5	1	0.1	00.0-00.2	1	0.1	00.0-00.2	1	0.1	00.0-00.2
Some Post-H.S.	584	154,445	8	2.1	00.0-05.5	4	0.5	00.0-01.5	2	0.0	00.0-00.1							3	0.1	00.0-00.2
College Graduate	936	268,581	18	2.3	00.2-04.4	9	0.6	00.0-01.3	4	0.0	00.0-00.1				4	0.3	00.0-00.6	11	1.8	00.0-04.7
Less than \$15,000	121	78,686	1	0.0	00.0-00.0	1	1.0	00.0-03.0							1	0.6	00.0-01.9			
\$15,000- 24,999	295	192,435	6	2.0	00.0-05.3				1	0.0	00.0-00.0	1	0.1	00.0-00.2						
\$25,000- 34,999	194	66,639	3	0.8	00.0-02.3	1	0.0	00.0-00.0	2	0.6	00.0-01.5							3	6.4	00.0-17.8
\$35,000- 49,999	291	99,560	6	3.1	00.0-08.5	2	0.2	00.0-00.6	2	0.0	00.0-00.1				2	0.1	00.0-00.2	1	0.0	00.0-00.1
\$50,000- 74,999	340	88,245	6	2.9	00.0-07.6	6	1.6	00.0-04.0							2	0.3	00.0-00.7	1	0.0	00.0-00.0
\$75,000+	627	161,550	11	1.8	00.0-04.1	4	0.2	00.0-00.5	2	0.0	00.0-00.0							9	0.4	00.1-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 15: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXERACT4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Volleyball			Walking			Waterskiing			Weight lifting			Yoga			Other_____		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2045	747,481	3	0.1	00.0-00.3	312	10.0	06.7-13.3	1	0.0	00.0-00.0	92	4.9	01.8-08.0	46	5.2	00.3-10.1	382	13.4	09.2-17.6
White/Non-Hisp	1495	305,460	2	0.2	00.0-00.7	236	14.6	10.1-19.1	1	0.0	00.0-00.0	73	5.4	02.9-07.9	41	5.5	01.2-09.8	292	13.6	09.9-17.4
Other Race	541	439,217	1	0.0	00.0-00.1	74	6.8	02.3-11.3				19	4.6	00.0-09.6	5	5.0	00.0-12.8	90	13.3	06.7-19.9
18-24	71	131,334				12	10.9	02.5-19.2							2	1.8	00.0-04.4	5	4.3	00.0-08.7
25-34	132	148,494	2	0.5	00.0-01.5	13	5.1	00.4-09.7				6	2.4	00.0-05.0	6	6.0	00.0-14.0			
35-44	299	138,592				48	7.7	03.2-12.1				24	3.2	01.2-05.3				40	13.8	04.5-23.2
45-54	432	127,589	1	0.0	00.0-00.0										9	2.2	00.0-05.7	67	11.7	05.2-18.3
55-64	429	96,917							1	0.0	00.0-00.0	14	1.3	00.1-02.6	11	1.0	00.1-01.9			
65+	668	103,412				110	12.5	05.8-19.1				16	1.0	00.2-01.8	7	1.7	00.0-03.9	163	14.8	08.2-21.3
Less Than H.S.	82	131,579				5	2.4	00.0-06.1				1	0.2	00.0-00.7						
H.S. or G.E.D.	440	192,860	1	0.0	00.0-00.1	57	6.2	02.1-10.3				10	5.3	00.0-12.2	1	0.6	00.0-01.8	85	8.5	02.4-14.6
Some Post-H.S.	584	154,445				91	13.1	04.4-21.7				30	3.6	01.4-05.8	11	3.3	00.0-06.7	114	16.4	08.1-24.7
College Graduate	936	268,581	2	0.3	00.0-00.8	159	14.7	08.7-20.6	1	0.0	00.0-00.0	51	7.7	00.9-14.4				168	14.5	09.1-19.8
Less than \$15,000	121	78,686				13	1.8	00.0-03.7				2	0.1	00.0-00.4	1	0.0	00.0-00.1			
\$15,000- 24,999	295	192,435				37	2.1	00.5-03.6				6	0.3	00.0-00.8				60	9.2	01.9-16.5
\$25,000- 34,999	194	66,639				28	9.3	01.1-17.6							1	0.0	00.0-00.0	49	7.8	02.7-12.9
\$35,000- 49,999	291	99,560	1	0.1	00.0-00.3	44	9.6	03.0-16.3				9	1.2	00.1-02.4						
\$50,000- 74,999	340	88,245	1	0.0	00.0-00.0							19	7.7	02.6-12.8	7	2.2	00.0-04.9	56	7.1	03.3-11.0
\$75,000+	627	161,550	1	0.4	00.0-01.3	115	18.5	10.2-26.8							20	3.9	00.2-07.7	98	15.2	09.3-21.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 15: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXERACT4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No other physical activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)
Female	2045	747,481	694	40.2	31.2-49.2
White/Non-Hisp	1495	305,460			
Other Race	541	439,217			
18-24	71	131,334			
25-34	132	148,494			
35-44	299	138,592			
45-54	432	127,589			
55-64	429	96,917			
65+	668	103,412			
Less Than H.S.	82	131,579			
H.S. or G.E.D.	440	192,860			
Some Post-H.S.	584	154,445			
College Graduate	936	268,581	272	26.4	17.9-34.8
Less than \$15,000	121	78,686			
\$15,000- 24,999	295	192,435			
\$25,000- 34,999	194	66,639			
\$35,000- 49,999	291	99,560			
\$50,000- 74,999	340	88,245			
\$75,000+	627	161,550			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 16: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per week			Times per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2182	953,906	1479	71.8	64.6-79.0	703	28.2	21.0-35.4
Male	859	543,131	539	72.0	62.2-81.7	320	28.0	18.3-37.8
White/Non-Hisp	1639	406,231	1103	74.6	69.7-79.4	536	25.4	20.6-30.3
35-44	331	209,941	238	80.8	71.6-90.0	93	19.2	10.0-28.4
45-54	498	125,287	329	74.6	66.5-82.8	169	25.4	17.2-33.5
65+	613	73,629	411	67.7	59.5-75.9	202	32.3	24.1-40.5
College Graduate	1105	365,028	766	75.7	68.9-82.5	339	24.3	17.5-31.1
\$25,000- 34,999	189	97,309	119	88.6	80.5-96.6	70	11.4	03.4-19.5
\$35,000- 49,999	298	113,278	206	82.1	73.7-90.5	92	17.9	09.5-26.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010**

SECTION 10: PHYSICAL ACTIVITY

TABLE 17: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per week			Times per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	859	543,131	539	72.0	62.2-81.7	320	28.0	18.3-37.8
White/Non-Hisp	657	220,839	407	72.8	65.0-80.5	250	27.2	19.5-35.0
18-24	53	89,546	42	91.0	83.9-98.2	11	9.0	01.8-16.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 10: PHYSICAL ACTIVITY

TABLE 18: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 19: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Under One Hour			1-2 Hours			2-3 Hours			3-4 Hours			4-5 Hours		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2176	956,393	1288	49.4	41.5-57.2	569	31.1	23.7-38.6	164	9.4	04.0-14.8	71	4.0	00.2-07.8	42	1.5	00.4-02.7
Male	859	545,605	484	38.0	28.3-47.8				78	10.0	02.0-17.9	37	6.2	00.0-12.7	16	1.5	00.0-03.3
Female	1317	410,788	804	64.4	55.4-73.4	344	23.6	16.7-30.5	86	8.6	01.8-15.4	34	1.1	00.4-01.8	26	1.6	00.6-02.7
White/Non-Hisp	1642	409,566	953	52.9	45.4-60.4	440	28.8	22.8-34.7	122	5.9	03.7-08.1	54	2.7	01.1-04.3	35	3.0	00.5-05.5
Other Race	520	544,100							42	12.0	02.8-21.3	17	5.0	00.0-11.6	7	0.5	00.0-00.9
18-24	106	168,773							9	5.0	00.8-09.2	4	2.9	00.0-06.3	3	3.8	00.0-09.6
25-34	154	272,306										2	1.4	00.0-03.4			
35-44	330	209,835				93	16.8	08.7-24.9	20	8.4	00.0-18.3				3	0.4	00.0-00.9
45-54	495	125,148							32	4.5	01.7-07.3	12	1.7	00.3-03.2	6	2.1	00.0-04.5
55-64	470	106,013										17	2.6	00.0-05.2	11	1.6	00.0-03.1
65+	610	73,693	364	62.3	53.2-71.4	136	22.4	13.2-31.7	49	5.9	03.4-08.5	30	3.4	01.5-05.4	19	4.1	00.8-07.4
Less Than H.S.	71	116,031													5	5.7	00.0-14.1
H.S. or G.E.D.	398	233,418							45	6.2	01.2-11.2	21	2.6	00.1-05.0	6	0.3	00.0-00.7
Some Post-H.S.	597	239,955										18	1.2	00.0-02.6	13	1.3	00.0-02.7
College Graduate	1105	365,243	707	68.5	61.4-75.7	274	22.4	16.1-28.7	64	4.7	02.2-07.1	27	2.6	00.6-04.5	18	1.2	00.3-02.0
Less than \$15,000	88	35,919										6	3.2	00.0-08.9	3	6.1	00.0-13.9
\$15,000- 24,999	247	163,668										11	2.8	00.0-06.0	6	0.7	00.0-01.6
\$25,000- 34,999	191	97,776										6	1.2	00.0-02.9	4	0.7	00.0-01.8
\$35,000- 49,999	298	115,975							22	5.8	00.9-10.6	13	3.4	00.0-07.7	5	1.4	00.0-03.6
\$50,000- 74,999	345	131,854										6	2.4	00.0-05.9	7	1.2	00.0-02.8
\$75,000+	816	319,062							49	5.4	01.7-09.0	21	7.4	00.0-18.1	12	0.6	00.1-01.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 19: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-6 Hours			6-7 Hours			7-8 Hours			8-9 Hours			9-10 Hours		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2176	956,393	15	1.9	00.0-05.2	13	0.1	00.0-00.2	2	0.0	00.0-00.1	8	0.3	00.0-00.7	4	2.2	00.0-06.5
Male	859	545,605	8	3.1	00.0-08.9	5	0.1	00.0-00.2				4	0.4	00.0-00.9	2	3.9	00.0-11.3
Female	1317	410,788	7	0.2	00.0-00.5	8	0.2	00.0-00.4	2	0.0	00.0-00.1	4	0.2	00.0-00.6	2	0.0	00.0-00.0
White/Non-Hisp	1642	409,566	13	0.4	00.1-00.8	12	0.3	00.0-00.5	2	0.0	00.0-00.1	7	0.8	00.0-01.5	4	5.3	00.0-14.9
Other Race	520	544,100	2	3.0	00.0-08.7	1	0.0	00.0-00.0				1	0.0	00.0-00.0			
18-24	106	168,773															
25-34	154	272,306										1	0.3	00.0-00.8			
35-44	330	209,835										3	0.4	00.0-01.0	1	0.1	00.0-00.2
45-54	495	125,148	4	0.4	00.0-00.8	1	0.1	00.0-00.4				1	1.0	00.0-03.1			
55-64	470	106,013	7	0.7	00.0-01.5	6	0.4	00.0-01.0	2	0.2	00.0-00.5	1	0.0	00.0-00.0			
65+	610	73,693	2	0.7	00.0-02.0	6	0.8	00.0-01.7				2	0.2	00.0-00.6	2	0.1	00.0-00.2
Less Than H.S.	71	116,031	1	0.4	00.0-01.3												
H.S. or G.E.D.	398	233,418	4	7.0	00.0-20.0	4	0.1	00.0-00.4				2	0.7	00.0-01.8			
Some Post-H.S.	597	239,955	4	0.1	00.0-00.3	6	0.2	00.0-00.5				2	0.1	00.0-00.3	1	0.0	00.0-00.0
College Graduate	1105	365,243	6	0.2	00.0-00.5	3	0.1	00.0-00.2	2	0.1	00.0-00.1	4	0.3	00.0-00.8			
Less than \$15,000	88	35,919	1	0.1	00.0-00.2										1	0.5	00.0-01.4
\$15,000- 24,999	247	163,668				1	0.1	00.0-00.2				1	0.0	00.0-00.0	1	0.0	00.0-00.1
\$25,000- 34,999	191	97,776	1	0.5	00.0-01.6	1	0.0	00.0-00.1									
\$35,000- 49,999	298	115,975				5	0.3	00.0-00.8				1	1.1	00.0-03.3			
\$50,000- 74,999	345	131,854	3	0.2	00.0-00.5	3	0.2	00.0-00.7				1	0.2	00.0-00.6			
\$75,000+	816	319,062	5	0.3	00.0-00.5	2	0.1	00.0-00.2	1	0.0	00.0-00.0	4	0.4	00.0-01.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 20: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Under One Hour			2-3 Hours			3-4 Hours			4-5 Hours			5-6 Hours		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	859	545,605	484	38.0	28.3-47.8	78	10.0	02.0-17.9	37	6.2	00.0-12.7	16	1.5	00.0-03.3	8	3.1	00.0-08.9
White/Non-Hisp	659	223,393				56	6.6	03.3-09.9	29	4.1	01.2-07.0	15	3.4	00.0-07.7	6	0.4	00.0-00.8
Other Race	189	320,977							8	7.6	00.0-18.5	1	0.1	00.0-00.4	2	5.1	00.0-14.7
18-24	53	89,546				4	3.8	00.0-08.3	3	4.9	00.0-11.3	1	5.4	00.0-15.9			
25-34	71	199,299							2	1.9	00.0-04.7						
35-44	130	124,718				14	4.4	00.7-08.2									
45-54	203	52,811				15	7.2	00.9-13.4	6	2.2	00.0-04.9	4	1.7	00.0-03.7	1	0.3	00.0-00.9
55-64	196	50,846				20	4.1	01.0-07.3	8	2.9	00.0-06.6	4	1.5	00.0-03.5	5	1.3	00.0-03.0
65+	201	28,052				13	4.8	01.0-08.6	15	5.2	01.3-09.1	7	5.4	00.0-12.8			
H.S. or G.E.D.	154	151,775				22	8.1	00.5-15.7	9	3.0	00.0-06.6	1	0.2	00.0-00.5			
Some Post-H.S.	214	142,015							10	1.5	00.0-03.7	3	0.1	00.0-00.2	1	0.1	00.0-00.2
College Graduate	456	172,964				31	4.6	01.8-07.4	15	4.7	00.7-08.7	10	1.4	00.0-02.7	5	0.4	00.0-00.9
\$15,000- 24,999	81	102,989							5	3.5	00.0-08.5	2	0.4	00.0-01.3			
\$25,000- 34,999	67	49,135				7	4.6	00.0-12.6	2	1.6	00.0-05.1						
\$35,000- 49,999	106	54,256				9	6.9	00.0-13.9	8	6.9	00.0-16.1	1	0.0	00.0-00.1			
\$50,000- 74,999	131	82,613							5	3.2	00.0-08.8	2	1.5	00.0-04.1	1	0.1	00.0-00.3
\$75,000+	373	202,282				29	6.1	01.0-11.2				8	0.6	00.0-01.1	3	0.3	00.0-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 20: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		6-7 Hours			8-9 Hours			9-10 Hours			1-2 Hours		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	859	545,605	5	0.1	00.0-00.2	4	0.4	00.0-00.9	2	3.9	00.0-11.3			
White/Non-Hisp	659	223,393	5	0.2	00.0-00.4	4	0.9	00.0-02.2				172	29.6	20.3-38.9
Other Race	189	320,977												
18-24	53	89,546												
25-34	71	199,299												
35-44	130	124,718				2	0.6	00.0-01.5	1	0.1	00.0-00.4			
45-54	203	52,811	1	0.3	00.0-00.9	1	2.5	00.0-07.3						
55-64	196	50,846	1	0.2	00.0-00.6									
65+	201	28,052	3	0.6	00.0-01.6	1	0.1	00.0-00.4						
H.S. or G.E.D.	154	151,775	1	0.0	00.0-00.0	2	1.0	00.0-02.8						
Some Post-H.S.	214	142,015	1	0.0	00.0-00.1									
College Graduate	456	172,964	3	0.2	00.0-00.5	2	0.3	00.0-00.8				107	25.4	15.8-35.0
\$15,000- 24,999	81	102,989	1	0.1	00.0-00.4									
\$25,000- 34,999	67	49,135										15	7.6	00.0-17.4
\$35,000- 49,999	106	54,256	1	0.1	00.0-00.2	1	2.4	00.0-07.1						
\$50,000- 74,999	131	82,613	1	0.0	00.0-00.1	1	0.3	00.0-00.9						
\$75,000+	373	202,282	2	0.1	00.0-00.3	2	0.3	00.0-00.7						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 21: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Under One Hour			1-2 Hours			2-3 Hours			3-4 Hours			4-5 Hours		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1317	410,788	804	64.4	55.4-73.4	344	23.6	16.7-30.5	86	8.6	01.8-15.4	34	1.1	00.4-01.8	26	1.6	00.6-02.7
White/Non-Hisp	983	186,173	583	62.1	55.1-69.2	268	27.8	20.8-34.7	66	5.1	02.3-07.8	25	1.0	00.3-01.7	20	2.5	00.6-04.3
Other Race	331	223,123										9	1.2	00.0-02.4	6	0.9	00.0-02.0
18-24	53	79,227							5	6.4	00.0-13.9	1	0.6	00.0-01.9	2	2.0	00.0-05.0
25-34	83	73,006							3	4.1	00.0-11.4						
35-44	200	85,117										3	0.9	00.0-02.2	3	1.0	00.0-02.4
45-54	292	72,337							17	2.5	00.6-04.4	6	1.4	00.0-03.0	2	2.5	00.0-06.3
55-64	274	55,167										9	2.4	00.0-06.0	7	1.6	00.0-04.0
65+	409	45,641							36	6.6	03.2-10.0	15	2.3	00.2-04.4	12	3.3	00.5-06.1
H.S. or G.E.D.	244	81,644							23	2.6	00.3-05.0	12	1.8	00.0-03.9	5	0.6	00.0-01.4
Some Post-H.S.	383	97,940										8	0.9	00.0-01.9	10	3.1	00.0-06.5
College Graduate	649	192,278	424	73.5	64.2-82.8	167	19.6	11.6-27.7	33	4.7	00.9-08.5	12	0.6	00.0-01.3	8	1.0	00.0-02.0
Less than \$15,000	55	18,415				7	2.3	00.0-06.1				6	6.3	00.0-18.2			
\$15,000- 24,999	166	60,679							14	1.8	00.1-03.4	6	1.6	00.0-03.9	4	1.3	00.0-03.2
\$25,000- 34,999	124	48,641										4	0.7	00.0-01.7	4	1.4	00.0-03.6
\$35,000- 49,999	192	61,719							13	4.9	00.0-11.5	5	0.3	00.0-00.8	4	2.6	00.0-06.8
\$50,000- 74,999	214	49,241							12	3.4	00.0-07.9	1	1.0	00.0-02.9	5	0.7	00.0-01.6
\$75,000+	443	116,780	283	68.7	59.0-78.4	123	24.4	16.1-32.8	20	4.2	00.0-08.9	8	1.1	00.0-02.2	4	0.6	00.0-01.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 21: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-6 Hours			6-7 Hours			7-8 Hours			8-9 Hours			9-10 Hours		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1317	410,788	7	0.2	00.0-00.5	8	0.2	00.0-00.4	2	0.0	00.0-00.1	4	0.2	00.0-00.6	2	0.0	00.0-00.0
White/Non-Hisp	983	186,173	7	0.5	00.0-01.1	7	0.4	00.0-00.8	2	0.1	00.0-00.3	3	0.5	00.0-01.3	2	0.0	00.0-00.1
Other Race	331	223,123				1	0.0	00.0-00.0				1	0.0	00.0-00.0			
18-24	53	79,227															
25-34	83	73,006										1	1.0	00.0-02.9			
35-44	200	85,117										1	0.2	00.0-00.6			
45-54	292	72,337	3	0.5	00.0-01.1												
55-64	274	55,167	2	0.1	00.0-00.3	5	0.6	00.0-01.7	2	0.4	00.0-01.0	1	0.0	00.0-00.0			
65+	409	45,641	2	1.1	00.0-03.3	3	0.9	00.0-02.2				1	0.3	00.0-00.8	2	0.1	00.0-00.3
H.S. or G.E.D.	244	81,644	2	0.1	00.0-00.2	3	0.4	00.0-01.1							1	0.0	00.0-00.1
Some Post-H.S.	383	97,940	3	0.3	00.0-00.6	5	0.5	00.0-01.1				2	0.3	00.0-00.7	1	0.0	00.0-00.1
College Graduate	649	192,278	1	0.1	00.0-00.2				2	0.1	00.0-00.3	2	0.4	00.0-01.1			
Less than \$15,000	55	18,415															
\$15,000- 24,999	166	60,679										1	0.0	00.0-00.0	1	0.1	00.0-00.2
\$25,000- 34,999	124	48,641	1	1.0	00.0-03.1	1	0.0	00.0-00.1							1	0.1	00.0-00.2
\$35,000- 49,999	192	61,719				4	0.5	00.0-01.4									
\$50,000- 74,999	214	49,241	2	0.4	00.0-01.1	2	0.6	00.0-01.8									
\$75,000+	443	116,780	2	0.2	00.0-00.4				1	0.0	00.0-00.1	2	0.8	00.0-02.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 22: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS, OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (EXOFTSTR)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per week			Times per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4497	2,032,864	1358	31.8	26.6-37.1	484	14.7	10.3-19.1	2655	53.5	47.8-59.2
Male	1675	999,370	539	33.8	25.7-42.0	234	20.6	13.1-28.1	902	45.6	37.0-54.1
Female	2822	1,033,494	819	29.9	23.1-36.6	250	9.0	04.6-13.3	1753	61.2	53.9-68.4
White/Non-Hisp	3250	779,417	985	34.7	28.9-40.6	341	11.3	08.5-14.0	1924	54.0	47.9-60.1
Other Race	1215	1,245,870	362	30.0	22.2-37.7	137	16.8	10.0-23.7	716	53.2	44.7-61.7
25-34	289	511,957				42	12.3	03.0-21.7			
35-44	608	392,162				80	14.3	07.2-21.3			
45-54	925	335,705	331	24.3	15.7-32.9						
55-64	1003	214,834	280	24.8	15.3-34.3	112	10.2	04.1-16.3			
65+	1478	275,404	326	16.6	11.2-22.1						
H.S. or G.E.D.	1078	506,641				82	7.7	02.7-12.8			
College Graduate	1887	597,970	712	39.9	32.8-47.0	243	17.0	09.9-24.1	932	43.1	36.3-50.0
Less than \$15,000	299	200,754				18	1.5	00.2-02.9			
\$15,000- 24,999	679	473,440				61	12.0	02.2-21.9			
\$50,000- 74,999	697	241,009				81	15.8	06.0-25.7			
\$75,000+	1376	502,035	542	40.4	32.0-48.9	184	18.1	11.3-25.0	650	41.5	33.3-49.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 23: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS, OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (EXOFSTR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per week			Times per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1675	999,370	539	33.8	25.7-42.0	234	20.6	13.1-28.1	902	45.6	37.0-54.1
White/Non-Hisp	1233	378,744	379	36.7	26.9-46.5	168	14.1	09.2-18.9	686	49.3	39.7-58.9
45-54	374	173,862	139	17.8	07.9-27.7						
55-64	392	113,779				58	8.2	03.7-12.7			
65+	492	105,316	118	17.2	08.3-26.1						
H.S. or G.E.D.	393	245,189				43	12.0	02.1-21.9			
College Graduate	734	280,245	278	36.8	27.1-46.6						
Less than \$15,000	91	87,150	17	5.3	00.0-10.8	9	2.3	00.0-05.3	65	92.5	85.2-99.7
\$25,000- 34,999	152	76,870				20	7.8	00.5-15.1			
\$75,000+	609	275,813							277	31.1	21.9-40.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 10: PHYSICAL ACTIVITY**

TABLE 24: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS, OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (EXOFSTR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per week			Times per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2822	1,033,494	819	29.9	23.1-36.6	250	9.0	04.6-13.3	1753	61.2	53.9-68.4
White/Non-Hisp	2017	400,673	606	32.9	26.6-39.2	173	8.6	05.9-11.4	1238	58.5	51.4-65.5
Other Race	794	629,922				77	9.2	02.2-16.2			
25-34	175	256,820	46	14.0	06.4-21.6	20	4.1	00.9-07.2	109	82.0	73.3-90.6
35-44	395	189,544				44	6.0	02.3-09.6			
45-54	551	161,843				61	8.5	04.1-13.0			
65+	986	170,088	208	16.2	09.4-23.1						
Less Than H.S.	160	197,370	15	10.5	01.9-19.0						
H.S. or G.E.D.	685	261,452				39	3.7	01.3-06.1			
Some Post-H.S.	820	256,928				77	10.2	01.2-19.3			
College Graduate	1153	317,726	434	42.6	32.9-52.3	130	11.3	06.4-16.2	589	46.1	37.1-55.2
Less than \$15,000	208	113,604				9	1.0	00.0-01.9			
\$15,000- 24,999	467	240,317				33	3.9	01.2-06.6			
\$35,000- 49,999	388	117,197				29	3.7	00.7-06.7			
\$50,000- 74,999	446	132,853	136	22.0	13.2-30.7	42	9.0	03.0-15.0			
\$75,000+	767	226,222	307	34.2	24.4-44.1	87	11.6	05.3-18.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 11: SECONDHAND SMOKE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE

NOW I'M GOING TO ASK YOU ABOUT SMOKE YOU MIGHT HAVE BREATHED AT WORK BECAUSE SOMEONE ELSE WAS SMOKING INDOORS. DURING THE PAST 7 DAYS, THAT IS, SINCE LAST [TODAY'S DAY OF THE WEEK], ON HOW MANY DAYS DID YOU BREATHE THE SMOKE AT YOUR WORKPLACE FROM SOMEONE OTHER THAN YOU WHO WAS SMOKING TOBACCO? (SHSWRKPL)

- 1 MALES AND FEMALES
- 2 MALES ONLY
- 3 FEMALES ONLY

NOT COUNTING DECKS, PORCHES, OR GARAGES, DURING THE PAST 7 DAYS, THAT IS, SINCE LAST [TODAY'S DAY OF THE WEEK], ON HOW MANY DAYS DID SOMEONE OTHER THAN YOU SMOKE TOBACCO INSIDE YOUR HOME WHILE YOU WERE AT HOME? (TOBACC01)

- 4 MALES AND FEMALES
- 5 MALES ONLY
- 6 FEMALES ONLY

DURING THE PAST 7 DAYS, THAT IS, SINCE LAST [TODAY'S DAY OF WEEK], ON HOW MANY DAYS DID YOU RIDE IN A VEHICLE WHERE SOMEONE OTHER THAN YOU WAS SMOKING TOBACCO? (SHSVEHIC)

- 7 MALES AND FEMALES
- 8 MALES ONLY
- 9 FEMALES ONLY

NOT COUNTING TIMES WHILE YOU WERE AT WORK, DURING THE PAST 7 DAYS, THAT IS, SINCE LAST [TODAY'S DAY OF WEEK], ON HOW MANY DAYS DID YOU BREATHE THE SMOKE FROM SOMEONE ELSE WHO WAS SMOKING IN AN INDOOR PUBLIC PLACE? (SHSPUBL)

- 10 MALES AND FEMALES
- 11 MALES ONLY
- 12 FEMALES ONLY

NOT COUNTING DECKS, PORCHES, OR GARAGES, INSIDE YOUR HOME, IS SMOKING... (HOUSSMK2)

- 13 MALES AND FEMALES
- 14 MALES ONLY
- 15 FEMALES ONLY

NOT COUNTING MOTORCYCLES, IN THE VEHICLES THAT YOU OR FAMILY MEMBERS WHO LIVE WITH YOU OWN OR LEASE, IS SMOKING... (SHSPERVH)

- 16 MALES AND FEMALES
- 17 MALES ONLY
- 18 FEMALES ONLY

AT WORKPLACES, DO YOU THINK SMOKING INDOORS SHOULD BE... (SHSALOW2)

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 11: SECONDHAND SMOKE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

* * * * *

TABLE

19 MALES AND FEMALES
20 MALES ONLY
21 FEMALES ONLY

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 11: SECONDHAND SMOKE

TABLE 1: NOW I'M GOING TO ASK YOU ABOUT SMOKE YOU MIGHT HAVE BREATHED AT WORK BECAUSE SOMEONE ELSE WAS SMOKING INDOORS. DURING THE PAST 7 DAYS, THAT IS, SINCE LAST [TODAY'S DAY OF THE WEEK], ON HOW MANY DAYS DID YOU BREATHE THE SMOKE AT YOUR WORKPLACE FROM SOMEONE OTHER THAN YOU WHO WAS SMOKING TOBACCO? (SHSWRKPL)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 Days			3-4 Days			5-7 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2260	1,056,684	77	3.5	01.7-05.3	20	1.4	00.0-03.5	68	5.7	01.3-10.1	2095	89.5	84.4-94.5
Male	924	584,319	47	3.8	01.3-06.3	10	2.3	00.0-06.2	37	8.3	00.6-16.0	830	85.6	77.0-94.1
Female	1336	472,364	30	3.1	00.4-05.8	10	0.3	00.0-00.5	31	2.4	00.5-04.3	1265	94.3	90.9-97.6
White/Non-Hisp	1614	459,360	41	2.3	01.2-03.4	10	0.3	00.0-00.6	34	6.5	00.0-15.1	1529	90.9	82.4-99.4
Other Race	633	594,967	35	4.4	01.3-07.6	10	2.2	00.0-06.0	33	4.9	00.8-08.9	555	88.5	82.3-94.7
18-24	63	114,767	2	1.1	00.0-03.1									
25-34	203	301,471	13	6.7	01.3-12.0	4	4.1	00.0-11.5						
35-44	454	267,157	24	3.7	00.1-07.3	2	0.2	00.0-00.6	18	6.3	00.0-13.3	410	89.8	82.1-97.5
45-54	717	225,300	17	1.5	00.3-02.7	8	0.5	00.0-01.0	18	0.5	00.1-00.9	674	97.5	96.1-99.0
55-64	619	122,399	20	1.8	00.5-03.2	4	0.5	00.0-01.3	13	3.2	00.2-06.3	582	94.4	90.8-98.0
65+	192	24,237	1	0.0	00.0-00.1	2	0.1	00.0-00.2	3	2.0	00.0-04.5	186	97.9	95.4-0100
H.S. or G.E.D.	396	199,695	26	3.1	01.1-05.2	7	0.4	00.0-00.8						
Some Post-H.S.	616	279,630	20	1.9	00.5-03.3	7	4.4	00.0-12.4	27	2.7	00.8-04.6	562	91.0	82.8-99.2
College Graduate	1186	450,486	24	3.1	00.7-05.5	6	0.3	00.0-00.7	11	1.5	00.0-03.3	1145	95.1	92.1-98.1
\$15,000- 24,999	155	159,100	9	8.4	00.0-18.0	5	0.4	00.0-01.1	13	7.0	00.0-15.3			
\$25,000- 34,999	170	92,613	8	3.6	00.0-09.5	1	0.0	00.0-00.0						
\$35,000- 49,999	286	130,389	11	4.4	00.0-10.6	2	0.3	00.0-00.8	11	2.2	00.0-04.6	262	93.1	86.4-99.9
\$50,000- 74,999	442	190,988	21	3.6	00.9-06.3	4	0.3	00.0-00.8	13	1.8	00.2-03.5	404	94.3	90.9-97.7
\$75,000+	1022	389,670	23	1.7	00.4-02.9	8	3.3	00.0-09.1	12	3.0	00.0-07.7	979	92.0	84.7-99.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 11: SECONDHAND SMOKE

TABLE 2: NOW I'M GOING TO ASK YOU ABOUT SMOKE YOU MIGHT HAVE BREATHED AT WORK BECAUSE SOMEONE ELSE WAS SMOKING INDOORS. DURING THE PAST 7 DAYS, THAT IS, SINCE LAST [TODAY'S DAY OF THE WEEK], ON HOW MANY DAYS DID YOU BREATHE THE SMOKE AT YOUR WORKPLACE FROM SOMEONE OTHER THAN YOU WHO WAS SMOKING TOBACCO? (SHSWRKPL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 Days			3-4 Days			5-7 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	924	584,319	47	3.8	01.3-06.3	10	2.3	00.0-06.2	37	8.3	00.6-16.0	830	85.6	77.0-94.1
White/Non-Hisp	684	242,549	28	2.6	01.1-04.1	5	0.5	00.0-01.1						
Other Race	232	341,003	18	4.7	00.5-08.9	5	3.6	00.0-10.2	16	6.2	00.0-12.7	193	85.5	75.6-95.5
25-34	88	176,086	6	5.5	00.0-11.5	1	6.7	00.0-19.2						
35-44	175	161,270	18	5.7	00.0-11.7	1	0.3	00.0-01.0	7	8.7	00.0-20.0			
45-54	306	119,661	10	1.7	00.0-03.3	4	0.3	00.0-00.8	12	0.6	00.0-01.1	280	97.4	95.3-99.5
55-64	250	67,611	12	2.0	00.1-03.9	3	0.9	00.0-02.3	8	3.9	00.0-08.5	227	93.2	87.5-98.9
65+	72	12,550				1	0.1	00.0-00.3	2	2.9	00.0-07.4	69	97.0	92.4-0100
H.S. or G.E.D.	174	95,270	17	3.7	00.9-06.5	2	0.1	00.0-00.1						
Some Post-H.S.	224	159,228	11	1.6	00.0-03.3				13	3.5	00.4-06.5			
College Graduate	490	219,837	15	4.9	00.2-09.6	6	0.7	00.0-01.4	4	0.6	00.0-01.6	465	93.8	88.9-98.6
\$25,000- 34,999	56	48,857	4	6.4	00.0-18.1									
\$35,000- 49,999	101	85,915	6	6.2	00.0-15.7				6	3.0	00.0-06.8	89	90.8	80.3-0100
\$50,000- 74,999	163	93,086	10	1.6	00.0-03.3	2	0.5	00.0-01.4	5	2.9	00.0-06.2	146	95.0	90.7-99.3
\$75,000+	479	229,145	18	2.1	00.1-04.0	8	5.6	00.0-15.2	8	5.1	00.0-13.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 11: SECONDHAND SMOKE

TABLE 3: NOW I'M GOING TO ASK YOU ABOUT SMOKE YOU MIGHT HAVE BREATHED AT WORK BECAUSE SOMEONE ELSE WAS SMOKING INDOORS. DURING THE PAST 7 DAYS, THAT IS, SINCE LAST [TODAY'S DAY OF THE WEEK], ON HOW MANY DAYS DID YOU BREATHE THE SMOKE AT YOUR WORKPLACE FROM SOMEONE OTHER THAN YOU WHO WAS SMOKING TOBACCO? (SHSWRKPL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 Days			3-4 Days			5-7 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1336	472,364	30	3.1	00.4-05.8	10	0.3	00.0-00.5	31	2.4	00.5-04.3	1265	94.3	90.9-97.6
White/Non-Hisp	930	216,812	13	2.0	00.2-03.7	5	0.1	00.0-00.3	13	1.1	00.0-02.4	899	96.8	94.6-99.0
Other Race	401	253,964	17	4.0	00.0-08.8	5	0.4	00.0-00.9	17	3.1	00.0-06.4	362	92.5	86.6-98.3
25-34	115	125,385	7	8.4	00.0-17.9	3	0.5	00.0-01.1	6	3.6	00.0-09.8			
35-44	279	105,887	6	0.7	00.0-01.4	1	0.0	00.0-00.1	11	2.6	00.0-05.3	261	96.7	93.8-99.6
45-54	411	105,639	7	1.3	00.0-03.1	4	0.6	00.0-01.5	6	0.4	00.0-01.0	394	97.7	95.6-99.8
55-64	369	54,787	8	1.7	00.0-03.8	1	0.1	00.0-00.2	5	2.4	00.0-06.3	355	95.8	91.4-0100
65+	120	11,687	1	0.0	00.0-00.1	1	0.1	00.0-00.2	1	1.1	00.0-03.1	117	98.8	96.7-0100
H.S. or G.E.D.	222	104,425	9	2.6	00.0-05.6	5	0.6	00.0-01.6	10	4.0	00.1-07.9	198	92.8	87.2-98.3
Some Post-H.S.	392	120,402	9	2.2	00.0-04.6	5	0.5	00.0-01.2	14	1.6	00.0-03.8	364	95.7	92.3-99.1
College Graduate	696	230,649	9	1.3	00.0-02.8				7	2.3	00.0-05.7	680	96.4	92.7-0100
\$15,000- 24,999	99	86,183				5	0.8	00.0-02.1	5	4.2	00.0-09.4			
\$25,000- 34,999	114	43,755	4	0.5	00.0-01.3	1	0.0	00.0-00.0						
\$35,000- 49,999	185	44,474	5	1.0	00.0-02.2	2	0.8	00.0-02.3	5	0.6	00.0-01.3	173	97.6	95.5-99.7
\$50,000- 74,999	279	97,902	11	5.4	00.5-10.3	2	0.2	00.0-00.6	8	0.8	00.0-01.8	258	93.6	88.4-98.7
\$75,000+	543	160,525	5	1.1	00.0-02.4				4	0.0	00.0-00.1	534	98.9	97.5-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 11: SECONDHAND SMOKE**

TABLE 4: NOT COUNTING DECKS, PORCHES, OR GARAGES, DURING THE PAST 7 DAYS, THAT IS, SINCE LAST [TODAY'S DAY OF THE WEEK], ON HOW MANY DAYS DID SOMEONE OTHER THAN YOU SMOKE TOBACCO INSIDE YOUR HOME WHILE YOU WERE AT HOME? (TOBACCO1)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 Days			3-4 Days			5-7 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4664	2,072,291	128	3.8	01.6-06.1	46	1.1	00.3-01.8	235	6.6	03.8-09.3	4255	88.5	85.1-92.0
Male	1733	1,021,133	46	3.8	00.2-07.4	18	1.3	00.1-02.5	85	9.1	03.9-14.2	1584	85.8	79.7-92.0
Female	2931	1,051,158	82	3.9	01.1-06.6	28	0.8	00.0-01.6	150	4.1	02.4-05.9	2671	91.2	87.9-94.5
White/Non-Hisp	3365	795,806	78	2.1	01.1-03.1	30	1.5	00.2-02.8	167	9.0	03.8-14.3	3090	87.3	82.0-92.6
Other Race	1266	1,268,899	48	4.9	01.3-08.5	16	0.8	00.0-01.6	68	5.1	02.1-08.0	1134	89.2	84.6-93.8
18-24	167	301,634	10	3.2	00.7-05.7	5	1.8	00.0-05.0	18	4.6	01.8-07.5	134	90.4	85.0-95.7
25-34	293	515,367	12	4.0	00.0-10.4	4	1.1	00.0-02.6	27	9.9	01.4-18.5			
35-44	623	395,742	16	5.1	00.0-11.2	1	0.1	00.0-00.4	23	7.5	01.7-13.4	583	87.2	79.1-95.4
45-54	957	344,126	25	1.2	00.2-02.3	12	1.0	00.0-02.0	53	7.4	01.0-13.8	867	90.3	83.7-96.9
55-64	1038	223,145	35	8.7	00.4-17.0	16	2.9	00.0-06.0	60	3.6	01.0-06.1	927	84.8	76.0-93.6
65+	1556	289,747	30	1.7	00.1-03.3	8	0.2	00.0-00.5	52	2.7	01.1-04.3	1466	95.4	93.0-97.8
Less Than H.S.	280	418,954	16	6.5	00.0-14.5	4	2.0	00.0-04.8	17	4.0	00.0-08.6	243	87.5	78.1-97.0
H.S. or G.E.D.	1135	517,423	43	7.2	01.3-13.1	20	1.2	00.3-02.1	83	15.2	06.0-24.4			
Some Post-H.S.	1300	520,812	37	1.2	00.3-02.2	16	0.5	00.1-00.8	83	4.9	02.5-07.4	1164	93.4	90.6-96.1
College Graduate	1938	613,011	32	1.3	00.3-02.3	6	0.8	00.0-02.1	51	2.5	01.1-03.9	1849	95.4	93.2-97.5
Less than \$15,000	323	204,252				8	0.7	00.0-01.8	35	10.1	00.4-19.9			
\$15,000- 24,999	719	483,317	31	6.3	00.0-13.6	9	0.1	00.0-00.2	44	4.9	00.8-08.9	635	88.8	80.6-97.0
\$25,000- 34,999	465	207,363	15	3.4	00.4-06.4	5	4.0	00.0-09.0						
\$35,000- 49,999	642	259,099	19	2.7	00.1-05.2	8	1.2	00.0-02.4	33	3.5	01.2-05.9	582	92.6	88.7-96.5
\$50,000- 74,999	713	247,925	20	1.1	00.1-02.1	4	0.6	00.0-01.3	41	6.8	02.8-10.8	648	91.5	87.2-95.8
\$75,000+	1405	507,288	13	0.9	00.0-01.8	8	0.4	00.0-00.7	55	6.3	01.7-10.9	1329	92.5	87.8-97.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 11: SECONDHAND SMOKE

TABLE 5: NOT COUNTING DECKS, PORCHES, OR GARAGES, DURING THE PAST 7 DAYS, THAT IS, SINCE LAST [TODAY'S DAY OF THE WEEK], ON HOW MANY DAYS DID SOMEONE OTHER THAN YOU SMOKE TOBACCO INSIDE YOUR HOME WHILE YOU WERE AT HOME? (TOBACCO1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 Days			3-4 Days			5-7 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1733	1,021,133	46	3.8	00.2-07.4	18	1.3	00.1-02.5	85	9.1	03.9-14.2	1584	85.8	79.7-92.0
White/Non-Hisp	1275	388,247	29	1.6	00.5-02.7	14	2.5	00.0-05.2				1172	83.9	73.9-93.9
Other Race	437	628,208	15	5.2	00.0-10.9	4	0.6	00.0-01.6	25	7.3	01.9-12.8	393	86.9	79.2-94.7
18-24	80	149,096	6	3.7	00.1-07.4	4	3.6	00.0-10.0	7	2.9	00.0-05.9	63	89.7	81.3-98.1
35-44	215	204,484	3	1.3	00.0-03.0									
45-54	382	175,648	12	0.7	00.1-01.3	5	1.4	00.0-03.4	17	7.0	00.0-17.2	348	90.9	80.4-0100
55-64	406	118,299	11	7.7	00.0-19.5	8	4.6	00.0-10.4	25	4.9	00.3-09.6			
65+	524	115,581	8	0.4	00.0-00.8	1	0.0	00.0-00.0	15	3.9	00.4-07.4	500	95.7	92.2-99.3
Less Than H.S.	109	215,696				3	3.8	00.0-09.3	10	7.3	00.0-16.4			
H.S. or G.E.D.	411	253,418	22	6.1	00.0-12.2	7	1.6	00.0-03.2						
Some Post-H.S.	448	257,769	9	0.6	00.0-01.3	7	0.4	00.0-00.9	21	3.4	00.2-06.7	411	95.5	92.1-99.0
College Graduate	758	292,177	10	1.4	00.0-02.9	1	0.0	00.0-00.0	19	3.3	00.6-06.1	728	95.3	92.1-98.5
Less than \$15,000	99	88,608	4	0.5	00.0-01.2	3	1.3	00.0-03.7						
\$15,000- 24,999	226	236,177				4	0.1	00.0-00.2	11	7.1	00.0-14.9			
\$25,000- 34,999	161	83,640	9	2.7	00.0-05.6	3	5.1	00.0-13.4						
\$35,000- 49,999	238	140,757	3	1.1	00.0-03.2	3	1.2	00.0-03.2	12	2.9	00.0-05.8	220	94.7	90.4-99.1
\$50,000- 74,999	254	113,767	10	1.9	00.0-04.1	1	0.0	00.0-00.1	10	3.0	00.0-06.5	233	95.1	90.8-99.4
\$75,000+	624	280,089	7	1.4	00.0-03.0	3	0.4	00.0-01.0	29	10.0	01.9-18.1	585	88.2	80.0-96.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 11: SECONDHAND SMOKE**

TABLE 6: NOT COUNTING DECKS, PORCHES, OR GARAGES, DURING THE PAST 7 DAYS, THAT IS, SINCE LAST [TODAY'S DAY OF THE WEEK], ON HOW MANY DAYS DID SOMEONE OTHER THAN YOU SMOKE TOBACCO INSIDE YOUR HOME WHILE YOU WERE AT HOME? (TOBACCO1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 Days			3-4 Days			5-7 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2931	1,051,158	82	3.9	01.1-06.6	28	0.8	00.0-01.6	150	4.1	02.4-05.9	2671	91.2	87.9-94.5
White/Non-Hisp	2090	407,560	49	2.6	00.9-04.2	16	0.6	00.2-01.0	107	6.2	03.5-09.0	1918	90.6	87.4-93.8
Other Race	829	640,691	33	4.7	00.4-09.0	12	1.0	00.0-02.2	43	2.8	00.6-05.1	741	91.5	86.5-96.5
18-24	87	152,538	4	2.7	00.0-06.1	1	0.1	00.0-00.2	11	6.3	01.3-11.2	71	91.0	84.5-97.5
25-34	178	257,967	6	0.4	00.0-00.7	4	2.1	00.0-05.2	14	2.5	00.4-04.7	154	95.0	91.1-98.9
35-44	408	191,258				1	0.3	00.0-00.8	15	4.6	00.1-09.1			
45-54	575	168,478	13	1.8	00.0-03.8	7	0.6	00.0-01.3	36	7.8	00.2-15.5	519	89.7	81.8-97.7
55-64	632	104,846				8	0.9	00.0-01.9	35	2.0	00.9-03.2			
65+	1032	174,166	22	2.6	00.0-05.3	7	0.3	00.0-00.8	37	1.9	00.7-03.1	966	95.2	92.0-98.3
Less Than H.S.	171	203,258	11	4.7	00.7-08.8	1	0.0	00.0-00.0	7	0.4	00.0-00.8	152	94.9	90.8-99.0
H.S. or G.E.D.	724	264,005	21	8.3	00.0-18.1	13	0.8	00.1-01.6	49	7.8	01.9-13.6			
Some Post-H.S.	852	263,043	28	1.9	00.1-03.7	9	0.5	00.0-01.0	62	6.4	02.7-10.0	753	91.2	87.0-95.5
College Graduate	1180	320,834	22	1.3	00.0-02.6	5	1.5	00.0-04.0	32	1.7	00.6-02.8	1121	95.5	92.5-98.4
Less than \$15,000	224	115,644				5	0.3	00.0-00.7	22	3.8	00.0-08.2			
\$15,000- 24,999	493	247,140	21	1.5	00.3-02.7	5	0.1	00.0-00.3	33	2.7	00.4-05.0	434	95.7	92.9-98.5
\$25,000- 34,999	304	123,722	6	3.9	00.0-08.5	2	3.3	00.0-09.6	12	7.0	00.0-17.2			
\$35,000- 49,999	404	118,343	16	4.5	00.0-09.6	5	1.2	00.0-02.4	21	4.3	00.5-08.0	362	90.1	83.4-96.8
\$50,000- 74,999	459	134,158	10	0.4	00.0-00.9	3	1.1	00.0-02.4	31	10.0	03.4-16.6	415	88.5	81.6-95.3
\$75,000+	781	227,200	6	0.3	00.0-00.5	5	0.3	00.0-00.7	26	1.8	00.4-03.1	744	97.6	96.2-99.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 11: SECONDHAND SMOKE**

TABLE 7: DURING THE PAST 7 DAYS, THAT IS, SINCE LAST [TODAY'S DAY OF WEEK], ON HOW MANY DAYS DID YOU RIDE IN A VEHICLE WHERE SOMEONE OTHER THAN YOU WAS SMOKING TOBACCO? (SHSVEHIC)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 Days			3-4 Days			5-7 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4662	2,073,059	269	6.1	03.7-08.4	90	4.6	01.9-07.3	75	3.0	00.7-05.3	4228	86.3	82.3-90.3
Male	1732	1,021,572	114	5.3	01.9-08.8	48	7.5	02.3-12.6	31	4.3	00.0-08.7	1539	82.9	75.9-89.9
Female	2930	1,051,488	155	6.8	03.6-10.0	42	1.8	00.3-03.4	44	1.8	00.5-03.0	2689	89.6	85.8-93.4
White/Non-Hisp	3363	795,425	196	8.8	05.0-12.6	53	6.2	00.7-11.7	53	5.1	00.0-10.4	3061	79.8	72.5-87.2
Other Race	1267	1,270,051	72	4.4	01.4-07.3	36	3.7	01.0-06.4	21	1.7	00.1-03.3	1138	90.3	86.0-94.5
18-24	167	301,634	22	9.9	03.9-15.8				16	2.4	00.7-04.0			
25-34	292	514,989	20	5.0	00.0-10.4	14	4.4	00.0-09.3	18	8.3	00.0-16.8			
35-44	624	396,470	45	8.5	00.5-16.5	9	2.9	00.0-07.5	9	0.8	00.0-02.0	561	87.9	78.9-96.9
45-54	957	344,126	70	6.5	02.1-11.0	13	1.0	00.1-01.9	14	2.1	00.0-05.2	860	90.4	84.8-96.0
55-64	1037	223,142	55	2.3	01.1-03.5	21	5.4	00.0-11.1	9	0.7	00.0-01.5	952	91.6	85.7-97.5
65+	1555	290,169	57	3.1	01.0-05.2	18	1.1	00.3-02.0	9	0.4	00.0-00.9	1471	95.4	93.0-97.8
Less Than H.S.	281	419,398	13	2.5	00.2-04.8	13	6.1	00.4-11.8	4	1.6	00.0-04.1	251	89.8	83.1-96.6
H.S. or G.E.D.	1134	517,420	90	11.2	03.2-19.3	33	2.1	00.8-03.4	27	8.9	00.5-17.4			
Some Post-H.S.	1301	521,540	105	8.3	04.5-12.1	27	8.5	00.0-17.5	29	1.4	00.6-02.2	1140	81.8	72.6-91.0
College Graduate	1936	612,614	61	2.2	01.2-03.2	17	2.5	00.2-04.7	15	0.4	00.1-00.8	1843	94.9	92.4-97.3
Less than \$15,000	322	204,233	32	5.3	00.7-09.9	14	1.8	00.1-03.6	11	2.2	00.0-04.8	265	90.6	84.5-96.7
\$15,000- 24,999	721	484,489	55	6.6	00.0-13.2	19	3.0	00.3-05.7	18	3.3	00.0-07.0	629	87.1	79.2-95.0
\$25,000- 34,999	464	207,361	23	6.1	00.0-12.7	11	1.2	00.1-02.2						
\$35,000- 49,999	642	259,099				14	2.4	00.0-04.9	14	1.4	00.3-02.6			
\$50,000- 74,999	713	247,925	39	5.1	01.7-08.4	12	1.9	00.2-03.6	11	1.6	00.1-03.1	651	91.4	87.1-95.7
\$75,000+	1404	506,910	66	5.3	02.4-08.2	12	5.8	00.0-11.8	14	1.3	00.0-03.1	1312	87.6	81.0-94.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 11: SECONDHAND SMOKE**

TABLE 8: DURING THE PAST 7 DAYS, THAT IS, SINCE LAST [TODAY'S DAY OF WEEK], ON HOW MANY DAYS DID YOU RIDE IN A VEHICLE WHERE SOMEONE OTHER THAN YOU WAS SMOKING TOBACCO? (SHSVEHIC)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 Days			3-4 Days			5-7 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1732	1,021,572	114	5.3	01.9-08.8	48	7.5	02.3-12.6	31	4.3	00.0-08.7	1539	82.9	75.9-89.9
White/Non-Hisp	1274	388,244	79	5.9	03.2-08.6				18	6.6	00.0-16.7			
Other Race	438	628,652	34	5.0	00.0-10.4	17	4.8	00.0-09.5	12	2.9	00.0-06.0	375	87.3	79.7-94.9
18-24	80	149,096	9	10.3	00.8-19.8				10	2.6	00.2-04.9			
25-34	115	257,400	8	1.9	00.0-03.7	8	5.6	00.0-14.4						
35-44	215	204,484				3	5.1	00.0-13.9	1	0.0	00.0-00.0			
45-54	382	175,648	33	2.5	00.7-04.3	7	1.4	00.0-03.1	5	0.2	00.0-00.4	337	95.9	93.1-98.7
55-64	405	118,296	27	2.6	00.7-04.6	13	4.7	00.0-09.4	3	0.8	00.0-02.3	362	91.9	86.4-97.4
65+	524	116,022	17	1.9	00.1-03.8	5	1.1	00.0-02.6	3	0.3	00.0-00.8	499	96.6	94.1-99.2
Less Than H.S.	110	216,140	5	0.4	00.0-00.8				2	0.2	00.0-00.4			
H.S. or G.E.D.	410	253,415				18	3.0	00.8-05.3						
Some Post-H.S.	448	257,769	40	7.5	01.5-13.5				11	1.7	00.2-03.1			
College Graduate	758	292,177	32	2.5	01.0-03.9	8	2.3	00.1-04.5	2	0.3	00.0-00.9	716	94.9	92.2-97.7
Less than \$15,000	99	88,608	14	7.1	00.0-16.7	6	3.6	00.0-08.0	5	1.2	00.0-02.8			
\$15,000- 24,999	227	236,620				10	3.5	00.3-06.6	7	5.0	00.0-12.3			
\$25,000- 34,999	160	83,638	12	3.3	00.0-07.8	8	2.5	00.0-05.3						
\$35,000- 49,999	238	140,757	10	2.0	00.0-04.2	7	2.7	00.0-06.6	8	1.7	00.0-03.5	213	93.6	88.4-98.7
\$50,000- 74,999	254	113,767	19	3.1	00.5-05.7	6	3.4	00.0-07.1	2	0.9	00.0-02.6	227	92.6	87.3-97.9
\$75,000+	624	280,089	36	5.7	01.0-10.4	6	7.7	00.0-17.6	6	1.9	00.0-05.1			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 11: SECONDHAND SMOKE**

TABLE 9: DURING THE PAST 7 DAYS, THAT IS, SINCE LAST [TODAY'S DAY OF WEEK], ON HOW MANY DAYS DID YOU RIDE IN A VEHICLE WHERE SOMEONE OTHER THAN YOU WAS SMOKING TOBACCO? (SHSVEHIC)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 Days			3-4 Days			5-7 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2930	1,051,488	155	6.8	03.6-10.0	42	1.8	00.3-03.4	44	1.8	00.5-03.0	2689	89.6	85.8-93.4
White/Non-Hisp	2089	407,181	117	11.6	04.9-18.3	22	0.7	00.2-01.3	35	3.7	00.8-06.7	1915	83.9	76.9-90.9
Other Race	829	641,399	38	3.7	01.1-06.4	19	2.6	00.0-05.1	9	0.5	00.0-01.2	763	93.2	89.4-97.0
18-24	87	152,538	13	9.4	02.3-16.6	3	0.6	00.0-01.7	6	2.2	00.0-04.6	65	87.7	79.5-96.0
25-34	177	257,589	12	8.2	00.0-18.5	6	3.1	00.0-07.4	9	1.7	00.0-03.5			
35-44	409	191,986	25	4.8	00.7-08.9	6	0.5	00.0-01.1	8	1.5	00.0-04.0	370	93.2	88.2-98.1
45-54	575	168,478	37	10.7	02.3-19.2	6	0.6	00.0-01.4	9	4.0	00.0-10.2			
55-64	632	104,846	28	2.0	00.6-03.4	8	6.2	00.0-17.1	6	0.5	00.0-01.1	590	91.3	80.5-0100
65+	1031	174,146	40	3.8	00.5-07.1	13	1.2	00.2-02.2	6	0.5	00.0-01.3	972	94.6	90.9-98.2
Less Than H.S.	171	203,258	8	4.8	00.0-09.6	5	0.5	00.0-01.0	2	3.0	00.0-08.4	156	91.7	84.3-99.1
H.S. or G.E.D.	724	264,005				15	1.2	00.0-02.4	11	3.0	00.2-05.9			
Some Post-H.S.	853	263,771	65	9.1	04.3-13.8	13	2.6	00.0-06.7	18	1.1	00.3-01.8	757	87.3	81.0-93.6
College Graduate	1178	320,437	29	2.0	00.6-03.4	9	2.6	00.0-06.4	13	0.5	00.1-01.0	1127	94.8	90.8-98.8
Less than \$15,000	223	115,625	18	3.9	00.0-07.8	8	0.5	00.0-01.1	6	3.0	00.0-07.4	191	92.6	86.4-98.8
\$15,000- 24,999	494	247,868	39	4.1	00.6-07.5	9	2.6	00.0-07.0	11	1.6	00.0-03.5	435	91.7	85.5-97.8
\$25,000- 34,999	304	123,722	11	7.9	00.0-18.4	3	0.3	00.0-00.7	4	4.5	00.0-13.0			
\$35,000- 49,999	404	118,343				7	2.1	00.0-04.8	6	1.1	00.0-02.4			
\$50,000- 74,999	459	134,158	20	6.7	01.0-12.5	6	0.7	00.0-01.6	9	2.3	00.0-04.6	424	90.3	83.9-96.7
\$75,000+	780	226,821	30	4.8	01.8-07.8	6	3.5	00.0-08.8	8	0.6	00.0-01.3	736	91.1	85.1-97.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 11: SECONDHAND SMOKE**

TABLE 10: NOT COUNTING TIMES WHILE YOU WERE AT WORK, DURING THE PAST 7 DAYS, THAT IS, SINCE LAST [TODAY'S DAY OF WEEK], ON HOW MANY DAYS DID YOU BREATHE THE SMOKE FROM SOMEONE ELSE WHO WAS SMOKING IN AN INDOOR PUBLIC PLACE? (SHSPUBL)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 Days			3-4 Days			5-7 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4652	2,071,790	258	6.4	03.6-09.3	58	2.1	00.4-03.8	43	1.3	00.4-02.2	4293	90.1	86.8-93.5
Male	1726	1,020,790	114	7.5	02.4-12.6	29	1.7	00.3-03.2	23	1.5	00.1-02.8	1560	89.3	83.9-94.7
Female	2926	1,051,000	144	5.4	02.8-08.0	29	2.5	00.0-05.5	20	1.1	00.0-02.4	2733	90.9	86.9-95.0
White/Non-Hisp	3357	794,496	159	3.6	02.3-04.8	33	3.5	00.0-07.3	28	1.8	00.2-03.4	3137	91.1	87.0-95.2
Other Race	1263	1,269,951	96	8.3	03.7-12.8	25	1.3	00.0-02.6	15	1.0	00.0-02.1	1127	89.5	84.6-94.3
18-24	167	301,634	19	6.9	00.3-13.4	7	1.8	00.0-03.6	4	2.4	00.0-06.4	137	88.9	81.0-96.8
25-34	291	514,747	15	4.7	00.0-11.1	8	4.7	00.0-10.5	5	1.1	00.0-02.7	263	89.6	81.1-98.0
35-44	623	396,456	41	9.4	01.2-17.7	10	2.5	00.0-06.5	2	0.1	00.0-00.4	570	87.9	79.0-96.8
45-54	953	343,811	47	6.6	00.2-13.1	10	0.4	00.0-00.9	11	2.2	00.0-05.4	885	90.8	83.6-98.0
55-64	1037	223,142	59	5.0	01.6-08.4	8	0.3	00.0-00.6	7	1.3	00.0-03.5	963	93.4	89.4-97.4
65+	1551	289,470	77	6.0	00.0-12.9	15	0.9	00.2-01.6	14	1.0	00.0-02.1	1445	92.1	85.1-99.0
Less Than H.S.	281	419,398	15	7.8	00.0-16.1	7	1.4	00.1-02.8	6	2.3	00.0-05.2	253	88.4	79.5-97.3
H.S. or G.E.D.	1130	517,255	77	9.8	02.0-17.5	18	3.6	00.0-08.7	12	1.8	00.0-04.2	1023	84.9	75.7-94.1
Some Post-H.S.	1299	521,536	73	6.1	01.5-10.7	18	2.2	00.0-05.3	15	0.5	00.1-01.0	1193	91.1	85.6-96.6
College Graduate	1931	611,512	93	3.0	01.8-04.1	14	1.3	00.0-03.5	10	0.9	00.0-02.2	1814	94.9	92.1-97.6
Less than \$15,000	321	204,230	22	2.7	00.0-05.7	6	0.9	00.0-02.0	2	0.1	00.0-00.4	291	96.2	92.9-99.6
\$15,000- 24,999	718	484,232	42	11.9	02.0-21.7	13	2.3	00.0-05.3	11	2.3	00.0-05.0			
\$25,000- 34,999	463	206,872	27	8.0	00.0-17.8	6	0.5	00.0-01.2	10	5.5	00.0-12.1			
\$35,000- 49,999	642	259,099	42	3.1	01.2-05.0				6	1.0	00.0-02.2			
\$50,000- 74,999	713	247,925	38	9.7	00.7-18.7	8	0.7	00.0-01.7	2	0.1	00.0-00.2	665	89.5	80.6-98.5
\$75,000+	1400	506,738	69	3.3	01.9-04.7	9	0.7	00.0-01.4	8	0.2	00.0-00.4	1314	95.8	94.2-97.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 11: SECONDHAND SMOKE**

TABLE 11: NOT COUNTING TIMES WHILE YOU WERE AT WORK, DURING THE PAST 7 DAYS, THAT IS, SINCE LAST [TODAY'S DAY OF WEEK], ON HOW MANY DAYS DID YOU BREATHE THE SMOKE FROM SOMEONE ELSE WHO WAS SMOKING IN AN INDOOR PUBLIC PLACE? (SHSPUBL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 Days			3-4 Days			5-7 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1726	1,020,790	114	7.5	02.4-12.6	29	1.7	00.3-03.2	23	1.5	00.1-02.8	1560	89.3	83.9-94.7
White/Non-Hisp	1270	387,546	81	3.7	02.2-05.3	16	2.9	00.0-06.5	16	1.9	00.2-03.6	1157	91.4	87.2-95.6
Other Race	435	628,566	31	9.8	01.7-18.0	13	1.0	00.3-01.8	7	1.2	00.0-03.1	384	88.0	79.6-96.3
18-24	80	149,096	10	4.0	00.5-07.4	6	3.6	00.0-07.3	2	4.6	00.0-12.7	62	87.8	77.9-97.8
25-34	115	257,400	6	7.0	00.0-19.4	4	3.5	00.0-08.8	2	0.5	00.0-01.3			
35-44	215	204,484				4	0.8	00.0-01.8						
45-54	379	175,562	27	7.2	00.0-17.5	4	0.5	00.0-01.3	7	0.8	00.0-02.3	341	91.4	80.9-0100
55-64	405	118,296	23	2.9	00.9-04.9	6	0.4	00.0-00.8	5	2.5	00.0-06.5	371	94.3	89.6-99.0
65+	521	115,327				5	0.5	00.0-01.2	7	2.0	00.0-04.7			
Less Than H.S.	110	216,140				5	2.4	00.0-04.9	4	2.0	00.0-04.7			
H.S. or G.E.D.	407	253,264				9	1.0	00.0-02.0	8	3.4	00.0-08.4			
Some Post-H.S.	447	257,768	31	5.6	00.0-12.7	10	1.1	00.0-02.4	6	0.5	00.0-01.3	400	92.7	85.5-0100
College Graduate	755	291,546	39	2.1	00.9-03.3	5	2.5	00.0-07.0	5	0.2	00.0-00.5	706	95.2	90.6-99.9
Less than \$15,000	99	88,608	7	0.4	00.0-01.0	1	0.8	00.0-02.4	2	0.3	00.0-00.9	89	98.5	96.5-0100
\$15,000- 24,999	226	236,619				7	4.2	00.0-10.2	6	4.2	00.0-09.8			
\$25,000- 34,999	160	83,379				4	0.3	00.0-00.6	4	2.0	00.0-05.6			
\$35,000- 49,999	238	140,757	18	2.9	00.4-05.4	8	1.5	00.0-03.0	3	1.7	00.0-04.0	209	93.9	89.7-98.0
\$50,000- 74,999	254	113,767				4	1.3	00.0-03.5	1	0.1	00.0-00.2			
\$75,000+	620	279,916	37	3.0	01.3-04.7	5	1.2	00.0-02.5	6	0.2	00.0-00.4	572	95.7	93.5-97.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 11: SECONDHAND SMOKE**

TABLE 12: NOT COUNTING TIMES WHILE YOU WERE AT WORK, DURING THE PAST 7 DAYS, THAT IS, SINCE LAST [TODAY'S DAY OF WEEK], ON HOW MANY DAYS DID YOU BREATHE THE SMOKE FROM SOMEONE ELSE WHO WAS SMOKING IN AN INDOOR PUBLIC PLACE? (SHSPUBL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 Days			3-4 Days			5-7 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2926	1,051,000	144	5.4	02.8-08.0	29	2.5	00.0-05.5	20	1.1	00.0-02.4	2733	90.9	86.9-95.0
White/Non-Hisp	2087	406,950	78	3.4	01.5-05.3	17	4.0	00.0-10.5	12	1.7	00.0-04.3	1980	90.9	83.9-97.8
Other Race	828	641,386	65	6.7	02.6-10.9	12	1.5	00.0-04.0	8	0.8	00.0-02.1	743	90.9	86.0-95.9
18-24	87	152,538				1	0.1	00.0-00.3	2	0.2	00.0-00.6			
25-34	176	257,346	9	2.3	00.0-04.7	4	5.8	00.0-16.0	3	1.7	00.0-04.8			
35-44	408	191,972	25	7.0	01.6-12.4	6	4.3	00.0-12.4	2	0.3	00.0-00.8	375	88.4	78.9-97.8
45-54	574	168,249	20	6.0	00.0-13.8	6	0.3	00.0-00.8	4	3.6	00.0-09.8	544	90.1	80.5-99.8
55-64	632	104,846	36	7.4	00.8-14.0	2	0.2	00.0-00.7	2	0.0	00.0-00.0	592	92.3	85.7-99.0
65+	1030	174,143	45	2.9	00.7-05.1	10	1.2	00.1-02.3	7	0.4	00.0-00.7	968	95.5	92.9-98.2
Less Than H.S.	171	203,258	7	5.1	00.0-10.1	2	0.4	00.0-01.2	2	2.7	00.0-07.9	160	91.8	84.3-99.3
H.S. or G.E.D.	723	263,991	41	6.6	00.0-13.9	9	6.0	00.0-16.0	4	0.1	00.0-00.3			
Some Post-H.S.	852	263,768	42	6.6	00.8-12.5	8	3.3	00.0-09.3	9	0.5	00.1-01.0	793	89.5	81.4-97.6
College Graduate	1176	319,966	54	3.7	01.9-05.6	9	0.2	00.0-00.4	5	1.5	00.0-04.0	1108	94.5	91.5-97.6
Less than \$15,000	222	115,622	15	4.4	00.0-09.7	5	1.1	00.0-02.5				202	94.5	89.0-0100
\$15,000- 24,999	492	247,612	26	7.3	00.0-15.4	6	0.5	00.0-01.1	5	0.4	00.0-00.8	455	91.8	83.6-0100
\$25,000- 34,999	303	123,494	13	3.5	00.0-07.9	2	0.6	00.0-01.8	6	8.0	00.0-18.4			
\$35,000- 49,999	404	118,343	24	3.3	00.4-06.3				3	0.1	00.0-00.4			
\$50,000- 74,999	459	134,158				4	0.2	00.0-00.6	1	0.0	00.0-00.1			
\$75,000+	780	226,821	32	3.7	01.3-06.1	4	0.1	00.0-00.2	2	0.2	00.0-00.5	742	96.1	93.6-98.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 11: SECONDHAND SMOKE**

TABLE 13: NOT COUNTING DECKS, PORCHES, OR GARAGES, INSIDE YOUR HOME, IS SMOKING... (HOUSSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always allowed			Allowed only at some times or in some places			Never allowed			Family does not have a smoking policy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4648	2,053,601	412	8.2	05.4-11.0	396	12.2	07.9-16.4	3782	78.8	74.0-83.6	58	0.8	00.0-01.6
Male	1724	1,005,750	158	11.2	05.9-16.6	126	8.0	03.0-13.1	1411	79.3	72.3-86.4	29	1.4	00.0-03.0
Female	2924	1,047,851	254	5.3	03.6-06.9	270	16.2	09.5-22.8	2371	78.3	71.7-84.9	29	0.2	00.1-00.4
White/Non-Hisp	3354	794,288	310	13.2	07.8-18.5	253	10.7	04.6-16.8	2746	75.3	68.3-82.4	45	0.8	00.4-01.3
Other Race	1264	1,252,052	102	5.1	02.3-07.9	140	13.2	07.3-19.0	1011	81.0	74.6-87.4	11	0.7	00.0-02.0
18-24	167	301,634	18	6.4	01.9-10.8									
25-34	291	514,747	31	11.7	02.9-20.5	33	7.4	01.3-13.4				1	0.0	00.0-00.1
35-44	623	393,489	29	6.6	01.2-12.0	50	12.5	04.5-20.4	539	80.7	71.5-89.9	5	0.2	00.0-00.6
45-54	954	343,764	85	7.6	02.0-13.3	92	6.8	02.6-11.1	771	85.4	78.2-92.6	6	0.1	00.0-00.3
55-64	1035	222,832	112	8.4	04.7-12.0	100	17.5	07.7-27.4				16	5.3	00.0-12.4
65+	1549	274,776	136	6.6	04.1-09.2							29	1.1	00.4-01.8
Less Than H.S.	280	401,470	30	7.2	01.5-12.9	29	9.0	00.0-18.3				7	2.2	00.0-06.2
H.S. or G.E.D.	1129	517,088	145	15.1	06.2-24.0							13	0.5	00.0-00.9
Some Post-H.S.	1301	521,540	138	5.9	03.3-08.6	136	11.0	02.9-19.1	1019	82.8	74.6-91.1	8	0.2	00.0-00.4
College Graduate	1927	611,412	98	4.9	02.7-07.2	114	5.5	02.5-08.4	1685	88.9	85.2-92.6	30	0.7	00.3-01.1
Less than \$15,000	322	204,102	44	9.6	00.1-19.1							1	0.1	00.0-00.3
\$15,000- 24,999	717	484,102	102	7.9	03.3-12.5	80	8.9	02.8-14.9	525	82.9	75.3-90.6	10	0.3	00.0-00.6
\$25,000- 34,999	464	207,247				43	12.2	03.4-21.1				8	4.3	00.0-12.0
\$35,000- 49,999	640	244,135	59	4.6	02.0-07.2							12	0.4	00.1-00.8
\$50,000- 74,999	712	247,862	65	7.3	03.3-11.4	59	3.4	01.6-05.2	581	88.4	83.5-93.2	7	0.9	00.0-01.8
\$75,000+	1400	506,199	70	8.3	03.6-13.1	81	7.7	02.8-12.6	1235	83.7	77.2-90.1	14	0.3	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 11: SECONDHAND SMOKE**

**TABLE 14: NOT COUNTING DECKS, PORCHES, OR GARAGES, INSIDE YOUR HOME, IS SMOKING... (HOUSSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always allowed			Allowed only at some times or in some places			Never allowed			Family does not have a smoking policy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1724	1,005,750	158	11.2	05.9-16.6	126	8.0	03.0-13.1	1411	79.3	72.3-86.4	29	1.4	00.0-03.0
White/Non-Hisp	1269	387,520	118	17.1	07.1-27.1							22	1.1	00.3-01.9
Other Race	436	613,634	40	7.6	02.2-13.1	36	5.9	01.2-10.7	355	85.0	77.4-92.5	5	1.4	00.0-04.1
18-24	80	149,096	8	7.6	00.0-15.3									
25-34	115	257,400				14	2.3	00.0-05.9				1	0.1	00.0-00.2
35-44	215	204,484	13	9.8	00.1-19.5	13	6.3	00.7-11.9				4	0.5	00.0-01.2
45-54	380	175,515	33	7.4	00.0-17.5	35	5.1	01.4-08.8				2	0.1	00.0-00.3
55-64	404	117,990	50	9.5	03.6-15.4									
65+	519	100,640	38	8.2	03.1-13.4	25	3.0	00.2-05.8	443	87.0	80.8-93.3	13	1.7	00.1-03.3
Less Than H.S.	109	201,180				13	3.2	00.5-05.9				4	4.3	00.0-12.4
H.S. or G.E.D.	408	253,272										6	0.6	00.0-01.4
Some Post-H.S.	448	257,769	41	4.2	00.8-07.5							3	0.2	00.0-00.5
College Graduate	752	291,457	46	7.3	03.1-11.6	36	4.0	00.6-07.4	654	87.6	82.0-93.1	16	1.1	00.2-02.0
Less than \$15,000	99	88,608				19	6.7	00.2-13.2				1	0.2	00.0-00.6
\$15,000- 24,999	227	236,620	28	8.3	00.3-16.2							3	0.3	00.0-00.7
\$25,000- 34,999	160	83,634				13	2.1	00.0-04.1						
\$35,000- 49,999	237	125,797	20	4.3	00.8-07.9	16	3.8	00.6-06.9	196	91.8	86.6-97.0	5	0.1	00.0-00.2
\$50,000- 74,999	253	113,704	28	5.1	00.9-09.3	14	1.7	00.2-03.2	207	91.6	86.0-97.1	4	1.6	00.0-03.7
\$75,000+	620	279,377	41	12.0	04.0-20.1	32	5.5	00.6-10.3	540	82.1	73.0-91.1	7	0.4	00.0-01.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 11: SECONDHAND SMOKE**

**TABLE 15: NOT COUNTING DECKS, PORCHES, OR GARAGES, INSIDE YOUR HOME, IS SMOKING... (HOUSSMK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always allowed			Allowed only at some times or in some places			Never allowed			Family does not have a smoking policy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2924	1,047,851	254	5.3	03.6-06.9	270	16.2	09.5-22.8	2371	78.3	71.7-84.9	29	0.2	00.1-00.4
White/Non-Hisp	2085	406,768	192	9.4	06.2-12.7	165	10.0	03.4-16.5	1705	80.0	73.2-86.8	23	0.5	00.2-00.9
Other Race	828	638,418	62	2.6	01.1-04.1	104	20.1	10.2-30.0	656	77.2	67.3-87.1	6	0.1	00.0-00.1
18-24	87	152,538	10	5.2	00.7-09.6									
25-34	176	257,346	15	4.2	00.4-08.0									
35-44	408	189,005	16	3.1	00.0-06.7							1	0.0	00.0-00.0
45-54	574	168,249	52	7.9	03.1-12.6	57	8.6	01.1-16.1	461	83.4	74.5-92.3	4	0.2	00.0-00.4
55-64	631	104,842	62	7.1	02.9-11.2							7	1.0	00.0-01.9
65+	1030	174,136	98	5.7	03.1-08.3							16	0.7	00.2-01.3
Less Than H.S.	171	200,290	16	2.8	00.6-04.9							3	0.1	00.0-00.1
H.S. or G.E.D.	721	263,817	89	7.7	03.4-12.1							7	0.4	00.0-00.7
Some Post-H.S.	853	263,771	97	7.7	03.7-11.7	94	10.1	05.1-15.1	657	82.0	75.3-88.8	5	0.2	00.0-00.4
College Graduate	1175	319,955	52	2.8	00.8-04.7	78	6.8	02.2-11.5	1031	90.1	85.1-95.1	14	0.3	00.0-00.6
Less than \$15,000	223	115,493	32	4.3	01.1-07.4									
\$15,000- 24,999	490	247,482	74	7.6	03.0-12.2	53	6.3	01.6-11.0	356	85.8	78.4-93.2	7	0.3	00.0-00.6
\$25,000- 34,999	304	123,614	25	2.5	00.2-04.8							4	0.1	00.0-00.2
\$35,000- 49,999	403	118,338	39	4.9	01.0-08.8							7	0.8	00.0-01.5
\$50,000- 74,999	459	134,158	37	9.2	02.9-15.6	45	4.9	01.9-07.9	374	85.7	78.3-93.0	3	0.3	00.0-00.7
\$75,000+	780	226,821	29	3.7	00.5-07.0	49	10.5	01.5-19.5	695	85.6	76.3-94.9	7	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 11: SECONDHAND SMOKE**

TABLE 16: NOT COUNTING MOTORCYCLES, IN THE VEHICLES THAT YOU OR FAMILY MEMBERS WHO LIVE WITH YOU OWN OR LEASE, IS SMOKING... (SHSPERVH)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always allowed in all vehicles			Sometimes allowed in at least one vehicle			Never allowed in any vehicle			Family does not have a vehicle smoking policy			Respondent's family does not own or lease a vehicle		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4643	2,056,432	330	8.7	05.3-12.2	566	15.0	10.9-19.0	3672	75.6	70.7-80.5	43	0.5	00.1-01.0	32	0.2	00.1-00.3
Male	1725	1,006,289	145	11.3	05.8-16.7	225	11.9	07.2-16.6	1329	76.1	69.3-82.9	15	0.6	00.0-01.4	11	0.1	00.0-00.3
Female	2918	1,050,143	185	6.3	02.1-10.5	341	17.9	11.6-24.3	2343	75.1	68.1-82.1	28	0.4	00.0-00.9	21	0.2	00.1-00.4
White/Non-Hisp	3349	794,383	254	13.9	07.1-20.6	406	15.4	11.2-19.7	2633	70.1	63.3-76.8	33	0.4	00.2-00.5	23	0.3	00.1-00.5
Other Race	1263	1,254,960	74	5.5	02.2-08.9	155	14.7	08.7-20.7	1016	79.0	72.4-85.7	9	0.6	00.0-01.3	9	0.1	00.0-00.3
18-24	167	301,634													1	0.1	00.0-00.4
25-34	291	514,747	26	10.0	01.4-18.5	53	12.5	04.2-20.9				1	0.8	00.0-02.4			
35-44	624	396,495	32	7.0	01.8-12.2	75	9.2	03.7-14.8	513	83.7	76.2-91.2	3	0.1	00.0-00.1	1	0.0	00.0-00.0
45-54	953	343,742	73	6.6	01.1-12.2	137	15.8	07.9-23.7	737	77.4	67.8-87.0	3	0.1	00.0-00.2	3	0.1	00.0-00.2
55-64	1035	222,870	100	9.8	03.0-16.6	148	18.5	10.0-27.1				12	2.0	00.0-04.1	8	0.2	00.0-00.4
65+	1544	274,585	82	5.1	02.7-07.5	112	6.8	03.2-10.4	1309	86.5	81.7-91.3	24	0.7	00.3-01.0	17	1.0	00.2-01.7
Less Than H.S.	279	404,378	19	2.8	00.6-04.9	28	10.8	04.0-17.7	217	85.1	77.4-92.8	7	0.8	00.0-01.9	8	0.5	00.0-01.0
H.S. or G.E.D.	1124	516,625										10	0.2	00.0-00.4	12	0.2	00.0-00.4
Some Post-H.S.	1300	521,403	109	3.9	02.0-05.9	191	17.9	09.6-26.2	992	78.2	69.6-86.7	4	0.0	00.0-00.0	4	0.0	00.0-00.0
College Graduate	1929	611,935	88	3.8	02.3-05.3	180	9.8	06.5-13.2	1632	85.4	81.4-89.3	22	1.0	00.0-02.4	7	0.0	00.0-00.1
Less than \$15,000	321	203,922	27	8.5	00.0-18.1	51	8.4	01.4-15.4				1	0.1	00.0-00.4	10	0.5	00.0-01.1
\$15,000- 24,999	716	484,040				84	6.5	03.4-09.5				6	0.2	00.0-00.4	10	0.1	00.0-00.3
\$25,000- 34,999	463	207,198										5	0.3	00.0-00.7	2	0.3	00.0-00.8
\$35,000- 49,999	639	244,083	48	3.3	01.2-05.3							9	0.4	00.0-00.7	2	0.0	00.0-00.1
\$50,000- 74,999	712	247,909	51	5.6	02.6-08.6	110	17.9	08.8-27.0	545	76.3	66.6-86.0	6	0.2	00.0-00.5			
\$75,000+	1401	506,690	69	6.5	02.3-10.6	159	15.8	08.3-23.2	1160	76.8	68.8-84.8	11	0.9	00.0-02.5	2	0.0	00.0-00.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 11: SECONDHAND SMOKE**

TABLE 17: NOT COUNTING MOTORCYCLES, IN THE VEHICLES THAT YOU OR FAMILY MEMBERS WHO LIVE WITH YOU OWN OR LEASE, IS SMOKING... (SHSPERVH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always allowed in all vehicles			Sometimes allowed in at least one vehicle			Never allowed in any vehicle			Family does not have a vehicle smoking policy			Respondent's family does not own or lease a vehicle		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1725	1,006,289	145	11.3	05.8-16.7	225	11.9	07.2-16.6	1329	76.1	69.3-82.9	15	0.6	00.0-01.4	11	0.1	00.0-00.3
White/Non-Hisp	1268	387,977	113	16.0	06.1-25.8	158	13.0	08.4-17.6	979	70.7	61.1-80.3	10	0.3	00.1-00.4	8	0.1	00.0-00.2
Other Race	436	613,634	31	8.4	02.3-14.5	63	11.2	04.1-18.3	335	79.5	70.4-88.6	4	0.8	00.0-02.1	3	0.1	00.0-00.3
25-34	115	257,400				26	7.6	02.0-13.1				1	1.6	00.0-04.8			
35-44	215	204,484	14	6.3	01.3-11.3							2	0.1	00.0-00.2			
45-54	381	175,591	33	9.3	00.0-19.9							1	0.0	00.0-00.0	1	0.1	00.0-00.3
55-64	404	118,278				57	7.1	03.4-10.9				4	1.0	00.0-02.1	6	0.3	00.0-00.7
65+	519	100,815	29	7.8	02.6-13.0	36	5.1	01.3-08.9	444	85.7	78.9-92.5	7	0.7	00.0-01.3	3	0.7	00.0-01.9
Less Than H.S.	109	201,180	12	4.7	00.4-09.1							3	0.3	00.0-00.8	4	0.5	00.0-01.1
H.S. or G.E.D.	406	253,216										2	0.2	00.0-00.6	1	0.0	00.0-00.0
Some Post-H.S.	447	257,693	38	4.7	01.1-08.3	74	10.2	02.2-18.1	334	85.1	76.2-94.1				1	0.0	00.0-00.0
College Graduate	756	292,128	44	5.4	02.5-08.3	71	10.3	05.2-15.3	627	82.6	76.1-89.0	10	1.7	00.0-04.5	4	0.1	00.0-00.2
Less than \$15,000	99	88,608				21	5.0	00.0-10.1							3	0.7	00.0-02.2
\$15,000- 24,999	227	236,620				34	5.0	01.5-08.4				2	0.2	00.0-00.6	3	0.1	00.0-00.3
\$25,000- 34,999	160	83,634				22	4.0	00.7-07.3				1	0.5	00.0-01.6	1	0.1	00.0-00.2
\$35,000- 49,999	235	125,741	19	3.4	00.4-06.4	21	8.9	02.3-15.4	191	87.3	79.5-95.1	3	0.3	00.0-00.8	1	0.1	00.0-00.2
\$50,000- 74,999	254	113,767	19	6.1	01.2-11.1							1	0.1	00.0-00.3			
\$75,000+	621	279,868	41	6.1	02.0-10.2	67	13.4	05.2-21.6	506	78.8	69.6-88.0	6	1.6	00.0-04.5	1	0.0	00.0-00.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 11: SECONDHAND SMOKE**

TABLE 18: NOT COUNTING MOTORCYCLES, IN THE VEHICLES THAT YOU OR FAMILY MEMBERS WHO LIVE WITH YOU OWN OR LEASE, IS SMOKING... (SHSPERVH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always allowed in all vehicles			Sometimes allowed in at least one vehicle			Never allowed in any vehicle			Family does not have a vehicle smoking policy			Respondent's family does not own or lease a vehicle		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2918	1,050,143	185	6.3	02.1-10.5	341	17.9	11.6-24.3	2343	75.1	68.1-82.1	28	0.4	00.0-00.9	21	0.2	00.1-00.4
White/Non-Hisp	2081	406,406	141	11.9	02.6-21.1	248	17.8	10.8-24.7	1654	69.5	60.1-78.9	23	0.5	00.2-00.7	15	0.4	00.0-00.8
Other Race	827	641,326	43	2.8	00.0-05.7	92	18.1	08.7-27.5	681	78.6	69.0-88.2	5	0.4	00.0-01.1	6	0.1	00.0-00.3
18-24	87	152,538													1	0.2	00.0-00.7
25-34	176	257,346	13	3.5	00.2-06.7												
35-44	409	192,011	18	7.7	00.0-17.1	47	6.7	03.2-10.2	342	85.5	75.7-95.3	1	0.0	00.0-00.0	1	0.0	00.0-00.1
45-54	572	168,151	40	3.9	01.1-06.7							2	0.1	00.0-00.3	2	0.1	00.0-00.1
55-64	631	104,592	54	4.0	02.1-05.9							8	3.1	00.0-07.4	2	0.0	00.0-00.0
65+	1025	173,770	53	3.5	01.6-05.5	76	7.8	02.4-13.1	865	86.9	80.6-93.3	17	0.6	00.2-01.1	14	1.1	00.2-02.1
Less Than H.S.	170	203,198	7	0.9	00.0-01.7	15	11.1	02.7-19.6	140	86.2	76.9-95.5	4	1.3	00.0-03.5	4	0.6	00.0-01.4
H.S. or G.E.D.	718	263,409										8	0.2	00.0-00.5	11	0.4	00.1-00.8
Some Post-H.S.	853	263,711	71	3.1	01.5-04.8							4	0.0	00.0-00.0	3	0.0	00.0-00.0
College Graduate	1173	319,807	44	2.3	01.1-03.5	109	9.4	04.9-13.9	1005	87.9	83.2-92.6	12	0.4	00.1-00.7	3	0.0	00.0-00.0
Less than \$15,000	222	115,313	17	3.1	00.0-07.3							1	0.2	00.0-00.7	7	0.3	00.0-00.6
\$15,000- 24,999	489	247,420				50	7.9	02.9-12.9				4	0.2	00.0-00.4	7	0.2	00.0-00.4
\$25,000- 34,999	303	123,565	14	1.1	00.1-02.0							4	0.1	00.0-00.4	1	0.4	00.0-01.2
\$35,000- 49,999	404	118,343	29	3.1	00.4-05.8							6	0.4	00.0-00.9	1	0.0	00.0-00.0
\$50,000- 74,999	458	134,143	32	5.1	01.5-08.8	65	16.4	06.8-25.9				5	0.4	00.0-00.9			
\$75,000+	780	226,821	28	6.9	00.0-14.6							5	0.1	00.0-00.3	1	0.1	00.0-00.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 11: SECONDHAND SMOKE**

TABLE 19: AT WORKPLACES, DO YOU THINK SMOKING INDOORS SHOULD BE... (SHSALOW2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always allowed			Allowed only at some times or in some places			Never allowed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4592	2,025,592	101	1.8	00.9-02.8	791	18.4	13.5-23.2	3700	79.8	74.9-84.7
Male	1691	978,614	63	2.9	01.1-04.7	353	22.2	14.6-29.7	1275	74.9	67.3-82.6
Female	2901	1,046,978	38	0.9	00.1-01.6	438	14.8	08.8-20.8	2425	84.4	78.3-90.4
White/Non-Hisp	3323	790,255	75	2.7	01.5-03.8	594	21.3	14.6-28.0	2654	76.0	69.4-82.7
Other Race	1238	1,227,996	23	1.3	00.0-02.6	193	16.5	09.9-23.1	1022	82.2	75.5-88.9
18-24	167	301,634	5	1.4	00.1-02.8						
25-34	289	491,605	3	0.2	00.0-00.5						
35-44	621	396,360	12	1.3	00.1-02.6	75	12.1	03.9-20.2	534	86.6	78.4-94.8
45-54	945	342,122	17	0.5	00.1-00.8						
55-64	1031	222,507	25	6.4	00.0-13.3	178	15.8	08.9-22.7	828	77.8	68.7-86.8
65+	1511	269,029	37	3.9	00.9-06.9	276	14.7	09.8-19.5	1198	81.4	75.5-87.3
Less Than H.S.	270	402,136	12	2.8	00.4-05.3						
H.S. or G.E.D.	1107	515,100	40	3.1	00.1-06.2						
Some Post-H.S.	1286	497,176	26	0.9	00.1-01.8	251	15.0	06.6-23.4	1009	84.1	75.6-92.5
College Graduate	1919	609,092	21	0.9	00.3-01.5	264	11.7	08.1-15.2	1634	87.5	83.8-91.1
Less than \$15,000	310	199,992	18	2.6	00.0-06.0	74	12.8	03.8-21.8	218	84.6	74.7-94.5
\$15,000- 24,999	706	483,013	21	3.5	00.1-06.9						
\$25,000- 34,999	457	206,563	9	1.5	00.0-03.3						
\$35,000- 49,999	633	242,887	7	0.7	00.0-01.8	113	16.2	08.6-23.7	513	83.1	75.4-90.7
\$50,000- 74,999	706	224,373	16	1.5	00.2-02.9	99	9.7	05.8-13.5	591	88.8	84.6-93.0
\$75,000+	1394	506,602	20	0.9	00.2-01.5	179	10.2	06.5-14.0	1195	88.9	85.1-92.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 11: SECONDHAND SMOKE**

TABLE 20: AT WORKPLACES, DO YOU THINK SMOKING INDOORS SHOULD BE... (SHSALOW2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always allowed			Allowed only at some times or in some places			Never allowed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1691	978,614	63	2.9	01.1-04.7	353	22.2	14.6-29.7	1275	74.9	67.3-82.6
White/Non-Hisp	1247	384,587	47	4.6	02.2-07.0						
Other Race	424	589,351	13	1.7	00.0-04.3	69	16.1	07.0-25.1	342	82.2	72.9-91.5
18-24	80	149,096	5	2.9	00.0-05.8						
25-34	113	234,258	2	0.4	00.0-01.1						
35-44	214	204,402	6	2.3	00.0-04.7						
45-54	373	173,925	12	0.7	00.0-01.3	74	9.0	03.5-14.4	287	90.4	84.7-96.0
55-64	400	117,750				83	11.0	05.8-16.2			
65+	501	98,582	20	5.5	00.9-10.2	102	16.0	08.7-23.4	379	78.4	69.6-87.2
Less Than H.S.	103	199,559	8	2.9	00.0-06.2						
H.S. or G.E.D.	398	252,396	21	5.7	00.0-11.8						
Some Post-H.S.	437	235,087	17	1.5	00.0-03.3						
College Graduate	747	289,501	16	1.5	00.3-02.7	128	15.2	08.9-21.6	603	83.3	76.7-89.8
Less than \$15,000	93	86,460	8	1.9	00.0-04.5						
\$15,000- 24,999	221	235,900	11	6.4	00.0-13.3						
\$25,000- 34,999	158	83,614	7	3.3	00.0-07.8						
\$35,000- 49,999	230	124,677	6	1.3	00.0-03.3						
\$50,000- 74,999	247	90,214	13	3.2	00.0-06.5	43	14.2	06.7-21.6	191	82.6	74.2-91.1
\$75,000+	616	279,851	15	1.4	00.3-02.6	105	13.1	07.0-19.2	496	85.5	79.2-91.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 11: SECONDHAND SMOKE**

TABLE 21: AT WORKPLACES, DO YOU THINK SMOKING INDOORS SHOULD BE... (SHSALOW2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always allowed			Allowed only at some times or in some places			Never allowed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2901	1,046,978	38	0.9	00.1-01.6	438	14.8	08.8-20.8	2425	84.4	78.3-90.4
White/Non-Hisp	2076	405,669	28	0.8	00.2-01.4	313	11.4	08.6-14.2	1735	87.8	84.9-90.6
Other Race	814	638,645	10	0.9	00.0-02.0	124	17.0	07.4-26.5	680	82.1	72.6-91.7
25-34	176	257,346	1	0.0	00.0-00.1	21	7.2	01.6-12.7	154	92.8	87.3-98.4
35-44	407	191,958	6	0.3	00.0-00.7	39	6.1	02.3-09.9	362	93.6	89.7-97.5
45-54	572	168,197	5	0.3	00.0-00.6						
55-64	631	104,757	8	2.3	00.0-05.7						
65+	1010	170,447	17	3.0	00.0-06.7	174	13.9	07.7-20.2	819	83.1	75.6-90.7
Less Than H.S.	167	202,576	4	2.7	00.0-06.3						
H.S. or G.E.D.	709	262,704	19	0.7	00.0-01.4						
Some Post-H.S.	849	262,089	9	0.4	00.0-00.8	141	9.7	05.6-13.9	699	89.9	85.7-94.1
College Graduate	1172	319,591	5	0.3	00.0-00.5	136	8.5	04.9-12.1	1031	91.3	87.6-94.9
Less than \$15,000	217	113,532	10	3.2	00.0-08.6						
\$15,000- 24,999	485	247,113	10	0.7	00.0-01.5						
\$25,000- 34,999	299	122,949	2	0.3	00.0-00.7	49	9.7	01.2-18.2	248	90.0	81.5-98.6
\$35,000- 49,999	403	118,210	1	0.2	00.0-00.6	61	10.8	04.4-17.2	341	89.0	82.6-95.5
\$50,000- 74,999	459	134,158	3	0.4	00.0-01.1	56	6.6	02.7-10.5	400	92.9	88.9-96.9
\$75,000+	778	226,751	5	0.2	00.0-00.3	74	6.7	03.3-10.2	699	93.1	89.6-96.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 12: SMOKING CESSATION CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE

A TELEPHONE QUITLINE IS A FREE TELEPHONE-BASED SERVICE THAT CONNECT PEOPLE WHO SMOKE CIGARETTES WITH SOMEONE WHO CAN
HELP THEM QUIT. ARE YOU AWARE OF ANY TELEPHONE QUITLINE SERVICES THAT ARE AVAILABLE TO HELP [YOU/PEOPLE] QUIT SMOKING?
(QUITLINE)

- 1 MALES AND FEMALES
- 2 MALES ONLY
- 3 FEMALES ONLY

IS THAT BECAUSE YOU ARE TRYING TO QUIT SMOKING FOR GOOD? (QUIT4GUD)

- 4 MALES AND FEMALES
- 5 MALES ONLY
- 6 FEMALES ONLY

WHEN YOU QUIT SMOKING/THE LAST TIME YOU TRIED TO QUIT SMOKING... DID YOU CALL A TELEPHONE QUITLINE TO HELP YOU QUIT? (QUITCALL)

- 7 MALES AND FEMALES
- 8 MALES ONLY
- 9 FEMALES ONLY

WHEN YOU QUIT SMOKING/THE LAST TIME YOU TRIED TO QUIT SMOKING... DID YOU USE A PROGRAM TO HELP YOU QUIT? (QUITPROG)

- 10 MALES AND FEMALES
- 11 MALES ONLY
- 12 FEMALES ONLY

WHEN YOU QUIT SMOKING/THE LAST TIME YOU TRIED TO QUIT SMOKING... DID YOU RECEIVE ONE-ON-ONE COUNSLING FROM A HEALTH
PROFESSIONAL TO HELP YOU QUIT? (QUITCOUN)

- 13 MALES AND FEMALES
- 14 MALES ONLY
- 15 FEMALES ONLY

WHEN YOU QUIT SMOKING/THE LAST TIME YOU TRIED TO QUIT SMOKING... DID YOU USE ANY OF THE FOLLOWING MEDICATIONS: A NICOTINE
PATCH, NICOTINE GUM, NICOTINE LOZENGES, NICOTINE NASAL SPRAY, A NICOTINE INHALER, OR PILLS SUCH AS WELLBUTRIN®, ZYBAN®,
BUPROPRION, CHANTIX®, OR VARENICLINE TO HELP YOU QUIT? (QUITMEDS)

- 16 MALES AND FEMALES
- 17 MALES ONLY
- 18 FEMALES ONLY

DO YOU HAVE A TIME FRAME IN MIND FOR QUITTING? (QUITTIME)

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 12: SMOKING CESSATION CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE

19 MALES AND FEMALES
20 MALES ONLY
21 FEMALES ONLY

DO YOU PLAN TO QUIT SMOKING CIGARETTES FOR GOOD... (QUITPLAN)
22 MALES AND FEMALES
23 MALES ONLY
24 FEMALES ONLY

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 12: SMOKING CESSATION

TABLE 1: A TELEPHONE QUITLINE IS A FREE TELEPHONE-BASED SERVICE THAT CONNECT PEOPLE WHO SMOKE CIGARETTES WITH SOMEONE WHO CAN HELP THEM QUIT. ARE YOU AWARE OF ANY TELEPHONE QUITLINE SERVICES THAT ARE AVAILABLE TO HELP [YOU/PEOPLE] QUIT SMOKING? (QUITLINE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)	
TOTAL	4594	2,035,108	1036	20.8	16.2-25.4		3558	79.2	74.6-83.8	
Male	1706	995,622	383	23.0	15.3-30.7		1323	77.0	69.3-84.7	
Female	2888	1,039,486	653	18.7	13.7-23.8		2235	81.3	76.2-86.3	
White/Non-Hisp	3321	790,180	822	28.5	21.9-35.1		2499	71.5	64.9-78.1	
Other Race	1241	1,237,585	207	15.9	09.9-22.0		1034	84.1	78.0-90.1	
25-34	287	514,460	81	21.0	11.3-30.7		206	79.0	69.3-88.7	
55-64	1025	215,932	258	17.4	11.8-23.1		767	82.6	76.9-88.2	
65+	1524	270,779	288	14.9	09.9-20.0		1236	85.1	80.0-90.1	
H.S. or G.E.D.	1110	505,434	236	20.3	10.8-29.8		874	79.7	70.2-89.2	
Some Post-H.S.	1285	518,713	297	22.1	12.6-31.6		988	77.9	68.4-87.4	
College Graduate	1918	608,847	452	23.8	17.3-30.2		1466	76.2	69.8-82.7	
\$15,000- 24,999	701	478,407	146	15.2	06.4-23.9		555	84.8	76.1-93.6	
\$35,000- 49,999	635	243,390	141	21.5	12.3-30.8		494	78.5	69.2-87.7	
\$50,000- 74,999	705	244,354	159	23.0	13.2-32.9		546	77.0	67.1-86.8	
\$75,000+	1396	504,253	336	18.2	13.2-23.1		1060	81.8	76.9-86.8	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 12: SMOKING CESSATION**

TABLE 2: A TELEPHONE QUITLINE IS A FREE TELEPHONE-BASED SERVICE THAT CONNECT PEOPLE WHO SMOKE CIGARETTES WITH SOMEONE WHO CAN HELP THEM QUIT. ARE YOU AWARE OF ANY TELEPHONE QUITLINE SERVICES THAT ARE AVAILABLE TO HELP [YOU/PEOPLE] QUIT SMOKING? (QUITLINE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)	
Male	1706	995,622	383	23.0	15.3-30.7		1323	77.0	69.3-84.7	
Other Race	427	605,045	69	15.0	05.6-24.5		358	85.0	75.5-94.4	
35-44	211	201,568	54	13.3	07.1-19.5		157	86.7	80.5-92.9	
55-64	402	118,270	95	13.3	07.3-19.4		307	86.7	80.6-92.7	
65+	512	99,856	88	12.8	07.3-18.2		424	87.2	81.8-92.7	
College Graduate	749	289,394	173	24.0	16.1-31.9		576	76.0	68.1-83.9	
\$15,000- 24,999	220	232,263	43	11.9	02.0-21.7		177	88.1	78.3-98.0	
\$75,000+	618	277,575	158	18.5	12.3-24.6		460	81.5	75.4-87.7	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 12: SMOKING CESSATION

TABLE 3: A TELEPHONE QUITLINE IS A FREE TELEPHONE-BASED SERVICE THAT CONNECT PEOPLE WHO SMOKE CIGARETTES WITH SOMEONE WHO CAN HELP THEM QUIT. ARE YOU AWARE OF ANY TELEPHONE QUITLINE SERVICES THAT ARE AVAILABLE TO HELP [YOU/PEOPLE] QUIT SMOKING? (QUITLINE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)	
Female	2888	1,039,486	653	18.7	13.7-23.8		2235	81.3	76.2-86.3	
White/Non-Hisp	2063	404,281	513	21.8	16.8-26.8		1550	78.2	73.2-83.2	
Other Race	814	632,540	138	16.8	09.2-24.4		676	83.2	75.6-90.8	
18-24	86	151,957	15	6.2	01.4-10.9		71	93.8	89.1-98.6	
25-34	173	257,142	50	17.8	08.3-27.2		123	82.2	72.8-91.7	
45-54	570	168,148	130	17.8	09.6-26.0		440	82.2	74.0-90.4	
55-64	623	97,662	163	22.4	13.1-31.7		460	77.6	68.3-86.9	
65+	1012	170,923	200	16.2	08.7-23.6		812	83.8	76.4-91.3	
Less Than H.S.	165	202,504	24	9.3	02.0-16.5		141	90.7	83.5-98.0	
H.S. or G.E.D.	709	256,060	149	14.6	06.1-23.2		560	85.4	76.8-93.9	
College Graduate	1169	319,453	279	23.5	13.6-33.5		890	76.5	66.5-86.4	
\$75,000+	778	226,678	178	17.8	09.6-25.9		600	82.2	74.1-90.4	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 12: SMOKING CESSATION

TABLE 4: IS THAT BECAUSE YOU ARE TRYING TO QUIT SMOKING FOR GOOD? (QUIT4GUD)
Denominator excludes: Respondents with do not know/refused/missing responses

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 12: SMOKING CESSATION

TABLE 5: IS THAT BECAUSE YOU ARE TRYING TO QUIT SMOKING FOR GOOD? (QUIT4GUD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Male	53	22,060	44	94.8	88.7-0100	9	5.2	00.0-11.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 12: SMOKING CESSATION

TABLE 6: IS THAT BECAUSE YOU ARE TRYING TO QUIT SMOKING FOR GOOD? (QUIT4GUD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 12: SMOKING CESSATION**

TABLE 7: WHEN YOU QUIT SMOKING/THE LAST TIME YOU TRIED TO QUIT SMOKING... DID YOU CALL A TELEPHONE QUITLINE TO HELP YOU QUIT? (QUITCALL)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	231	122,852	6	0.9	00.0-02.2	225	99.1	97.8-0100	
Male	87	92,589	3	1.0	00.0-02.7	84	99.0	97.3-0100	
Female	144	30,263	3	0.7	00.0-01.8	141	99.3	98.2-0100	
White/Non-Hisp	174	55,308	3	0.4	00.0-01.1	171	99.6	98.9-0100	
Other Race	56	67,457	3	1.3	00.0-03.7	53	98.7	96.3-0100	
45-54	55	48,167	2	1.5	00.0-04.8	53	98.5	95.2-0100	
55-64	71	9,864	3	3.4	00.0-08.2	68	96.6	91.8-0100	
H.S. or G.E.D.	76	47,980	1	0.4	00.0-01.1	75	99.6	98.9-0100	
Some Post-H.S.	86	27,375	1	0.1	00.0-00.3	85	99.9	99.7-0100	
College Graduate	56	12,192	3	1.6	00.0-04.3	53	98.4	95.7-0100	
\$75,000+	52	14,052				52	100.0	0100-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 12: SMOKING CESSATION

TABLE 8: WHEN YOU QUIT SMOKING/THE LAST TIME YOU TRIED TO QUIT SMOKING... DID YOU CALL A TELEPHONE QUITLINE TO HELP YOU QUIT? (QUITCALL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	87	92,589	3	1.0	00.0-02.7	84	99.0	97.3-0100	
White/Non-Hisp	66	40,298	1	0.1	00.0-00.2	65	99.9	99.8-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 12: SMOKING CESSATION

TABLE 9: WHEN YOU QUIT SMOKING/THE LAST TIME YOU TRIED TO QUIT SMOKING... DID YOU CALL A TELEPHONE QUITLINE TO HELP YOU QUIT? (QUITCALL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Female	144	30,263	3	0.7	00.0-01.8	141	99.3	98.2-0100
White/Non-Hisp	108	15,010	2	1.3	00.0-03.7	106	98.7	96.3-0100
55-64	52	6,548	2	2.6	00.0-07.9	50	97.4	92.1-0100
Some Post-H.S.	59	12,670				59	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 12: SMOKING CESSATION**

TABLE 10: WHEN YOU QUIT SMOKING/THE LAST TIME YOU TRIED TO QUIT SMOKING... DID YOU USE A PROGRAM TO HELP YOU QUIT? (QUITPROG)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)	
TOTAL	461	346,473	55	8.8	01.2-16.3		406	91.2	83.7-98.8	
Male	204	188,958	23	5.1	00.8-09.3		181	94.9	90.7-99.2	
White/Non-Hisp	305	133,331	41	10.2	02.5-17.8		264	89.8	82.2-97.5	
Other Race	154	212,977	14	7.9	00.0-19.2		140	92.1	80.8-0100	
25-34	50	122,383	4	3.1	00.0-07.1		46	96.9	92.9-0100	
45-54	116	63,615	13	2.8	00.0-06.2		103	97.2	93.8-0100	
65+	78	36,428	9	1.4	00.0-03.6		69	98.6	96.4-0100	
\$15,000- 24,999	97	118,503	7	2.0	00.0-05.5		90	98.0	94.5-0100	
\$50,000- 74,999	75	25,344	13	7.8	00.0-17.8		62	92.2	82.2-0100	
\$75,000+	92	48,159	16	9.1	00.0-19.0		76	90.9	81.0-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010**

SECTION 12: SMOKING CESSATION

TABLE 11: WHEN YOU QUIT SMOKING/THE LAST TIME YOU TRIED TO QUIT SMOKING... DID YOU USE A PROGRAM TO HELP YOU QUIT? (QUITPROG)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	204	188,958	23	5.1	00.8-09.3	181	94.9	90.7-99.2	
Other Race	76	122,080	4	0.4	00.0-01.0	72	99.6	99.0-0100	
45-54	57	51,875	8	2.6	00.0-06.4	49	97.4	93.6-0100	
H.S. or G.E.D.	66	68,869	4	3.8	00.0-09.8	62	96.2	90.2-0100	
Some Post-H.S.	69	33,080	9	5.5	00.0-12.6	60	94.5	87.4-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 12: SMOKING CESSATION

TABLE 12: WHEN YOU QUIT SMOKING/THE LAST TIME YOU TRIED TO QUIT SMOKING... DID YOU USE A PROGRAM TO HELP YOU QUIT? (QUITPROG)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 12: SMOKING CESSATION**

**TABLE 13: WHEN YOU QUIT SMOKING/THE LAST TIME YOU TRIED TO QUIT SMOKING... DID YOU RECEIVE ONE-ON-ONE COUNSLING FROM A HEALTH PROFESSIONAL TO HELP YOU QUIT?
(QUITCOUN)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	461	344,241	41	3.8	00.9-06.8	420	96.2	93.2-99.1	
Male	203	186,287	11	2.0	00.0-04.5	192	98.0	95.5-0100	
Female	258	157,954	30	6.0	00.0-11.9	228	94.0	88.1-0100	
White/Non-Hisp	306	133,770	26	5.1	00.0-10.2	280	94.9	89.8-0100	
Other Race	153	210,306	15	3.0	00.0-06.6	138	97.0	93.4-0100	
45-54	117	64,054	8	1.6	00.0-03.6	109	98.4	96.4-0100	
H.S. or G.E.D.	148	132,462	11	1.9	00.0-04.1	137	98.1	95.9-0100	
College Graduate	100	36,168	11	7.6	00.0-18.1	89	92.4	81.9-0100	
Less than \$15,000	65	80,902	4	0.2	00.0-00.7	61	99.8	99.3-0100	
\$15,000- 24,999	97	118,503	7	1.8	00.0-04.1	90	98.2	95.9-0100	
\$50,000- 74,999	76	25,783	8	2.1	00.0-04.7	68	97.9	95.3-0100	
\$75,000+	91	45,488	8	5.4	00.0-14.0	83	94.6	86.0-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 12: SMOKING CESSATION**

**TABLE 14: WHEN YOU QUIT SMOKING/THE LAST TIME YOU TRIED TO QUIT SMOKING... DID YOU RECEIVE ONE-ON-ONE COUNSLING FROM A HEALTH PROFESSIONAL TO HELP YOU QUIT?
(QUITCOUN)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	203	186,287	11	2.0	00.0-04.5	192	98.0	95.5-0100	
White/Non-Hisp	127	66,800	9	5.1	00.0-12.0	118	94.9	88.0-0100	
Other Race	75	119,409	2	0.3	00.0-00.9	73	99.7	99.1-0100	
45-54	57	51,875	4	1.2	00.0-02.9	53	98.8	97.1-0100	
H.S. or G.E.D.	66	68,869	2	1.3	00.0-04.0	64	98.7	96.0-0100	
Some Post-H.S.	69	33,080	4	1.4	00.0-03.2	65	98.6	96.8-0100	
\$75,000+	55	32,992	6	7.3	00.0-19.3	49	92.7	80.7-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 12: SMOKING CESSATION**

**TABLE 15: WHEN YOU QUIT SMOKING/THE LAST TIME YOU TRIED TO QUIT SMOKING... DID YOU RECEIVE ONE-ON-ONE COUNSLING FROM A HEALTH PROFESSIONAL TO HELP YOU QUIT?
(QUITCOUN)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	258	157,954	30	6.0	00.0-11.9	228	94.0	88.1-0100	
White/Non-Hisp	179	66,970	17	5.2	00.0-12.7	162	94.8	87.3-0100	
Other Race	78	90,897	13	6.5	00.0-15.3	65	93.5	84.7-0100	
45-54	60	12,179	4	3.6	00.0-09.0	56	96.4	91.0-0100	
H.S. or G.E.D.	82	63,592	9	2.7	00.0-06.3	73	97.3	93.7-0100	
College Graduate	57	14,959	6	1.8	00.0-04.3	51	98.2	95.7-0100	
\$15,000- 24,999	56	65,405	6	1.8	00.0-04.9	50	98.2	95.1-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 12: SMOKING CESSATION**

TABLE 16: WHEN YOU QUIT SMOKING/THE LAST TIME YOU TRIED TO QUIT SMOKING... DID YOU USE ANY OF THE FOLLOWING MEDICATIONS: A NICOTINE PATCH, NICOTINE GUM, NICOTINE LOZENGES, NICOTINE NASAL SPRAY, A NICOTINE INHALER, OR PILLS SUCH AS WELLBUTRIN®, ZYBAN®, BUPROPION, CHANTIX®, OR VARENICLINE TO HELP YOU QUIT? (QUITMEDS)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	460	343,672	130	14.6	06.0-23.1	330	85.4	76.9-94.0	
Male	202	185,718	52	11.1	03.9-18.3	150	88.9	81.7-96.1	
\$15,000- 24,999	97	118,503	26	8.2	00.1-16.2	71	91.8	83.8-99.9	
\$35,000- 49,999	56	27,617	15	2.7	00.0-06.3	41	97.3	93.7-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 12: SMOKING CESSATION**

TABLE 17: WHEN YOU QUIT SMOKING/THE LAST TIME YOU TRIED TO QUIT SMOKING... DID YOU USE ANY OF THE FOLLOWING MEDICATIONS: A NICOTINE PATCH, NICOTINE GUM, NICOTINE LOZENGES, NICOTINE NASAL SPRAY, A NICOTINE INHALER, OR PILLS SUCH AS WELLBUTRIN®, ZYBAN®, BUPROPRION, CHANTIX®, OR VARENICLINE TO HELP YOU QUIT? (QUITMEDS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	202	185,718	52	11.1	03.9-18.3	150	88.9	81.7-96.1	
Other Race	74	118,840	13	4.9	00.0-11.0	61	95.1	89.0-0100	
45-54	57	51,875	13	5.8	00.0-13.2	44	94.2	86.8-0100	
H.S. or G.E.D.	65	68,300	14	8.3	00.0-17.3	51	91.7	82.7-0100	
Some Post-H.S.	69	33,080	17	8.3	00.0-16.6	52	91.7	83.4-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 12: SMOKING CESSATION

TABLE 18: WHEN YOU QUIT SMOKING/THE LAST TIME YOU TRIED TO QUIT SMOKING... DID YOU USE ANY OF THE FOLLOWING MEDICATIONS: A NICOTINE PATCH, NICOTINE GUM, NICOTINE LOZENGES, NICOTINE NASAL SPRAY, A NICOTINE INHALER, OR PILLS SUCH AS WELLBUTRIN®, ZYBAN®, BUPROPION, CHANTIX®, OR VARENICLINE TO HELP YOU QUIT? (QUITMEDS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 12: SMOKING CESSATION

TABLE 19: DO YOU HAVE A TIME FRAME IN MIND FOR QUITTING? (QUITTIME)
Denominator excludes: Respondents with do not know/refused/missing responses

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 12: SMOKING CESSATION

TABLE 20: DO YOU HAVE A TIME FRAME IN MIND FOR QUITTING? (QUITTIME)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 12: SMOKING CESSATION

TABLE 21: DO YOU HAVE A TIME FRAME IN MIND FOR QUITTING? (QUITTIME)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 12: SMOKING CESSATION**

TABLE 22: DO YOU PLAN TO QUIT SMOKING CIGARETTES FOR GOOD... (QUITPLAN)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		In the next year			More than 1 year from now			In the next 7 days			In the next 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	246	163,365	36	8.1	02.0-14.2	12	2.2	00.1-04.4						
Male	100	80,267	17	7.7	00.1-15.4	6	2.5	00.0-06.1						
Female	146	83,098	19	8.5	00.0-17.9	6	1.9	00.0-04.3						
White/Non-Hisp	168	71,481				8	3.6	00.0-07.4	19	11.2	02.0-20.4			
Other Race	77	91,876	10	1.8	00.0-04.1	4	1.1	00.0-03.2						
45-54	73	43,401	12	5.9	00.0-15.1	3	0.5	00.0-01.3	10	5.0	00.0-13.0			
55-64	65	14,806				2	6.1	00.0-18.4				12	5.5	00.0-11.8
H.S. or G.E.D.	66	46,038				3	0.6	00.0-01.5	5	1.6	00.0-04.0			
Some Post-H.S.	99	32,037	15	9.4	00.3-18.5	6	7.2	00.0-15.0						
College Graduate	61	31,757				2	3.2	00.0-08.8						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 12: SMOKING CESSATION**

TABLE 23: DO YOU PLAN TO QUIT SMOKING CIGARETTES FOR GOOD... (QUITPLAN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		In the next year			More than 1 year from now		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	100	80,267	17	7.7	00.0-15.4	6	2.5	00.0-06.1
White/Non-Hisp	62	34,887				4	3.2	00.0-08.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 12: SMOKING CESSATION**

TABLE 24: DO YOU PLAN TO QUIT SMOKING CIGARETTES FOR GOOD... (QUITPLAN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		In the next year			More than 1 year from now			In the next 7 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	146	83,098	19	8.5	00.0-17.9	6	1.9	00.0-04.3			
White/Non-Hisp	106	36,594				4	4.0	00.0-09.5	12	7.8	00.0-16.7
Some Post-H.S.	61	12,715							8	6.9	00.0-14.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 13: EMOTIONAL SUPPORT AND LIFE SATISFACTION CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE

HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)

- 1 MALES AND FEMALES
- 2 MALES ONLY
- 3 FEMALES ONLY

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 13: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

TABLE 1: HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4546	2,004,457	2164	46.8	41.1-52.5	996	20.0	15.6-24.4	704	18.1	13.7-22.5	155	2.0	01.3-02.8	527	13.0	09.2-16.9
Male	1687	987,749	776	48.3	39.6-56.9	312	17.5	11.1-23.8	258	18.8	12.2-25.5	63	2.1	00.8-03.3	278	13.4	08.0-18.7
Female	2859	1,016,709	1388	45.4	38.0-52.8	684	22.5	16.5-28.5	446	17.4	11.6-23.2	92	2.0	01.0-03.0	249	12.7	07.2-18.2
White/Non-Hisp	3284	782,530	1574	49.1	43.0-55.3	801	22.9	18.9-27.0	480	14.5	11.1-17.9	102	2.9	01.8-04.0	327	10.5	06.7-14.3
Other Race	1231	1,214,846	580	45.4	36.9-53.8	188	18.0	11.2-24.7	221	20.5	13.6-27.4	50	1.5	00.4-02.5	192	14.7	08.8-20.5
18-24	164	297,526										5	1.2	00.0-02.3	8	3.4	00.0-07.7
25-34	287	511,608							41	11.0	05.2-16.7	10	1.5	00.0-03.0	25	7.8	01.3-14.3
35-44	613	392,505				133	12.4	07.7-17.1				26	2.9	00.3-05.5	60	12.6	05.6-19.6
45-54	939	338,411				228	19.7	12.1-27.2	163	18.7	09.4-27.9	30	1.9	00.6-03.1			
55-64	1017	213,905				234	13.0	08.8-17.1	158	18.8	09.6-28.0	34	3.3	00.5-06.2			
65+	1498	248,145	724	42.3	32.3-52.3	278	13.9	09.7-18.2				49	2.0	00.9-03.0	238	19.6	12.5-26.7
Less Than H.S.	263	380,014										8	2.5	00.0-05.4			
H.S. or G.E.D.	1096	501,725				164	13.0	06.7-19.3				41	1.3	00.6-02.1	175	15.1	07.3-22.9
Some Post-H.S.	1278	518,216							229	17.3	10.1-24.5	54	2.9	01.2-04.6	148	7.4	03.7-11.1
College Graduate	1900	602,519	929	51.3	44.1-58.5	544	24.9	19.4-30.4	244	16.2	09.8-22.6	51	1.6	00.8-02.4	132	6.0	03.9-08.1
Less than \$15,000	312	194,287				44	11.9	02.5-21.3				20	3.4	00.1-06.8			
\$15,000- 24,999	692	477,183										32	2.1	00.0-04.2			
\$25,000- 34,999	448	186,130				79	14.3	05.0-23.7				16	2.3	00.0-05.1			
\$35,000- 49,999	629	242,360				138	14.0	07.7-20.3	88	17.8	09.1-26.5	19	2.3	00.0-04.9			
\$50,000- 74,999	698	241,904							100	17.5	07.6-27.5	24	3.1	01.0-05.2	65	5.3	02.7-08.0
\$75,000+	1386	501,038	706	53.6	45.3-61.9	401	28.4	21.1-35.6	179	11.4	06.7-16.2	27	0.9	00.4-01.5	73	5.7	03.3-08.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 13: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

TABLE 2: HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1687	987,749	776	48.3	39.6-56.9	312	17.5	11.1-23.8	258	18.8	12.2-25.5	63	2.1	00.8-03.3	278	13.4	08.0-18.7
White/Non-Hisp	1243	381,914	574	53.1	43.9-62.2	255	19.4	13.9-24.9	187	14.2	09.4-19.1	41	2.6	01.3-03.9	186	10.7	07.3-14.0
Other Race	424	601,418				52	15.8	05.9-25.6				20	1.7	00.0-03.6	88	15.1	06.6-23.7
18-24	78	145,570										1	0.5	00.0-01.5	6	6.3	00.0-14.9
25-34	113	254,355							22	12.1	03.0-21.2	5	1.4	00.0-03.6	9	3.7	00.0-09.7
35-44	210	201,232				34	13.3	05.6-21.0				12	4.1	00.0-08.9	29	9.7	04.2-15.1
45-54	376	171,355				83	13.4	05.3-21.4				12	1.6	00.0-03.4			
55-64	398	116,373				79	10.4	05.4-15.5				15	2.4	00.3-04.5			
65+	502	98,242				75	12.3	05.5-19.0	65	14.4	06.0-22.8	18	2.2	00.3-04.2	127	23.4	15.0-31.9
Less Than H.S.	105	197,519										3	2.4	00.0-07.1			
H.S. or G.E.D.	395	246,222										16	1.0	00.2-01.9	95	11.1	04.8-17.4
Some Post-H.S.	437	256,430							79	14.6	04.7-24.5	22	3.3	00.5-06.0	74	9.9	02.8-17.0
College Graduate	745	285,613				181	19.7	13.2-26.2	99	15.6	08.4-22.8	22	1.6	00.5-02.7	75	6.7	03.8-09.6
Less than \$15,000	96	87,190										7	4.8	00.0-12.0	22	3.3	00.0-06.8
\$15,000- 24,999	218	231,911										10	2.5	00.0-06.5			
\$25,000- 34,999	154	82,318				28	11.2	02.1-20.3	22	9.5	00.1-19.0	6	1.1	00.0-02.5			
\$35,000- 49,999	231	124,343				35	6.4	01.3-11.5				9	2.0	00.0-04.4	51	11.8	04.4-19.3
\$50,000- 74,999	248	109,090				45	10.9	03.2-18.5				10	2.3	00.0-04.8	36	6.6	02.1-11.1
\$75,000+	615	275,465				145	24.8	15.1-34.6	81	14.0	05.8-22.1	13	1.3	00.3-02.3	48	5.2	02.6-07.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 13: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

TABLE 3: HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2859	1,016,709	1388	45.4	38.0-52.8	684	22.5	16.5-28.5	446	17.4	11.6-23.2	92	2.0	01.0-03.0	249	12.7	07.2-18.2
White/Non-Hisp	2041	400,616	1000	45.4	37.5-53.3	546	26.2	20.4-32.1	293	14.8	10.0-19.6	61	3.2	01.4-05.0	141	10.4	03.7-17.0
Other Race	807	613,428				136	20.1	10.9-29.3	151	19.1	10.0-28.2	30	1.2	00.2-02.3	104	14.2	06.2-22.3
18-24	86	151,957							6	3.1	00.0-06.2	4	1.8	00.0-04.0	2	0.7	00.0-02.1
25-34	174	257,253							19	9.9	02.8-17.0	5	1.6	00.0-03.7			
35-44	403	191,273				99	11.4	06.1-16.8				14	1.6	00.0-03.4			
45-54	563	167,056										18	2.1	00.3-03.9			
55-64	619	97,532				155	16.0	09.6-22.4	104	17.7	09.1-26.3	19	4.5	00.0-10.0	48	11.1	03.7-18.6
65+	996	149,903				203	15.0	09.3-20.7				31	1.8	00.7-02.9			
Less Than H.S.	158	182,495										5	2.5	00.0-06.1			
H.S. or G.E.D.	701	255,503				121	12.2	05.4-19.1	123	13.9	05.5-22.4	25	1.6	00.3-02.9			
Some Post-H.S.	841	261,786										32	2.6	00.4-04.7	74	4.9	02.2-07.6
College Graduate	1155	316,906	561	46.7	37.6-55.8	363	29.6	21.3-37.8				29	1.6	00.5-02.7	57	5.4	02.3-08.4
Less than \$15,000	216	107,097										13	2.3	00.0-04.6			
\$15,000- 24,999	474	245,272										22	1.7	00.3-03.2			
\$25,000- 34,999	294	103,813										10	3.2	00.0-08.1	34	8.3	02.3-14.3
\$35,000- 49,999	398	118,017										10	2.7	00.0-07.3			
\$50,000- 74,999	450	132,814										14	3.7	00.5-06.9	29	4.3	01.1-07.5
\$75,000+	771	225,573							98	8.3	05.2-11.5	14	0.5	00.1-00.9	25	6.2	01.9-10.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

SECTION 14: MENTAL ILLNESS AND STIGMA CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE

NOW, I AM GOING TO ASK YOU SOME QUESTIONS ABOUT HOW YOU HAVE BEEN FEELING DURING THE PAST 30 DAYS. ABOUT HOW OFTEN DURING THE PAST 30 DAYS DID YOU FEEL NERVOUS- WOULD YOU SAY ALL OF THE TIME, MOST OF THE TIME, SOME OF THE TIME, A LITTLE OF THE TIME OR NONE OF THE TIME? (MISNERVS)

- 1 MALES AND FEMALES
- 2 MALES ONLY
- 3 FEMALES ONLY

DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL HOPELESS- ALL OF THE TIME, MOST OF THE TIME, SOME OF THE TIME, A LITTLE OF THE TIME OR NONE OF THE TIME? (MISHOPLS)

- 4 MALES AND FEMALES
- 5 MALES ONLY
- 6 FEMALES ONLY

DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL RESTLESS OR FIDGETY? (MISRSTLS)

- 7 MALES AND FEMALES
- 8 MALES ONLY
- 9 FEMALES ONLY

DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL SO DEPRESSED THAT NOTHING COULD CHEER YOU UP? (MISDEPRD)

- 10 MALES AND FEMALES
- 11 MALES ONLY
- 12 FEMALES ONLY

DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL THAT EVERYTHING WAS AN EFFORT? (MISEFFRT)

- 13 MALES AND FEMALES
- 14 MALES ONLY
- 15 FEMALES ONLY

DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL WORTHLESS? (MISWTLES)

- 16 MALES AND FEMALES
- 17 MALES ONLY
- 18 FEMALES ONLY

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 14: MENTAL ILLNESS AND STIGMA**

TABLE 1: NOW, I AM GOING TO ASK YOU SOME QUESTIONS ABOUT HOW YOU HAVE BEEN FEELING DURING THE PAST 30 DAYS. ABOUT HOW OFTEN DURING THE PAST 30 DAYS DID YOU FEEL NERVOUS- WOULD YOU SAY ALL OF THE TIME, MOST OF THE TIME, SOME OF THE TIME, A LITTLE OF THE TIME OR NONE OF THE TIME? (MISNERVS)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	All			N	Most			N	Some			N	A little			N	None		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)			%	C.I. (95%)			%	C.I. (95%)			%	C.I. (95%)	
TOTAL	4574	2,026,097	52	2.3	00.0-04.9		128	4.9	01.6-08.1		821	21.1	16.4-25.7		1599	28.4	23.7-33.0		1974	43.4	37.7-49.1	
Male	1700	990,722	22	3.9	00.0-09.0		37	3.1	00.0-07.4		268	20.7	13.7-27.7		570	25.4	19.0-31.9		803	47.0	38.4-55.6	
Female	2874	1,035,375	30	0.8	00.2-01.5		91	6.6	01.7-11.5		553	21.4	15.3-27.6		1029	31.2	24.6-37.7		1171	40.0	32.6-47.4	
White/Non-Hisp	3310	786,665	37	1.3	00.5-02.2		90	6.9	00.7-13.1		608	20.6	16.7-24.4		1227	32.8	28.0-37.6		1348	38.4	32.2-44.6	
Other Race	1233	1,232,095	15	2.9	00.0-07.1		36	3.6	00.0-07.2		204	21.2	14.0-28.4		365	25.7	18.7-32.7		613	46.6	38.2-55.1	
18-24	164	297,526	3	0.5	00.0-01.2										117	27.9	18.3-37.4					
25-34	286	509,898	2	0.2	00.0-00.6		5	3.8	00.0-09.3													
35-44	615	392,967	6	0.3	00.0-00.7		26	4.6	00.1-09.1		107	19.5	10.4-28.6									
45-54	939	339,539					28	7.7	00.0-19.0		180	14.6	08.5-20.8		363	22.7	15.0-30.3					
55-64	1023	214,207	16	4.7	00.2-09.1		35	1.7	00.8-02.5		168	18.5	10.5-26.5		342	26.3	17.6-35.0					
65+	1519	269,624	11	0.4	00.0-00.8		27	2.3	00.3-04.3		251	17.2	09.4-25.0		492	23.5	16.0-31.1					
Less Than H.S.	265	398,895					19	8.6	00.0-18.7													
H.S. or G.E.D.	1105	504,060	14	1.0	00.2-01.8		31	4.7	00.0-10.2													
Some Post-H.S.	1282	516,651	15	0.2	00.0-00.4		42	6.9	00.0-15.4		224	18.6	10.0-27.1		439	25.3	17.0-33.7					
College Graduate	1911	604,401	12	0.3	00.0-00.7		35	0.8	00.4-01.2		310	15.7	11.7-19.8		752	38.6	32.0-45.2		802	44.5	37.1-52.0	
Less than \$15,000	311	193,702					16	2.6	00.0-05.5													
\$15,000- 24,999	695	477,705	10	0.9	00.0-01.9		31	7.2	00.0-15.6						208	17.5	08.9-26.1					
\$25,000- 34,999	455	205,546	6	2.0	00.0-05.2		15	1.7	00.0-04.0													
\$35,000- 49,999	636	243,555	6	0.7	00.0-01.8						109	17.9	09.1-26.8									
\$50,000- 74,999	705	243,221	7	0.6	00.0-01.5		15	1.3	00.0-03.0		121	17.4	10.5-24.3		244	26.2	16.9-35.5					
\$75,000+	1388	499,960	7	0.3	00.0-00.7		29	1.0	00.3-01.7		208	16.7	10.9-22.5		540	41.3	32.7-49.9		604	40.7	32.4-49.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 14: MENTAL ILLNESS AND STIGMA

TABLE 2: NOW, I AM GOING TO ASK YOU SOME QUESTIONS ABOUT HOW YOU HAVE BEEN FEELING DURING THE PAST 30 DAYS. ABOUT HOW OFTEN DURING THE PAST 30 DAYS DID YOU FEEL NERVOUS- WOULD YOU SAY ALL OF THE TIME, MOST OF THE TIME, SOME OF THE TIME, A LITTLE OF THE TIME OR NONE OF THE TIME? (MISNERVS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	All			N	Most			N	Some			N	A little			N	None		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)			%	C.I. (95%)			%	C.I. (95%)			%	C.I. (95%)	
Male	1700	990,722	22	3.9	00.0-09.0		37	3.1	00.0-07.4		268	20.7	13.7-27.7		570	25.4	19.0-31.9		803	47.0	38.4-55.6	
White/Non-Hisp	1255	384,523	13	1.8	00.2-03.4		29	7.6	00.0-18.2		201	18.2	12.7-23.7		446	30.4	23.6-37.2		566	42.0	32.5-51.5	
Other Race	425	601,527	9	5.2	00.0-13.5		6	0.1	00.0-00.3						120	22.4	12.8-32.1					
18-24	78	145,570	3	1.0	00.0-02.4																	
25-34	113	254,355	1	0.0	00.0-00.0		3	0.5	00.0-01.0													
35-44	210	201,232	2	0.2	00.0-00.5		8	0.8	00.1-01.6													
45-54	376	172,409					11	1.6	00.0-03.9		60	8.4	01.6-15.1		145	18.5	08.6-28.5					
55-64	400	116,388	7	5.7	00.0-12.6		7	0.8	00.0-01.7						130	19.3	11.0-27.6					
65+	513	100,167	4	0.2	00.0-00.4		4	1.1	00.0-03.0						141	15.5	09.9-21.0					
Less Than H.S.	105	197,519					6	0.9	00.0-02.1													
H.S. or G.E.D.	399	248,167	7	1.4	00.0-02.8		3	0.8	00.0-02.4													
Some Post-H.S.	441	256,686	5	0.3	00.0-00.7																	
College Graduate	748	286,277	4	0.2	00.0-00.3		12	0.7	00.1-01.2		98	13.4	07.7-19.1		295	34.3	25.3-43.3					
Less than \$15,000	98	88,565					3	0.7	00.0-01.9		21	8.3	00.0-18.2									
\$15,000- 24,999	220	232,336	4	1.3	00.0-03.4		6	0.8	00.0-01.8													
\$25,000- 34,999	157	82,856	3	4.8	00.0-12.9		4	0.3	00.0-00.8													
\$35,000- 49,999	235	125,398	3	1.3	00.0-03.5		1	0.3	00.0-00.9													
\$50,000- 74,999	250	109,361	5	0.3	00.0-00.8		5	1.9	00.0-05.5													
\$75,000+	615	274,186	4	0.5	00.0-01.2		15	0.8	00.2-01.3		83	19.2	09.6-28.8									

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 14: MENTAL ILLNESS AND STIGMA

TABLE 3: NOW, I AM GOING TO ASK YOU SOME QUESTIONS ABOUT HOW YOU HAVE BEEN FEELING DURING THE PAST 30 DAYS. ABOUT HOW OFTEN DURING THE PAST 30 DAYS DID YOU FEEL NERVOUS- WOULD YOU SAY ALL OF THE TIME, MOST OF THE TIME, SOME OF THE TIME, A LITTLE OF THE TIME OR NONE OF THE TIME? (MISNERVS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	All			N	Most			N	Some			N	A little			N	None		
	TOTAL	WEIGHTED		%	C.I. (95%)	%		C.I. (95%)	%	C.I. (95%)		%	C.I. (95%)	%		C.I. (95%)	%	C.I. (95%)				
Female	2874	1,035,375	30	0.8	00.2-01.5	91	6.6	01.7-11.5	553	21.4	15.3-27.6	1029	31.2	24.6-37.7	1171	40.0	32.6-47.4					
White/Non-Hisp	2055	402,142	24	0.9	00.1-01.7	61	6.2	00.0-12.8	407	22.8	17.5-28.1	781	35.1	28.6-41.7	782	35.0	26.8-43.1					
Other Race	808	630,568	6	0.7	00.0-01.7	30	6.9	00.0-13.7	144	20.6	11.1-30.1	245	28.8	18.8-38.7								
18-24	86	151,957				3	1.6	00.0-03.8														
25-34	173	255,543	1	0.4	00.0-01.3	2	7.2	00.0-17.8														
35-44	405	191,734	4	0.5	00.0-01.2	18	8.6	00.0-17.6														
45-54	563	167,129	9	1.4	00.0-03.0				120	21.1	11.7-30.6											
55-64	623	97,819	9	3.4	00.0-08.8	28	2.7	01.2-04.2	110	18.0	10.2-25.8											
65+	1006	169,458	7	0.5	00.0-01.2	23	3.0	00.0-06.0	181	13.0	07.7-18.4											
Less Than H.S.	160	201,376	4	2.4	00.0-05.5							34	10.9	01.6-20.2								
H.S. or G.E.D.	706	255,892	7	0.6	00.0-01.5	28	8.5	00.0-18.8														
Some Post-H.S.	841	259,964	10	0.1	00.0-00.3	27	4.4	00.0-10.4	149	13.2	08.2-18.2											
College Graduate	1163	318,124	8	0.5	00.0-01.2	23	0.9	00.4-01.4	212	17.9	12.1-23.6	457	42.5	33.4-51.6	463	38.3	28.7-47.9					
Less than \$15,000	213	105,137	11	4.8	00.0-10.7	13	4.2	00.0-09.3														
\$15,000- 24,999	475	245,369	6	0.5	00.0-01.0							142	14.0	06.0-22.0								
\$25,000- 34,999	298	122,690	3	0.1	00.0-00.3	11	2.7	00.0-06.5														
\$35,000- 49,999	401	118,157	3	0.1	00.0-00.1																	
\$50,000- 74,999	455	133,860	2	0.9	00.0-02.5	10	0.9	00.0-01.7	87	17.4	09.6-25.3											
\$75,000+	773	225,773	3	0.0	00.0-00.1	14	1.3	00.0-02.7	125	13.7	08.8-18.5											

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 14: MENTAL ILLNESS AND STIGMA**

TABLE 4: DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL HOPELESS- ALL OF THE TIME, MOST OF THE TIME, SOME OF THE TIME, A LITTLE OF THE TIME OR NONE OF THE TIME? (MISHOPLS)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	All			N	Most			N	Some			A little			None																							
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)			%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)																						
TOTAL	4570	2,025,625	18	1.9	00.0-04.4		49	0.7	00.2-01.3		297	9.3	05.3-13.3		504	16.7	11.9-21.5		3702	71.4	65.6-77.2																				
Male	1696	990,070	9	3.3	00.0-08.4		16	0.4	00.0-00.8		106	6.5	01.9-11.1		176	18.5	10.7-26.4		1389	71.3	62.3-80.3																				
Female	2874	1,035,555	9	0.5	00.0-01.1		33	1.0	00.0-02.1		191	12.0	05.6-18.4		328	15.0	09.5-20.4		2313	71.5	64.1-79.0																				
White/Non-Hisp	3305	786,186	12	0.7	00.0-01.5		31	0.7	00.1-01.3		180	6.0	04.0-08.0		345	15.7	10.2-21.2		2737	76.9	71.2-82.5																				
Other Race	1234	1,232,102	6	2.6	00.0-06.7		17	0.7	00.0-01.6		115	11.5	05.1-17.9		155	17.4	10.4-24.4		941	67.8	59.1-76.5																				
18-24	164	297,526	1	0.4	00.0-01.1	2	0.9	00.0-02.6	13	4.2	01.2-07.2	43	16.0	07.3-24.6																											
25-34	285	509,320																				12	1.1	00.0-02.6		47	6.4	01.7-11.1													
35-44	613	392,703																				8	0.9	00.0-02.2																	
45-54	939	339,448	7	2.7	00.0-06.0	16	1.0	00.1-02.0	62	4.3	02.2-06.3	98	6.3	02.9-09.7	839	85.8	80.4-91.2																								
55-64	1022	214,241																				10	0.2	00.0-00.4		78	4.9	02.9-07.0		126	11.0	03.5-18.5		1305	83.8	76.1-91.5					
65+	1519	270,051																																							
Less Than H.S.	267	399,657	3	0.1	00.0-00.2	11	0.3	00.0-00.6	76	4.8	02.1-07.4	198	14.2	07.2-21.2	1619	80.6	73.5-87.8																								
H.S. or G.E.D.	1103	503,617																				7	0.9	00.0-01.8		10	0.5	00.0-01.3		83	5.5	01.6-09.3									
Some Post-H.S.	1283	516,590																				4	0.1	00.0-00.4		19	0.3	00.0-00.7		94	10.3	02.0-18.6		139	11.5	03.1-19.9					
College Graduate	1907	603,821																																							
Less than \$15,000	312	193,817	4	1.0	00.0-02.3	13	1.9	00.0-04.1	47	9.9	00.3-19.5	48	11.5	02.7-20.3	85	16.0	06.5-25.6																								
\$15,000- 24,999	697	478,015																				5	0.3	00.0-00.8		33	8.3	01.2-15.3													
\$25,000- 34,999	454	205,608	1	0.1	00.0-00.3	5	0.3	00.0-00.6	37	6.6	00.0-13.3																														
\$35,000- 49,999	636	243,555																				7	1.4	00.0-03.2		36	6.7	01.2-12.2		80	11.8	06.4-17.1		579	80.0	71.9-88.1					
\$50,000- 74,999	703	242,710																				3	0.1	00.0-00.2		41	1.9	00.9-02.9		123	13.9	06.2-21.7		1216	84.0	76.3-91.7					
\$75,000+	1387	500,580																																							

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 14: MENTAL ILLNESS AND STIGMA**

TABLE 5: DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL HOPELESS- ALL OF THE TIME, MOST OF THE TIME, SOME OF THE TIME, A LITTLE OF THE TIME OR NONE OF THE TIME? (MISHOPLS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	All			N	Most			N	Some			N	A little			N	None		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)			%	C.I. (95%)			%	C.I. (95%)			%	C.I. (95%)	
Male	1696	990,070	9	3.3	00.0-08.4		16	0.4	00.0-00.8		106	6.5	01.9-11.1		176	18.5	10.7-26.4		1389	71.3	62.3-80.3	
White/Non-Hisp	1252	384,052	5	1.2	00.0-02.5		10	0.8	00.0-01.9		68	4.8	02.7-07.0						1044	78.4	68.5-88.3	
Other Race	424	601,346	4	4.7	00.0-13.0		5	0.1	00.0-00.3		37	7.6	00.2-15.0									
18-24	78	145,570					1	0.0	00.0-00.1		6	4.7	00.0-09.5									
25-34	112	253,777	1	0.8	00.0-02.3		1	0.1	00.0-00.2													
35-44	208	200,969					4	0.2	00.0-00.4		18	3.6	00.7-06.6									
45-54	376	172,264					1	1.1	00.0-03.4		23	8.4	00.0-19.0									
55-64	400	116,800	3	2.4	00.0-06.5		5	1.1	00.0-02.8		23	4.0	00.8-07.2		38	4.3	01.6-07.0		331	88.1	81.5-94.8	
65+	512	100,090					4	0.1	00.0-00.2		27	5.4	02.0-08.7									
Less Than H.S.	105	197,704					2	0.3	00.0-00.8		17	3.5	00.5-06.6									
H.S. or G.E.D.	398	247,725	5	1.4	00.0-03.1		4	0.8	00.0-02.4		27	6.3	00.0-13.6									
Some Post-H.S.	441	256,511	1	0.2	00.0-00.7		5	0.0	00.0-00.1													
College Graduate	746	286,208	1	0.1	00.0-00.2		5	0.4	00.0-01.0		29	3.0	01.0-04.9									
Less than \$15,000	98	88,565					3	0.1	00.0-00.2													
\$15,000- 24,999	221	232,573	2	1.9	00.0-04.6		4	0.1	00.0-00.2													
\$25,000- 34,999	156	82,414	1	0.2	00.0-00.7		1	0.5	00.0-01.6		11	1.8	00.0-03.9									
\$35,000- 49,999	235	125,398					2	0.1	00.0-00.1		15	4.4	00.6-08.1									
\$50,000- 74,999	250	109,361	1	0.2	00.0-00.6		4	2.8	00.0-06.8		16	3.8	00.0-07.7		30	9.1	02.4-15.8		199	84.1	74.2-94.0	
\$75,000+	614	274,807	2	0.1	00.0-00.2		1	0.0	00.0-00.0		18	1.9	00.6-03.2									

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 14: MENTAL ILLNESS AND STIGMA**

TABLE 6: DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL HOPELESS- ALL OF THE TIME, MOST OF THE TIME, SOME OF THE TIME, A LITTLE OF THE TIME OR NONE OF THE TIME? (MISHOPLS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	All			N	Most			N	Some			N	A little			N	None		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)			%	C.I. (95%)			%	C.I. (95%)			%	C.I. (95%)	
Female	2874	1,035,555	9	0.5	00.0-01.1		33	1.0	00.0-02.1		191	12.0	05.6-18.4		328	15.0	09.5-20.4		2313	71.5	64.1-79.0	
White/Non-Hisp	2053	402,135	7	0.4	00.0-00.9		21	0.6	00.1-01.1		112	7.1	03.9-10.3		220	16.6	11.7-21.4		1693	75.4	69.6-81.2	
Other Race	810	630,756	2	0.6	00.0-01.5		12	1.3	00.0-03.0						106	14.0	05.6-22.4					
18-24	86	151,957									7	3.6	00.0-07.3									
25-34	173	255,543					1	1.7	00.0-05.1						28	14.6	05.7-23.5					
35-44	405	191,734					8	2.0	00.0-05.1		29	9.3	00.3-18.2		64	12.3	03.3-21.4					
45-54	563	167,184	5	1.3	00.0-02.9		7	0.6	00.0-01.7						68	14.0	05.4-22.7					
55-64	622	97,441	4	3.0	00.0-08.4		11	0.9	00.2-01.6		39	4.6	02.2-06.9		60	8.6	02.2-15.1		508	83.0	74.5-91.4	
65+	1007	169,961					6	0.3	00.0-00.6		51	4.7	02.2-07.2		84	6.6	02.9-10.3		866	88.5	83.3-93.6	
Less Than H.S.	162	201,953	2	1.8	00.0-04.7		6	3.8	00.0-09.1						24	7.2	01.4-12.9					
H.S. or G.E.D.	705	255,892	2	0.4	00.0-01.2		6	0.2	00.0-00.5		56	4.6	01.9-07.3									
Some Post-H.S.	842	260,079	3	0.1	00.0-00.1		14	0.6	00.0-01.3		61	7.8	01.3-14.2		98	10.6	03.9-17.2		666	81.0	71.9-90.1	
College Graduate	1161	317,613	2	0.1	00.0-00.2		6	0.2	00.0-00.5		47	6.4	01.8-11.1		119	12.5	07.4-17.5		987	80.8	74.2-87.4	
Less than \$15,000	214	105,252	5	4.4	00.0-10.3		6	0.3	00.0-00.7		31	6.3	01.7-11.0		34	11.6	02.9-20.3					
\$15,000- 24,999	476	245,443	2	0.1	00.0-00.3		9	3.6	00.0-08.0													
\$25,000- 34,999	298	123,194					4	0.2	00.0-00.4						43	8.9	00.0-19.2					
\$35,000- 49,999	401	118,157					7	0.6	00.0-01.1													
\$50,000- 74,999	453	133,349					3	0.3	00.0-00.6		20	9.1	00.0-18.3		50	14.0	06.2-21.8					
\$75,000+	773	225,773	2	0.1	00.0-00.1		2	0.2	00.0-00.5		23	1.9	00.4-03.4		74	10.5	05.9-15.0		672	87.4	82.5-92.3	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 14: MENTAL ILLNESS AND STIGMA**

TABLE 7: DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL RESTLESS OR FIDGETY? (MISRSTLS)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All			Most			Some			A little			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4562	2,023,941	63	5.3	01.5-09.0	106	3.0	01.0-05.1	793	18.5	13.8-23.3	1107	22.5	18.2-26.9	2493	50.6	44.9-56.3
Male	1695	990,174	25	8.7	01.6-15.8	36	3.1	00.0-06.8	311	14.0	08.7-19.4	391	20.0	14.0-26.0	932	54.1	45.5-62.7
Female	2867	1,033,767	38	2.0	00.0-04.4	70	2.9	01.1-04.8	482	22.9	15.4-30.3	716	25.0	18.9-31.1	1561	47.2	39.8-54.6
White/Non-Hisp	3300	785,167	40	4.7	00.0-10.1	65	2.0	00.7-03.2	589	20.1	15.6-24.5	832	24.0	19.8-28.1	1774	49.4	43.2-55.5
Other Race	1231	1,231,437	22	5.7	00.6-10.8	40	3.7	00.5-07.0	197	17.6	10.4-24.9	266	21.6	15.1-28.2	706	51.3	42.8-59.8
18-24	164	297,526				6	2.5	00.0-05.4									
25-34	286	509,898	3	3.0	00.0-07.6	14	2.9	00.3-05.5									
35-44	612	392,487	13	2.2	00.0-04.5	16	5.4	00.0-14.2	119	16.9	08.5-25.3						
45-54	936	338,733				27	3.4	00.0-07.3				265	17.1	11.3-22.9			
55-64	1018	213,986	21	2.8	00.0-05.7	25	2.2	00.0-04.8	197	18.6	10.6-26.6	224	18.6	11.5-25.7			
65+	1518	268,975	4	0.1	00.0-00.2	18	0.8	00.1-01.5	202	11.5	07.7-15.4	337	21.9	12.6-31.2			
Less Than H.S.	267	398,717				18	8.2	00.0-17.5				51	11.2	03.8-18.7			
H.S. or G.E.D.	1098	503,094	18	4.1	00.0-08.7	23	2.0	00.0-04.6				225	21.6	13.2-29.9			
Some Post-H.S.	1283	516,590	27	10.4	00.6-20.3	31	1.4	00.2-02.6	229	10.3	05.2-15.4	324	25.8	16.0-35.7			
College Graduate	1904	603,601	12	0.1	00.0-00.3	34	1.9	00.4-03.3	318	16.0	11.9-20.1	504	27.8	20.9-34.7	1036	54.2	47.1-61.4
Less than \$15,000	309	192,677				19	3.1	00.0-06.4				76	13.5	05.6-21.4			
\$15,000- 24,999	696	477,480	18	4.8	00.0-09.9	24	1.9	00.0-04.1									
\$25,000- 34,999	453	205,129	6	6.0	00.0-17.2	15	5.7	00.0-12.8									
\$35,000- 49,999	635	243,268	5	0.5	00.0-01.5	7	2.2	00.0-05.4				165	20.9	11.1-30.6			
\$50,000- 74,999	702	242,671	5	0.1	00.0-00.3	14	2.5	00.3-04.7	117	10.4	05.7-15.0	174	17.3	10.9-23.7	392	69.7	60.2-79.2
\$75,000+	1385	500,769	13	2.8	00.0-07.3	24	4.7	00.0-11.6	240	12.9	08.8-17.0	360	32.5	24.0-41.0	748	47.2	38.9-55.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 14: MENTAL ILLNESS AND STIGMA**

TABLE 8: DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL RESTLESS OR FIDGETY? (MISRSTLS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All			Most			Some			A little			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1695	990,174	25	8.7	01.6-15.8	36	3.1	00.0-06.8	311	14.0	08.7-19.4	391	20.0	14.0-26.0	932	54.1	45.5-62.7
White/Non-Hisp	1253	384,699	18	9.0	00.0-19.6	25	2.6	00.3-05.0	241	16.2	11.9-20.4	309	22.2	16.3-28.0	660	50.1	40.6-59.6
Other Race	422	600,803	7	8.6	00.0-18.1	11	3.5	00.0-09.4	64	12.7	04.3-21.2	75	18.6	09.4-27.8			
18-24	78	145,570				3	3.8	00.0-09.4									
25-34	113	254,355	2	4.6	00.0-13.4	4	0.3	00.0-00.7									
35-44	208	201,039	5	4.1	00.0-08.5				38	8.2	03.8-12.7						
45-54	374	171,720				10	1.7	00.0-04.1				107	12.5	05.3-19.7			
55-64	399	116,747	7	3.2	00.0-07.4	6	0.6	00.0-01.5				81	10.8	05.6-16.1			
65+	513	100,142	2	0.1	00.0-00.2	6	1.4	00.0-03.1	74	13.7	07.5-19.8						
H.S. or G.E.D.	396	247,665	8	6.3	00.0-15.1	6	0.9	00.0-02.4									
Some Post-H.S.	441	256,511				10	1.0	00.0-02.0	78	7.0	01.4-12.5						
College Graduate	746	286,321	2	0.1	00.0-00.1	13	0.8	00.2-01.5	143	17.5	11.3-23.7	186	18.2	12.1-24.2	402	63.5	54.3-72.7
Less than \$15,000	97	88,553				7	1.9	00.0-04.4				18	7.8	00.0-16.5			
\$15,000- 24,999	220	232,037	7	8.0	00.0-17.8	6	0.2	00.0-00.6									
\$25,000- 34,999	156	82,414				1	0.5	00.0-01.6	29	8.9	01.1-16.7						
\$35,000- 49,999	235	125,398	2	1.0	00.0-02.9	3	4.0	00.0-10.2	35	12.4	03.4-21.5	55	11.0	03.9-18.1			
\$50,000- 74,999	250	109,361	2	0.2	00.0-00.6	5	2.9	00.0-06.9	46	12.9	04.6-21.3	64	15.0	05.7-24.2			
\$75,000+	614	274,851	7	4.9	00.0-13.0	13	7.3	00.0-19.7	113	12.6	06.3-18.9	149	25.7	16.1-35.3			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 14: MENTAL ILLNESS AND STIGMA**

TABLE 9: DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL RESTLESS OR FIDGETY? (MISRSTLS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All			Most			Some			A little			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2867	1,033,767	38	2.0	00.0-04.4	70	2.9	01.1-04.8	482	22.9	15.4-30.3	716	25.0	18.9-31.1	1561	47.2	39.8-54.6
White/Non-Hisp	2047	400,468	22	0.5	00.0-01.1	40	1.4	00.4-02.4	348	23.8	16.4-31.2	523	25.6	19.8-31.5	1114	48.6	40.8-56.5
Other Race	809	630,634	15	2.9	00.0-06.9	29	3.9	00.9-07.0				191	24.5	15.3-33.8			
18-24	86	151,957				3	1.2	00.0-03.4									
25-34	173	255,543	1	1.4	00.0-04.0	10	5.4	00.2-10.6									
35-44	404	191,448	8	0.3	00.0-00.6	9	0.7	00.0-01.3									
45-54	562	167,013	11	1.1	00.0-02.4	17	5.2	00.0-12.5				158	21.8	13.6-29.9			
55-64	619	97,239	14	2.4	00.0-06.0	19	4.1	00.0-09.6	114	14.3	07.0-21.5						
65+	1005	168,833	2	0.1	00.0-00.2	12	0.5	00.1-00.9	128	10.3	05.6-15.0						
Less Than H.S.	161	200,961	1	0.9	00.0-02.7	11	4.3	00.0-09.6				35	10.4	01.4-19.4			
H.S. or G.E.D.	702	255,429	10	1.9	00.0-04.7	17	3.2	00.0-08.1									
Some Post-H.S.	842	260,079	17	5.1	00.0-13.9	21	1.9	00.0-04.0	151	13.5	05.3-21.8						
College Graduate	1158	317,281	10	0.2	00.0-00.4	21	2.8	00.0-05.5	175	14.6	09.2-20.1				634	45.9	37.0-54.8
Less than \$15,000	212	104,124	5	1.3	00.0-03.3	12	4.1	00.0-09.7									
\$15,000- 24,999	476	245,443	11	1.8	00.0-04.6	18	3.5	00.0-07.7									
\$25,000- 34,999	297	122,715										74	13.9	04.7-23.2			
\$35,000- 49,999	400	117,870	3	0.0	00.0-00.0	4	0.2	00.0-00.5									
\$50,000- 74,999	452	133,310	3	0.0	00.0-00.0	9	2.2	00.0-04.4	71	8.3	02.9-13.7	110	19.2	10.7-27.7			
\$75,000+	771	225,918	6	0.2	00.0-00.3	11	1.4	00.0-02.9	127	13.3	08.4-18.3						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 14: MENTAL ILLNESS AND STIGMA**

TABLE 10: DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL SO DEPRESSED THAT NOTHING COULD CHEER YOU UP? (MISDEPRD)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All			Most			Some			A little			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4563	2,022,314	20	1.7	00.0-04.3	50	0.9	00.3-01.5	212	6.2	04.0-08.3	350	9.6	05.8-13.4	3931	81.7	76.9-86.4
Male	1691	987,923	10	2.9	00.0-08.0	16	0.6	00.1-01.0	78	5.3	02.5-08.2	123	9.7	03.9-15.4	1464	81.6	74.1-89.1
Female	2872	1,034,391	10	0.7	00.0-01.7	34	1.2	00.1-02.2	134	7.0	03.7-10.2	227	9.5	04.4-14.5	2467	81.7	75.8-87.5
White/Non-Hisp	3304	785,412	13	0.9	00.0-02.3	28	1.4	00.3-02.4	132	6.7	04.3-09.1	245	7.3	05.1-09.4	2886	83.7	80.2-87.3
Other Race	1229	1,229,601	7	2.3	00.0-06.4	21	0.5	00.0-01.3	78	5.6	02.4-08.8	103	11.1	05.0-17.2	1020	80.5	73.1-87.9
18-24	164	297,526				3	0.6	00.0-01.4	8	6.5	00.0-13.7						
25-34	285	507,953				4	1.5	00.0-03.6	12	3.2	00.7-05.8	35	8.7	01.6-15.9	234	86.5	78.7-94.3
35-44	614	392,786	4	0.1	00.0-00.3	5	0.2	00.0-00.3	40	9.5	03.1-15.8	53	8.6	03.0-14.1	512	81.7	73.5-89.9
45-54	937	339,389				15	1.5	00.0-03.0	41	3.0	01.2-04.9						
55-64	1020	214,033	3	0.1	00.0-00.1	15	0.9	00.2-01.6	47	9.0	02.9-15.1	62	3.8	01.9-05.7	893	86.3	79.9-92.7
65+	1515	268,291	3	0.0	00.0-00.1	8	0.2	00.0-00.4	62	8.1	00.7-15.5	100	7.0	01.4-12.6	1342	84.7	75.8-93.5
Less Than H.S.	266	398,341				8	1.4	00.0-03.7	37	8.6	03.6-13.7	31	10.2	00.8-19.6			
H.S. or G.E.D.	1102	501,665	4	0.3	00.0-00.7	21	1.9	00.3-03.5	63	7.5	01.8-13.2	97	11.4	01.9-20.9			
Some Post-H.S.	1281	516,538	8	0.1	00.0-00.4	7	0.1	00.0-00.3	68	6.0	01.4-10.6	105	6.2	02.5-09.9	1093	87.5	81.7-93.4
College Graduate	1904	603,831	4	0.0	00.0-00.1	14	0.3	00.1-00.4	44	3.6	01.3-05.9	116	10.6	03.5-17.6	1726	85.6	78.4-92.7
Less than \$15,000	310	192,448				12	1.5	00.0-03.1	31	7.5	01.5-13.6						
\$15,000- 24,999	695	476,069	5	0.0	00.0-00.0	12	1.9	00.0-04.2	55	7.6	02.7-12.5	60	7.9	00.6-15.2	563	82.5	73.6-91.4
\$25,000- 34,999	454	205,557	4	3.2	00.0-08.5	6	0.1	00.0-00.3				42	2.7	00.9-04.5			
\$35,000- 49,999	636	243,555	1	0.1	00.0-00.4	5	0.3	00.0-00.6	30	3.5	00.7-06.4						
\$50,000- 74,999	702	242,616	1	0.0	00.0-00.1	7	1.0	00.0-02.6	25	2.9	00.2-05.6	48	6.6	03.1-10.0	621	89.5	84.6-94.4
\$75,000+	1385	500,452	3	0.0	00.0-00.1	5	0.4	00.0-00.8	30	2.8	00.5-05.0	69	4.6	02.1-07.1	1278	92.3	88.9-95.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 14: MENTAL ILLNESS AND STIGMA**

TABLE 11: DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL SO DEPRESSED THAT NOTHING COULD CHEER YOU UP? (MISDEPRD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All			Most			Some			A little			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1691	987,923	10	2.9	00.0-08.0	16	0.6	00.1-01.0	78	5.3	02.5-08.2	123	9.7	03.9-15.4	1464	81.6	74.1-89.1
White/Non-Hisp	1251	384,270	6	0.4	00.0-01.0	11	1.2	00.0-02.4	53	7.0	03.1-10.9	90	5.7	03.6-07.9	1091	85.6	80.9-90.4
Other Race	421	599,017	4	4.5	00.0-12.8	5	0.1	00.0-00.3	23	3.8	00.0-07.6	31	12.2	03.0-21.5			
18-24	78	145,570				2	1.2	00.0-02.9	5	5.5	00.0-12.7	5	1.5	00.0-03.5	66	91.8	83.9-99.7
25-34	112	252,410				2	0.1	00.0-00.2	3	1.8	00.0-04.4						
35-44	209	201,051	2	0.2	00.0-00.5				16	6.1	01.0-11.2	18	8.8	01.5-16.1	173	84.9	75.8-93.9
45-54	375	172,256				6	1.6	00.0-04.0	15	2.0	00.0-04.0						
55-64	398	116,713	1	0.0	00.0-00.0	4	0.5	00.0-01.3	19	8.1	00.0-17.0	20	3.6	00.7-06.5	354	87.8	78.4-97.2
65+	509	99,322	2	0.1	00.0-00.2	2	0.1	00.0-00.2				33	4.1	01.6-06.6			
Less Than H.S.	105	197,380				1	0.5	00.0-01.4	14	6.9	00.4-13.5						
H.S. or G.E.D.	396	245,773	2	0.5	00.0-01.4	6	1.3	00.0-03.0	22	7.2	00.0-15.7	29	8.1	00.0-16.4			
Some Post-H.S.	440	256,510	5	0.2	00.0-00.7	3	0.2	00.0-00.6	22	3.7	00.2-07.2	31	3.5	01.3-05.7	379	92.3	87.8-96.9
College Graduate	744	286,339	2	0.1	00.0-00.2	6	0.3	00.0-00.5	20	4.0	00.2-07.8						
Less than \$15,000	97	88,189				4	0.3	00.0-00.7	9	6.9	00.0-16.2						
\$15,000- 24,999	219	230,627	3	0.0	00.0-00.0	4	0.6	00.0-01.4	14	5.8	01.1-10.5						
\$25,000- 34,999	156	82,414										14	3.1	00.0-06.9			
\$35,000- 49,999	235	125,398	1	0.2	00.0-00.7	1	0.2	00.0-00.7	12	2.6	00.0-05.3						
\$50,000- 74,999	249	109,267	1	0.1	00.0-00.2	3	2.0	00.0-05.6	11	2.3	00.0-05.5	19	5.4	01.2-09.6	215	90.3	83.3-97.3
\$75,000+	613	274,800	1	0.0	00.0-00.1	3	0.5	00.0-01.2	16	3.6	00.0-07.4	31	5.0	00.9-09.0	562	91.0	85.4-96.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 14: MENTAL ILLNESS AND STIGMA**

TABLE 12: DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL SO DEPRESSED THAT NOTHING COULD CHEER YOU UP? (MISDEPRD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All			Most			Some			A little			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2872	1,034,391	10	0.7	00.0-01.7	34	1.2	00.1-02.2	134	7.0	03.7-10.2	227	9.5	04.4-14.5	2467	81.7	75.8-87.5
White/Non-Hisp	2053	401,143	7	1.4	00.0-04.0	17	1.5	00.0-03.2	79	6.3	03.5-09.2	155	8.8	05.1-12.4	1795	82.0	76.7-87.3
Other Race	808	630,584	3	0.2	00.0-00.6	16	0.9	00.0-02.3	55	7.4	02.4-12.4	72	10.0	02.0-17.9	662	81.5	72.5-90.5
18-24	86	151,957				1	0.1	00.0-00.2	3	7.4	00.0-19.6						
25-34	173	255,543				2	2.9	00.0-07.0	9	4.6	00.2-09.1	21	7.2	01.2-13.1	141	85.3	76.6-93.9
35-44	405	191,734	2	0.0	00.0-00.1	5	0.3	00.0-00.7				35	8.3	00.0-16.7			
45-54	562	167,133	5	4.0	00.0-10.4	9	1.4	00.0-03.1	26	4.1	01.2-07.1	48	5.3	02.5-08.1	474	85.2	77.3-93.1
55-64	622	97,320	2	0.1	00.0-00.3	11	1.3	00.0-02.5	28	10.1	02.1-18.1	42	4.0	01.7-06.3	539	84.5	76.2-92.8
65+	1006	168,969	1	0.0	00.0-00.0	6	0.3	00.0-00.6	43	4.2	01.5-07.0	67	8.7	00.0-17.4	889	86.7	77.6-95.9
Less Than H.S.	161	200,961	3	3.3	00.0-08.8	7	2.4	00.0-06.7	23	10.3	02.7-17.9	19	7.0	00.0-15.4			
H.S. or G.E.D.	706	255,892	2	0.0	00.0-00.0	15	2.5	00.0-05.3	41	7.7	00.0-15.4						
Some Post-H.S.	841	260,028	3	0.0	00.0-00.1	4	0.0	00.0-00.1	46	8.3	00.1-16.5	74	8.8	02.0-15.7			
College Graduate	1160	317,492	2	0.0	00.0-00.1	8	0.3	00.0-00.5	24	3.2	00.4-05.9	65	7.6	03.2-11.9	1061	89.0	83.9-94.1
Less than \$15,000	213	104,259	2	0.0	00.0-00.1	8	2.5	00.0-05.5	22	8.1	00.4-15.8	30	8.6	00.5-16.7			
\$15,000- 24,999	476	245,443	2	0.0	00.0-00.1	8	3.2	00.0-07.5	41	9.3	00.9-17.7	46	5.1	01.1-09.0			
\$25,000- 34,999	298	123,143	4	5.4	00.0-14.1	6	0.2	00.0-00.4				28	2.4	00.6-04.1			
\$35,000- 49,999	401	118,157				4	0.4	00.0-00.8	18	4.4	00.0-09.5						
\$50,000- 74,999	453	133,349				4	0.2	00.0-00.4	14	3.4	00.0-07.6	29	7.5	02.4-12.6	406	88.9	82.2-95.6
\$75,000+	772	225,652	2	0.1	00.0-00.1	2	0.2	00.0-00.6	14	1.8	00.1-03.5	38	4.1	01.7-06.5	716	93.8	90.8-96.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 14: MENTAL ILLNESS AND STIGMA**

**TABLE 13: DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL THAT EVERYTHING WAS AN EFFORT? (MISEFFRT)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All			Most			Some			A little			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4540	2,002,651	165	5.7	02.6-08.8	168	6.1	03.6-08.6	632	12.7	09.7-15.6	780	17.5	12.9-22.0	2795	58.0	52.4-63.6
Male	1685	982,613	65	7.9	02.2-13.5	58	5.5	01.5-09.6	234	12.9	08.5-17.2	264	15.4	08.7-22.1	1064	58.4	49.8-66.9
Female	2855	1,020,039	100	3.7	01.1-06.3	110	6.6	03.7-09.6	398	12.5	08.6-16.5	516	19.5	13.3-25.7	1731	57.7	50.4-65.0
White/Non-Hisp	3294	779,999	76	2.8	01.3-04.2	110	5.0	03.0-07.0	442	13.0	10.2-15.8	597	20.9	16.0-25.7	2069	58.4	52.6-64.2
Other Race	1216	1,215,318	87	7.7	02.7-12.7	54	6.8	02.9-10.7	186	12.3	07.8-16.8	183	15.4	08.6-22.2	706	57.8	49.3-66.3
18-24	162	292,968	9	9.6	00.3-18.9	13	7.2	00.3-14.2	31	13.7	04.5-22.9						
25-34	283	507,182	16	1.9	00.3-03.6	17	5.2	01.3-09.1	43	10.7	05.1-16.3						
35-44	609	386,448	38	4.0	01.2-06.7	29	9.0	00.0-18.2	96	16.0	07.3-24.6	127	17.6	09.9-25.4			
45-54	933	337,944				31	5.6	01.0-10.3	132	11.8	05.6-18.0						
55-64	1019	211,249	30	4.1	00.2-07.9	30	3.7	00.6-06.7	131	12.5	06.8-18.2	167	12.2	05.7-18.7	661	67.5	58.0-77.0
65+	1506	264,552	39	7.8	00.1-15.4	48	4.9	01.6-08.3	195	11.8	06.9-16.7	229	12.6	06.5-18.6			
Less Than H.S.	261	394,043				24	11.1	01.2-21.0	45	9.5	03.1-16.0	34	7.3	01.8-12.7			
H.S. or G.E.D.	1095	497,829	45	6.2	01.3-11.1	48	8.3	03.0-13.5	170	17.4	09.7-25.2						
Some Post-H.S.	1280	509,372	59	6.6	01.4-11.9	46	3.4	00.9-05.9	193	10.9	05.5-16.4	228	18.4	09.0-27.9			
College Graduate	1894	599,319	43	2.2	00.9-03.5	50	3.3	01.5-05.2	221	12.1	08.5-15.7	374	23.3	15.8-30.8	1206	59.1	51.7-66.4
Less than \$15,000	307	189,324				23	8.2	00.0-16.4									
\$15,000- 24,999	691	471,007	37	5.0	01.5-08.5	40	7.7	02.3-13.1	112	12.4	05.4-19.4	101	8.4	00.0-17.0			
\$25,000- 34,999	451	202,809				30	10.7	02.2-19.3				71	6.3	02.9-09.7			
\$35,000- 49,999	631	240,216	15	2.5	00.2-04.7	15	4.0	00.4-07.7	83	10.3	05.2-15.4						
\$50,000- 74,999	700	239,378	20	1.8	00.4-03.3	21	4.2	01.2-07.1	99	10.6	04.3-16.9	141	13.8	08.5-19.2	419	69.5	59.5-79.5
\$75,000+	1380	499,417	27	1.3	00.3-02.4	27	5.4	00.0-12.5	152	11.6	06.7-16.4	244	23.6	15.9-31.3	930	58.1	49.3-66.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 14: MENTAL ILLNESS AND STIGMA**

TABLE 14: DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL THAT EVERYTHING WAS AN EFFORT? (MISEFFRT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All			Most			Some			A little			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1685	982,613	65	7.9	02.2-13.5	58	5.5	01.5-09.6	234	12.9	08.5-17.2	264	15.4	08.7-22.1	1064	58.4	49.8-66.9
White/Non-Hisp	1248	383,037	27	3.5	01.0-06.1	35	3.7	01.6-05.7	168	14.7	09.9-19.6	214	16.0	10.7-21.3	804	62.0	53.9-70.2
Other Race	418	594,906	38	10.7	01.6-19.8	20	6.8	00.2-13.3	63	11.2	04.9-17.6						
18-24	77	145,039	4	7.5	00.0-17.2	7	4.2	00.4-08.0				11	7.8	00.0-15.8			
25-34	110	251,640	8	1.9	00.0-04.3	8	5.4	00.0-11.5	13	9.5	01.3-17.7						
35-44	206	198,189	12	5.0	00.3-09.7							44	15.7	06.3-25.1			
45-54	375	171,871				14	2.8	00.0-05.8	55	6.4	02.2-10.7						
55-64	399	116,749	14	6.2	00.0-13.1	10	1.8	00.0-03.9	48	12.8	03.7-21.8						
65+	507	98,500				11	2.0	00.0-04.2				71	10.0	05.6-14.4			
Less Than H.S.	104	196,560										8	4.3	00.0-09.8			
H.S. or G.E.D.	394	242,486	19	9.0	00.0-18.4	20	7.4	01.0-13.8				42	8.4	00.1-16.7			
Some Post-H.S.	440	256,510	17	5.4	00.5-10.3	13	1.1	00.1-02.1	65	7.4	03.1-11.8						
College Graduate	741	284,986	17	1.9	00.3-03.5	16	2.6	00.3-05.0	96	13.6	07.7-19.5						
Less than \$15,000	97	88,034							18	5.7	00.0-11.5						
\$15,000- 24,999	217	229,647	11	5.8	00.0-12.0	11	4.4	00.0-09.0									
\$25,000- 34,999	154	81,660				9	5.6	00.0-12.9				22	5.7	00.3-11.1			
\$35,000- 49,999	233	122,618	4	1.9	00.0-04.3	5	2.2	00.0-04.9	31	13.2	03.9-22.5						
\$50,000- 74,999	249	109,267	8	2.2	00.0-04.8	10	5.2	00.0-10.5	35	6.9	01.6-12.1	47	11.5	04.1-19.0			
\$75,000+	612	274,607	13	1.1	00.2-02.0				76	15.1	06.8-23.4	100	18.4	08.6-28.3			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 14: MENTAL ILLNESS AND STIGMA**

TABLE 15: DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL THAT EVERYTHING WAS AN EFFORT? (MISEFFRT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All			Most			Some			A little			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2855	1,020,039	100	3.7	01.1-06.3	110	6.6	03.7-09.6	398	12.5	08.6-16.5	516	19.5	13.3-25.7	1731	57.7	50.4-65.0
White/Non-Hisp	2046	396,962	49	2.0	00.6-03.4	75	6.3	02.9-09.7	274	11.3	08.4-14.2	383	25.5	17.8-33.2	1265	54.8	47.0-62.6
Other Race	798	620,411	49	4.7	00.6-08.9	34	6.9	02.5-11.3	123	13.3	07.1-19.6	133	15.7	06.9-24.5			
18-24	85	147,929							11	6.1	00.8-11.4						
25-34	173	255,543	8	2.0	00.0-04.3	9	5.0	00.1-10.0	30	11.9	04.4-19.5						
35-44	403	188,259	26	2.8	00.2-05.5	21	4.7	00.6-08.8									
45-54	558	166,073	19	1.9	00.0-03.8	17	8.5	00.0-17.1				112	16.5	09.4-23.6			
55-64	620	94,500	16	1.4	00.5-02.4	20	6.0	00.0-12.1	83	12.3	06.2-18.4	107	13.2	07.6-18.9			
65+	999	166,052	25	3.4	00.0-06.7	37	6.7	01.4-11.9	134	7.7	04.4-11.0	158	14.1	04.8-23.5			
Less Than H.S.	157	197,482	5	0.4	00.0-00.8	15	8.9	00.5-17.3	23	6.9	01.3-12.4	26	10.3	01.0-19.6			
H.S. or G.E.D.	701	255,343	26	3.6	00.8-06.4	28	9.1	00.9-17.3									
Some Post-H.S.	840	252,863	42	7.9	00.0-17.1	33	5.7	00.9-10.5	128	14.5	04.8-24.1	150	12.1	05.2-19.0			
College Graduate	1153	314,332	26	2.5	00.5-04.5	34	4.0	01.2-06.8	125	10.7	06.3-15.0	239	25.6	17.0-34.1	729	57.3	48.1-66.4
Less than \$15,000	210	101,289	16	3.8	00.0-08.6	15	6.9	00.3-13.5				35	9.2	00.7-17.6			
\$15,000- 24,999	474	241,360	26	4.3	00.8-07.8	29	10.9	01.4-20.3	78	8.6	02.4-14.8	72	4.8	01.8-07.8			
\$25,000- 34,999	297	121,149										49	6.7	02.3-11.0			
\$35,000- 49,999	398	117,598	11	3.1	00.0-06.9	10	5.9	00.0-12.8	52	7.2	02.8-11.7						
\$50,000- 74,999	451	130,110	12	1.6	00.0-03.1	11	3.3	00.3-06.4				94	15.8	08.5-23.1			
\$75,000+	768	224,810	14	1.7	00.0-03.6	18	2.3	00.0-04.9	76	7.2	04.1-10.4						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 14: MENTAL ILLNESS AND STIGMA**

**TABLE 16: DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL WORTHLESS? (MISWTLES)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All			Most			Some			A little			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4558	2,014,782	22	1.5	00.0-04.0	42	0.6	00.2-01.0	202	5.3	03.4-07.1	245	5.7	03.1-08.3	4047	87.0	83.2-90.9
Male	1693	988,266	12	2.9	00.0-08.0	11	0.1	00.0-00.2	62	3.8	01.6-06.0	85	5.6	01.6-09.6	1523	87.6	81.2-94.0
Female	2865	1,026,516	10	0.1	00.0-00.1	31	1.1	00.2-01.9	140	6.6	03.8-09.5	160	5.8	02.4-09.1	2524	86.5	82.1-90.8
White/Non-Hisp	3299	781,683	17	0.3	00.0-00.6	31	0.7	00.2-01.1	133	6.6	04.2-08.9	174	5.8	03.7-08.0	2944	86.6	83.4-89.8
Other Race	1227	1,225,755	5	2.2	00.0-06.3	11	0.5	00.0-01.2	66	4.2	01.7-06.7	70	5.6	01.6-09.6	1075	87.4	81.4-93.4
18-24	163	293,499	1	0.3	00.0-00.9	1	1.0	00.0-03.1	8	2.1	00.1-04.1	11	2.8	00.6-05.0	142	93.7	89.8-97.6
25-34	284	507,760	1	0.0	00.0-00.0				16	4.4	01.3-07.4	21	9.7	00.8-18.6	246	85.9	76.8-95.1
35-44	611	389,278	1	0.0	00.0-00.0	5	0.1	00.0-00.3	26	4.5	01.4-07.6	35	5.6	00.4-10.9	544	89.7	83.6-95.8
45-54	938	339,420				12	0.8	00.0-01.7	38	8.9	01.8-16.0	56	4.3	02.0-06.5			
55-64	1021	214,069	6	0.3	00.0-00.6	14	1.6	00.0-04.2	46	6.1	02.2-10.0	50	4.9	02.3-07.4	905	87.1	81.7-92.5
65+	1514	268,472	9	0.2	00.0-00.5	10	0.7	00.1-01.3	66	6.2	00.6-11.7	71	3.7	02.0-05.4	1358	89.2	83.3-95.0
Less Than H.S.	265	398,520	5	6.9	00.0-19.2	10	1.2	00.0-02.6	27	9.3	03.0-15.5						
H.S. or G.E.D.	1099	501,341	8	0.2	00.0-00.3	6	0.2	00.0-00.6	69	7.4	02.6-12.2	68	3.3	01.4-05.1	948	88.9	83.7-94.2
Some Post-H.S.	1280	509,372	6	0.2	00.0-00.4	10	0.3	00.0-00.7	56	2.0	00.8-03.3	71	3.7	02.0-05.4	1137	93.8	91.4-96.1
College Graduate	1903	603,457	2	0.0	00.0-00.0	16	0.8	00.0-01.8	49	3.6	01.7-05.5	77	3.9	01.7-06.1	1759	91.8	88.7-94.9
Less than \$15,000	309	192,758				12	2.4	00.0-05.5	24	8.8	00.0-18.5	36	4.9	01.7-08.1			
\$15,000- 24,999	694	472,042	4	0.1	00.0-00.3	13	0.5	00.0-01.0	62	5.8	02.5-09.2	49	10.6	01.2-19.9	566	83.0	73.2-92.7
\$25,000- 34,999	454	205,603	3	0.1	00.0-00.3	4	1.5	00.0-04.4	30	9.9	01.1-18.7	24	2.7	00.0-05.5	393	85.7	75.9-95.5
\$35,000- 49,999	635	243,268				7	0.4	00.0-00.7	23	3.6	00.7-06.5	36	5.8	00.6-10.9	569	90.2	84.2-96.2
\$50,000- 74,999	701	239,427				2	0.1	00.0-00.2	29	4.6	01.1-08.1	34	4.3	01.5-07.1	636	91.0	86.4-95.7
\$75,000+	1382	500,036	3	0.2	00.0-00.6	2	0.1	00.0-00.2	22	1.9	00.6-03.2	48	4.3	00.5-08.0	1307	93.6	89.6-97.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 14: MENTAL ILLNESS AND STIGMA**

TABLE 17: DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL WORTHLESS? (MISWTLES)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All			Most			Some			A little			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1693	988,266	12	2.9	00.0-08.0	11	0.1	00.0-00.2	62	3.8	01.6-06.0	85	5.6	01.6-09.6	1523	87.6	81.2-94.0
White/Non-Hisp	1250	384,194	8	0.4	00.0-01.0	10	0.2	00.0-00.5	42	4.6	02.2-07.0	62	4.3	02.2-06.4	1128	90.4	87.0-93.8
Other Race	422	599,394	4	4.5	00.0-12.8	1	0.0	00.0-00.1	17	2.8	00.0-06.0	22	6.4	00.0-12.8			
18-24	78	145,570	1	0.6	00.0-01.9				4	1.0	00.0-02.3	5	2.6	00.0-05.9	68	95.8	91.8-99.7
25-34	111	252,218	1	0.0	00.0-00.0				6	3.0	00.0-06.2						
35-44	209	201,051				1	0.1	00.0-00.2	7	3.0	00.0-06.2	12	8.8	00.0-18.7			
45-54	376	172,407				4	0.3	00.0-00.7	14	7.7	00.0-18.2	22	4.2	00.6-07.9			
55-64	399	116,749	2	0.2	00.0-00.5	4	0.0	00.0-00.0	16	5.4	00.5-10.3	13	3.4	00.2-06.6	364	91.0	84.9-97.1
65+	510	99,671	5	0.3	00.0-00.7	2	0.3	00.0-00.8	14	2.9	00.3-05.4	24	3.4	00.7-06.1	465	93.1	89.2-97.0
Less Than H.S.	105	197,722							9	2.5	00.0-05.4						
H.S. or G.E.D.	396	245,773	4	0.1	00.0-00.3	1	0.0	00.0-00.0	19	8.1	00.3-15.9	24	2.6	00.4-04.8	348	89.2	81.0-97.3
Some Post-H.S.	440	256,510	3	0.3	00.0-00.7	3	0.1	00.0-00.3	14	1.8	00.0-03.9	23	3.1	01.0-05.2	397	94.7	91.5-97.9
College Graduate	745	286,189	1	0.0	00.0-00.0	7	0.3	00.0-00.6	20	2.8	00.7-04.8	27	1.9	00.6-03.2	690	95.0	92.5-97.5
Less than \$15,000	97	88,531				3	0.2	00.0-00.7				10	3.4	00.0-07.7			
\$15,000- 24,999	219	230,627	1	0.0	00.0-00.0	4	0.1	00.0-00.2	20	6.1	01.5-10.8						
\$25,000- 34,999	156	82,414	2	0.3	00.0-00.8				5	1.1	00.0-02.8	4	0.6	00.0-01.4	145	98.1	95.9-0100
\$35,000- 49,999	235	125,398				2	0.3	00.0-00.7	7	2.6	00.0-05.4	15	5.0	00.9-09.1	211	92.2	86.8-97.6
\$50,000- 74,999	249	109,267							17	4.2	00.1-08.3	10	4.5	00.0-09.4	222	91.3	84.5-98.1
\$75,000+	612	274,607	1	0.3	00.0-01.0	2	0.1	00.0-00.3	5	1.7	00.0-03.5	21	5.1	00.0-11.7	583	92.8	86.0-99.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
SECTION 14: MENTAL ILLNESS AND STIGMA**

TABLE 18: DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL WORTHLESS? (MISWTLES)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All			Most			Some			A little			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2865	1,026,516	10	0.1	00.0-00.1	31	1.1	00.2-01.9	140	6.6	03.8-09.5	160	5.8	02.4-09.1	2524	86.5	82.1-90.8
White/Non-Hisp	2049	397,490	9	0.2	00.0-00.3	21	1.1	00.3-01.8	91	8.5	04.6-12.4	112	7.3	03.7-10.9	1816	83.0	77.8-88.2
Other Race	805	626,362	1	0.0	00.0-00.0	10	1.0	00.0-02.3	49	5.5	01.7-09.4	48	4.8	00.0-09.8	697	88.6	82.3-94.9
18-24	85	147,929				1	2.1	00.0-06.2	4	3.2	00.0-06.9	6	3.0	00.1-05.9	74	91.7	84.9-98.5
25-34	173	255,543							10	5.6	00.4-10.9						
35-44	402	188,227	1	0.0	00.0-00.0	4	0.2	00.0-00.5	19	6.1	00.8-11.5	23	2.3	00.7-03.9	355	91.4	85.6-97.1
45-54	562	167,013	1	0.0	00.0-00.0	8	1.4	00.0-03.0	24	10.1	00.5-19.7	34	4.3	01.7-06.9	495	84.2	74.2-94.2
55-64	622	97,320	4	0.4	00.0-01.0	10	3.6	00.0-09.1	30	7.0	00.9-13.1	37	6.6	02.7-10.6	541	82.4	73.7-91.1
65+	1004	168,801	4	0.2	00.0-00.5	8	0.9	00.0-01.9	52	8.1	00.0-16.8	47	3.9	01.7-06.0	893	86.8	77.8-95.9
Less Than H.S.	160	200,799	1	0.0	00.0-00.1	10	2.3	00.0-05.2									
H.S. or G.E.D.	703	255,569	4	0.2	00.0-00.5	5	0.5	00.0-01.2	50	6.7	01.1-12.3	44	3.9	00.9-06.9	600	88.7	82.1-95.4
Some Post-H.S.	840	252,863	3	0.0	00.0-00.1	7	0.5	00.0-01.2	42	2.2	00.8-03.6	48	4.4	01.7-07.1	740	92.8	89.5-96.2
College Graduate	1158	317,268	1	0.0	00.0-00.1	9	1.2	00.0-03.1	29	4.3	01.2-07.4	50	5.6	01.7-09.6	1069	88.9	83.7-94.1
Less than \$15,000	212	104,228	3	0.1	00.0-00.3	9	4.3	00.0-10.0	17	6.4	00.4-12.5	26	6.2	01.6-10.7			
\$15,000- 24,999	475	241,416	3	0.2	00.0-00.5	9	1.0	00.0-02.0	42	5.5	00.8-10.3						
\$25,000- 34,999	298	123,189	1	0.0	00.0-00.0	4	2.5	00.0-07.4				20	4.2	00.0-08.8			
\$35,000- 49,999	400	117,870				5	0.5	00.0-01.0	16	4.7	00.0-09.9	21	6.6	00.0-16.3			
\$50,000- 74,999	452	130,160				2	0.1	00.0-00.4	12	5.0	00.0-10.4	24	4.1	00.9-07.3	414	90.8	84.4-97.2
\$75,000+	770	225,428	2	0.1	00.0-00.1				17	2.1	00.3-03.9	27	3.3	01.4-05.2	724	94.5	91.8-97.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

MODULE 1: FOOD ASSISTANCE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE

[IN THE LAST 12 MONTHS], WERE YOU/YOU OR ANY MEMBERS OF YOUR HOUSEHOLD AUTHORIZED TO RECEIVE BENEFITS FROM THE WIC PROGRAM,
THAT IS, THE WOMEN, INFANTS, AND CHILDREN PROGRAM OR FOOD STAMPS [WHICH INCLUDE A FOOD STAMP CARD OR VOUCHER, OR CASH
GRANTS FROM THE STATE FOR FOOD]? (RCVWICFS)

- 1 MALES AND FEMALES
- 2 MALES ONLY
- 3 FEMALES ONLY

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
MODULE 1: FOOD ASSISTANCE**

TABLE 1: [IN THE LAST 12 MONTHS], WERE YOU/YOU OR ANY MEMBERS OF YOUR HOUSEHOLD AUTHORIZED TO RECEIVE BENEFITS FROM THE WIC PROGRAM, THAT IS, THE WOMEN, INFANTS, AND CHILDREN PROGRAM OR FOOD STAMPS [WHICH INCLUDE A FOOD STAMP CARD OR VOUCHER, OR CASH GRANTS FROM THE STATE FOR FOOD]? (RC/VWICFS)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)	
TOTAL	4546	2,007,700	306	17.9	12.6-23.2		4240	82.1	76.8-87.4	
Male	1687	985,503	91	13.3	05.7-20.9		1596	86.7	79.1-94.3	
Female	2859	1,022,197	215	22.3	15.0-29.6		2644	77.7	70.4-85.0	
White/Non-Hisp	3293	780,570	107	7.5	03.5-11.5		3186	92.5	88.5-96.5	
Other Race	1222	1,219,843	198	24.5	16.5-32.6		1024	75.5	67.4-83.5	
55-64	1016	211,264	58	10.0	04.9-15.1		958	90.0	84.9-95.1	
Some Post-H.S.	1273	507,960	101	13.3	04.3-22.3		1172	86.7	77.7-95.7	
College Graduate	1900	602,347	53	2.8	01.2-04.5		1847	97.2	95.5-98.8	
\$50,000- 74,999	700	239,344	16	1.7	00.3-03.1		684	98.3	96.9-99.7	
\$75,000+	1384	500,685	15	1.2	00.0-02.7		1369	98.8	97.3-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
MODULE 1: FOOD ASSISTANCE

TABLE 2: [IN THE LAST 12 MONTHS], WERE YOU/YOU OR ANY MEMBERS OF YOUR HOUSEHOLD AUTHORIZED TO RECEIVE BENEFITS FROM THE WIC PROGRAM, THAT IS, THE WOMEN, INFANTS, AND CHILDREN PROGRAM OR FOOD STAMPS [WHICH INCLUDE A FOOD STAMP CARD OR VOUCHER, OR CASH GRANTS FROM THE STATE FOR FOOD]? (RC/VWICFS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1687	985,503	91	13.3	05.7-20.9	1596	86.7	79.1-94.3	
White/Non-Hisp	1246	383,200	34	4.2	01.6-06.8	1212	95.8	93.2-98.4	
55-64	397	116,307	14	3.0	00.4-05.6	383	97.0	94.4-99.6	
65+	510	99,703	10	2.3	00.0-04.6	500	97.7	95.4-0100	
College Graduate	742	285,129	21	2.9	00.9-04.8	721	97.1	95.2-99.1	
\$25,000- 34,999	156	82,414	12	7.9	00.5-15.3	144	92.1	84.7-99.5	
\$35,000- 49,999	233	124,969	7	2.5	00.0-05.2	226	97.5	94.8-0100	
\$50,000- 74,999	248	109,257	6	1.8	00.0-04.0	242	98.2	96.0-0100	
\$75,000+	612	274,607	7	1.8	00.0-04.4	605	98.2	95.6-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
MODULE 1: FOOD ASSISTANCE**

TABLE 3: [IN THE LAST 12 MONTHS], WERE YOU/YOU OR ANY MEMBERS OF YOUR HOUSEHOLD AUTHORIZED TO RECEIVE BENEFITS FROM THE WIC PROGRAM, THAT IS, THE WOMEN, INFANTS, AND CHILDREN PROGRAM OR FOOD STAMPS [WHICH INCLUDE A FOOD STAMP CARD OR VOUCHER, OR CASH GRANTS FROM THE STATE FOR FOOD]? (RC/VWICFS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)	
Female	2859	1,022,197	215	22.3	15.0-29.6		2644	77.7	70.4-85.0	
White/Non-Hisp	2047	397,370	73	10.7	03.5-17.9		1974	89.3	82.1-96.5	
45-54	563	166,997	29	9.3	02.2-16.5		534	90.7	83.5-97.8	
55-64	619	94,958	44	18.6	08.7-28.5		575	81.4	71.5-91.3	
Some Post-H.S.	836	251,474	80	13.9	04.3-23.5		756	86.1	76.5-95.7	
College Graduate	1158	317,218	32	2.8	00.2-05.4		1126	97.2	94.6-99.8	
\$50,000- 74,999	452	130,087	10	1.6	00.0-03.5		442	98.4	96.5-0100	
\$75,000+	772	226,078	8	0.5	00.0-01.0		764	99.5	99.0-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

MODULE 2: NEIGHBORHOOD PERCEPTION AND ENVIRONMENT CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	OVERALL, HOW WOULD YOU RATE YOUR NEIGHBORHOOD AS A PLACE TO WALK? WOULD YOU SAY... (NHWALKRT)
1	MALES AND FEMALES
2	MALES ONLY
3	FEMALES ONLY
	DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID YOU WALK IN YOUR NEIGHBORHOOD FOR LEISURE OR AS A WAY TO GET TO YOUR DESTINATION? (NHWALKFQ)
4	MALES AND FEMALES
5	MALES ONLY
6	FEMALES ONLY
	WHAT IS THE NUMBER ONE REASON THAT YOU DID NOT WALK MORE FREQUENTLY IN YOUR NEIGHBORHOOD? (NHWALKNT)
7	MALES AND FEMALES
8	MALES ONLY
9	FEMALES ONLY
	HOW SAFE FROM CRIME DO YOU CONSIDER YOUR NEIGHBORHOOD TO BE? (HOWSAFE)
10	MALES AND FEMALES
11	MALES ONLY
12	FEMALES ONLY

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
MODULE 2: NEIGHBORHOOD PERCEPTION AND ENVIRONMENT
TABLE 1: OVERALL, HOW WOULD YOU RATE YOUR NEIGHBORHOOD AS A PLACE TO WALK? WOULD YOU SAY... (NHWALKRT)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very pleasant			Somewhat pleasant			Not very pleasant			Not at all pleasant		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4537	1,988,643	3033	61.4	55.6-67.2	1286	34.9	29.1-40.7	132	2.0	00.3-03.7	86	1.7	00.7-02.7
Male	1684	982,590	1131	62.3	53.7-70.9	479	36.1	27.5-44.7	45	1.0	00.4-01.7	29	0.6	00.2-01.0
Female	2853	1,006,053	1902	60.6	52.8-68.4	807	33.8	25.9-41.6	87	2.9	00.0-06.1	57	2.7	00.8-04.7
White/Non-Hisp	3286	779,808	2313	71.2	64.7-77.8	841	26.5	19.9-33.1	80	1.1	00.4-01.7	52	1.2	00.3-02.1
Other Race	1220	1,201,499	702	55.1	46.5-63.7	434	40.3	31.8-48.9	50	2.6	00.0-05.3	34	2.0	00.4-03.6
18-24	162	293,273							10	1.7	00.2-03.2	8	2.9	00.1-05.7
25-34	282	506,830							11	4.1	00.0-10.3	7	1.8	00.0-03.8
35-44	609	388,782							16	0.7	00.0-01.4	6	0.1	00.0-00.3
45-54	937	335,547							30	1.2	00.0-02.7	16	0.3	00.1-00.6
55-64	1016	213,524							22	1.2	00.2-02.2	23	1.4	00.0-03.2
65+	1503	248,379							43	1.8	00.1-03.6	24	4.3	00.0-10.2
Less Than H.S.	264	379,260							16	1.4	00.0-02.9	12	4.0	00.0-08.4
H.S. or G.E.D.	1095	497,503							42	1.4	00.3-02.5	33	1.0	00.2-01.7
Some Post-H.S.	1270	507,805							40	4.4	00.0-10.6	21	0.2	00.1-00.4
College Graduate	1897	601,984	1418	75.7	70.1-81.2	427	21.6	16.3-26.8	32	0.8	00.1-01.5	20	2.0	00.2-03.8
Less than \$15,000	305	172,966							20	1.9	00.0-03.7	17	1.4	00.1-02.7
\$15,000- 24,999	685	466,938							31	2.1	00.4-03.7	19	0.5	00.1-00.9
\$25,000- 34,999	453	205,345							21	1.0	00.1-02.0	8	3.8	00.0-08.6
\$35,000- 49,999	633	242,726							17	0.5	00.1-00.9	12	1.9	00.0-04.1
\$50,000- 74,999	700	239,296	484	83.0	76.1-90.0	192	14.7	08.3-21.0	17	1.1	00.0-02.5	7	1.2	00.0-03.5
\$75,000+	1381	499,772	1077	69.6	60.3-78.8	276	26.1	17.7-34.6	17	3.8	00.0-10.1	11	0.4	00.0-00.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

MODULE 2: NEIGHBORHOOD PERCEPTION AND ENVIRONMENT

TABLE 2: OVERALL, HOW WOULD YOU RATE YOUR NEIGHBORHOOD AS A PLACE TO WALK? WOULD YOU SAY... (NHWALKRT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very pleasant			Somewhat pleasant			Not very pleasant			Not at all pleasant		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1684	982,590	1131	62.3	53.7-70.9	479	36.1	27.5-44.7	45	1.0	00.4-01.7	29	0.6	00.2-01.0
White/Non-Hisp	1243	382,152							25	1.3	00.1-02.5	18	0.7	00.0-01.4
Other Race	421	595,766							20	0.9	00.1-01.7	11	0.5	00.1-00.9
18-24	78	145,570							6	1.5	00.0-03.4	4	1.6	00.0-03.4
25-34	111	252,218							6	1.4	00.0-03.1	2	0.3	00.0-01.0
35-44	207	200,269							4	0.2	00.0-00.4	3	0.2	00.0-00.6
45-54	374	168,254	271	90.3	84.4-96.2	89	9.4	03.6-15.1	10	0.2	00.0-00.4	4	0.1	00.0-00.3
55-64	398	116,617							6	0.6	00.0-01.2	8	0.7	00.0-01.6
65+	505	99,037							13	3.0	00.0-07.3	8	1.2	00.0-02.5
Less Than H.S.	106	197,756							6	0.4	00.0-01.0	5	1.1	00.0-02.4
H.S. or G.E.D.	394	242,142							16	2.1	00.0-04.2	12	1.0	00.1-01.9
Some Post-H.S.	439	256,507							12	0.4	00.0-00.8	7	0.2	00.0-00.3
College Graduate	738	284,112	551	72.4	63.1-81.6	171	26.2	17.0-35.3	11	1.2	00.0-02.5	5	0.3	00.0-00.9
Less than \$15,000	97	88,173	62	91.7	84.1-99.4	23	6.0	00.1-11.9	8	1.8	00.0-04.5	4	0.5	00.0-01.3
\$15,000- 24,999	217	226,474							8	1.3	00.0-03.2	7	0.5	00.0-01.1
\$25,000- 34,999	155	82,153							8	2.0	00.0-04.3	1	0.2	00.0-00.7
\$35,000- 49,999	234	125,396							7	0.3	00.0-00.8	5	0.6	00.0-01.7
\$50,000- 74,999	249	109,267	172	87.2	79.3-95.2	66	10.6	03.8-17.4	9	2.0	00.0-05.1	2	0.2	00.0-00.5
\$75,000+	610	273,904							4	0.6	00.0-01.4	6	0.8	00.0-01.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

MODULE 2: NEIGHBORHOOD PERCEPTION AND ENVIRONMENT

TABLE 3: OVERALL, HOW WOULD YOU RATE YOUR NEIGHBORHOOD AS A PLACE TO WALK? WOULD YOU SAY... (NHWALKRT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very pleasant			Somewhat pleasant			Not very pleasant			Not at all pleasant		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2853	1,006,053	1902	60.6	52.8-68.4	807	33.8	25.9-41.6	87	2.9	00.0-06.1	57	2.7	00.8-04.7
White/Non-Hisp	2043	397,656	1441	78.9	74.5-83.4	513	18.6	14.5-22.6	55	0.9	00.4-01.4	34	1.7	00.0-03.4
Other Race	799	605,732							30	4.2	00.0-09.5	23	3.4	00.4-06.5
18-24	84	147,703							4	1.9	00.0-04.1	4	4.2	00.0-09.5
25-34	171	254,613							5	6.7	00.0-18.7	5	3.3	00.0-07.2
35-44	402	188,512							12	1.3	00.0-02.8	3	0.0	00.0-00.1
45-54	563	167,293							20	2.2	00.0-05.2	12	0.5	00.1-01.0
55-64	618	96,906							16	1.9	00.0-04.0	15	2.2	00.0-05.9
65+	998	149,342							30	1.0	00.4-01.7	16	6.4	00.0-16.0
Less Than H.S.	158	181,504							10	2.5	00.0-05.6	7	7.2	00.0-16.1
H.S. or G.E.D.	701	255,361							26	0.7	00.1-01.3	21	1.0	00.0-02.2
Some Post-H.S.	831	251,297										14	0.3	00.1-00.6
College Graduate	1159	317,872	867	78.6	72.3-85.0	256	17.5	11.9-23.0	21	0.5	00.1-00.8	15	3.5	00.1-06.8
Less than \$15,000	208	84,793							12	2.0	00.0-04.5	13	2.3	00.0-04.8
\$15,000- 24,999	468	240,464							23	2.8	00.1-05.5	12	0.5	00.0-01.0
\$25,000- 34,999	298	123,193							13	0.4	00.0-00.8	7	6.2	00.0-14.2
\$35,000- 49,999	399	117,330							10	0.6	00.0-01.3	7	3.3	00.0-07.7
\$50,000- 74,999	451	130,028				126	18.1	08.4-27.8	8	0.2	00.0-00.5	5	2.1	00.0-06.2
\$75,000+	771	225,868				146	21.8	12.1-31.6				5	0.1	00.0-00.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
MODULE 2: NEIGHBORHOOD PERCEPTION AND ENVIRONMENT**

TABLE 4: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID YOU WALK IN YOUR NEIGHBORHOOD FOR LEISURE OR AS A WAY TO GET TO YOUR DESTINATION? (NHWALKFQ)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 Days			3-5 Days			6-10 Days			11-20 Days			21-30 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4525	2,000,875	478	12.2	08.6-15.7	661	15.3	11.0-19.5	395	7.7	04.8-10.7	491	12.9	08.6-17.1	457	9.3	06.5-12.1	2043	42.6	36.9-48.3
Male	1682	982,461	208	13.9	08.5-19.3	283	18.3	10.8-25.8	157	10.1	04.5-15.7	206	13.5	07.5-19.5	197	9.1	05.4-12.8	631	35.0	26.8-43.3
Female	2843	1,018,413	270	10.4	05.9-15.0	378	12.4	08.5-16.3	238	5.5	03.6-07.4	285	12.3	06.4-18.1	260	9.5	05.4-13.6	1412	50.0	42.4-57.6
White/Non-Hisp	3278	778,795	343	12.7	09.4-15.9	506	16.1	10.7-21.5	297	8.6	06.3-10.9	381	14.4	08.5-20.3	358	10.0	07.6-12.4	1393	38.3	32.5-44.1
Other Race	1216	1,214,743	130	11.8	06.4-17.2	151	14.8	08.7-20.8	95	7.2	02.5-11.8	109	11.9	06.1-17.7	97	9.0	04.6-13.3	634	45.4	36.8-53.9
18-24	161	292,935	24	10.7	03.5-17.8				17	6.6	01.9-11.2									
25-34	283	506,939	31	8.7	03.0-14.3	40	7.8	02.9-12.8				36	13.6	03.9-23.3	29	7.1	01.8-12.3			
35-44	608	385,078							60	5.1	02.6-07.6	73	11.9	03.1-20.8	51	9.0	02.0-16.1			
45-54	931	333,045							88	5.3	02.6-08.0	112	6.3	02.7-09.8	111	11.3	04.7-18.0			
55-64	1016	213,641	89	6.7	02.9-10.5	153	15.3	08.6-22.0	96	11.6	03.8-19.4	110	10.9	04.3-17.6	107	10.9	05.5-16.2			
65+	1499	266,969	139	6.9	04.2-09.6	210	9.6	06.2-13.0	108	5.6	03.1-08.2	133	9.0	04.7-13.2	138	8.9	04.7-13.2			
Less Than H.S.	262	394,205				41	9.5	00.4-18.5	27	11.9	02.2-21.6	24	1.7	00.5-03.0	27	5.2	01.5-09.0			
H.S. or G.E.D.	1094	496,766	91	7.2	02.1-12.3	169	16.5	08.2-24.8	83	6.2	02.8-09.7				104	12.8	05.4-20.2			
Some Post-H.S.	1270	507,541	132	12.8	06.6-19.0	175	16.1	06.8-25.5	117	8.0	00.0-15.9	116	13.3	04.7-21.8	116	10.5	03.6-17.3			
College Graduate	1888	600,272	222	12.6	08.9-16.3	276	17.5	10.3-24.6	167	6.1	04.2-08.0	242	14.7	08.3-21.1	208	8.1	05.6-10.6	773	41.0	34.2-47.9
Less than \$15,000	305	191,781							18	1.5	00.1-03.0	22	2.5	00.0-05.5						
\$15,000- 24,999	682	462,805	66	14.4	04.5-24.4	108	11.6	03.6-19.6							70	6.5	01.6-11.3			
\$25,000- 34,999	450	203,959	45	9.4	02.2-16.5	66	8.2	01.1-15.2	38	7.8	00.0-15.9	43	4.7	01.1-08.3						
\$35,000- 49,999	630	241,910	67	5.6	02.8-08.5				54	5.2	01.9-08.6				56	9.3	03.0-15.6			
\$50,000- 74,999	700	239,296	75	13.8	04.1-23.5	109	15.8	07.2-24.3	52	6.3	02.7-09.9				70	7.1	02.6-11.7			
\$75,000+	1378	499,353	152	16.1	08.7-23.4	207	11.2	06.9-15.5	138	6.5	04.2-08.7	183	12.2	07.1-17.4	146	9.9	04.9-14.9	552	44.2	35.6-52.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
MODULE 2: NEIGHBORHOOD PERCEPTION AND ENVIRONMENT**

TABLE 5: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID YOU WALK IN YOUR NEIGHBORHOOD FOR LEISURE OR AS A WAY TO GET TO YOUR DESTINATION? (NHWALKFQ)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 Days			3-5 Days			6-10 Days			11-20 Days			21-30 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1682	982,461	208	13.9	08.5-19.3	283	18.3	10.8-25.8	157	10.1	04.5-15.7	206	13.5	07.5-19.5	197	9.1	05.4-12.8	631	35.0	26.8-43.3
White/Non-Hisp	1241	382,427	152	14.3	09.0-19.7				119	9.5	05.6-13.4	150	10.9	07.1-14.8	154	11.2	07.2-15.3	451	34.1	24.7-43.5
Other Race	421	595,363	52	13.7	05.5-22.0				36	10.4	01.5-19.4	55	15.2	05.7-24.8	42	7.8	02.4-13.3			
18-24	78	145,570							7	6.1	00.0-13.2				8	2.0	00.1-03.9			
25-34	111	252,218				13	8.1	00.0-16.4							12	9.2	00.0-18.7			
35-44	208	200,351							19	6.4	01.9-10.9	31	9.5	03.7-15.4	20	9.0	01.5-16.6			
45-54	372	167,682							39	5.2	00.8-09.6	50	6.6	00.5-12.7						
55-64	398	116,647	42	7.1	01.0-13.3	70	11.8	06.0-17.7							42	7.7	02.1-13.4			
65+	504	99,369	58	9.8	05.0-14.6	84	10.9	06.1-15.8	41	6.1	02.5-09.7	49	9.8	04.2-15.5	62	14.2	05.2-23.2			
Less Than H.S.	104	197,695										12	2.1	00.1-04.1	13	3.4	00.0-06.8			
H.S. or G.E.D.	395	242,274	42	7.1	00.0-14.3				30	5.2	01.7-08.7				45	13.7	04.4-23.1			
Some Post-H.S.	438	256,471													47	9.7	00.2-19.1			
College Graduate	738	283,949	96	15.0	08.3-21.7				73	7.1	03.7-10.4	90	12.1	06.7-17.6	91	8.7	04.8-12.7			
Less than \$15,000	95	88,468	12	2.9	00.0-06.6				6	1.7	00.0-04.3	9	3.8	00.0-10.4						
\$15,000- 24,999	216	225,938													26	5.2	01.3-09.2			
\$25,000- 34,999	155	82,153				22	2.1	00.2-04.0				16	4.3	00.0-09.5	16	6.0	00.0-12.4			
\$35,000- 49,999	234	125,396	29	6.5	01.8-11.2				22	5.8	00.8-10.8	26	10.3	02.0-18.6						
\$50,000- 74,999	249	109,267				48	9.7	03.2-16.1	20	6.4	00.3-12.5				25	8.5	00.3-16.8			
\$75,000+	610	273,806				110	10.5	06.4-14.5	62	6.6	03.2-10.0	85	12.8	06.2-19.5	72	11.9	03.4-20.4			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
MODULE 2: NEIGHBORHOOD PERCEPTION AND ENVIRONMENT**

TABLE 6: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID YOU WALK IN YOUR NEIGHBORHOOD FOR LEISURE OR AS A WAY TO GET TO YOUR DESTINATION? (NHWALKFQ)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 Days			3-5 Days			6-10 Days			11-20 Days			21-30 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2843	1,018,413	270	10.4	05.9-15.0	378	12.4	08.5-16.3	238	5.5	03.6-07.4	285	12.3	06.4-18.2	260	9.5	05.4-13.6	1412	50.0	42.4-57.6
White/Non-Hisp	2037	396,368	191	11.1	07.4-14.8	291	12.4	09.2-15.6	178	7.8	05.2-10.4				204	8.7	06.1-11.4	942	42.3	35.1-49.6
Other Race	795	619,380	78	9.9	02.9-17.0	85	12.2	06.1-18.3	59	4.0	01.5-06.6	54	8.8	02.2-15.4	55	10.0	03.5-16.6			
18-24	83	147,365	11	7.4	01.5-13.4	11	6.5	00.6-12.4	10	7.0	01.1-13.0									
25-34	172	254,721	17	3.9	00.9-06.9	27	7.5	02.1-13.0	14	5.3	00.0-10.8				17	4.9	00.5-09.4			
35-44	400	184,727							41	3.6	01.7-05.4									
45-54	559	165,363							49	5.4	02.3-08.6	62	6.0	02.4-09.5	61	9.5	02.8-16.2			
55-64	618	96,994	47	6.2	02.2-10.2				56	7.4	02.0-12.7	68	7.1	03.4-10.7	65	14.7	05.5-23.8			
65+	995	167,600	81	5.1	02.1-08.2	126	8.8	04.3-13.4	67	5.4	01.9-08.8	84	8.5	02.6-14.3	76	5.8	02.2-09.3			
Less Than H.S.	158	196,510				22	3.6	00.5-06.8	16	5.3	00.8-09.9	12	1.3	00.0-02.8	14	7.1	00.5-13.7			
H.S. or G.E.D.	699	254,492	49	7.3	00.0-14.6	103	14.7	05.5-24.0	53	7.2	01.4-13.0									
Some Post-H.S.	832	251,070	80	7.3	03.8-10.8	112	14.8	05.5-24.2	74	4.2	01.8-06.6	61	8.6	02.8-14.3	69	11.3	01.4-21.2			
College Graduate	1150	316,323	126	10.5	06.9-14.0	141	13.9	08.1-19.7	94	5.2	03.2-07.2				117	7.6	04.5-10.7	520	45.9	36.7-55.1
Less than \$15,000	210	103,313				32	11.5	03.1-19.8	12	1.4	00.0-02.9	13	1.4	00.2-02.6						
\$15,000- 24,999	466	236,866				73	6.3	02.5-10.0	33	5.8	00.0-11.8				44	7.7	00.0-16.3			
\$25,000- 34,999	295	121,807	22	7.1	00.0-16.0				30	3.0	00.5-05.6	27	4.9	00.1-09.8						
\$35,000- 49,999	396	116,515	38	4.7	01.4-08.0				32	4.7	00.3-09.1				31	6.9	01.1-12.8			
\$50,000- 74,999	451	130,028	48	6.9	02.4-11.4				32	6.2	01.9-10.4	46	6.6	02.7-10.6	45	6.0	01.1-10.9			
\$75,000+	768	225,547	78	10.9	06.5-15.3	97	12.0	04.0-20.0	76	6.3	03.6-09.0	98	11.5	03.6-19.5	74	7.4	04.0-10.9			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
MODULE 2: NEIGHBORHOOD PERCEPTION AND ENVIRONMENT**

TABLE 7: WHAT IS THE NUMBER ONE REASON THAT YOU DID NOT WALK MORE FREQUENTLY IN YOUR NEIGHBORHOOD? (NHWALKNT)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Lack of time			Nowhere to go			No sidewalks			Too much traffic			Medical conditions		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1124	541,950	151	18.2	08.5-27.9	42	4.9	01.1-08.7	8	1.2	00.0-02.9	6	0.1	00.0-00.1	63	1.9	00.9-02.8
Male	483	315,172				22	5.2	00.2-10.2	6	2.0	00.0-05.0	4	0.1	00.0-00.2	23	1.3	00.3-02.2
Female	641	226,779				20	4.4	00.0-10.2	2	0.0	00.0-00.1	2	0.0	00.0-00.1	40	2.7	01.0-04.5
White/Non-Hisp	838	220,669	114	12.5	07.1-17.9	30	4.5	01.1-07.9	4	0.2	00.0-00.6	5	0.1	00.0-00.3	51	3.1	01.3-04.9
Other Race	277	318,641				12	5.2	00.0-11.2	4	1.8	00.0-04.8	1	0.0	00.0-00.1	11	1.0	00.1-01.9
25-34	70	82,846										1	0.1	00.0-00.3			
35-44	159	152,941				11	3.9	00.0-08.3	2	3.1	00.0-09.1				3	0.5	00.0-01.2
45-54	257	128,583				6	5.7	00.0-15.8	3	1.0	00.0-02.6	1	0.0	00.0-00.0	7	2.0	00.0-04.3
55-64	238	46,210				9	3.5	00.0-07.3				3	0.4	00.0-01.1	17	7.1	00.2-14.0
65+	346	43,018	28	4.9	02.1-07.8	10	3.1	00.0-06.8	3	0.8	00.0-02.4	1	0.1	00.0-00.4	36	8.3	04.3-12.4
Less Than H.S.	70	101,028				2	0.9	00.0-02.5	1	4.6	00.0-13.9				4	2.2	00.0-05.1
H.S. or G.E.D.	257	116,605	29	6.9	01.5-12.3	10	7.4	00.0-18.9	3	0.2	00.0-00.5	2	0.1	00.0-00.4	19	2.9	00.3-05.6
Some Post-H.S.	303	144,961				14	5.6	00.0-14.6				1	0.0	00.0-00.0	19	1.2	00.1-02.3
College Graduate	492	179,318	71	14.1	06.7-21.5	15	4.9	00.7-09.2	4	0.8	00.0-02.0	3	0.1	00.0-00.2	21	1.5	00.2-02.8
Less than \$15,000	78	58,572	7	2.2	00.0-05.0										8	4.7	00.0-10.4
\$15,000- 24,999	173	120,384				6	1.7	00.0-03.8	2	3.9	00.0-11.5	1	0.0	00.0-00.0	17	2.2	00.2-04.2
\$25,000- 34,999	108	34,569				7	1.7	00.0-03.3							5	2.2	00.0-05.4
\$35,000- 49,999	148	78,422	13	6.2	00.0-13.0	8	1.1	00.0-02.5	2	0.1	00.0-00.4	2	0.2	00.0-00.5	7	0.7	00.0-01.5
\$50,000- 74,999	182	70,619										1	0.0	00.0-00.1	13	2.7	00.0-06.0
\$75,000+	354	135,112				11	4.9	00.0-10.0	4	1.2	00.0-02.8	2	0.1	00.0-00.4	8	0.5	00.0-00.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

MODULE 2: NEIGHBORHOOD PERCEPTION AND ENVIRONMENT

TABLE 7: WHAT IS THE NUMBER ONE REASON THAT YOU DID NOT WALK MORE FREQUENTLY IN YOUR NEIGHBORHOOD? (NHWALKNT)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Lack of energy motivation			Exercise elsewhere			Safety (crime)			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1124	541,950	73	7.2	02.7-11.7	18	0.7	00.2-01.2	23	0.8	00.0-01.6			
Male	483	315,172	37	4.7	01.3-08.0	14	0.8	00.1-01.5	10	0.8	00.0-01.9			
Female	641	226,779	36	10.7	01.5-20.0	4	0.6	00.0-01.4	13	0.8	00.0-01.8	130	18.0	08.3-27.7
White/Non-Hisp	838	220,669	57	6.1	02.3-10.0	13	0.8	00.1-01.5	15	0.8	00.0-01.9			
Other Race	277	318,641	16	8.0	00.8-15.1	5	0.7	00.0-01.4	8	0.8	00.0-01.9			
25-34	70	82,846	3	5.6	00.0-15.9				1	0.3	00.0-00.8			
35-44	159	152,941				1	0.0	00.0-00.1	4	1.0	00.0-02.6			
45-54	257	128,583	15	7.8	00.0-17.9	6	1.5	00.0-03.3	4	1.3	00.0-04.0			
55-64	238	46,210	16	3.1	00.7-05.4	4	1.4	00.0-03.4	8	0.8	00.0-01.8			
65+	346	43,018	29	9.9	03.9-15.9	7	3.0	00.0-06.3	6	1.0	00.0-02.4			
Less Than H.S.	70	101,028	7	1.9	00.0-04.1	1	0.5	00.0-01.4	2	0.3	00.0-00.8	14	6.5	00.0-14.2
H.S. or G.E.D.	257	116,605				4	0.4	00.0-01.1	10	0.7	00.0-01.4			
Some Post-H.S.	303	144,961				3	0.2	00.0-00.5	5	0.3	00.0-00.7			
College Graduate	492	179,318	30	6.4	00.5-12.3	10	1.5	00.1-02.8	6	1.6	00.0-03.9			
Less than \$15,000	78	58,572	5	6.1	00.0-13.3	2	0.9	00.0-02.6	4	0.6	00.0-01.5			
\$15,000- 24,999	173	120,384	10	2.1	00.0-04.5	2	0.1	00.0-00.2	4	1.4	00.0-04.2			
\$25,000- 34,999	108	34,569							5	1.4	00.0-03.4			
\$35,000- 49,999	148	78,422				3	1.5	00.0-03.6	2	0.0	00.0-00.0			
\$50,000- 74,999	182	70,619	11	3.2	00.0-06.7	4	1.1	00.0-02.5	3	0.3	00.0-00.7	34	8.7	01.8-15.6
\$75,000+	354	135,112	23	6.7	00.0-13.4	7	1.0	00.0-02.4	3	1.1	00.0-02.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

MODULE 2: NEIGHBORHOOD PERCEPTION AND ENVIRONMENT

TABLE 8: WHAT IS THE NUMBER ONE REASON THAT YOU DID NOT WALK MORE FREQUENTLY IN YOUR NEIGHBORHOOD? (NHWALKNT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Nowhere to go			No sidewalks			Too much traffic			Medical conditions			Lack of energy motivation		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	483	315,172	22	5.2	00.2-10.2	6	2.0	00.0-05.0	4	0.1	00.0-00.2	23	1.3	00.3-02.2	37	4.7	01.3-08.0
White/Non-Hisp	362	130,133	16	5.6	00.0-11.1	3	0.4	00.0-01.0	4	0.2	00.0-00.5	18	2.0	00.2-03.8	29	6.7	00.7-12.7
Other Race	115	184,639	6	5.0	00.0-12.6	3	3.1	00.0-08.3				4	0.7	00.0-01.7	8	3.2	00.0-06.9
35-44	62	97,565	6	5.0	00.0-12.0	1	4.8	00.0-14.3				1	0.3	00.0-00.9	4	7.5	00.0-17.4
45-54	117	53,593	3	0.6	00.0-01.6	3	2.3	00.0-06.6	1	0.0	00.0-00.0	4	2.4	00.0-06.2	6	4.0	00.0-09.4
55-64	108	21,267	4	2.1	00.0-04.5				2	0.8	00.0-02.3	7	4.7	00.0-11.9	11	5.7	00.9-10.6
65+	141	19,860	5	5.6	00.0-13.2	2	1.8	00.0-05.2	1	0.3	00.0-00.9	11	7.2	01.0-13.3			
H.S. or G.E.D.	108	61,639				1	0.3	00.0-00.8	2	0.3	00.0-00.8	4	2.1	00.0-05.2	9	4.5	00.0-10.0
Some Post-H.S.	113	90,365	5	1.0	00.0-02.6							6	0.8	00.0-02.0	8	4.7	00.0-12.7
College Graduate	226	102,590	9	7.1	00.0-14.5	4	1.4	00.0-03.6	2	0.1	00.0-00.2	11	0.8	00.0-01.5	15	6.2	00.0-12.6
\$15,000- 24,999	59	72,828	2	1.2	00.0-03.4	1	6.4	00.0-19.0				6	1.8	00.0-04.5	3	0.4	00.0-00.9
\$35,000- 49,999	65	48,141	3	0.4	00.0-01.2	1	0.0	00.0-00.0	1	0.1	00.0-00.4	1	0.1	00.0-00.4	5	0.9	00.0-02.4
\$50,000- 74,999	74	34,457	2	3.6	00.0-10.0				1	0.1	00.0-00.2	4	0.8	00.0-01.8	4	5.8	00.0-13.3
\$75,000+	179	83,489	6	6.6	00.0-14.7	4	1.9	00.0-04.6	2	0.2	00.0-00.6	4	0.3	00.0-00.8			

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Exercise elsewhere			Safety (crime)			Lack of time			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	483	315,172	14	0.8	00.1-01.5	10	0.8	00.0-01.9						
White/Non-Hisp	362	130,133	11	1.1	00.0-02.2	5	0.1	00.0-00.4	53	12.9	04.6-21.2			
Other Race	115	184,639	3	0.6	00.0-01.4	5	1.3	00.0-03.2						
35-44	62	97,565	1	0.0	00.0-00.1	2	0.4	00.0-01.1				14	7.3	00.6-14.0
45-54	117	53,593	4	1.5	00.0-04.2	2	3.2	00.0-09.7	23	8.4	00.0-17.6			
55-64	108	21,267	3	2.0	00.0-05.6	3	1.0	00.0-02.9						
65+	141	19,860	6	5.9	00.0-12.8	3	1.3	00.0-03.7	11	3.8	00.0-07.7			
H.S. or G.E.D.	108	61,639	4	0.8	00.0-02.2	5	1.0	00.0-02.3	14	5.9	00.0-12.8			
Some Post-H.S.	113	90,365	2	0.1	00.0-00.1	1	0.0	00.0-00.0						
College Graduate	226	102,590	7	1.4	00.0-03.1	3	1.7	00.0-04.9	37	12.4	02.6-22.2			
\$15,000- 24,999	59	72,828	2	0.1	00.0-00.3	1	2.3	00.0-07.0						
\$35,000- 49,999	65	48,141	3	2.4	00.0-06.3	1	0.0	00.0-00.0	5	6.1	00.0-15.4			
\$50,000- 74,999	74	34,457	2	1.2	00.0-03.6	3	0.5	00.0-01.5	6	1.1	00.0-02.7			
\$75,000+	179	83,489	5	0.3	00.0-00.8	1	0.3	00.0-01.0						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

MODULE 2: NEIGHBORHOOD PERCEPTION AND ENVIRONMENT

TABLE 9: WHAT IS THE NUMBER ONE REASON THAT YOU DID NOT WALK MORE FREQUENTLY IN YOUR NEIGHBORHOOD? (NHWALKNT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Nowhere to go			No sidewalks			Too much traffic			Medical conditions			Lack of energy motivation		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	641	226,779	20	4.4	00.0-10.2	2	0.0	00.0-00.1	2	0.0	00.0-00.1	40	2.7	01.0-04.5	36	10.7	01.5-20.0
White/Non-Hisp	476	90,536	14	2.9	00.6-05.3	1	0.0	00.0-00.0	1	0.0	00.0-00.0	33	4.7	01.4-08.0	28	5.3	01.6-09.0
Other Race	162	134,003	6	5.5	00.0-15.2	1	0.1	00.0-00.2	1	0.1	00.0-00.2	7	1.4	00.0-03.1			
35-44	97	55,376	5	1.9	00.0-04.2	1	0.2	00.0-00.5				2	0.8	00.0-02.4			
45-54	140	74,990										3	1.7	00.0-04.5			
55-64	130	24,943	5	4.7	00.0-11.6				1	0.0	00.0-00.0				5	0.8	00.0-01.7
65+	205	23,157	5	0.9	00.0-02.2	1	0.0	00.0-00.1				25	9.3	03.9-14.8	15	6.5	01.2-11.7
H.S. or G.E.D.	149	54,966	5	2.4	00.0-05.7	2	0.2	00.0-00.5				15	3.9	00.0-08.2			
Some Post-H.S.	190	54,595							1	0.0	00.0-00.0	13	2.0	00.0-04.0			
College Graduate	266	76,727	6	2.1	00.0-04.2				1	0.1	00.0-00.3	10	2.5	00.0-05.3	15	6.6	00.0-17.5
Less than \$15,000	50	27,361	1	0.0	00.0-00.0		6					5	8.3	00.0-19.4	2	3.5	00.0-10.1
\$15,000- 24,999	114	47,555	4	2.6	00.0-06.7	1	0.0	00.0-00.0	1	0.0	00.0-00.0	11	2.8	00.0-05.8	7	4.7	00.0-11.4
\$25,000- 34,999	64	22,515	1	0.7	00.0-02.2							2	0.0	00.0-00.0			
\$35,000- 49,999	83	30,281	5	2.1	00.0-05.6	1	0.3	00.0-00.9	1	0.3	00.0-00.8	6	1.6	00.0-03.7			
\$50,000- 74,999	108	36,162										9	4.5	00.0-10.9	7	0.8	00.0-01.8
\$75,000+	175	51,623	5	2.3	00.0-04.9							4	0.7	00.0-01.6	8	1.3	00.0-02.6
DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Exercise elsewhere			Safety (crime)			Other			Weather			Lack of time		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	641	226,779	4	0.6	00.0-01.4	13	0.8	00.0-01.8	130	18.0	08.3-27.8						
White/Non-Hisp	476	90,536	2	0.3	00.0-00.8	10	1.8	00.0-04.4	79	12.0	06.4-17.5	247	61.0	51.6-70.3	61	11.9	06.1-17.7
Other Race	162	134,003	2	0.8	00.0-02.2	3	0.1	00.0-00.2									
35-44	97	55,376				2	2.1	00.0-06.3									
45-54	140	74,990	2	1.4	00.0-03.9	2	0.1	00.0-00.2	20	4.8	00.4-09.2						
55-64	130	24,943	1	0.9	00.0-02.8	5	0.6	00.0-01.4									
65+	205	23,157	1	0.6	00.0-01.7	3	0.8	00.0-02.4							17	5.9	01.7-10.2
H.S. or G.E.D.	149	54,966				5	0.3	00.0-00.7							15	8.0	00.0-16.3
Some Post-H.S.	190	54,595	1	0.4	00.0-01.3	4	0.7	00.0-01.8	37	12.9	04.1-21.7						
College Graduate	266	76,727	3	1.5	00.0-03.9	3	1.5	00.0-04.5									
Less than \$15,000	50	27,361				3	1.2	00.0-03.1							6	3.2	00.0-07.7
\$15,000- 24,999	114	47,555				3	0.0	00.0-00.1									
\$25,000- 34,999	64	22,515				2	0.2	00.0-00.6									
\$35,000- 49,999	83	30,281				1	0.0	00.0-00.0							8	6.2	00.0-16.2
\$50,000- 74,999	108	36,162	2	1.0	00.0-02.5				14	5.9	00.4-11.4						
\$75,000+	175	51,623	2	2.0	00.0-05.5	2	2.3	00.0-06.7									

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
MODULE 2: NEIGHBORHOOD PERCEPTION AND ENVIRONMENT**

TABLE 10: HOW SAFE FROM CRIME DO YOU CONSIDER YOUR NEIGHBORHOOD TO BE? (HOWSAFE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Extremely safe			Quite safe			Slightly safe			Not at all safe		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4530	1,993,185	1314	28.1	23.2-33.0	2489	49.4	43.7-55.2	636	20.9	15.2-26.6	91	1.6	00.6-02.6
Male	1683	982,842	581	35.0	26.7-43.4	855	47.0	38.4-55.5	210	16.3	08.8-23.7	37	1.7	00.0-03.5
Female	2847	1,010,343	733	21.4	17.0-25.8	1634	51.8	44.1-59.4	426	25.4	17.0-33.8	54	1.4	00.3-02.5
White/Non-Hisp	3285	778,255	1060	34.2	29.4-39.0	1828	55.7	49.7-61.6	346	9.5	03.9-15.1	51	0.6	00.0-01.3
Other Race	1214	1,207,594	242	24.2	16.6-31.8	647	45.3	36.9-53.7	286	28.4	19.9-36.8	39	2.2	00.5-03.8
18-24	160	292,063										9	1.9	00.0-03.8
25-34	281	506,103										7	1.4	00.0-03.3
35-44	609	385,857										11	1.1	00.0-02.4
45-54	934	333,854										18	0.2	00.0-00.4
55-64	1016	213,769	286	30.0	20.7-39.3							22	5.4	00.0-12.6
65+	1503	259,255	432	26.1	18.6-33.6							22	0.7	00.1-01.4
Less Than H.S.	260	385,929										11	1.6	00.0-03.5
H.S. or G.E.D.	1094	496,735	246	23.1	14.4-31.8							32	2.0	00.0-04.9
Some Post-H.S.	1267	507,303	302	29.9	20.1-39.8							31	1.7	00.1-03.2
College Graduate	1898	601,128	722	37.7	30.7-44.8	986	51.6	44.3-58.8	175	9.6	05.4-13.8	15	1.1	00.0-02.5
Less than \$15,000	305	189,223										13	0.3	00.1-00.6
\$15,000- 24,999	686	466,468	128	13.2	07.0-19.5							21	3.4	00.0-06.9
\$25,000- 34,999	451	204,300	79	11.2	04.7-17.8							15	4.1	00.0-09.1
\$35,000- 49,999	633	242,393							108	13.3	04.6-21.9	11	1.2	00.0-03.0
\$50,000- 74,999	699	238,424							94	13.6	05.3-22.0	7	0.5	00.0-01.1
\$75,000+	1381	499,049	581	33.6	27.1-40.2	690	54.4	46.0-62.9	95	11.7	02.7-20.6	15	0.2	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
MODULE 2: NEIGHBORHOOD PERCEPTION AND ENVIRONMENT**

TABLE 11: HOW SAFE FROM CRIME DO YOU CONSIDER YOUR NEIGHBORHOOD TO BE? (HOWSAFE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Extremely safe			Quite safe			Slightly safe			Not at all safe		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1683	982,842	581	35.0	26.7-43.4	855	47.0	38.4-55.5	210	16.3	08.8-23.7	37	1.7	00.0-03.5
White/Non-Hisp	1243	382,428	462	37.1	29.3-45.0	641	50.3	40.7-59.8				23	0.3	00.0-00.8
Other Race	420	595,742										13	2.7	00.0-05.5
18-24	78	145,570										6	1.3	00.0-03.0
25-34	111	252,218										2	0.1	00.0-00.3
35-44	208	200,351										4	1.7	00.0-04.0
45-54	373	168,218							43	6.5	00.1-12.8	5	0.0	00.0-00.0
65+	505	99,268							52	10.6	02.0-19.2	8	0.4	00.0-00.9
Less Than H.S.	105	197,730										5	2.3	00.0-05.9
H.S. or G.E.D.	394	242,121							69	13.6	04.8-22.4	16	3.8	00.0-09.8
Some Post-H.S.	437	256,462										12	1.3	00.0-03.1
College Graduate	740	284,456							63	12.8	04.8-20.8	3	0.0	00.0-00.0
Less than \$15,000	95	88,110							13	1.6	00.0-03.2	3	0.1	00.0-00.2
\$15,000- 24,999	217	226,474										11	4.6	00.0-11.3
\$25,000- 34,999	155	82,406							26	9.2	00.0-19.8	8	5.0	00.0-13.2
\$35,000- 49,999	234	125,396										7	0.6	00.0-01.7
\$50,000- 74,999	249	109,267							34	9.8	00.4-19.2	1	0.7	00.0-02.1
\$75,000+	611	273,908	284	32.4	23.3-41.5							5	0.4	00.0-01.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
MODULE 2: NEIGHBORHOOD PERCEPTION AND ENVIRONMENT**

TABLE 12: HOW SAFE FROM CRIME DO YOU CONSIDER YOUR NEIGHBORHOOD TO BE? (HOWSAFE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Extremely safe			Quite safe			Slightly safe			Not at all safe		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2847	1,010,343	733	21.4	17.0-25.8	1634	51.8	44.1-59.4	426	25.4	17.0-33.8	54	1.4	00.3-02.5
White/Non-Hisp	2042	395,827	598	31.4	25.7-37.2	1187	60.8	54.2-67.5	229	6.8	04.3-09.3	28	0.9	00.0-02.0
Other Race	794	611,852	131	14.8	09.0-20.6							26	1.7	00.0-03.3
18-24	82	146,493	19	14.4	04.8-24.0							3	2.5	00.0-06.0
25-34	170	253,886	39	19.0	09.5-28.4							5	2.7	00.0-06.5
35-44	401	185,506										7	0.5	00.0-01.2
45-54	561	165,636	163	25.0	15.6-34.5							13	0.4	00.0-00.8
55-64	618	97,152							103	13.2	05.7-20.8	11	0.3	00.0-00.7
65+	998	159,988	265	22.3	13.2-31.5							14	1.0	00.0-02.0
Less Than H.S.	155	188,199	19	8.2	01.9-14.5							6	0.9	00.0-02.1
H.S. or G.E.D.	700	254,614	143	20.7	10.7-30.7							16	0.2	00.0-00.4
Some Post-H.S.	830	250,841	166	15.3	08.7-21.8							19	2.1	00.0-04.5
College Graduate	1158	316,672	405	34.7	26.8-42.5	629	56.5	47.8-65.3	112	6.8	03.8-09.7	12	2.0	00.0-04.8
Less than \$15,000	210	101,113										10	0.6	00.0-01.1
\$15,000- 24,999	469	239,994	83	10.7	04.0-17.4							10	2.2	00.0-04.9
\$25,000- 34,999	296	121,894	46	8.4	01.5-15.2							7	3.4	00.0-09.8
\$35,000- 49,999	399	116,997										4	1.8	00.0-05.3
\$50,000- 74,999	450	129,156										6	0.3	00.0-00.6
\$75,000+	770	225,141	297	35.2	26.0-44.3							10	0.1	00.0-00.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

MODULE 3: PERCEIVED NUTRITION ENVIRONMENT AND POLICY SURVEY QUESTIONS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE

TO WHAT DEGREE WOULD YOU AGREE WITH THE STATEMENT, "IT IS EASY TO PURCHASE HEALTHY FOODS IN MY NEIGHBORHOOD SUCH AS WHOLE
GRAIN FOODS, LOW FAT OPTIONS, AND FRUITS AND VEGETABLES." WOULD YOU... (PURCHHF)

- 1 MALES AND FEMALES
- 2 MALES ONLY
- 3 FEMALES ONLY

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

MODULE 3: PERCEIVED NUTRITION ENVIRONMENT AND POLICY SURVEY QUESTIONS

TABLE 1: TO WHAT DEGREE WOULD YOU AGREE WITH THE STATEMENT, "IT IS EASY TO PURCHASE HEALTHY FOODS IN MY NEIGHBORHOOD SUCH AS WHOLE GRAIN FOODS, LOW FAT OPTIONS, AND FRUITS AND VEGETABLES." WOULD YOU... (PURCHHF)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Strongly agree			Agree			Neither agree nor disagree (neutral)			Disagree			Strongly disagree		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4514	1,996,837	2291	42.6	37.0-48.1	1645	42.0	36.3-47.7	285	7.5	04.1-10.9	187	5.3	01.7-08.8	106	2.6	00.4-04.9
Male	1673	980,211	820	44.6	36.0-53.1	630	40.1	31.8-48.4	116	6.6	01.8-11.4	72	5.3	00.0-10.7	35	3.4	00.0-07.7
Female	2841	1,016,626	1471	40.6	33.6-47.6	1015	43.8	36.1-51.5	169	8.4	03.6-13.2	115	5.3	00.6-09.9	71	1.9	00.4-03.4
White/Non-Hisp	3271	775,462	1844	56.2	49.8-62.6	1098	33.3	27.4-39.3	170	6.6	01.2-12.0	102	2.5	01.5-03.5	57	1.4	00.0-02.8
Other Race	1212	1,214,294	435	33.9	25.9-41.9	537	47.7	39.2-56.3	110	7.9	03.5-12.3	81	7.0	01.3-12.7	49	3.5	00.0-07.1
18-24	158	290,548													3	0.7	00.0-01.7
25-34	280	505,634							29	10.5	01.9-19.1	12	2.6	00.0-06.1	7	7.2	00.0-15.6
35-44	605	384,894							46	9.5	02.1-16.9	22	1.5	00.4-02.6	14	0.1	00.0-00.2
45-54	933	333,749							60	3.8	01.8-05.8				25	2.2	00.0-05.4
55-64	1015	213,795							61	5.1	02.5-07.6	38	4.4	00.8-07.9	26	1.4	00.3-02.6
65+	1497	266,035	677	30.9	22.7-39.1	651	60.3	50.4-70.3	73	2.5	01.3-03.7	65	5.0	02.1-07.9	31	1.3	00.5-02.1
Less Than H.S.	259	392,366							23	5.9	00.4-11.3				11	1.8	00.0-04.6
H.S. or G.E.D.	1092	496,011							73	3.7	01.7-05.6	48	9.1	00.0-18.6	29	0.6	00.0-01.1
Some Post-H.S.	1266	506,683				476	35.5	25.6-45.3				50	2.0	00.8-03.1	32	5.5	00.0-13.5
College Graduate	1887	599,791	1214	62.8	55.8-69.7	497	29.8	23.0-36.7	75	2.4	01.3-03.4	67	2.5	01.3-03.8	34	2.5	00.2-04.7
Less than \$15,000	304	189,312							24	6.3	00.7-11.9				20	2.7	00.4-05.1
\$15,000- 24,999	682	465,430							49	4.8	00.8-08.7	37	4.0	00.1-08.0	19	5.5	00.0-14.2
\$25,000- 34,999	450	204,261							33	3.8	00.5-07.1	18	1.3	00.3-02.3	19	5.3	00.0-11.8
\$35,000- 49,999	629	241,471							43	7.0	00.2-13.8	26	2.0	00.1-04.0	12	2.2	00.0-05.8
\$50,000- 74,999	698	238,231										19	2.6	00.5-04.7	12	0.4	00.0-00.9
\$75,000+	1376	497,098	936	64.5	56.0-73.0	319	25.5	18.4-32.5	64	7.9	00.8-15.0	41	1.3	00.4-02.3	16	0.8	00.0-02.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

MODULE 3: PERCEIVED NUTRITION ENVIRONMENT AND POLICY SURVEY QUESTIONS

TABLE 2: TO WHAT DEGREE WOULD YOU AGREE WITH THE STATEMENT, "IT IS EASY TO PURCHASE HEALTHY FOODS IN MY NEIGHBORHOOD SUCH AS WHOLE GRAIN FOODS, LOW FAT OPTIONS, AND FRUITS AND VEGETABLES." WOULD YOU... (PURCHHF)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Strongly agree			Agree			Neither agree nor disagree (neutral)			Disagree			Strongly disagree		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1673	980,211	820	44.6	36.0-53.1	630	40.1	31.8-48.4	116	6.6	01.8-11.4	72	5.3	00.0-10.7	35	3.4	00.0-07.7
White/Non-Hisp	1234	380,450	658	54.4	44.7-64.0	437	33.1	25.4-40.7				46	2.5	01.0-03.9	18	0.6	00.0-01.2
Other Race	419	595,345							39	4.3	00.8-07.8	24	7.2	00.0-15.9	17	5.2	00.0-12.3
18-24	77	144,636										7	2.1	00.0-04.6	1	0.0	00.0-00.1
25-34	109	251,639							11	4.5	00.5-08.5	6	4.7	00.0-11.7			
35-44	206	200,184							18	8.7	00.0-18.0	6	0.9	00.0-01.9	3	0.0	00.0-00.1
45-54	372	168,113							23	2.5	00.5-04.5				10	0.7	00.0-01.9
55-64	398	116,647							27	4.6	01.2-07.9	12	0.7	00.0-01.4	7	0.7	00.0-01.3
65+	502	98,493	205	28.9	19.0-38.9				29	2.5	00.7-04.2	25	5.3	00.7-10.0	11	1.9	00.2-03.7
Less Than H.S.	103	196,353							10	6.2	00.0-15.7				4	0.4	00.0-01.1
H.S. or G.E.D.	395	242,253							33	5.3	01.7-09.0	22	6.4	00.0-13.8	11	0.7	00.0-01.6
Some Post-H.S.	438	256,471										14	0.7	00.1-01.2			
College Graduate	731	283,166	452	64.4	54.8-74.0	202	28.2	19.6-36.7	34	1.8	00.6-02.9	33	2.7	00.9-04.5	10	3.0	00.0-06.8
Less than \$15,000	95	88,110							7	4.9	00.0-12.1				5	1.6	00.0-04.2
\$15,000- 24,999	215	225,645							16	4.5	00.6-08.4	11	5.1	00.0-12.8			
\$25,000- 34,999	156	82,414							20	4.9	00.0-10.2	9	2.6	00.0-05.3	4	0.4	00.0-01.0
\$35,000- 49,999	232	125,123							11	2.5	00.1-04.9	9	1.2	00.0-02.6	6	3.9	00.0-10.9
\$50,000- 74,999	248	109,075							13	2.0	00.0-04.2	9	2.7	00.0-06.3	5	0.6	00.0-01.6
\$75,000+	607	272,685				149	24.4	14.7-34.1	37	6.2	00.0-13.0	21	1.6	00.3-02.8	8	1.4	00.0-03.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Estimates based on rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

MODULE 3: PERCEIVED NUTRITION ENVIRONMENT AND POLICY SURVEY QUESTIONS

TABLE 3: TO WHAT DEGREE WOULD YOU AGREE WITH THE STATEMENT, "IT IS EASY TO PURCHASE HEALTHY FOODS IN MY NEIGHBORHOOD SUCH AS WHOLE GRAIN FOODS, LOW FAT OPTIONS, AND FRUITS AND VEGETABLES." WOULD YOU... (PURCHHF)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Strongly agree			Agree			Neither agree nor disagree (neutral)			Disagree			Strongly disagree		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2841	1,016,626	1471	40.6	33.6-47.6	1015	43.8	36.1-51.5	169	8.4	03.6-13.2	115	5.3	00.6-09.9	71	1.9	00.4-03.4
White/Non-Hisp	2037	395,012	1186	58.0	49.4-66.5	661	33.6	24.5-42.7	95	3.8	02.1-05.4	56	2.5	01.0-04.0	39	2.1	00.0-04.8
Other Race	793	618,949	283	29.5	19.7-39.4				71	11.4	03.7-19.1	57	6.9	00.0-14.3	32	1.8	00.1-03.4
18-24	81	145,912							7	4.2	00.0-09.0				2	1.4	00.0-03.4
25-34	171	253,994										6	0.5	00.0-01.0	4	2.8	00.0-06.6
35-44	399	184,711										16	2.2	00.1-04.2	11	0.2	00.0-00.4
45-54	561	165,636							37	5.1	01.7-08.5	21	2.2	00.4-03.9	15	3.6	00.0-09.9
55-64	617	97,148							34	5.7	01.9-09.5	26	8.8	01.3-16.2	19	2.4	00.0-04.8
65+	995	167,542							44	2.5	00.9-04.2	40	4.8	01.1-08.5	20	0.9	00.2-01.6
Less Than H.S.	156	196,013							13	5.5	00.1-10.8	18	4.4	00.5-08.3	7	3.2	00.0-08.7
H.S. or G.E.D.	697	253,758							40	2.1	00.5-03.6				18	0.4	00.0-01.1
Some Post-H.S.	828	250,212										36	3.3	01.0-05.5	22	2.1	00.0-04.6
College Graduate	1156	316,625	762	61.4	51.5-71.2				41	2.9	01.2-04.7	34	2.3	00.6-04.0	24	2.1	00.0-04.6
Less than \$15,000	209	101,202							17	7.5	00.0-15.7	23	7.1	00.5-13.6	15	3.7	00.0-07.4
\$15,000- 24,999	467	239,786							33	5.0	00.0-11.7	26	3.0	00.8-05.3	13	1.5	00.0-03.8
\$25,000- 34,999	294	121,847							13	3.1	00.0-07.4	9	0.4	00.0-00.8	15	8.6	00.0-19.4
\$35,000- 49,999	397	116,349										17	2.9	00.0-06.6	6	0.3	00.0-00.6
\$50,000- 74,999	450	129,156										10	2.5	00.0-04.9	7	0.2	00.0-00.6
\$75,000+	769	224,413										20	1.1	00.0-02.4	8	0.2	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Estimates based on rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

MODULE 4: TOBACCO CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

* * * * *

TABLE

ABOUT HOW OFTEN DO YOU AKE ADVANTAGE OF PROMOTIONAL OFFERS SUCH AS "DOLLAR OFF", OR "TWO-PACKS-FOR-THE-PRICE-OF-ONE"?
WOULD YOU SAY... (TUSPECOF)

- 1 MALES AND FEMALES
- 2 MALES ONLY
- 3 FEMALES ONLY

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
MODULE 4: TOBACCO**

TABLE 1: ABOUT HOW OFTEN DO YOU TAKE ADVANTAGE OF PROMOTIONAL OFFERS SUCH AS "DOLLAR OFF", OR "TWO-PACKS-FOR-THE-PRICE-OF-ONE"? WOULD YOU SAY... (TUSPECOF)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sometimes			Often			Every time you see one		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	651	437,497	193	20.7	12.2-29.3	49	8.3	00.0-16.7			
Female	387	201,521	115	14.9	05.6-24.1	29	6.3	00.0-15.2			
White/Non-Hisp	473	186,236				30	3.2	00.8-05.6			
45-54	164	93,264				17	4.4	00.0-08.9			
55-64	186	47,771				13	2.3	00.3-04.3			
65+	127	40,267				6	0.9	00.0-02.2	24	2.6	00.0-05.4
H.S. or G.E.D.	230	183,743				14	7.3	00.0-17.2			
Some Post-H.S.	222	69,920				20	4.0	00.8-07.2			
College Graduate	151	59,658				13	4.1	00.0-08.3	26	12.7	03.8-21.7
Less than \$15,000	81	92,761				8	2.3	00.0-05.4	20	6.4	00.0-13.8
\$25,000- 34,999	68	55,603				4	1.4	00.0-03.4			
\$35,000- 49,999	91	40,945				10	5.3	00.0-12.5			
\$50,000- 74,999	100	32,618				5	2.4	00.0-05.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
MODULE 4: TOBACCO

TABLE 2: ABOUT HOW OFTEN DO YOU TAKE ADVANTAGE OF PROMOTIONAL OFFERS SUCH AS "DOLLAR OFF", OR "TWO-PACKS-FOR-THE-PRICE-OF-ONE"? WOULD YOU SAY... (TUSPECOF)
Denominator excludes: Respondents who are female or respondents who do not know/refused or with missing responses

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
MODULE 4: TOBACCO**

TABLE 3: ABOUT HOW OFTEN DO YOU AKE ADVANTAGE OF PROMOTIONAL OFFERS SUCH AS "DOLLAR OFF", OR "TWO-PACKS-FOR-THE-PRICE-OF-ONE"? WOULD YOU SAY... (TUSPECOF)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sometimes			Often			Every time you see one			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	387	201,521	115	14.9	05.6-24.1	29	6.3	00.0-15.2						
White/Non-Hisp	289	91,513				16	3.0	00.1-05.9						
45-54	93	28,284				11	6.6	00.0-14.0						
55-64	115	28,848				7	2.5	00.0-05.3						
65+	95	34,031				4	0.5	00.0-01.5	20	2.3	00.0-05.2			
Some Post-H.S.	135	28,431				15	8.2	01.0-15.4						
College Graduate	87	20,633				8	3.7	00.0-09.1						
Less than \$15,000	52	44,943	13	4.9	00.0-11.6	3	0.5	00.0-01.6						
\$15,000- 24,999	85	68,264				6	1.9	00.0-05.0						
\$35,000- 49,999	64	26,486				8	3.2	00.0-07.6				25	7.4	00.0-16.6
\$50,000- 74,999	57	8,124							8	8.7	00.0-20.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010

MODULE 5: WATER CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

* * * * *

TABLE

DURING THE PAST 7 DAYS, HOW MANY TIMES DID YOU DRINK AN 8 OUNCE BOTTLE OR GLASS OF PLAIN WATER? COUNT TAP, BOTTLED, AND
UNFLAVORED SPARKLING WATER. (DRNKWATR)

- 1 MALES AND FEMALES
- 2 MALES ONLY
- 3 FEMALES ONLY

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
MODULE 5: WATER CONSUMPTION**

**TABLE 1: DURING THE PAST 7 DAYS, HOW MANY TIMES DID YOU DRINK AN 8 OUNCE BOTTLE OR GLASS OF PLAIN WATER? COUNT TAP, BOTTLED, AND UNFLAVORED SPARKLING WATER.
(DRNKWATR)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		I did not drink water during the past 7 days			1 to 3 times during the past 7 days			4 to 6 times during the past 7 days			1 time per day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4518	1,994,553	89	2.3	00.4-04.2	222	4.5	02.5-06.5	234	4.8	02.7-06.9	592	8.0	05.3-10.6
Male	1680	982,439	49	1.6	00.6-02.5	96	4.5	02.1-06.8	97	4.8	01.1-08.5	246	5.6	04.0-07.2
Female	2838	1,012,114	40	3.0	00.0-06.7	126	4.5	01.3-07.7	137	4.8	02.7-06.8	346	10.3	05.3-15.2
White/Non-Hisp	3278	777,572	78	2.5	01.2-03.7	182	4.9	03.4-06.4	175	4.1	02.6-05.6	473	10.5	08.3-12.6
Other Race	1209	1,209,893	11	2.2	00.0-05.3	40	4.2	01.1-07.4	56	5.2	01.9-08.6	116	6.4	02.2-10.6
18-24	159	292,008	1	1.3	00.0-04.0	13	3.8	00.9-06.6	7	1.4	00.0-02.9	15	5.7	01.5-09.9
25-34	281	506,019	4	0.6	00.0-01.4	11	5.6	00.0-11.8	18	8.1	00.9-15.3	24	6.5	00.0-14.9
35-44	604	380,270	11	1.3	00.0-02.9	22	3.4	00.9-05.9	30	5.2	01.6-08.8	69	10.2	03.7-16.8
45-54	933	333,846	16	1.9	00.0-03.7	41	4.6	00.0-10.1	46	3.6	00.8-06.4	121	6.7	03.9-09.4
55-64	1012	213,259	29	2.4	01.0-03.8	64	5.4	02.2-08.6	57	2.8	01.2-04.3	155	11.1	07.0-15.3
65+	1502	266,946				70	3.9	01.7-06.2	74	4.5	01.5-07.5	203	9.2	05.8-12.5
Less Than H.S.	262	393,744	7	6.7	00.0-16.0	9	2.1	00.2-04.1	16	8.9	00.0-17.9	28	8.0	00.0-18.7
H.S. or G.E.D.	1090	491,651	26	0.7	00.2-01.1	48	2.6	00.8-04.5	58	4.7	01.9-07.5	152	7.9	03.5-12.3
Some Post-H.S.	1264	506,360	24	1.4	00.4-02.4	68	8.8	01.8-15.7	61	2.4	00.2-04.6	166	7.9	04.0-11.9
College Graduate	1891	600,708	32	1.5	00.4-02.7	96	3.9	01.9-05.9	99	4.2	02.0-06.3	246	8.1	05.9-10.3
Less than \$15,000	304	189,371				10	2.9	00.0-06.4	12	4.3	00.0-09.2			
\$15,000- 24,999	685	466,283	19	1.0	00.0-02.1	37	1.5	00.6-02.5	36	8.7	01.1-16.3	85	9.8	00.2-19.4
\$25,000- 34,999	451	204,277	10	0.6	00.1-01.1	22	2.9	00.4-05.3	33	3.3	00.3-06.3	58	4.1	01.6-06.5
\$35,000- 49,999	631	242,271	13	3.0	00.0-06.5	38	7.8	02.3-13.4	39	4.0	01.4-06.6	82	4.1	02.1-06.1
\$50,000- 74,999	698	238,231	11	0.8	00.2-01.4				45	5.0	00.3-09.8	103	8.4	04.3-12.4
\$75,000+	1376	498,020	20	1.9	00.4-03.3	61	2.2	00.9-03.5	49	2.6	00.4-04.8	185	8.6	05.9-11.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
MODULE 5: WATER CONSUMPTION**

**TABLE 1: DURING THE PAST 7 DAYS, HOW MANY TIMES DID YOU DRINK AN 8 OUNCE BOTTLE OR GLASS OF PLAIN WATER? COUNT TAP, BOTTLED, AND UNFLAVORED SPARKLING WATER.
(DRNKWATR)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		2 times per day			3 times per day			4 or more times per day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4518	1,994,553	810	20.4	15.4-25.3	920	26.7	21.2-32.2	1651	33.4	28.2-38.6
Male	1680	982,439	320	21.9	14.4-29.3	344	31.5	22.7-40.3	528	30.1	22.6-37.7
Female	2838	1,012,114	490	18.9	12.4-25.4	576	22.0	15.7-28.3	1123	36.6	29.5-43.7
White/Non-Hisp	3278	777,572	611	20.4	15.5-25.4	652	22.5	17.1-28.0	1107	35.0	28.7-41.4
Other Race	1209	1,209,893	195	20.4	12.9-27.8	260	29.2	20.9-37.5	531	32.4	25.0-39.9
18-24	159	292,008									
25-34	281	506,019									
35-44	604	380,270	100	14.4	07.2-21.7						
45-54	933	333,846									
55-64	1012	213,259	179	13.5	06.9-20.0						
65+	1502	266,946	282	19.5	11.2-27.8				521	27.2	19.5-34.8
Less Than H.S.	262	393,744	52	10.8	01.1-20.6						
H.S. or G.E.D.	1090	491,651				234	15.7	09.7-21.6			
Some Post-H.S.	1264	506,360							475	29.5	20.7-38.2
College Graduate	1891	600,708	345	22.3	16.3-28.3	380	22.7	15.5-29.9	693	37.4	30.5-44.2
Less than \$15,000	304	189,371									
\$15,000- 24,999	685	466,283									
\$25,000- 34,999	451	204,277									
\$35,000- 49,999	631	242,271							223	23.3	14.1-32.5
\$50,000- 74,999	698	238,231				136	24.4	14.5-34.4	253	25.3	16.5-34.2
\$75,000+	1376	498,020	275	19.6	13.6-25.6	278	27.7	18.2-37.1	508	37.5	29.6-45.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
MODULE 5: WATER CONSUMPTION**

**TABLE 2: DURING THE PAST 7 DAYS, HOW MANY TIMES DID YOU DRINK AN 8 OUNCE BOTTLE OR GLASS OF PLAIN WATER? COUNT TAP, BOTTLED, AND UNFLAVORED SPARKLING WATER.
(DRNKWATR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		I did not drink water during the past 7 days			1 to 3 times during the past 7 days			4 to 6 times during the past 7 days			1 time per day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1680	982,439	49	1.6	00.6-02.5	96	4.5	02.1-06.8	97	4.8	01.1-08.5	246	5.6	04.0-07.2
White/Non-Hisp	1240	382,205	46	3.7	01.3-06.1	83	6.2	03.5-08.8	72	2.8	01.4-04.2	203	10.2	07.4-13.0
Other Race	419	595,556	3	0.2	00.0-00.6	13	3.4	00.0-06.9	24	6.1	00.1-12.1	40	2.7	00.9-04.4
18-24	77	145,515	1	2.7	00.0-07.9	6	3.3	00.0-06.9	3	0.5	00.0-01.6	8	5.4	00.0-11.0
25-34	110	252,025	2	1.0	00.0-02.5	4	2.4	00.0-05.3				8	1.0	00.0-02.3
35-44	207	200,266	6	0.6	00.0-01.4	5	3.4	00.0-07.3	11	4.2	00.0-09.2	28	6.5	02.7-10.3
45-54	373	168,218	8	1.2	00.0-02.6	21	7.7	00.0-18.6	18	2.9	00.0-06.1	53	5.0	01.8-08.2
55-64	397	116,520	17	3.3	00.8-05.7	29	7.1	01.6-12.6	21	2.8	00.6-05.0	74	11.1	05.3-16.8
65+	506	99,373	15	1.9	00.5-03.3	31	4.9	01.6-08.2	33	5.5	00.0-11.5	73	10.2	05.8-14.7
Less Than H.S.	105	197,730	4	2.4	00.0-06.4	4	1.9	00.0-04.1				10	1.1	00.0-02.3
H.S. or G.E.D.	394	242,020	15	0.9	00.1-01.7	18	3.7	00.2-07.2	24	3.3	00.2-06.3	53	3.8	01.6-05.9
Some Post-H.S.	437	256,230	13	1.8	00.1-03.4	29	8.2	00.4-16.0	16	0.8	00.2-01.4	68	6.9	02.9-10.9
College Graduate	737	284,385	17	1.4	00.3-02.6	44	3.6	01.5-05.7	50	4.5	01.2-07.8	115	9.2	05.8-12.5
Less than \$15,000	95	88,300	6	1.7	00.0-03.9	4	4.5	00.0-11.7	2	0.1	00.0-00.3	11	5.0	00.0-10.2
\$15,000- 24,999	217	226,474	6	0.3	00.0-00.7	13	1.4	00.1-02.7				29	2.7	00.6-04.7
\$25,000- 34,999	156	82,414	5	0.6	00.0-01.4	7	5.0	00.0-11.0	13	2.1	00.0-04.5	17	4.0	00.0-08.2
\$35,000- 49,999	233	125,341	7	4.6	00.0-11.0	21	8.7	01.2-16.2	19	3.9	00.2-07.6	32	4.1	01.0-07.3
\$50,000- 74,999	248	109,075	6	0.9	00.0-01.9				14	2.3	00.2-04.4	40	6.3	01.7-10.8
\$75,000+	608	273,693	14	1.9	00.3-03.5	31	2.2	00.6-03.7	22	2.2	00.0-05.2	100	9.6	05.5-13.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
MODULE 5: WATER CONSUMPTION**

**TABLE 2: DURING THE PAST 7 DAYS, HOW MANY TIMES DID YOU DRINK AN 8 OUNCE BOTTLE OR GLASS OF PLAIN WATER? COUNT TAP, BOTTLED, AND UNFLAVORED SPARKLING WATER.
(DRNKWATR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		2 times per day			3 times per day			4 or more times per day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1680	982,439	320	21.9	14.4-29.3	344	31.5	22.7-40.3	528	30.1	22.6-37.7
White/Non-Hisp	1240	382,205	239	19.2	13.3-25.2	246	25.9	16.0-35.8	351	32.0	22.3-41.7
Other Race	419	595,556									
18-24	77	145,515									
25-34	110	252,025									
35-44	207	200,266	36	14.3	06.5-22.2						
45-54	373	168,218									
55-64	397	116,520	72	8.0	04.1-12.0						
65+	506	99,373							158	26.4	16.9-35.9
Less Than H.S.	105	197,730							35	11.4	03.1-19.7
H.S. or G.E.D.	394	242,020				91	15.0	07.4-22.7			
Some Post-H.S.	437	256,230									
College Graduate	737	284,385	142	22.1	13.8-30.3				226	27.4	19.0-35.9
Less than \$15,000	95	88,300									
\$15,000- 24,999	217	226,474									
\$25,000- 34,999	156	82,414									
\$35,000- 49,999	233	125,341									
\$50,000- 74,999	248	109,075									
\$75,000+	608	273,693	129	17.4	11.0-23.7						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
MODULE 5: WATER CONSUMPTION**

**TABLE 3: DURING THE PAST 7 DAYS, HOW MANY TIMES DID YOU DRINK AN 8 OUNCE BOTTLE OR GLASS OF PLAIN WATER? COUNT TAP, BOTTLED, AND UNFLAVORED SPARKLING WATER.
(DRNKWATR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		I did not drink water during the past 7 days			1 to 3 times during the past 7 days			4 to 6 times during the past 7 days			1 time per day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2838	1,012,114	40	3.0	00.0-06.7	126	4.5	01.3-07.7	137	4.8	02.7-06.8	346	10.3	05.3-15.2
White/Non-Hisp	2038	395,367	32	1.3	00.5-02.1	99	3.6	02.2-05.1	103	5.4	02.8-07.9	270	10.7	07.5-14.0
Other Race	790	614,337	8	4.1	00.0-10.1	27	5.1	00.0-10.3	32	4.4	01.4-07.4	76	10.0	02.2-17.8
18-24	82	146,493				7	4.2	00.0-08.7	4	2.3	00.0-05.2	7	6.0	00.0-12.3
25-34	171	253,994	2	0.2	00.0-00.5				9	6.6	00.4-12.9			
35-44	397	180,004	5	2.0	00.0-05.2	17	3.4	00.3-06.5	19	6.3	01.2-11.4			
45-54	560	165,628	8	2.6	00.0-05.9	20	1.4	00.2-02.6	28	4.4	00.0-08.9	68	8.3	04.2-12.5
55-64	615	96,739	12	1.4	00.3-02.4	35	3.2	00.4-06.1	36	2.7	00.4-05.0	81	11.2	05.2-17.3
65+	996	167,573				39	3.3	00.4-06.3	41	4.0	00.9-07.1	130	8.5	04.0-13.1
Less Than H.S.	157	196,013				5	2.4	00.0-05.6	9	5.5	00.0-11.2			
H.S. or G.E.D.	696	249,631	11	0.4	00.1-00.8	30	1.6	00.3-02.9	34	6.1	01.4-10.8	99	11.9	03.6-20.2
Some Post-H.S.	827	250,130	11	1.0	00.0-02.1				45	4.0	00.0-08.3	98	8.9	02.2-15.7
College Graduate	1154	316,322	15	1.6	00.0-03.5	52	4.2	01.0-07.4	49	3.8	01.1-06.5	131	7.2	04.2-10.2
Less than \$15,000	209	101,071				6	1.6	00.0-03.6	10	7.9	00.0-17.0			
\$15,000- 24,999	468	239,809	13	1.7	00.0-03.8	24	1.6	00.2-03.1	19	4.1	00.0-08.3			
\$25,000- 34,999	295	121,862	5	0.6	00.0-01.3	15	1.5	00.3-02.6	20	4.1	00.0-08.9	41	4.1	01.1-07.1
\$35,000- 49,999	398	116,930	6	1.4	00.0-03.6	17	6.9	00.0-15.2	20	4.2	00.5-07.8	50	4.2	01.8-06.5
\$50,000- 74,999	450	129,156	5	0.7	00.0-01.5				31	7.4	00.0-15.7	63	10.1	03.9-16.3
\$75,000+	768	224,326	6	1.8	00.0-04.4	30	2.2	00.2-04.3	27	3.1	00.0-06.4	85	7.5	03.8-11.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010
MODULE 5: WATER CONSUMPTION**

**TABLE 3: DURING THE PAST 7 DAYS, HOW MANY TIMES DID YOU DRINK AN 8 OUNCE BOTTLE OR GLASS OF PLAIN WATER? COUNT TAP, BOTTLED, AND UNFLAVORED SPARKLING WATER.
(DRNKWATR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		2 times per day			3 times per day			4 or more times per day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2838	1,012,114	490	18.9	12.4-25.4	576	22.0	15.7-28.3	1123	36.6	29.5-43.7
White/Non-Hisp	2038	395,367	372	21.6	13.9-29.3	406	19.3	15.0-23.6	756	38.0	29.8-46.2
Other Race	790	614,337	116	17.1	07.7-26.5	168	23.7	13.8-33.7			
18-24	82	146,493									
25-34	171	253,994									
35-44	397	180,004				72	14.3	04.6-24.1			
45-54	560	165,628	91	14.3	05.8-22.8						
55-64	615	96,739				111	18.3	10.0-26.6			
65+	996	167,573	187	14.3	08.0-20.5						
Less Than H.S.	157	196,013	27	5.4	01.2-09.6						
H.S. or G.E.D.	696	249,631				143	16.3	07.3-25.3			
Some Post-H.S.	827	250,130	138	14.8	05.3-24.4						
College Graduate	1154	316,322	203	22.5	13.8-31.2	237	14.5	10.3-18.6	467	46.3	36.8-55.7
Less than \$15,000	209	101,071				35	6.1	01.7-10.5			
\$15,000- 24,999	468	239,809	76	5.3	02.5-08.2						
\$25,000- 34,999	295	121,862									
\$35,000- 49,999	398	116,930									
\$50,000- 74,999	450	129,156	75	10.0	05.2-14.8						
\$75,000+	768	224,326									

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Estimates based on rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**COMMUNITIES PUTTING PREVENTION TO WORK USING BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ILLINOIS (COOK COUNTY) CORE QUESTIONS DATA REPORT, 2010**

End of Core Data Report