



Ten Leading Causes of Death by Age Group, Race/Ethnicity, and Gender

Suburban Cook County 2012-2016

Suggested Citation: Cook County Department of Public Health. (2018). Ten Leading Causes of Death Tables 2012-2016. Oak Forest, IL: Community Epidemiology and Health Planning Unit



Cook County DEPT.
of
Public Health

Promoting health. Preventing disease. *Protecting you.*



Table of Contents

All Suburban Cook County:

All Deaths

By Gender:

Females

Males

By Race/Ethnicity and Gender:

Hispanic

Hispanic Females

Hispanic Males

Non Hispanic Asian/Pacific Islander

Non Hispanic Asian/Pacific Islander Females

Non Hispanic Asian/Pacific Islander Males

Non Hispanic Black

Non Hispanic Black Females

Non Hispanic Black Males

Non Hispanic White

Non Hispanic White Females

Non Hispanic White Males

By District:

North District

West District

Southwest District

South District

Resources:

District Map

Rankable Causes of Death

Rankable Causes of Infant Death

10 Leading Causes of Death in Suburban Cook County, by Age Group, 2012-2016
(Count/Percent of Total Deaths)

All Deaths

Rank	<1	1-4	5-17	18-24	25-34	35-44	45-54	55-64	65+	OVERALL
1	Short Gestation, Low Birth Wt	Unintentional Injury	Unintentional Injury	Unintentional Injury	Unintentional Injury	Malignant Neoplasms	Malignant Neoplasms	Malignant Neoplasms	Heart Disease	Heart Disease
	260 28.6%	21 18.8%	59 19.3%	291 35.0%	513 34.9%	434 20.1%	1,646 29.1%	4,352 36.4%	20,770 26.0%	25,403 24.6%
2	Congenital Malformations	Congenital Abnormalities	Homicide	Homicide	Homicide	Unintentional Injury	Heart Disease	Heart Disease	Malignant Neoplasms	Malignant Neoplasms
	160 17.6%	16 14.3%	46 15.0%	195 23.4%	178 12.1%	418 19.3%	1,264 22.3%	2,848 23.8%	18,160 22.7%	24,851 24.1%
3	Maternal Complications	Malignant Neoplasms	Malignant Neoplasms	Suicide	Suicide	Heart Disease	Unintentional Injury	Unintentional Injury	Cerebrovascular	Cerebrovascular
	68 7.5%	12 10.7%	40 13.1%	118 14.2%	167 11.4%	347 16.0%	528 9.3%	466 3.9%	4,945 6.2%	5,656 5.5%
4	Complications of placenta	Homicide	Suicide	Malignant Neoplasms	Malignant Neoplasms	Suicide	Chronic Liver	Cerebrovascular	Chronic Lower Respiratory	Chronic Lower Respiratory
	27 3.0%	11 9.8%	35 11.4%	63 7.6%	141 9.6%	189 8.7%	260 4.6%	427 3.6%	4,211 5.3%	4,712 4.6%
5	Bacterial Sepsis	Heart Disease	Congenital Abnormalities	Heart Disease	Heart Disease	Homicide	Suicide	Diabetes	Alzheimer's	Unintentional Injury
	26 2.9%	7 6.3%	20 6.5%	30 3.6%	113 7.7%	103 4.8%	249 4.4%	417 3.5%	3,423 4.3%	3,616 3.5%
6	Unintentional Injury	Chronic Lower Respiratory	Chronic Lower Respiratory	Congenital Abnormalities	Chronic Liver	Chronic Liver	Cerebrovascular	Chronic Liver	Flu/Pneumonia	Alzheimer's
	23 2.5%	5 4.5%	15 4.9%	7 0.8%	26 1.8%	86 4.0%	197 3.5%	374 3.1%	2,040 2.6%	3,484 3.4%
7	Circulatory system	Conditions in Perinatal	Heart Disease	Flu/Pneumonia	Cerebrovascular	Cerebrovascular	Diabetes	Chronic Lower Respiratory	Nephritis	Diabetes
	20 2.2%	* -	13 4.2%	7 0.8%	22 1.5%	50 2.3%	168 3.0%	328 2.7%	2,014 2.5%	2,611 2.5%
8	Respiratory Distress	Benign Neoplasm	Benign Neoplasm	Cerebrovascular	Diabetes	Diabetes	Chronic Lower Respiratory	Suicide	Diabetes	Nephritis
	19 2.1%	* -	7 2.3%	* -	20 1.4%	46 2.1%	118 2.1%	250 2.1%	1,954 2.4%	2,365 2.3%
9	Neonatal Hemorrhage	Septicemia	Flu/Pneumonia	Nephritis	Pregnancy, Childbirth	Nephritis	Nephritis	Nephritis	Unintentional Injury	Flu/Pneumonia
	14 1.5%	* -	6 2.0%	* -	17 1.2%	28 1.3%	80 1.4%	226 1.9%	1,297 1.6%	2,356 2.3%
10	SIDS	Anemias	Cerebrovascular	Anemias	Flu/Pneumonia	Septicemia	Septicemia	Flu/Pneumonia	Septicemia	Septicemia
	14 1.5%	* -	5 1.6%	* -	16 1.1%	26 1.2%	79 1.4%	191 1.6%	1,286 1.6%	1,586 1.5%
Total Deaths	909	112	306	832	1,471	2,164	5,666	11,958	79,852	103,270

Key:



Chronic Diseases and Conditions



Infectious Agent



Perinatal Period and Congenital
Anomalies



Violence and Injury



Unclassified

Note: * Count Suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events.
Source: IDPH Vital Statistics Death File, 2012-2016

10 Leading Causes of Death in Suburban Cook County, by Age Group, 2012-2016
(Count/Percent of Total Deaths)

Females

Rank	<1	1-4	5-17	18-24	25-34	35-44	45-54	55-64	65+	OVERALL
1	Short Gestation, Low Birth Wt	Congenital Abnormalities	Unintentional Injury	Unintentional Injury	Unintentional Injury	Malignant Neoplasms	Malignant Neoplasms	Malignant Neoplasms	Heart Disease	Malignant Neoplasms
	119 28.3%	9 20.5%	25 20.3%	56 31.5%	101 26.4%	241 31.9%	876 39.8%	2,093 44.4%	11,045 24.7%	12,589 23.5%
2	Congenital Malformations	Unintentional Injury	Malignant Neoplasms	Malignant Neoplasms	Malignant Neoplasms	Unintentional Injury	Heart Disease	Heart Disease	Malignant Neoplasms	Heart Disease
	79 18.8%	6 13.6%	18 14.6%	28 15.7%	61 15.9%	105 13.9%	332 15.1%	847 17.9%	9,267 20.7%	12,352 23.1%
3	Maternal Complications	Homicide	Congenital Abnormalities	Suicide	Suicide	Heart Disease	Unintentional Injury	Cerebrovascular	Cerebrovascular	Cerebrovascular
	33 7.8%	5 11.4%	11 8.9%	23 12.9%	37 9.7%	90 11.9%	142 6.5%	169 3.6%	3,103 6.9%	3,402 6.4%
4	Unintentional Injury	Malignant Neoplasms	Suicide	Homicide	Homicide	Suicide	Cerebrovascular	Diabetes	Chronic Lower Respiratory	Chronic Lower Respiratory
	14 3.3%	* -	11 8.9%	13 7.3%	22 5.7%	38 5.0%	95 4.3%	165 3.5%	2,477 5.5%	2,712 5.1%
5	Respiratory Distress	Anemias	Homicide	Heart Disease	Heart Disease	Chronic Liver	Chronic Liver	Chronic Lower Respiratory	Alzheimer's	Alzheimer's
	9 2.1%	* -	9 7.3%	11 6.2%	18 4.7%	24 3.2%	80 3.6%	152 3.2%	2,439 5.4%	2,470 4.6%
6	Bacterial Sepsis	Cerebrovascular	Chronic Lower Respiratory	Cerebrovascular	Pregnancy, Childbirth	Cerebrovascular	Chronic Lower Respiratory	Unintentional Injury	Flu/Pneumonia	Flu/Pneumonia
	8 1.9%	* -	* -	* -	17 4.4%	18 2.4%	62 2.8%	121 2.6%	1,157 2.6%	1,278 2.4%
7	Complications of placenta	Chronic Lower Respiratory	Heart Disease	Flu/Pneumonia	Chronic Liver	Homicide	Suicide	Chronic Liver	Nephritis	Diabetes
	8 1.9%	* -	* -	* -	10 2.6%	17 2.2%	59 2.7%	105 2.2%	1,030 2.3%	1,271 2.4%
8	Hypoxia, Asphyxia	Heart Disease	Benign Neoplasm	Pregnancy, Childbirth	Diabetes	Diabetes	Diabetes	Nephritis	Diabetes	Unintentional Injury
	8 1.9%	* -	* -	* -	10 2.6%	17 2.2%	55 2.5%	92 1.9%	1,023 2.3%	1,192 2.2%
9	Circulatory System	Benign Neoplasm	Flu/Pneumonia	Anemias	Cerebrovascular	Pregnancy, Childbirth	Nephritis	Flu/Pneumonia	Septicemia	Nephritis
	6 1.4%	* -	* -	* -	9 2.3%	12 1.6%	34 1.5%	73 1.5%	713 1.6%	1,173 2.2%
10	SIDS	Septicemia	Cerebrovascular	Congenital Abnormalities	Flu/Pneumonia	Septicemia	Septicemia	Septicemia	Unintentional Injury	Septicemia
	6 1.4%	* -	* -	* -	7 1.8%	12 1.6%	31 1.4%	73 1.5%	622 1.4%	838 1.6%
Total Deaths	421	44	123	178	383	756	2,200	4,719	44,775	53,599

Key:



Chronic Diseases and Conditions



Infectious Agent



Perinatal Period and Congenital
Anomalies



Violence and Injury



Unclassified

Note: * Count Suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events.

Source: IDPH Vital Statistics Death File, 2012-2016

CCDPH Community Epidemiology Unit, 12/2018

10 Leading Causes of Death in Suburban Cook County, by Age Group, 2012-2016
(Count/Percent of Total Deaths)

Males

Rank	<1	1-4	5-17	18-24	25-34	35-44	45-54	55-64	65+	OVERALL
1	Short Gestation, Low Birth Wt	Unintentional Injury	Homicide	Unintentional Injury	Unintentional Injury	Unintentional Injury	Heart Disease	Malignant Neoplasms	Heart Disease	Heart Disease
	139 28.6%	15 22.1%	37 20.2%	235 35.9%	412 37.9%	313 22.2%	932 26.9%	2,259 31.2%	9,725 27.7%	13,051 26.3%
2	Congenital Malformations	Malignant Neoplasms	Unintentional Injury	Homicide	Homicide	Heart Disease	Malignant Neoplasms	Heart Disease	Malignant Neoplasms	Malignant Neoplasms
	81 16.7%	8 11.8%	34 18.6%	182 27.8%	156 14.3%	257 18.3%	770 22.2%	2,001 27.6%	8,893 25.4%	12,262 24.7%
3	Maternal Complications	Congenital Abnormalities	Suicide	Suicide	Suicide	Malignant Neoplasms	Unintentional Injury	Unintentional Injury	Cerebrovascular	Unintentional Injury
	35 7.2%	7 10.3%	24 13.1%	95 14.5%	130 11.9%	193 13.7%	386 11.1%	345 4.8%	1,842 5.3%	2,424 4.9%
4	Complications of placenta	Homicide	Malignant Neoplasms	Malignant Neoplasms	Heart Disease	Suicide	Suicide	Chronic Liver	Chronic Lower Respiratory	Cerebrovascular
	19 3.9%	6 8.8%	22 12.0%	35 5.4%	95 8.7%	151 10.7%	190 5.5%	269 3.7%	1,734 4.9%	2,254 4.5%
5	Bacterial Sepsis	Heart Disease	Chronic Lower Respiratory	Heart Disease	Malignant Neoplasms	Homicide	Chronic Liver	Cerebrovascular	Alzheimer's	Chronic Lower Respiratory
	18 3.7%	6 8.8%	11 6.0%	19 2.9%	80 7.4%	86 6.1%	180 5.2%	258 3.6%	984 2.8%	2,000 4.0%
6	Circulatory System	Chronic Lower Respiratory	Congenital Abnormalities	Congenital Abnormalities	Chronic Liver	Chronic Liver	Diabetes	Diabetes	Nephritis	Diabetes
	14 2.9%	* -	9 4.9%	5 0.8%	16 1.5%	62 4.4%	113 3.3%	252 3.5%	984 2.8%	1,340 2.7%
7	Respiratory Distress	Conditions in Perinatal	Heart Disease	Flu/Pneumonia	Cerebrovascular	Cerebrovascular	Cerebrovascular	Suicide	Diabetes	Nephritis
	10 2.1%	* -	9 4.9%	* -	13 1.2%	32 2.3%	102 2.9%	198 2.7%	931 2.7%	1,192 2.4%
8	Unintentional Injury	Bronchitis	Cerebrovascular	Legal Intervention	HIV Disease	Diabetes	Chronic Lower Respiratory	Chronic Lower Respiratory	Flu/Pneumonia	Flu/Pneumonia
	9 1.9%	* -	* -	* -	12 1.1%	29 2.1%	56 1.6%	176 2.4%	883 2.5%	1,078 2.2%
9	Neonatal Hemorrhage	Flu/Pneumonia	Diabetes	Nephritis	Diabetes	Nephritis	Flu/Pneumonia	Nephritis	Parkinson's	Alzheimer's
	9 1.9%	* -	* -	* -	10 0.9%	18 1.3%	49 1.4%	134 1.9%	743 2.1%	1,014 2.0%
10	SIDS	Medical Care Complications	Flu/Pneumonia	Medical Care Complications	Congenital Abnormalities	HIV Disease	Septicemia	Flu/Pneumonia	Unintentional Injury	Suicide
	8 1.7%	* -	* -	* -	9 0.8%	14 1.0%	48 1.4%	118 1.6%	675 1.9%	960 1.9%
Total Deaths	486	68	183	654	1,088	1,408	3,466	7,239	35,077	49,669

Key:



Chronic Diseases and Conditions



Infectious Agent



Perinatal Period and Congenital
Anomalies



Violence and Injury



Unclassified

Note: * Count Suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events.
Source: IDPH Vital Statistics Death File, 2012-2016

10 Leading Causes of Death in Suburban Cook County, by Age Group, 2012-2016
(Count/Percent of Total Deaths)

Hispanic

Rank	<1	1-4	5-17	18-24	25-34	35-44	45-54	55-64	65+	OVERALL
1	Short Gestation, Low Birth Wt	Unintentional Injury	Malignant Neoplasms	Unintentional Injury	Unintentional Injury	Malignant Neoplasms	Malignant Neoplasms	Malignant Neoplasms	Malignant Neoplasms	Malignant Neoplasms
	60 25.6%	11 29.7%	11 18.0%	44 30.6%	81 32.8%	81 23.3%	177 31.7%	249 32.9%	731 24.7%	1,296 24.3%
2	Congenital Malformations	Congenital Abnormalities	Homicide	Homicide	Homicide	Unintentional Injury	Heart Disease	Heart Disease	Heart Disease	Heart Disease
	54 23.1%	5 13.5%	9 14.8%	29 20.1%	33 13.4%	67 19.3%	89 15.9%	161 21.3%	633 21.4%	950 17.8%
3	Maternal Complications	Malignant Neoplasms	Unintentional Injury	Suicide	Malignant Neoplasms	Heart Disease	Unintentional Injury	Diabetes	Cerebrovascular	Unintentional Injury
	19 8.1%	* -	7 11.5%	17 11.8%	28 11.3%	41 11.8%	66 11.8%	43 5.7%	216 7.3%	376 7.0%
4	Bacterial Sepsis	Heart Disease	Suicide	Malignant Neoplasms	Suicide	Chronic Liver	Chronic Liver	Cerebrovascular	Diabetes	Cerebrovascular
	10 4.3%	* -	7 11.5%	15 10.4%	22 8.9%	22 6.3%	48 8.6%	40 5.3%	142 4.8%	300 5.6%
5	Complications of placenta	Homicide	Congenital Abnormalities	Heart Disease	Heart Disease	Suicide	Cerebrovascular	Chronic Liver	Alzheimer's	Diabetes
	5 2.1%	* -	6 9.8%	* -	15 6.1%	21 6.1%	23 4.1%	37 4.9%	108 3.7%	218 4.1%
6	Interstitial Emphysema	Conditions in Perinatal	Cerebrovascular	Cerebrovascular	Diabetes	Homicide	Suicide	Unintentional Injury	Nephritis	Chronic Liver
	5 2.1%	* -	* -	* -	6 2.4%	17 4.9%	15 2.7%	34 4.5%	104 3.5%	172 3.2%
7	Respiratory Distress	Benign Neoplasms	Chronic Lower Respiratory	Chronic Liver	Flu/Pneumonia	Cerebrovascular	Diabetes	Septicemia	Flu/Pneumonia	Conditions in Perinatal
	5 2.1%	* -	* -	* -	6 2.4%	13 3.7%	14 2.5%	19 2.5%	91 3.1%	135 2.5%
8	Unintentional Injury	Anemias	Heart Disease	Flu/Pneumonia	Chronic Liver	Diabetes	Flu/Pneumonia	Flu/Pneumonia	Chronic Lower Respiratory	Nephritis
	* -	* -	* -	* -	5 2.0%	12 3.5%	11 2.0%	17 2.2%	80 2.7%	132 2.5%
9	Homicide	Flu/Pneumonia		Benign Neoplasms	Pregnancy, Childbirth	Septicemia	Septicemia	Nephritis	Unintentional Injury	Flu/Pneumonia
	* -	* -		* -	* -	7 2.0%	8 1.4%	16 2.1%	62 2.1%	131 2.5%
10	Circulatory system	Septicemia		Septicemia	Chronic Lower Respiratory	HIV Disease	Nephritis	Suicide	Chronic Liver	Alzheimer's
	* -	* -		* -	* -	6 1.7%	7 1.3%	7 0.9%	58 2.0%	110 2.1%
Total Deaths	234	37	61	144	247	347	558	757	2,955	5,340

Key: Chronic Diseases and Conditions Infectious Agent Perinatal Period and Congenital Anomalies Violence and Injury Unclassified

Note: * Count Suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events.
Source: IDPH Vital Statistics Death File, 2012-2016

10 Leading Causes of Death in Suburban Cook County, by Age Group, 2012-2016
(Count/Percent of Total Deaths)

Hispanic, Females

Rank	<1	1-4	5-17	18-24	25-34	35-44	45-54	55-64	65+	OVERALL
1	Congenital Malformations	Congenital Abnormalities	Unintentional Injury	Unintentional Injury	Unintentional Injury	Malignant Neoplasms	Malignant Neoplasms	Malignant Neoplasms	Malignant Neoplasms	Malignant Neoplasms
	32 28.3%	* -	* -	7 22.6%	13 22.4%	44 40.0%	86 44.3%	97 37.3%	356 24.1%	604 26.5%
2	Short Gestation, Low Birth Wt	Unintentional Injury	Suicide	Malignant Neoplasms	Malignant Neoplasms	Unintentional Injury	Heart Disease	Heart Disease	Heart Disease	Heart Disease
	27 23.9%	* -	* -	6 19.4%	11 19.0%	12 10.9%	21 10.8%	48 18.5%	295 19.9%	374 16.4%
3	Maternal Complications	Anemias	Congenital Abnormalities	Heart Disease	Homicide	Homicide	Chronic Liver	Diabetes	Cerebrovascular	Cerebrovascular
	6 5.3%	* -	* -	* -	8 13.8%	6 5.5%	15 7.7%	21 8.1%	106 7.2%	130 5.7%
4	Diarrhea	Homicide	Malignant Neoplasms	Heart Disease	Pregnancy, Childbirth	Heart Disease	Unintentional Injury	Cerebrovascular	Alzheimer's	Diabetes
	* -	* -	* -	* -	* -	5 4.5%	10 5.2%	11 4.2%	81 5.5%	108 4.7%
5	Unintentional Injury	Malignant Neoplasms	Homicide	Suicide	Suicide	Chronic Liver	Suicide	Nephritis	Diabetes	Alzheimer's
	* -	* -	* -	* -	* -	* -	6 3.1%	9 3.5%	79 5.3%	82 3.6%
6	Homicide	Benign Neoplasm	Cerebrovascular	Cerebrovascular	Chronic Liver	Diabetes	Cerebrovascular	Unintentional Injury	Nephritis	Unintentional Injury
	* -	* -	* -	* -	* -	* -	5 2.6%	7 2.7%	47 3.2%	79 3.5%
7	Bacterial Sepsis	Septicemia	Heart Disease	Flu and pneumonia	Diabetes	Suicide	Chronic Lower Resp	Septicemia	Chronic Lower Resp	Nephritis
	* -	* -	* -	* -	* -	* -	* -	7 2.7%	42 2.8%	59 2.6%
8	Interstitial Emphysema			Homicide	Flu and pneumonia	Cerebrovascular	Flu and pneumonia	Chronic Liver	Flu and pneumonia	Flu and pneumonia
	* -			* -	* -	* -	* -	5 1.9%	42 2.8%	55 2.4%
9	Complications of placenta			Chronic Liver	Chronic Lower Resp	HIV Disease	Homicide	Flu and pneumonia	Septicemia	Conditions in Perinatal
	* -			* -	* -	* -	* -	5 1.9%	28 1.9%	52 2.3%
10	Respiratory Distress			Benign Neoplasm	Heart Disease	Pregnancy, Childbirth	Congenital Abnormalities	Viral Hepatitis	Chronic Liver	Chronic Liver
	* -			* -	* -	* -	* -	* -	23 1.6%	50 2.2%
Total Deaths	113	12	26	31	58	110	194	260	1,479	2,283

Key:



Chronic Diseases and Conditions



Infectious Agent



Perinatal Period and Congenital Anomalies



Violence and Injury



Unclassified

Note: * Count Suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events.
Source: IDPH Vital Statistics Death File, 2012-2016

10 Leading Causes of Death in Suburban Cook County, by Age Group, 2012-2016
(Count/Percent of Total Deaths)

Hispanic, Male

Rank	<1	1-4	5-17	18-24	25-34	35-44	45-54	55-64	65+	OVERALL
1	Short Gestation, Low Birth Wt	Unintentional Injury	Malignant Neoplasms	Unintentional Injury	Unintentional Injury	Unintentional Injury	Malignant Neoplasms	Malignant Neoplasms	Malignant Neoplasms	Malignant Neoplasms
	33 27.3%	9 36.0%	8 22.9%	37 32.7%	68 36.0%	55 23.2%	91 25.0%	152 30.6%	375 25.4%	692 22.6%
2	Congenital Malformations	Heart Disease	Homicide	Homicide	Homicide	Malignant Neoplasms	Heart Disease	Heart Disease	Heart Disease	Heart Disease
	22 18.2%	* -	7 20.0%	28 24.8%	25 13.2%	37 15.6%	68 18.7%	113 22.7%	338 22.9%	576 18.8%
3	Maternal Complications	Malignant Neoplasms	Unintentional Injury	Suicide	Suicide	Heart Disease	Unintentional Injury	Chronic Liver	Cerebrovascular	Unintentional Injury
	13 10.7%	* -	* -	14 12.4%	18 9.5%	36 15.2%	56 15.4%	32 6.4%	110 7.5%	297 9.7%
4	Bacterial Sepsis	Conditions in Perinatal	Chronic Lower Resp	Malignant Neoplasms	Malignant Neoplasms	Chronic Liver	Chronic Liver	Cerebrovascular	Diabetes	Cerebrovascular
	7 5.8%	* -	* -	9 8.0%	17 9.0%	18 7.6%	33 9.1%	29 5.8%	63 4.3%	170 5.6%
5	Atelectasis	Congenital Abnormalities	Congenital Abnormalities	Septicemia	Heart Disease	Suicide	Cerebrovascular	Unintentional Injury	Nephritis	Chronic Liver
	* -	* -	* -	* -	14 7.4%	17 7.2%	18 4.9%	27 5.4%	57 3.9%	122 4.0%
6	Circulatory system	Homicide	Suicide	Appendix Disease	Diabetes	Homicide	Diabetes	Diabetes	Flu and pneumonia	Diabetes
	* -	* -	* -	* -	* -	11 4.6%	12 3.3%	22 4.4%	49 3.3%	110 3.6%
7	Complications of placenta	Flu and pneumonia	Cerebrovascular	Chronic Liver	Flu and pneumonia	Cerebrovascular	Suicide	Flu and pneumonia	Unintentional Injury	Conditions in Perinatal
	* -	* -	* -	* -	* -	10 4.2%	9 2.5%	12 2.4%	41 2.8%	83 2.7%
8	Respiratory Distress	Benign Neoplasms	Heart Disease	Congenital Abnormalities	Chronic Liver	Diabetes	Septicemia	Septicemia	Chronic Lower Resp	Homicide
	* -	* -	* -	* -	* -	8 3.4%	8 2.2%	12 2.4%	38 2.6%	76 2.5%
9	Interstitial Emphysema			Diabetes	Aortic Aneurysm	Septicemia	Flu and pneumonia	Nephritis	Chronic Liver	Flu and pneumonia
	* -			* -	* -	* -	7 1.9%	7 1.4%	35 2.4%	76 2.5%
10	Unintentional Injury			Heart Disease	Chronic Lower Resp	Flu and pneumonia	Nephritis	Suicide	Septicemia	Nephritis
	* -			* -	* -	* -	5 1.4%	6 1.2%	30 2.0%	73 2.4%
Total Deaths	121	25	35	113	189	237	364	497	1,476	3,057

Key:



Chronic Diseases and Conditions



Infectious Agent



Perinatal Period and Congenital
Anomalies



Violence and Injury



Unclassified

Note: * Count Suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events.
Source: IDPH Vital Statistics Death File, 2012-2016

10 Leading Causes of Death in Suburban Cook County, by Age Group, 2012-2016
(Count/Percent of Total Deaths)

Non-Hispanic Asians

Rank	<1	1-4	5-17	18-24	25-34	35-44	45-54	55-64	65+	OVERALL
1	Short Gestation, Low Birth Wt	Congenital Abnormalities	Congenital Abnormalities	Unintentional Injury	Unintentional Injury	Malignant Neoplasms	Malignant Neoplasms	Malignant Neoplasms	Heart Disease	Malignant Neoplasms
	22 34.9%	* -	* -	13 36.1%	12 26.7%	28 33.3%	67 37.9%	172 43.2%	542 23.8%	812 26.1%
2	Congenital Malformations		Benign Neoplasms	Suicide	Malignant Neoplasms	Heart Disease	Heart Disease	Heart Disease	Malignant Neoplasms	Heart Disease
	11 17.5%		* -	9 25.0%	9 20.0%	17 20.2%	32 18.1%	89 22.4%	527 23.1%	689 22.1%
3	Maternal Complications		Unintentional Injury	Malignant Neoplasms	Suicide	Suicide	Cerebrovascular	Cerebrovascular	Cerebrovascular	Cerebrovascular
	6 9.5%		* -	5 13.9%	7 15.6%	11 13.1%	18 10.2%	17 4.3%	175 7.7%	212 6.8%
4	Circulatory system		Malignant Neoplasms	Aortic Aneurysm	Heart Disease	Unintentional Injury	Unintentional Injury	Unintentional Injury	Diabetes	Diabetes
	* -		* -	* -	* -	7 8.3%	13 7.3%	16 4.0%	112 4.9%	133 4.3%
5	Bacterial Sepsis		Septicemia	Heart Disease	Pregnancy, Childbirth	Homicide	Chronic Liver	Diabetes	Nephritis	Unintentional Injury
	* -		* -	* -	* -	* -	7 4.0%	16 4.0%	84 3.7%	109 3.5%
6	Malignant Neoplasms		Suicide	Flu/Pneumonia	Homicide	Chronic Liver	Suicide	Chronic Liver	Chronic Lower Respiratory	Nephritis
	* -		* -	* -	* -	* -	6 3.4%	10 2.5%	74 3.2%	93 3.0%
7	Unintentional Injury		Heart Disease	Nephritis	Cerebrovascular	Cerebrovascular	Septicemia	Flu/Pneumonia	Flu/Pneumonia	Chronic Lower Respiratory
	* -		* -	* -	* -	* -	5 2.8%	7 1.8%	68 3.0%	78 2.5%
8	Anoxic Brain Damage		Medical Care Complications		Chronic Liver	Diabetes	Diabetes	Nephritis	Alzheimer's	Flu/Pneumonia
	* -		* -		* -	* -	* -	7 1.8%	59 2.6%	78 2.5%
9	Atelectasis				Diabetes	Meningitis	Hypertension	Suicide	Unintentional Injury	Alzheimer's
	* -				* -	* -	* -	7 1.8%	45 2.0%	59 1.9%
10	Complications of Labor/Delivery				Benign Neoplasms	Benign Neoplasms	Benign Neoplasms	Septicemia	Septicemia	Septicemia
	* -				* -	* -	* -	5 1.3%	41 1.8%	54 1.7%
Total Deaths	63	6	22	36	45	84	177	398	2,282	3,113

Key:



Chronic Diseases and Conditions



Infectious Agent



Perinatal Period and Congenital
Anomalies



Violence and Injury



Unclassified

Note: * Count Suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events.
Source: IDPH Vital Statistics Death File, 2012-2016

10 Leading Causes of Death in Suburban Cook County, by Age Group, 2012-2016
(Count/Percent of Total Deaths)

Non-Hispanic Asians, Female

Rank	<1	1-4	5-17	18-24	25-34	35-44	45-54	55-64	65+	OVERALL
1	Short Gestation, Low Birth Wt		Congenital Abnormalities	Suicide	Malignant Neoplasms	Malignant Neoplasms	Malignant Neoplasms	Malignant Neoplasms	Heart Disease	Malignant Neoplasms
	11 44.0%		* -	* -	* -	15 51.7%	33 47.1%	93 61.2%	271 23.2%	372 25.1%
2	Maternal Complications		Benign Neoplasm	Malignant Neoplasms	Pregnancy, Childbirth	Heart Disease	Cerebrovascular	Heart Disease	Malignant Neoplasms	Heart Disease
	* -		* -	* -	* -	* -	12 17.1%	17 11.2%	223 19.1%	301 20.3%
3	Congenital Malformations		Unintentional Injury	Unintentional Injury	Suicide	Suicide	Heart Disease	Unintentional Injury	Cerebrovascular	Cerebrovascular
	* -		* -	* -	* -	* -	7 10.0%	5 3.3%	94 8.0%	112 7.6%
4	Bacterial Sepsis		Heart Disease	Aortic Aneurysm	Unintentional Injury	Unintentional Injury	Unintentional Injury	Cerebrovascular	Diabetes	Diabetes
	* -		* -	* -	* -	* -	5 7.1%	5 3.3%	59 5.1%	64 4.3%
5	Circulatory system		Malignant Neoplasms		Cerebrovascular	Chronic Liver	Septicemia	Diabetes	Nephritis	Nephritis
	* -		* -		* -	* -	* -	* -	46 3.9%	48 3.2%
6	Respiratory Distress		Medical Care Complications		Heart Disease	Diabetes	Chronic Liver	Chronic Liver	Alzheimer's	Unintentional Injury
	* -		* -		* -	* -	* -	* -	41 3.5%	42 2.8%
7			Septicemia		Septicemia	Benign Neoplasm	Congenital Abnormalities	Flu and pneumonia	Flu and pneumonia	Alzheimer's
			* -		* -	* -	* -	* -	35 3.0%	41 2.8%
8						Pregnancy, Childbirth	Hypertension	Nephritis	Chronic Lower Resp	Flu and pneumonia
						* -	* -	* -	32 2.7%	37 2.5%
9							Benign Neoplasm	Septicemia	Unintentional Injury	Chronic Lower Resp
							* -	* -	26 2.2%	32 2.2%
10							Suicide	Anemias	Hypertension	Hypertension
							* -	* -	21 1.8%	23 1.6%
Total Deaths	25	0	10	11	18	29	70	152	1,168	1,483

Key:



Chronic Diseases and Conditions



Infectious Agent



Perinatal Period and Congenital
Anomalies



Violence and Injury



Unclassified

Note: * Count Suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events.
Source: IDPH Vital Statistics Death File, 2012-2016

10 Leading Causes of Death in Suburban Cook County, by Age Group, 2012-2016
(Count/Percent of Total Deaths)

Non-Hispanic Asian, Male

Rank	<1	1-4	5-17	18-24	25-34	35-44	45-54	55-64	65+	OVERALL
1	Short Gestation, Low Birth Wt	Congenital Abnormalities	Suicide	Unintentional Injury	Unintentional Injury	Heart Disease	Malignant Neoplasms	Malignant Neoplasms	Malignant Neoplasms	Malignant Neoplasms
	11 28.9%	* -	* -	11 44.0%	10 37.0%	14 25.5%	34 31.8%	79 32.1%	304 27.3%	440 27.0%
2	Congenital Malformations		Unintentional Injury	Suicide	Malignant Neoplasms	Malignant Neoplasms	Heart Disease	Heart Disease	Heart Disease	Heart Disease
	8 21.1%		* -	5 20.0%	5 18.5%	13 23.6%	25 23.4%	72 29.3%	271 24.3%	388 23.8%
3	Circulatory system		Congenital Abnormalities	Homicide	Suicide	Suicide	Unintentional Injury	Cerebrovascular	Cerebrovascular	Cerebrovascular
	* -		* -	* -	* -	9 16.4%	8 7.5%	12 4.9%	81 7.3%	100 6.1%
4	Malignant Neoplasms		Malignant Neoplasms	Malignant Neoplasms	Heart Disease	Unintentional Injury	Cerebrovascular	Diabetes	Diabetes	Diabetes
	* -		* -	* -	* -	6 10.9%	6 5.6%	12 4.9%	53 4.8%	69 4.2%
5	Maternal Complications		Benign Neoplasms	Heart Disease	Homicide	Homicide	Chronic Liver	Unintentional Injury	Chronic Lower Resp	Unintentional Injury
	* -		* -	* -	* -	* -	6 5.6%	11 4.5%	42 3.8%	67 4.1%
6	Unintentional Injury		Septicemia	Flu and pneumonia	Chronic Liver	Cerebrovascular	Suicide	Chronic Liver	Nephritis	Chronic Lower Resp
	* -		* -	* -	* -	* -	5 4.7%	8 3.3%	38 3.4%	46 2.8%
7	Anoxic Brain Damage			Nephritis	Diabetes	Chronic Liver	Diabetes	Suicide	Flu and pneumonia	Nephritis
	* -			* -	* -	* -	* -	7 2.8%	33 3.0%	45 2.8%
8	Atelectasis				Benign Neoplasms	Meningitis	Viral Hepatitis	Flu and pneumonia	Septicemia	Flu and pneumonia
	* -				* -	* -	* -	5 2.0%	27 2.4%	41 2.5%
9	Complications of Labor/Delivery					Nephritis	Chronic Lower Resp	Nephritis	Parkinson's	Suicide
	* -					* -	* -	5 2.0%	22 2.0%	37 2.3%
10	Flu/Pneumonia						Flu and pneumonia	Chronic Lower Resp	Unintentional Injury	Septicemia
	* -						* -	* -	19 1.7%	32 2.0%
Total Deaths	38	6	12	25	27	55	107	246	1,114	1,630

Key:



Chronic Diseases and Conditions



Infectious Agent



Perinatal Period and Congenital
Anomalies



Violence and Injury



Unclassified

Note: * Count Suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events.
Source: IDPH Vital Statistics Death File, 2012-2016

10 Leading Causes of Death in Suburban Cook County, by Age Group, 2012-2016
(Count/Percent of Total Deaths)

Non-Hispanic Blacks

Rank	<1	1-4	5-17	18-24	25-34	35-44	45-54	55-64	65+	OVERALL
1	Short Gestation, Low Birth Wt	Homicide	Homicide	Homicide	Homicide	Heart Disease	Heart Disease	Malignant Neoplasms	Heart Disease	Malignant Neoplasms
	103 32.7%	6 15.8%	31 23.1%	151 53.4%	119 29.2%	144 22.7%	367 25.0%	903 32.2%	2,437 26.0%	3,735 24.2%
2	Congenital Malformations	Unintentional Injury	Unintentional Injury	Unintentional Injury	Unintentional Injury	Malignant Neoplasms	Malignant Neoplasms	Heart Disease	Malignant Neoplasms	Heart Disease
	28 8.9%	5 13.2%	26 19.4%	50 17.7%	68 16.7%	96 15.2%	359 24.4%	689 24.6%	2,325 24.8%	3,702 23.9%
3	Maternal Complications	Chronic Lower Respiratory	Malignant Neoplasms	Suicide	Heart Disease	Unintentional Injury	Unintentional Injury	Cerebrovascular	Cerebrovascular	Cerebrovascular
	20 6.4%	* -	14 10.4%	20 7.1%	43 10.5%	80 12.6%	127 8.6%	139 5.0%	647 6.9%	884 5.7%
4	Unintentional Injury	Congenital Abnormalities	Suicide	Heart Disease	Malignant Neoplasms	Homicide	Cerebrovascular	Diabetes	Diabetes	Diabetes
	14 4.4%	* -	10 7.5%	11 3.9%	24 5.9%	72 11.4%	65 4.4%	127 4.5%	386 4.1%	601 3.9%
5	Complications of placenta	Malignant Neoplasms	Chronic Lower Respiratory	Malignant Neoplasms	Suicide	Suicide	Diabetes	Nephritis	Alzheimer's	Unintentional Injury
	11 3.5%	* -	8 6.0%	10 3.5%	21 5.1%	20 3.2%	62 4.2%	95 3.4%	384 4.1%	559 3.6%
6	SIDS	Heart Disease	Heart Disease	Congenital Abnormalities	Cerebrovascular	Cerebrovascular	Chronic Lower Respiratory	Unintentional Injury	Chronic Lower Respiratory	Chronic Lower Respiratory
	9 2.9%	* -	7 5.2%	* -	10 2.5%	18 2.8%	51 3.5%	87 3.1%	378 4.0%	547 3.5%
7	Bacterial Sepsis	Bronchitis	Congenital Abnormalities	Anemias	HIV Disease	Chronic Liver	Nephritis	Chronic Lower Respiratory	Nephritis	Nephritis
	8 2.5%	* -	5 3.7%	* -	10 2.5%	17 2.7%	44 3.0%	86 3.1%	369 3.9%	528 3.4%
8	Neonatal Hemorrhage	Cerebrovascular	Diabetes	Cerebrovascular	Anemias	Diabetes	Chronic Liver	Septicemia	Septicemia	Homicide
	8 2.5%	* -	* -	* -	9 2.2%	14 2.2%	29 2.0%	56 2.0%	203 2.2%	426 2.8%
9	Respiratory Distress	Medical Care Complications	Flu/Pneumonia	Legal Intervention	Diabetes	HIV Disease	Septicemia	Chronic Liver	Flu/Pneumonia	Alzheimer's
	5 1.6%	* -	* -	* -	9 2.2%	14 2.2%	26 1.8%	55 2.0%	177 1.9%	392 2.5%
10	Homicide		Cerebrovascular	Pregnancy, Childbirth	Chronic Lower Respiratory	Nephritis	Flu/Pneumonia	Hypertension	Hypertension	Septicemia
	* -		* -	* -	8 2.0%	14 2.2%	25 1.7%	51 1.8%	136 1.4%	299 1.9%
Total Deaths	315	38	134	283	408	633	1,469	2,804	9,384	15,468

Key:



Chronic Diseases and Conditions



Infectious Agent



Perinatal Period and Congenital
Anomalies



Violence and Injury



Unclassified

Note: * Count Suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events.

Source: IDPH Vital Statistics Death File, 2012-2016

CCDPH Community Epidemiology Unit, 12/2018

10 Leading Causes of Death in Suburban Cook County, by Age Group, 2012-2016

(Count/Percent of Total Deaths)

Non-Hispanic Black, Female

Rank	<1	1-4	5-17	18-24	25-34	35-44	45-54	55-64	65+	OVERALL
1	Short Gestation, Low Birth Wt	Homicide	Unintentional Injury	Unintentional Injury	Unintentional Injury	Malignant Neoplasms	Malignant Neoplasms	Malignant Neoplasms	Heart Disease	Malignant Neoplasms
	41 28.5%	* -	9 17.3%	10 22.2%	15 15.0%	57 23.3%	193 31.9%	470 38.0%	1,315 25.0%	1,948 25.3%
2	Congenital Malformations	Congenital Abnormalities	Malignant Neoplasms	Homicide	Malignant Neoplasms	Heart Disease	Heart Disease	Heart Disease	Malignant Neoplasms	Heart Disease
	15 10.4%	* -	9 17.3%	10 22.2%	14 14.0%	46 18.8%	121 20.0%	267 21.6%	1,200 22.8%	1,764 22.9%
3	Maternal Complications	Unintentional Injury	Homicide	Suicide	Homicide	Unintentional Injury	Cerebrovascular	Cerebrovascular	Cerebrovascular	Cerebrovascular
	10 6.9%	* -	5 9.6%	5 11.1%	9 9.0%	31 12.7%	32 5.3%	61 4.9%	391 7.4%	500 6.5%
4	Unintentional Injury	Cerebrovascular	Chronic Lower Resp	Heart Disease	Heart Disease	Cerebrovascular	Unintentional Injury	Diabetes	Alzheimer's	Diabetes
	8 5.6%	* -	* -	* -	8 8.0%	10 4.1%	31 5.1%	60 4.8%	290 5.5%	309 4.0%
5	SIDS	Chronic Lower Resp	Congenital Abnormalities	Malignant Neoplasms	Diabetes	Homicide	Chronic Lower Resp	Nephritis	Diabetes	Alzheimer's
	5 3.5%	* -	* -	* -	6 6.0%	7 2.9%	24 4.0%	45 3.6%	219 4.2%	294 3.8%
6	Hypoxia, Asphyxia	Malignant Neoplasms	Suicide	Pregnancy, Childbirth	Anemias	HIV Disease	Nephritis	Chronic Lower Resp	Nephritis	Nephritis
	* -	* -	* -	* -	5 5.0%	7 2.9%	23 3.8%	42 3.4%	214 4.1%	290 3.8%
7	Neonatal Hemorrhage		Heart Disease	Anemias	Cerebrovascular	Septicemia	Diabetes	Septicemia	Chronic Lower Resp	Chronic Lower Resp
	* -		* -	* -	* -	6 2.4%	18 3.0%	24 1.9%	192 3.7%	271 3.5%
8	Pulmonary Hemorrhage		Flu and pneumonia	Cerebrovascular	Chronic Lower Resp	Chronic Liver	Chronic Liver	Flu and pneumonia	Septicemia	Unintentional Injury
	* -		* -	* -	* -	5 2.0%	14 2.3%	22 1.8%	106 2.0%	162 2.1%
9	Bacterial Sepsis		Diabetes		Pregnancy, Childbirth	Chronic Lower Resp	Flu and pneumonia	Hypertension	Flu and pneumonia	Septicemia
	* -		* -		* -	5 2.0%	12 2.0%	21 1.7%	95 1.8%	144 1.9%
10	Complications of placenta		Meningitis		Nephritis	Diabetes	Hypertension	Chronic Liver	Hypertension	Flu and pneumonia
	* -		* -		* -	5 2.0%	8 1.3%	18 1.5%	91 1.7%	136 1.8%
Total Deaths	144	15	52	45	100	245	605	1,238	5,255	7,699

Key:



Chronic Diseases and Conditions



Infectious Agent



Perinatal Period and Congenital Anomalies



Violence and Injury



Unclassified

Note: * Count Suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events.

Source: IDPH Vital Statistics Death File, 2012-2016

CCDPH Community Epidemiology Unit, 12/2018

10 Leading Causes of Death in Suburban Cook County, by Age Group, 2012-2016
(Count/Percent of Total Deaths)

Non-Hispanic Black, Male

Rank	<1	1-4	5-17	18-24	25-34	35-44	45-54	55-64	65+	OVERALL
1	Short Gestation, Low Birth Wt	Unintentional Injury	Homicide	Homicide	Homicide	Heart Disease	Heart Disease	Malignant Neoplasms	Malignant Neoplasms	Heart Disease
	60 35.5%	* -	26 31.7%	141 59.2%	110 35.7%	98 25.3%	246 28.5%	433 27.7%	1,125 27.2%	1,938 25.0%
2	Congenital Malformations	Homicide	Unintentional Injury	Unintentional Injury	Unintentional Injury	Homicide	Malignant Neoplasms	Heart Disease	Heart Disease	Malignant Neoplasms
	13 7.7%	* -	17 20.7%	40 16.8%	53 17.2%	65 16.8%	166 19.2%	422 26.9%	1,122 27.2%	1,787 23.0%
3	Maternal Complications	Chronic Lower Resp	Suicide	Suicide	Heart Disease	Unintentional Injury	Unintentional Injury	Cerebrovascular	Cerebrovascular	Unintentional Injury
	10 5.9%	* -	7 8.5%	15 6.3%	35 11.4%	49 12.6%	96 11.1%	78 5.0%	256 6.2%	397 5.1%
4	Complications of placenta	Malignant Neoplasms	Chronic Lower Resp	Heart Disease	Suicide	Malignant Neoplasms	Diabetes	Unintentional Injury	Chronic Lower Resp	Homicide
	9 5.3%	* -	5 6.1%	7 2.9%	20 6.5%	39 10.1%	44 5.1%	70 4.5%	186 4.5%	385 5.0%
5	Unintentional Injury	Congenital Abnormalities	Heart Disease	Malignant Neoplasms	HIV Disease	Suicide	Cerebrovascular	Diabetes	Diabetes	Cerebrovascular
	6 3.6%	* -	5 6.1%	6 2.5%	10 3.2%	16 4.1%	33 3.8%	67 4.3%	167 4.0%	384 4.9%
6	Bacterial Sepsis	Heart Disease	Malignant Neoplasms	Congenital Abnormalities	Malignant Neoplasms	Chronic Liver	Chronic Lower Resp	Nephritis	Nephritis	Diabetes
	6 3.6%	* -	5 6.1%	* -	10 3.2%	12 3.1%	27 3.1%	50 3.2%	155 3.8%	292 3.8%
7	Neonatal Hemorrhage	Bronchitis	Congenital Abnormalities	Legal Intervention	Cerebrovascular	Diabetes	Homicide	Chronic Lower Resp	Septicemia	Chronic Lower Resp
	5 3.0%	* -	* -	* -	6 1.9%	9 2.3%	21 2.4%	44 2.8%	97 2.3%	276 3.6%
8	SIDS	Medical Care Complications	Diabetes	Anemias	Anemias	Nephritis	Nephritis	Chronic Liver	Alzheimer's	Nephritis
	* -	* -	* -	* -	* -	9 2.3%	21 2.4%	37 2.4%	94 2.3%	238 3.1%
9	Homicide		Cerebrovascular	Cerebrovascular	Chronic Lower Resp	Cerebrovascular	HIV Disease	Septicemia	Flu and pneumonia	Septicemia
	* -		* -	* -	* -	8 2.1%	19 2.2%	32 2.0%	82 2.0%	155 2.0%
10	Circulatory system		Conditions in Perinatal	Chronic Lower Resp	Congenital Abnormalities	HIV Disease	Septicemia	Hypertension	Unintentional Injury	Flu and pneumonia
	* -		* -	* -	* -	7 1.8%	19 2.2%	30 1.9%	62 1.5%	127 1.6%
Total Deaths	169	23	82	238	308	388	864	1,566	4,129	7,767

Key:



Chronic Diseases and Conditions



Infectious Agent



Perinatal Period and Congenital
Anomalies



Violence and Injury



Unclassified

Note: * Count Suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events.
Source: IDPH Vital Statistics Death File, 2012-2016

10 Leading Causes of Death in Suburban Cook County, by Age Group, 2012-2016
(Count/Percent of Total Deaths)

Non-Hispanic Whites

Rank	<1	1-4	5-17	18-24	25-34	35-44	45-54	55-64	65+	OVERALL
1	Short Gestation, Low Birth Wt	Congenital Abnormalities	Congenital Abnormalities	Unintentional Injury	Unintentional Injury	Malignant Neoplasms	Malignant Neoplasms	Malignant Neoplasms	Heart Disease	Malignant Neoplasms
	22 34.9%	3 50.0%	* -	13 36.1%	12 26.7%	28 33.3%	67 37.9%	172 43.2%	542 23.8%	812 26.1%
2	Congenital Malformations		Benign Neoplasms	Suicide	Malignant Neoplasms	Heart Disease	Heart Disease	Heart Disease	Malignant Neoplasms	Heart Disease
	11 17.5%		* -	9 25.0%	9 20.0%	17 20.2%	32 18.1%	89 22.4%	527 23.1%	689 22.1%
3	Maternal Complications		Unintentional Injury	Malignant Neoplasms	Suicide	Suicide	Cerebrovascular	Cerebrovascular	Cerebrovascular	Cerebrovascular
	6 9.5%		* -	5 13.9%	7 15.6%	11 13.1%	18 10.2%	17 4.3%	175 7.7%	212 6.8%
4	Circulatory system		Malignant Neoplasms	Heart Disease	Heart Disease	Unintentional Injury	Unintentional Injury	Unintentional Injury	Diabetes	Diabetes
	* -		* -	* -	* -	7 8.3%	13 7.3%	16 4.0%	112 4.9%	133 4.3%
5	Bacterial Sepsis		Septicemia	Aortic Aneurysm	Pregnancy, Childbirth	Homicide	Chronic Liver	Diabetes	Nephritis	Unintentional Injury
	* 3.2%		* -	* -	* -	* -	7 4.0%	16 4.0%	84 3.7%	109 3.5%
6	Malignant Neoplasms		Suicide	Heart Disease	Homicide	Chronic Liver	Suicide	Chronic Liver	Chronic Lower Respiratory	Nephritis
	* -		* -	* -	* -	* -	6 3.4%	10 2.5%	74 3.2%	93 3.0%
7	Unintentional Injury		Heart Disease	Flu/Pneumonia	Cerebrovascular	Cerebrovascular	Septicemia	Flu/Pneumonia	Flu/Pneumonia	Chronic Lower Respiratory
	* -		* -	* -	* -	* -	5 2.8%	7 1.8%	68 3.0%	78 2.5%
8	Anoxic Brain Damage		Medical Care Complications	Nephritis	Chronic Liver	Diabetes	Diabetes	Nephritis	Alzheimer's	Flu/Pneumonia
	* -		* -	* -	* -	* -	* -	7 1.8%	59 2.6%	78 2.5%
9	Atelectasis				Diabetes	Meningitis	Hypertension	Suicide	Unintentional Injury	Alzheimer's
	* -				* -	* -	* -	7 1.8%	45 2.0%	59 1.9%
10	Complications of Labor/Delivery				Benign Neoplasms	Benign Neoplasms	Benign Neoplasms	Septicemia	Septicemia	Septicemia
	* -				* -	* -	* -	5 1.3%	41 1.8%	54 1.7%
Total Deaths	63	6	22	36	45	84	177	398	2,282	3,113

Key:



Chronic Diseases and Conditions



Infectious Agent



Perinatal Period and Congenital
Anomalies



Violence and Injury



Unclassified

Note: * Count Suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events.

Source: IDPH Vital Statistics Death File, 2012-2016

CCDPH Community Epidemiology Unit, 12/2018

10 Leading Causes of Death in Suburban Cook County, by Age Group, 2012-2016
(Count/Percent of Total Deaths)

Non-Hispanic White, Female

Rank	<1	1-4	5-17	18-24	25-34	35-44	45-54	55-64	65+	OVERALL
1	Short Gestation, Low Birth Wt	Congenital Abnormalities	Unintentional Injury	Unintentional Injury	Unintentional Injury	Malignant Neoplasms	Malignant Neoplasms	Malignant Neoplasms	Heart Disease	Heart Disease
	40 30.1%	* -	11 31.4%	37 40.7%	71 34.5%	125 34.3%	562 42.5%	1,429 47.2%	9,127 24.8%	9,857 23.5%
2	Congenital Malformations	Unintentional Injury	Malignant Neoplasms	Malignant Neoplasms	Malignant Neoplasms	Unintentional Injury	Heart Disease	Heart Disease	Malignant Neoplasms	Malignant Neoplasms
	27 20.3%	* -	5 14.3%	15 16.5%	32 15.5%	56 15.4%	180 13.6%	500 16.5%	7,484 20.3%	9,655 23.0%
3	Maternal Complications	Malignant Neoplasms	Suicide	Suicide	Suicide	Heart Disease	Unintentional Injury	Chronic Lower Resp	Cerebrovascular	Cerebrovascular
	13 9.8%	* -	* -	11 12.1%	29 14.1%	35 9.6%	94 7.1%	106 3.5%	2,507 6.8%	2,654 6.3%
4	Complications of placenta	Homicide	Homicide	Heart Disease	Chronic Liver	Suicide	Chronic Liver	Cerebrovascular	Chronic Lower Resp	Chronic Lower Resp
	* -	* -	* -	* -	8 3.9%	28 7.7%	50 3.8%	91 3.0%	2,208 6.0%	2,354 5.6%
5	Hypoxia, Asphyxia	Heart Disease	Congenital Abnormalities	Homicide	Heart Disease	Chronic Liver	Suicide	Unintentional Injury	Alzheimer's	Alzheimer's
	* -	* -	* -	* -	8 3.9%	14 3.8%	49 3.7%	85 2.8%	2,024 5.5%	2,050 4.9%
6	Unintentional Injury		Benign Neoplasms	Congenital Abnormalities	Pregnancy, Childbirth	Diabetes	Cerebrovascular	Diabetes	Flu and pneumonia	Flu and pneumonia
	* -		* -	* -	6 2.9%	7 1.9%	46 3.5%	80 2.6%	983 2.7%	1,047 2.5%
7	Circulatory system		Chronic Lower Resp	Anemias	Homicide	Chronic Lower Resp	Diabetes	Chronic Liver	Nephritis	Unintentional Injury
	* -		* -	* -	5 2.4%	6 1.6%	35 2.6%	79 2.6%	722 2.0%	891 2.1%
8	Benign Neoplasm		Flu and pneumonia	Flu and pneumonia	Cerebrovascular	Cerebrovascular	Chronic Lower Resp	Suicide	Diabetes	Diabetes
	* -		* -	* -	* -	5 1.4%	33 2.5%	47 1.6%	665 1.8%	789 1.9%
9	Respiratory Distress		Septicemia	Nephritis	Congenital Abnormalities	Congenital Abnormalities	Septicemia	Flu and pneumonia	Septicemia	Nephritis
	* -		* -	* -	* -	5 1.4%	20 1.5%	44 1.5%	565 1.5%	774 1.8%
10	Atelectasis			Pregnancy, Childbirth	Flu and pneumonia	Homicide	Flu and pneumonia	Septicemia	Unintentional Injury	Septicemia
	* -			* -	* -	* -	12 0.9%	40 1.3%	531 1.4%	632 1.5%
Total Deaths	133	17	35	91	206	364	1,321	3,030	36,794	41,991

Key:



Chronic Diseases and Conditions



Infectious Agent



Perinatal Period and Congenital
Anomalies



Violence and Injury



Unclassified

Note: * Count Suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events.
Source: IDPH Vital Statistics Death File, 2012-2016

10 Leading Causes of Death in Suburban Cook County, by Age Group, 2012-2016
(Count/Percent of Total Deaths)

Non-Hispanic White, Male

Rank	<1	1-4	5-17	18-24	25-34	35-44	45-54	55-64	65+	OVERALL
1	Congenital Malformations	Unintentional Injury	Unintentional Injury	Unintentional Injury	Unintentional Injury	Unintentional Injury	Heart Disease	Malignant Neoplasms	Heart Disease	Heart Disease
	36 23.7%	* -	13 24.1%	146 53.3%	276 49.5%	199 27.6%	582 27.8%	1,591 32.9%	7,908 28.1%	10,007 27.1%
2	Short Gestation, Low Birth Wt	Malignant Neoplasms	Suicide	Suicide	Suicide	Heart Disease	Malignant Neoplasms	Heart Disease	Malignant Neoplasms	Malignant Neoplasms
	34 22.4%	* -	12 22.2%	60 21.9%	87 15.6%	109 15.1%	477 22.8%	1,349 27.9%	7,078 25.1%	9,326 25.3%
3	Maternal Complications	Homicide	Malignant Neoplasms	Malignant Neoplasms	Malignant Neoplasms	Suicide	Unintentional Injury	Unintentional Injury	Chronic Lower Resp	Chronic Lower Resp
	10 6.6%	* -	8 14.8%	18 6.6%	48 8.6%	109 15.1%	216 10.3%	222 4.6%	1,464 5.2%	1,626 4.4%
4	Circulatory system	Chronic Lower Resp	Homicide	Heart Disease	Heart Disease	Malignant Neoplasms	Suicide	Chronic Liver	Cerebrovascular	Unintentional Injury
	6 3.9%	* -	* -	10 3.6%	43 7.7%	104 14.4%	161 7.7%	190 3.9%	1,389 4.9%	1,619 4.4%
5	Complications of placenta	Heart Disease	Chronic Lower Resp	Homicide	Homicide	Chronic Liver	Chronic Liver	Suicide	Alzheimer's	Cerebrovascular
	6 3.9%	* -	* -	9 3.3%	20 3.6%	31 4.3%	124 5.9%	162 3.3%	844 3.0%	1,593 4.3%
6	Bacterial Sepsis	Septicemia	Congenital Abnormalities	Flu and pneumonia	Chronic Liver	Cerebrovascular	Diabetes	Diabetes	Nephritis	Alzheimer's
	5 3.3%	* -	* -	* -	11 2.0%	13 1.8%	52 2.5%	149 3.1%	727 2.6%	869 2.4%
7	SIDS		Heart Disease	Pneumonitis	Cerebrovascular	Diabetes	Cerebrovascular	Cerebrovascular	Flu and pneumonia	Diabetes
	* -		* -	* -	6 1.1%	12 1.7%	45 2.2%	138 2.9%	715 2.5%	863 2.3%
8	Hydrops Fetalis		Flu and pneumonia	Congenital Abnormalities	Congenital Abnormalities	Aortic Aneurysm	Chronic Lower Resp	Chronic Lower Resp	Diabetes	Nephritis
	* -		* -	* -	5 0.9%	6 0.8%	28 1.3%	125 2.6%	646 2.3%	829 2.2%
9	Neonatal Hemorrhage		Benign Neoplasms	Legal Intervention	Chronic Lower Resp	Homicide	Flu and pneumonia	Flu and pneumonia	Parkinson's	Flu and pneumonia
	* -		* -	* -	* -	6 0.8%	28 1.3%	78 1.6%	643 2.3%	828 2.2%
10	Septicemia		Diabetes	Benign Neoplasms	Diabetes	Nephritis	Nephritis	Nephritis	Unintentional Injury	Suicide
	* -		* -	* -	* -	6 0.8%	20 1.0%	72 1.5%	544 1.9%	743 2.0%
Total Deaths	909	112	306	832	1,471	2,164	5,666	11,958	79,852	103,270

Key:



Chronic Diseases and Conditions



Infectious Agent



Perinatal Period and Congenital Anomalies



Violence and Injury



Unclassified

Note: * Count Suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events.
Source: IDPH Vital Statistics Death File, 2012-2016

CCDPH Community Epidemiology Unit, 12/2018

10 Leading Causes of Death in Suburban Cook County, by Age Group, 2012-2016
(Count/Percent of Total Deaths)

North District

Rank	<1	1-4	5-17	18-24	25-34	35-44	45-54	55-64	65+	OVERALL
1	Short Gestation, Low Birth Wt	Unintentional Injury	Suicide	Unintentional Injury	Unintentional Injury	Malignant Neoplasms	Malignant Neoplasms	Malignant Neoplasms	Heart Disease	Malignant Neoplasms
	61 23.7%	8 30.8%	13 20.6%	92 45.5%	170 45.3%	143 25.9%	528 33.5%	1,386 41.1%	7,330 24.5%	8,924 24.6%
2	Congenital Malformations	Congenital Abnormalities	Congenital Abnormalities	Suicide	Suicide	Unintentional Injury	Heart Disease	Heart Disease	Malignant Neoplasms	Heart Disease
	60 23.4%	5 19.2%	9 14.3%	33 16.3%	54 14.4%	103 18.7%	312 19.8%	719 21.3%	6,792 22.7%	8,463 23.3%
3	Maternal Complications	Heart Disease	Unintentional Injury	Malignant Neoplasms	Malignant Neoplasms	Heart Disease	Unintentional Injury	Unintentional Injury	Cerebrovascular	Cerebrovascular
	27 10.5%	* -	8 12.7%	23 11.4%	42 11.2%	73 13.2%	125 7.9%	130 3.9%	1,797 6.0%	1,970 5.4%
4	Complications of placenta	Malignant Neoplasms	Malignant Neoplasms	Homicide	Heart Disease	Suicide	Suicide	Cerebrovascular	Chronic Lower Respiratory	Chronic Lower Respiratory
	16 6.2%	* -	6 9.5%	13 6.4%	17 4.5%	67 12.1%	103 6.5%	104 3.1%	1,499 5.0%	1,588 4.4%
5	Respiratory Distress	Conditions in Perinatal	Homicide	Heart Disease	Homicide	Chronic Liver	Chronic Liver	Suicide	Alzheimer's	Alzheimer's
	9 3.5%	* -	* -	6 3.0%	10 2.7%	22 4.0%	76 4.8%	102 3.0%	1,368 4.6%	1,393 3.8%
6	Bacterial Sepsis		Chronic Lower Respiratory	Flu/Pneumonia	Chronic Liver	Cerebrovascular	Cerebrovascular	Chronic Liver	Flu/Pneumonia	Unintentional Injury
	7 2.7%		* -	* -	10 2.7%	13 2.4%	54 3.4%	100 3.0%	809 2.7%	1,163 3.2%
7	Circulatory system		Benign Neoplasms	Congenital Abnormalities	Congenital Abnormalities	Diabetes	Diabetes	Diabetes	Nephritis	Flu/Pneumonia
	5 2.0%		* -	* -	7 1.9%	13 2.4%	38 2.4%	96 2.8%	728 2.4%	881 2.4%
8	Complications of Labor/Delivery		Heart Disease	Chronic Liver	Flu/Pneumonia	Homicide	Septicemia	Chronic Lower Respiratory	Diabetes	Nephritis
	* -		* -	* -	5 1.3%	6 1.1%	20 1.3%	70 2.1%	640 2.1%	797 2.2%
9	Hypoxia, Asphyxia		Septicemia	Medical Care Complications	Pregnancy, Childbirth	Nephritis	Congenital Abnormalities	Flu/Pneumonia	Parkinson's	Diabetes
	* -		* -	* -	5 1.3%	6 1.1%	18 1.1%	47 1.4%	569 1.9%	792 2.2%
10	Disease involving immune mechanism		Diabetes	Benign Neoplasms	Diabetes	Benign Neoplasms	Chronic Lower Respiratory	Nephritis	Unintentional Injury	Parkinson's
	* -		* -	* -	* -	5 0.9%	15 1.0%	43 1.3%	526 1.8%	575 1.6%
Total Deaths	257	26	63	202	375	552	1,574	3,373	29,866	36,288

Key:



Chronic Diseases and Conditions



Infectious Agent



Perinatal Period and Congenital
Anomalies



Violence and Injury



Unclassified

Note: * Count Suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events.

Source: IDPH Vital Statistics Death File, 2012-2016

CCDPH Community Epidemiology Unit, 12/2018

10 Leading Causes of Death in Suburban Cook County, by Age Group, 2012-2016
(Count/Percent of Total Deaths)

West District

Rank	<1	1-4	5-17	18-24	25-34	35-44	45-54	55-64	65+	OVERALL
1	Short Gestation, Low Birth Wt	Malignant Neoplasms	Malignant Neoplasms	Unintentional Injury	Unintentional Injury	Unintentional Injury	Malignant Neoplasms	Malignant Neoplasms	Heart Disease	Heart Disease
	65 34.2%	5 18.5%	11 19.6%	59 34.1%	113 32.5%	117 23.4%	333 27.9%	814 33.5%	3,922 26.8%	4,958 25.4%
2	Congenital Malformations	Congenital Abnormalities	Suicide	Homicide	Homicide	Malignant Neoplasms	Heart Disease	Heart Disease	Malignant Neoplasms	Malignant Neoplasms
	32 16.8%	* -	9 16.1%	40 23.1%	56 16.1%	91 18.2%	287 24.0%	625 25.7%	3,266 22.3%	4,571 23.4%
3	Bacterial Sepsis	Homicide	Unintentional Injury	Suicide	Malignant Neoplasms	Heart Disease	Unintentional Injury	Unintentional Injury	Cerebrovascular	Cerebrovascular
	11 5.8%	* -	8 14.3%	25 14.5%	37 10.6%	79 15.8%	126 10.6%	112 4.6%	910 6.2%	1,045 5.3%
4	Maternal Complications	Heart Disease	Homicide	Malignant Neoplasms	Suicide	Suicide	Chronic Liver	Cerebrovascular	Chronic Lower Respiratory	Chronic Lower Respiratory
	8 4.2%	* -	6 10.7%	14 8.1%	37 10.6%	37 7.4%	54 4.5%	91 3.7%	749 5.1%	856 4.4%
5	Unintentional Injury	Unintentional Injury	Cerebrovascular	Heart Disease	Heart Disease	Homicide	Suicide	Chronic Liver	Alzheimer's	Unintentional Injury
	6 3.2%	* -	* -	8 4.6%	30 8.6%	27 5.4%	47 3.9%	85 3.5%	629 4.3%	779 4.0%
6	Complications of placenta	Anemias	Chronic Lower Respiratory	Appendix Disease	Chronic Liver	Chronic Liver	Cerebrovascular	Diabetes	Flu/Pneumonia	Alzheimer's
	6 3.2%	* -	* -	* -	8 2.3%	27 5.4%	29 2.4%	78 3.2%	420 2.9%	643 3.3%
7	Interstitial Emphysema	Chronic Lower Respiratory	Congenital Abnormalities	Congenital Abnormalities	Diabetes	Diabetes	Chronic Lower Respiratory	Chronic Lower Respiratory	Nephritis	Flu/Pneumonia
	* -	* -	* -	* -	5 1.4%	12 2.4%	27 2.3%	67 2.8%	361 2.5%	494 2.5%
8	SIDS	Flu/Pneumonia	Heart Disease	Diabetes	Flu/Pneumonia	HIV Disease	Diabetes	Nephritis	Diabetes	Diabetes
	* -	* -	* -	* -	5 1.4%	10 2.0%	24 2.0%	47 1.9%	351 2.4%	471 2.4%
9	Homicide	Septicemia	Flu/Pneumonia	Flu/Pneumonia	Pregnancy, Childbirth	Cerebrovascular	Nephritis	Flu/Pneumonia	Septicemia	Nephritis
	* -	* -	* -	* -	5 1.4%	9 1.8%	24 2.0%	45 1.9%	253 1.7%	434 2.2%
10	Atelectasis			Legal Intervention	Chronic Lower Respiratory	Chronic Lower Respiratory	Flu/Pneumonia	Septicemia	Unintentional Injury	Septicemia
	* -			* -	* -	5 1.0%	18 1.5%	39 1.6%	236 1.6%	317 1.6%
Total Deaths	190	27	56	173	348	501	1,194	2,431	14,642	19,562

Key:



Chronic Diseases and Conditions



Infectious Agent



Perinatal Period and Congenital
Anomalies



Violence and Injury



Unclassified

Note: * Count Suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events.
Source: IDPH Vital Statistics Death File, 2012-2016

10 Leading Causes of Death in Suburban Cook County, by Age Group, 2012-2016
(Count/Percent of Total Deaths)

Southwest District

Rank	<1	1-4	5-17	18-24	25-34	35-44	45-54	55-64	65+	OVERALL
1	Short Gestation, Low Birth Wt	Unintentional Injury	Unintentional Injury	Unintentional Injury	Unintentional Injury	Unintentional Injury	Malignant Neoplasms	Malignant Neoplasms	Heart Disease	Heart Disease
	36 28.1%	* -	11 28.2%	56 40.6%	97 38.5%	71 21.5%	251 26.9%	741 35.8%	3,858 28.1%	4,664 26.4%
2	Congenital Malformations	Heart Disease	Malignant Neoplasms	Suicide	Suicide	Malignant Neoplasms	Heart Disease	Heart Disease	Malignant Neoplasms	Malignant Neoplasms
	26 20.3%	* -	8 20.5%	26 18.8%	27 10.7%	70 21.1%	223 23.9%	512 24.7%	3,064 22.3%	4,168 23.6%
3	Maternal Complications	Homicide	Suicide	Homicide	Homicide	Heart Disease	Unintentional Injury	Diabetes	Cerebrovascular	Cerebrovascular
	9 7.0%	* -	* -	24 17.4%	26 10.3%	47 14.2%	94 10.1%	84 4.1%	860 6.3%	984 5.6%
4	Unintentional Injury	Congenital Abnormalities	Homicide	Malignant Neoplasms	Malignant Neoplasms	Suicide	Chronic Liver	Chronic Liver	Chronic Lower Respiratory	Chronic Lower Respiratory
	* -	* -	* -	11 8.0%	22 8.7%	31 9.4%	48 5.1%	79 3.8%	737 5.4%	825 4.7%
5	Bacterial Sepsis	Malignant Neoplasms	Chronic Lower Respiratory	Anemias	Heart Disease	Chronic Liver	Suicide	Unintentional Injury	Alzheimer's	Unintentional Injury
	* -	* -	* -	* -	19 7.5%	15 4.5%	36 3.9%	78 3.8%	549 4.0%	630 3.6%
6	Circulatory system	Septicemia	Flu/Pneumonia	Cerebrovascular	Cerebrovascular	Homicide	Cerebrovascular	Cerebrovascular	Nephritis	Alzheimer's
	* -	* -	* -	* -	5 2.0%	9 2.7%	32 3.4%	74 3.6%	323 2.3%	555 3.1%
7	Fetal Malnutrition		Heart Disease	Heart Disease	Diabetes	Cerebrovascular	Diabetes	Chronic Lower Respiratory	Diabetes	Diabetes
	* -		* -	* -	* -	8 2.4%	31 3.3%	53 2.6%	320 2.3%	444 2.5%
8	Atelectasis		Benign Neoplasms	Congenital Abnormalities	Chronic Lower Respiratory	Chronic Lower Respiratory	Chronic Lower Respiratory	Flu/Pneumonia	Flu/Pneumonia	Nephritis
	* -		* -	* -	* -	7 2.1%	23 2.5%	37 1.8%	311 2.3%	369 2.1%
9	Hernia of Abdominal Cavity		Nephritis	Nephritis	Pregnancy, Childbirth	Diabetes	Septicemia	Suicide	Unintentional Injury	Flu/Pneumonia
	* -		* -	* -	* -	5 1.5%	15 1.6%	37 1.8%	218 1.6%	368 2.1%
10	Hypoxia, Asphyxia			Septicemia	Chronic Liver	Septicemia	Flu/Pneumonia	Septicemia	Septicemia	Septicemia
	* -			* -	* -	* -	14 1.5%	35 1.7%	186 1.4%	244 1.4%
Total Deaths	128	13	39	138	252	331	933	2,069	13,751	17,654

Key:



Chronic Diseases and Conditions



Infectious Agent



Perinatal Period and Congenital Anomalies



Violence and Injury



Unclassified

Note: * Count Suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events.
Source: IDPH Vital Statistics Death File, 2012-2016

10 Leading Causes of Death in Suburban Cook County, by Age Group, 2012-2016
(Count/Percent of Total Deaths)

South District

Rank	<1	1-4	5-17	18-24	25-34	35-44	45-54	55-64	65+	OVERALL
1	Short Gestation, Low Birth Wt	Unintentional Injury	Homicide	Homicide	Unintentional Injury	Heart Disease	Malignant Neoplasms	Malignant Neoplasms	Heart Disease	Heart Disease
	82 29.5%	7 18.4%	29 24.0%	105 41.3%	93 25.0%	126 20.3%	416 27.2%	1,052 33.4%	3,964 27.0%	5,284 25.1%
2	Congenital Malformations	Homicide	Unintentional Injury	Unintentional Injury	Homicide	Malignant Neoplasms	Heart Disease	Heart Disease	Malignant Neoplasms	Malignant Neoplasms
	32 11.5%	6 15.8%	27 22.3%	56 22.0%	76 20.4%	95 15.3%	350 22.8%	785 24.9%	3,474 23.7%	5,090 24.2%
3	Maternal Complications	Congenital Abnormalities	Malignant Neoplasms	Suicide	Heart Disease	Unintentional Injury	Unintentional Injury	Cerebrovascular	Cerebrovascular	Cerebrovascular
	20 7.2%	5 13.2%	12 9.9%	25 9.8%	36 9.7%	92 14.8%	137 8.9%	129 4.1%	921 6.3%	1,149 5.5%
4	Unintentional Injury	Chronic Lower Respiratory	Suicide	Heart Disease	Suicide	Homicide	Cerebrovascular	Diabetes	Chronic Lower Respiratory	Chronic Lower Respiratory
	13 4.7%	* -	8 6.6%	13 5.1%	30 8.1%	52 8.4%	65 4.2%	121 3.8%	884 6.0%	1,070 5.1%
5	SIDS	Malignant Neoplasms	Chronic Lower Respiratory	Malignant Neoplasms	Malignant Neoplasms	Suicide	Diabetes	Chronic Lower Respiratory	Alzheimer's	Unintentional Injury
	8 2.9%	* -	7 5.8%	13 5.1%	24 6.5%	41 6.6%	61 4.0%	115 3.6%	581 4.0%	729 3.5%
6	Circulatory system	Cerebrovascular	Congenital Abnormalities	Pregnancy, Childbirth	Cerebrovascular	Cerebrovascular	Chronic Liver	Unintentional Injury	Diabetes	Diabetes
	6 2.2%	* -	6 5.0%	* -	10 2.7%	18 2.9%	54 3.5%	103 3.3%	487 3.3%	691 3.3%
7	Respiratory Distress	Conditions in Perinatal	Heart Disease	Cerebrovascular	Anemias	Chronic Liver	Chronic Lower Respiratory	Chronic Liver	Nephritis	Nephritis
	6 2.2%	* -	5 4.1%	* -	8 2.2%	18 2.9%	45 2.9%	90 2.9%	459 3.1%	597 2.8%
8	Hypoxia, Asphyxia	Medical Care Complications	Diabetes	Legal Intervention	Chronic Lower Respiratory	Diabetes	Suicide	Nephritis	Septicemia	Alzheimer's
	5 1.8%	* -	* -	* -	6 1.6%	13 2.1%	38 2.5%	86 2.7%	289 2.0%	594 2.8%
9	Neonatal Hemorrhage	Benign Neoplasms	Flu/Pneumonia	Benign Neoplasms	Diabetes	Nephritis	Nephritis	Flu/Pneumonia	Flu/Pneumonia	Septicemia
	5 1.8%	* -	* -	* -	6 1.6%	13 2.1%	33 2.2%	49 1.6%	279 1.9%	372 1.8%
10	Homicide		Cerebrovascular	Nephritis	HIV Disease	Septicemia	Flu/Pneumonia	Hypertension	Unintentional Injury	Flu/Pneumonia
	* -		* -	* -	6 1.6%	12 1.9%	24 1.6%	46 1.5%	201 1.4%	368 1.8%
Total Deaths	278	38	121	254	372	620	1,532	3,151	14,685	21,051

Key:



Chronic Diseases and Conditions



Infectious Agent



Perinatal Period and Congenital Anomalies



Violence and Injury




Unclassified

Note: * Count Suppressed for fewer than 5 events. - Percent suppressed for fewer than 5 events.

Source: IDPH Vital Statistics Death File, 2012-2016

CCDPH Community Epidemiology Unit, 12/2018

Suburban Cook County District Map



Municipalities

- | | | |
|--------------------------|---------------------|------------------------|
| 1 Arlington Heights | 41 Broadview | 79 Chicago Ridge |
| 2 Barrington | 42 Brookfield | 80 Crestwood |
| 3 Barrington Hills (pt.) | 43 Burr Ridge (pt.) | 81 Evergreen Park |
| 4 Bartlett (pt.) | 44 Cicero | 83 Hickory Hills |
| 5 Buffalo Grove (pt.) | 45 Countryside | 84 Hometown |
| 7 Des Plaines | 46 Forest Park | 85 Justice |
| 9 Elgin (pt.) | 47 Franklin Park | 86 Lemont (pt.) |
| 10 Elk Grove Village | 48 Harwood Heights | 87 Merrionette Park |
| 11 Glencoe | 49 Hillside | 88 Oak Lawn |
| 12 Glenview | 50 Hinsdale (pt.) | 89 Orland Hills |
| 13 Golf | 51 Hodgkins (pt.) | 90 Orland Park (pt.) |
| 14 Hanover Park (pt.) | 52 Indian Head Park | 91 Palos Heights |
| 15 Hoffman Estates | 53 Lagrange | 92 Palos Hills |
| 16 Inverness | 54 Lagrange Park | 93 Palos Park |
| 17 Kenilworth | 55 Lyons | 94 Summit |
| 18 Lincolnwood | 56 McCook | 95 Willow Springs |
| 19 Morton Grove | 57 Maywood | 96 Worth |
| 20 Mt Prospect | 58 Melrose Park | 97 Burnham |
| 21 Niles | 59 Norridge | 98 Calumet City |
| 22 Northbrook | 60 Northlake | 99 Calumet Park |
| 23 Northfield | 61 North Riverside | 100 Chicago Heights |
| 24 Palatine | 62 River Forest | 101 Country Club Hills |
| 25 Park Ridge | 63 River Grove | 102 Dixmoor |
| 26 Prospect Heights | 64 Riverside | 103 Dolton |
| 27 Rolling Meadows | 65 Rosemont | 104 East Hazel Crest |
| 28 Roselle (pt.) | 66 Schiller Park | 105 Flossmoor |
| 29 Schaumburg | 67 Stone Park | 106 Ford Heights |
| 30 South Barrington | 68 Westchester | 107 Glenwood |
| 31 Streamwood | 69 Western Springs | 108 Harvey |
| 32 Wheeling | 70 Elmwood Park | 109 Hazel Crest |
| 33 Wilmette | 71 Oak Park | 110 Homewood |
| 34 Winnetka | 72 Stickney | 111 Lansing |
| 35 Evanston | 73 Forest View | 112 Lynwood |
| 36 Skokie | 74 Burbank | 113 Markham |
| 37 Bellwood | 75 Alsip | 114 Matteson |
| 38 Bensenville | 76 Bedford Park | 115 Midlothian |
| 39 Berkeley | 77 Blue Island | 116 Oak Forest |
| 40 Berwyn | 78 Bridgeview | 117 Olympia Fields |

- 118 Park Forest (pt.)
- 119 Phoenix
- 120 Posen
- 121 Richton Park
- 122 Riverdale
- 123 Robbins
- 124 Sauk Village (pt.)
- 125 S Chicago Heights
- 126 South Holland
- 127 Steger (pt.)
- 128 Thornton
- 129 Tinley Park (pt.)
- 131 Unincorporated Barrington Township
- 132 Unincorporated Bloom Township
- 133 Unincorporated Bremen Township
- 134 Unincorporated Calumet Township
- 135 Unincorporated Elk Grove Township
- 136 Unincorporated Hanover Township
- 137 Unincorporated Lemont Township
- 138 Unincorporated Leyden Township
- 139 Unincorporated Lyons Township
- 140 Unincorporated Maine Township
- 141 Unincorporated New Trier Township
- 142 Unincorporated Niles Township
- 143 Unincorporated Northfield Township
- 144 Unincorporated Norwood Park Township
- 145 Unincorporated Orland Township
- 146 Unincorporated Palatine Township
- 147 Unincorporated Palos Township
- 148 Unincorporated Proviso Township
- 149 Unincorporated Rich Township
- 150 Unincorporated Riverside Township
- 151 Unincorporated Schaumburg Township
- 152 Unincorporated Stickney Township
- 153 Unincorporated Thornton Township
- 154 Unincorporated Wheeling Township
- 155 Unincorporated Worth Township

Rankable Causes of Death

Chronic Diseases and Conditions

Alzheimer's disease.	G30
Anemias.	D50-D64
Aortic aneurysm and dissection.	I71
Atherosclerosis.	I70
Cerebrovascular diseases.	I60-169
Chronic liver disease and cirrhosis.	K70,K73-K74
Chronic lower respiratory diseases.	J40-J47
Diabetes mellitus.	E10-E14
Diseases of heart.	I00-I09,I11,I13,I20-I51
Essential hypertension and hypertensive renal disease.	I10,I12,I15
Hyperplasia of prostate.	N40
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior.	D00-D48
Malignant neoplasms.	C00-C97
Nutritional deficiencies.	E40-E64
Parkinson's disease.	G20-G21

Infectious Agent

Acute bronchitis and bronchiolitis.	J20-J21
Acute poliomyelitis.	A80
Arthropod-borne viral encephalitis.	A83-A84,A85.2
Enterocolitis due to <i>Clostridium difficile</i>	A04.7
Human immunodeficiency virus (HIV) disease.	B20-B24
Infections of kidney.	N10-N12,N13.6,N15.1
Influenza and pneumonia.	J09-J18
Malaria.	B50-B54
Measles.	B05
Meningitis.	G00,G03
Meningococcal infection.	A39
Salmonella infections.	A01-A02
Scarlet fever and erysipelas.	A38,A46

Septicemia.	A40-A41
Shigellosis and amebiasis.	A03,A06
Syphilis.	A50-A53
Tuberculosis.	A16-A19
Viral hepatitis.	B15-B19
Whooping cough.	A37

Perinatal Period and Congenital Anomalies

Certain conditions originating in the perinatal period.	P00-P96
Congenital malformations, deformations and chromosomal abnormalities.	Q00-Q99

Violence and Injury

Accidents (unintentional injuries).	V01-X59,Y85-Y86
Assault (homicide).	U01-U02,X85-Y09,Y87.1
Intentional self-harm (suicide).	U03,X60-X84,Y87.0
Legal intervention.	Y35,Y89.0
Operations of war and their sequelae.	Y36,Y89.1

Unclassified

Cholelithiasis and other disorders of gallbladder.	K80-K82
Complications of medical and surgical care.	Y40-Y84,Y88
Diseases of appendix.	K35-K38
Hernia.	K40-K46
Inflammatory diseases of female pelvic organs.	N70-N76
Nephritis, nephrotic syndrome and nephrosis.	N00-N07, N17-N19,N25-N27
Peptic ulcer.	K25-K28
Pneumoconioses and chemical effects.	J60-J66,J68
Pneumonitis due to solids and liquids.	J69
Pregnancy, childbirth and the puerperium.	O00-O99

Rankable Causes of Infant Death

Chronic Diseases and Conditions

Asthma.	J45-J46
Bronchitis, chronic and unspecified.	J40-J42
Cystic fibrosis.	E84
Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism.	D50-D89
Diseases of the circulatory system.	I00-I99
Diseases of the ear and mastoid process.	H60-H93
Gastritis, duodenitis, and noninfective enteritis and colitis.	K29, K50-K55
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior.	D00-D48
Infantile cerebral palsy.	G80
Infantile spinal muscular atrophy, type I (Werdnig-Hoffman).	G12.0
Malignant neoplasms.	C00-C97
Nutritional deficiencies.	E40-E64
Short stature, not elsewhere classified.	E34.3

Infectious Agent

Acute bronchitis and acute bronchiolitis.	J20-J21
Acute poliomyelitis.	A80
Acute upper respiratory infections.	J00-J06
Bacterial sepsis of newborn.	P36
Candidiasis.	B37
Congenital syphilis.	A50
Diarrhea and gastroenteritis of infectious origin.	A09
Diphtheria.	A36
Gonococcal infection.	A54
Human immunodeficiency virus (HIV) disease.	B20-B24

Influenza and pneumonia.	J09-J18
Malaria.	B50-B54
Measles.	B05
Meningitis.	G00, G03
Meningococcal infection.	A39
Mumps.	B26
Pneumocystosis.	B59
Septicemia.	A40-A41
Tetanus.	A33, A35
Tuberculosis.	A16-A19
Varicella (chickenpox).	B01
Whooping cough.	A37

Perinatal Period and Congenital Anomalies

Atelectasis.	P28.0-P28.1
Birth trauma.	P10-P15
Chronic respiratory disease originating in the perinatal period.	P27
Congenital malformations, deformations and chromosomal abnormalities.	Q00-Q99
Congenital pneumonia.	P23
Disorders related to long gestation and high birth weight.	P08
Disorders related to short gestation and low birth weight, not elsewhere classified.	P07
Hematological disorders.	P60-P61
Hemolytic disease of newborn due to isoimmunization and other perinatal jaundice.	P55-P59
Hemorrhagic disease of newborn.	P53
Hydrops fetalis not due to hemolytic disease.	P83.2

Interstitial emphysema and related conditions originating in the perinatal period. P25
 Intrauterine hypoxia and birth asphyxia. P20-P21
 Necrotizing enterocolitis of newborn. P77
 Neonatal aspiration syndromes. P24
 Neonatal hemorrhage. P50-P52, P54
 Newborn affected by complications of placenta, cord and membranes. P02
 Newborn affected by maternal complications of pregnancy. . . . P01
 Newborn affected by maternal hypertensive disorders. P00.0
 Newborn affected by noxious influences transmitted via placenta or breast milk. P04
 Newborn affected by other complications of labor and delivery. . P03
 Newborn affected by other maternal conditions which may be unrelated to present pregnancy. P00.1-P00.9
 Omphalitis of newborn with or without mild hemorrhage. P38
 Pulmonary hemorrhage originating in the perinatal period. . . . P26
 Respiratory distress of newborn. P22
 Slow fetal growth and fetal malnutrition. P05
 Syndrome of infant of a diabetic mother and neonatal diabetes mellitus. P70.0-P70.2

Violence and Injury

Accidents (unintentional injuries). V01-X59
 Anoxic brain damage, not elsewhere classified. G93.1
 Assault (homicide). U01, X85-Y09

Unclassified

Complications of medical and surgical care. Y40-Y84
 Hernia of abdominal cavity and intestinal obstruction without hernia. K40-K46, K56
 Pneumonitis due to solids and liquids. J69
 Renal failure and other disorders of kidney. N17-N19, N25, N27
 Sudden infant death syndrome. R95
 Volume depletion, disorders of fluid, electrolyte and acid-base balance. E86-E87