

Communicable Disease Prevention and Control Unit Cook County Department of Public Health

Copyright Information

All materials contained in this report are in the public domain and may be used and reprinted without special permission; citation as to source, however, is appreciated.

Suggested Citation

Cook County Department of Public Health. 2020 Annual TB Surveillance Report, Forest Park, IL 2021.

Contents

ABBREVIATIONS, ACRONYMS & DEFINITIONS	.5
EXECUTIVE SUMMARY	.6
TECHNICAL NOTES1	8
LIST OF FIGURES	
Figure 1. The number of TB diagnoses has declined significantly from 2000-2020 in all selected geographies	.8
Figure 2. There were more males (n=30; 57%) than females (n=23; 43%) diagnosed with TB in 2020	.8
Figure 3. Almost 7 out of 10 TB diagnoses in 2020 were 45 years old or older	.9
Figure 4. The vast majority of TB diagnoses in 2020 (81%) were in those born overseas	.9
Figure 5. There were notable differences in the race/ethnicity distribution depending on whether cases were US- or foreign-born	0 ا
Figure 6. A majority of foreign-born cases diagnosed with TB in 2020 (86%) have been living in the US for 5 or more years	0 ا
Figure 7a. Thirty-two cases had (60%) had pulmonary TB	3
Figure 7b. Twenty-five cases (47%) had extra-pulmonary TB	3
Figure 8. All TB cases diagnosed in 2020 were tested for HIV	4
Figure 9. For pulmonary cases diagnosed in 2020, 100% received some form of directly observed therapy	l 4
Figure 10. The proportion of eligible TB cases completing therapy in 12 months or less was 84% in 2019	15
LIST OF MAPS	
Map 1. Active TB diagnoses per 100,000 population, 2020	.7
Map 2. Outside of the top three most common countries of origin, India, Mexico, and the Philippines, people diagnosed with TB in 2020 came from 13 different countries	11

Contents (continued)

LIST OF TABLES

Table 1.	Number and Rate (per 100,000 population) of Reported Tuberculosis Cases by	
	Selected Public Health Jurisdictions, 2000-2020.	16
Table 2.	Municipalities and Reference Numbers in Suburban Cook County	17

Abbreviations, Acronyms and Definitions

Active TB: (see TB Disease)

AIDS: Acquired immunodeficiency syndrome.

DOT: Directly observed therapy. Healthcare personnel watch patients take their anti-tuberculosis medications to ensure adherence to therapy.

Extrapulmonary TB: A person with *Mycobacterium tuberculosis* infection outside of the lungs, the pleural space, and the larynx (voice box). A person with extrapulmonary disease can also have pulmonary TB (see below).

HIV: Human immunodeficiency virus, the virus that can lead to AIDS.

I-NEDSS: I-NEDSS stands for Illinois-National Electronic Disease Surveillance System. I-NEDSS is a webbased application that establishes a secure and real-time communication link between hospitals, laboratories and other health care providers with state and local health department staff for the purposes of reporting and managing communicable disease information. All TB cases in suburban Cook County are reported to the Illinois Department of Public Health using I-NEDSS.

MDR-TB: Multi-drug resistant TB. MDR-TB is defined as TB resistant to isoniazid and rifampin, the two most important first line anti-tuberculosis medications.

National Tuberculosis Indicators Project (NTIP): Monitoring system for tracking the progress of U.S. tuberculosis (TB) control programs toward achieving the national TB program objectives.

Pulmonary TB: A person with *Mycobacterium tuberculosis* infection of the lungs, pleural space or the larynx (voice box). A person with pulmonary TB can also have extrapulmonary TB.

TB: Tuberculosis.

TB Disease: A person with TB infection who is contagious to others; a person with TB disease can have pulmonary TB, extrapulmonary TB, or both.

XDR-TB: Extensively drug resistant TB. XDR-TB is defined as MDR-TB plus TB that is resistant to any fluoroquinoline plus resistance to one of the three injectable drugs (i.e., amikacin, kanamycin, or capreomycin).

Executive Summary

Epidemiologic Summary

- Fifty-three (53) new cases of TB were reported in suburban Cook County in 2020. This represents a rate of 2.1 cases per 100,000.
- Over the past 20 years, TB rates have fallen 63% from 5.7 per 100,000 in 2000 to 2.1 in 2020.
- It is likely that TB cases in 2020 delayed seeking care and/or were under-reported due to the COVID-19 pandemic.

TB Burden in Foreign-born Persons

- The proportion of TB cases in foreign-born persons was 81% in 2020.
- Three countries accounted for 60% of all foreign-born cases: Mexico (37%) India (19%), and the Philippines (12%).
- Among foreign-born persons diagnosed with TB, 86% arrived 5 or more years prior to receiving a diagnosis
 of TB disease.

Drug Resistance

• In 2020, no MDR or XDR case was identified.

Coinfection with HIV

• One hundred percent of patients diagnosed in 2020 were tested for HIV; between 1-4 cases were coinfected.

Directly Observed Therapy

• In 2020, 100% of patients with pulmonary TB received DOT.

Completion of Therapy

- For TB cases diagnosed in 2019, 94% of persons with TB disease who were eligible* completed treatment.
- Among persons diagnosed in 2019 and who were eligible* to complete TB treatment in 12 months, 86% of cases did so. This is below the Healthy People 2020 goal of 93% and below the National Tuberculosis Indicators Project target of 95%.

^{*} Eligible cases are persons who were alive at the time of TB diagnosis and did not die during therapy, and excludes persons with TB resistant to rifampin and pediatric cases (<15 years) with a diagnosis of meningeal, bone/joint, or miliary TB.






Figure 1. The number of TB diagnoses has declined significantly from 2000-2020 in all selected geographies.

In suburban Cook County, the TB rate dropped 63% from 5.7 in 2000 to 2.1 in 2020.

It is likely that TB cases in 2020 delayed seeking care and/or were under-reported due to the COV-ID-19 pandemic.




Figure 2. There were more males (n=30; 57%) than females (n=23; 43%) diagnosed with TB in 2020.




Figure 3. Almost 7 out of 10 TB diagnoses in 2020 were 45 years old or older.

Nine in 10 were 25 years old or older




Figure 4. The vast majority of TB diagnoses in 2020 (81%) were in those born overseas.




Figure 5. There were notable differences in the race/ethnicity distribution depending on whether cases were US- or foreign-born.

All cases who identified as Asian were foreign-born.





Figure 6. A majority of foreignborn cases diagnosed with TB in 2020 (86%) have been living in the US for 5 or more years.

About 60% of TB cases diagnosed in 2020 came from Mexico, India, and the Philippines.



Map 2. Outside of the top three most common countries of origin, India, Mexico, and the Philippines, people diagnosed with TB in 2020 came from 13 different countries.

Please call (708) 836-8662 to report a suspect or confirmed case of TB in suburban Cook County

25

Foreign-born cases had susceptibility results

4

US-born cases had susceptibility results

Of these,

5.6%

Had any type of drug resistance

Of these,

30%

Had any type of drug resistance

Of these,

<5%

were resistant to INH alone or in combination with another drug

Of these,

<20%

were resistant to INH alone or in combination with another drug

Of these, there was no case of MDR or XDR TB Of these, there was no case of MDR or XDR TB




Figure 7a. Thirty-two cases had (60%) had pulmonary TB.

Of these, 9 (28%) had positive sputum smears; 17 (53%) had positive cultures.




Figure 7b. Twenty-five cases (47%) had extra-pulmonary TB.

100%

of TB cases diagnosed in 2019 were tested for HIV

The number coinfected with HIV was between 1-4 cases.

Figure 8. All TB cases diagnosed in 2020 were tested for HIV.




Figure 9. For pulmonary cases diagnosed in 2020, 100% received some form of directly observed therapy.

"SA" stands for "Self-Administered" as opposed to "DOT" which stands for "Directly Observed Therapy."




Figure 10. The proportion of eligible TB cases completing therapy in 12 months or less was 84% in 2019.

The proportion ever completing was 94%.

The proportion of eligible cases completing therapy in 12 months was below the National TB Indicator Project goal of 95% and was also below the Healthy People 2020 goal of 93%.

For TB case counts and other select conditions, <u>click here</u> to visit us on the web!

Table 1. Number and Rate (per 100,000 population) of Reported Tuberculosis Cases by Selected Public Health Jurisdictions, 2000-2020

	Suburban C	Suburban Cook County	City of	City of Chicago	Illino	nois	USA	δA
Year	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate†
2000	141	5.7	398	13.7	743	6.0	16,310	5.8
2001	139	5.6	377	13.0	707	5.7	15,945	5.6
2002	130	5.2	382	13.2	680	5.5	15,056	5.2
2003	122	4.9	339	11.7	633	5.1	14,836	5.1
2004	91	3.7	308	10.6	569	4.6	14,500	5.0
2005	120	4.8	329	11.4	596	4.8	14,067	4.8
2006	116	4.7	287	9.9	569	4.6	13,727	4.6
2007	139	5.6	258	8.9	521	4.2	13,288	4.4
2008	100	4.0	214	7.4	469	3.8	12,904	4.2
2009	100	4.0	202	7.0	418	3.4	11,540	3.8
2010	93	3.7	161	6.0	372	2.9	11,181	3.6
2011	75	3.0	166	6.2	359	2.8	10,521	3.4
2012	89	3.6	146	5.4	347	2.7	9,951	3.2
2013	78	3.1	131	4.9	319	2.5	9,588	3.0
2014	64	2.6	141	5.2	320	2.5	9,421	3.0
2015	85	3.4	125	4.6	344	2.7	9,563	3.0
2016	83	3.3	135	5.0	342	2.7	9,256	2.9
2017	86	3.4	128	4.7	337	2.6	9,093	2.8
2018	84	3.4	105	3.9	293	2.3	9,029	2.8
2019	72	2.9	124	4.6	319	2.5	8,916	2.7
2020	53	21	81	3.0	216	1.7	7.163	2.2

^{*} Rates (per 100,000 population) for years 2000 - 2009 calculated using 2000 U.S. Census data. Rates for 2010-present calculated using 2010 US census data.

[†] US rates calculated using intercensal estimates from the US Census Bureau

Table 2. Municipalities and Reference Numbers in Suburban Cook County

31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	∞	7	6	5	4	ω	2	1
Elk Grove Village	Elgin	East Hazel Crest	Dolton	Dixmoor	Des Plaines	Crestwood	Countryside	Country Club Hills	Cicero	Chicago Ridge	Chicago Heights	Calumet Park	Calumet City	Burr Ridge	Burnham	Burbank	Buffalo Grove	Brookfield	Broadview	Bridgeview	Blue Island	Berwyn	Berkeley	Bellwood	Bedford Park	Bartlett	Barrington Hills	Barrington	Arlington Heights	Alsip
63	62	61	60	59	58	57	56	55	54	53	52	51	50	49	48	47	46	45	44	43	42	41	40	39	38	37	36	35	34	33
Lincolnwood	Lemont	Lansing	La Grange Park	La Grange	Kenilworth	Justice	Inverness	Indian Head Park	Homewood	Hometown	Hoffman Estates	Hodgkins	Hinsdale	Hillside	Hickory Hills	Hazel Crest	Harwood Heights	Harvey	Hanover Park	Golf	Glenwood	Glenview	Glencoe	Franklin Park	Forest View	Forest Park	Ford Heights	Flossmoor	Evergreen Park	Evanston
95	94	93	92	91	90	89	88	87	86	85	84	83	82	81	80	79	78	77	76	75	74	73	72	71	70	69	68	67	66	65
Prospect Heights	Posen	Phoenix	Park Ridge	Park Forest	Palos Park	Palos Hills	Palos Heights	Palatine	Orland Park	Orland Hills	Olympia Fields	Oak Park	Oak Lawn	Oak Forest	Northlake	Northfield	Northbrook	North Riverside	Norridge	Niles	Mount Prospect	Morton Grove	Midlothian	Merrionette Park	Melrose Park	McCook	Maywood	Matteson	Markham	Lyons
	126	125	124	123	122	121	120	119	118	117	116	115	114	113	112	111	110	109	108	107	106	105	104	103	102	101	100	99	98	97
	Worth	Winnetka	Wilmette	Willow Springs	Wheeling	Western Springs	Westchester	University Park	Tinley Park	Thornton	Summit	Streamwood	Stone Park	Stickney	Steger	South Holland	South Chicago Heights	South Barrington	Skokie	Schiller Park	Schaumburg	Sauk Village	Rosemont	Roselle	Rolling Meadows	Robbins	Riverside	Riverdale	River Grove	River Forest

TECHNICAL NOTES

Surveillance Methodology

Healthcare providers and laboratories in suburban Cook County are required to report the following results within 24 hours: (1) sputum or tissue smears positive for acid-fast bacilli (AFBs); (2) cultures positive for *Mycobacterium tuberculosis*; (3) mycobacterial drug susceptibility results; (4) any other tests positive for *Mycobacterium tuberculosis*. In addition, confirmed TB cases must be reported to CCDPH within 7 days.

TB case reports are entered into I-NEDSS and provide the basis for the information presented in this report. This report includes all cases of tuberculosis reported during the year in which the case was confirmed. Confirmed TB cases who may have moved into suburban Cook County from another jurisdiction are not reflected in the data presented herein; such cases are counted in the jurisdiction that reported the case. Likewise, confirmed TB cases reported in suburban Cook County who may have moved out of suburban Cook County are included in the data presented herein.

Reported TB Case Rates

Suburban Cook County, Chicago and Illinois TB rates between 2000-2009 were calculated using 2000 census data. Suburban Cook County, Chicago and Illinois TB rates after 2009 were calculated using 2010 census data. National TB rates were calculated using national intercensal estimates.