

WEST NILE VIRUS SURVEILLANCE REPORT

Week 40: Sep 28-Oct 04, 2025



Cook County DEPT. of
Public Health

**BUILDING
HEALTHIER
COMMUNITIES**

Purpose: This report serves as the official statement of West Nile virus activity in humans, mosquitoes, and birds within the jurisdiction of the Cook County Department of Public Health. All data are preliminary and may change as more reports are received.

Risk Assessment: The risk of human West Nile virus infection is **low**.

Prevention: When outdoors between dusk and dawn, cover skin with lightly colored loose fitting clothing and use mosquito repellent with DEET, picaridin or oil of lemon eucalyptus. When applying repellent, always follow the directions on the product label. Get rid of standing water around your home in pet bowls, flower pots, old tires, baby pools and toys. Water that is allowed to stagnate for three or four days becomes a breeding ground for mosquitoes. Make sure your doors and windows have tightly fitting screens and repair any tears or other openings. Keep weeds and grass cut short and keep gutters clean and free of debris.

Mosquito¹⁻² Surveillance:

Weekly Summary	Week 40
Number of mosquitoes tested	6601
Number of mosquito pools tested	248
Number of positive pools	23
Percent of pools testing positive	9%
Number of communities with positive pools	13

Year to Date Summary	2025	3 Year Average
Number of mosquitoes tested	270500	319700
Number of mosquito pools tested	7715	8403
Number of positive pools	2674	2138
Percent of pools testing positive	35%	25%
Number of communities with positive pools	75	75

1. Includes mosquito surveillance data from Cook County Department of Public Health, Northwest Mosquito Abatement District, North Shore Mosquito Abatement District, Desplaines Valley Mosquito Abatement District, South Cook County Mosquito Abatement District, and the Illinois Department of Public Health.

2. When mosquitoes are tested for West Nile virus, they are tested in groups, or "pools", of up to 50 mosquitoes. Therefore when a mosquito pool tests positive, the number of WNV positive mosquitoes in that pool is unknown. It is only known that at least one mosquito in the pool was positive.

WEST NILE VIRUS SURVEILLANCE REPORT

Week 40: Sep 28-Oct 04, 2025



Cook County
DEPT. of
Public Health


**BUILDING
HEALTHIER
COMMUNITIES**

The following towns had traps that were positive for West Nile virus this week: Berkeley, Brookfield, Forest Park, Glenview, Harwood Heights, Justice, La Grange, Melrose Park, Northbrook, Park Ridge, River Forest, Schiller Park, Willow Springs.

The following towns have had traps positive for West Nile virus at some point this season: Alsip, Arlington Heights, Barrington, Bartlett, Berkeley, Berwyn, Blue Island, Broadview, Brookfield, Buffalo Grove, Calumet City, Chicago, Cicero, Country Club Hills, Des Plaines, Dolton, Elgin, Elk Grove Village, Elmwood Park, Evanston, Evergreen Park, Flossmoor, Forest Park, Franklin Park, Glencoe, Glenview, Harvey, Harwood Heights, Hillside, Hodgkins, Hoffman Estates, Homewood, Justice, Kenilworth, La Grange, La Grange Park, Lansing, Lemont, Lincolnwood, Lynwood, Markham, Matteson, Maywood, Melrose Park, Morton Grove, Niles, Norridge, Northbrook, Northfield, Oak Forest, Oak Lawn, Oak Park, Orland Park, Palatine, Palos Heights, Palos Park, Park Forest, Park Ridge, Prospect Heights, Richton Park, River Forest, Riverdale, Rolling Meadows, Schaumburg, Schiller Park, Skokie, South Chicago Heights, South Holland, Streamwood, Summit, Thornton, Tinley Park, Willow Springs, Wilmette, Winnetka.

Not all towns have mosquito traps so West Nile virus activity may be unknown in your area. CCDPH recommends all residents practice good West Nile virus prevention habits throughout the summer season.

Percent of Mosquito Pools Positive for West Nile Virus



WEST NILE VIRUS SURVEILLANCE REPORT


Week 40: Sep 28-Oct 04, 2025



Cook County
Public Health

**BUILDING
HEALTHIER
COMMUNITIES**

The following map shows mosquito traps in suburban Cook County. The estimated infection rate⁴ is a measurement of how much West Nile virus activity is occurring in mosquitoes caught by that trap. Higher numbers means more mosquitoes capable of spreading West Nile virus.



4. Estimated infection rate is calculated by dividing the number of positive mosquito pools by the total number of mosquitoes tested and multiplying by 1000. This is also called the minimum infection rate and is the most conservative estimate of West Nile virus activity in mosquitoes.

5. Reasons a trap might not be tested include battery or other equipment failure or no mosquitoes present in the trap.

WEST NILE VIRUS SURVEILLANCE REPORT

Week 40: Sep 28-Oct 04, 2025



Cook County
Public Health

**BUILDING
HEALTHIER
COMMUNITIES**

Bird Surveillance:

Due to the ongoing H5 bird flu outbreak, the Illinois Department of Public Health has paused testing of dead birds for West Nile Virus.

Human Case Surveillance:

The traditional WNV surveillance period began on May 11 this year. Since May 11, 43 cases of West Nile virus have been reported; 32 cases were neuroinvasive.

