

RESPIRATORY VIRUS SURVEILLANCE REPORT

Week 33: Aug 16-Aug 22, 2026



Cook County DEPT. of
Public Health

BUILDING
HEALTHIER
COMMUNITIES

Purpose: This report describes current trends in suburban Cook County for COVID-19, influenza, and RSV. Selected graphics are presented on pages 2-4. For complete surveillance data on these pathogens, please visit our [respiratory dashboard](#).

Key Points:

COVID-19, Influenza, RSV

- COVID-19, flu, and RSV activity remain minimal.
- COVID-19 clinical indicators including percent positivity, hospitalizations, and ED visits continue to trend up but remain below last year's levels.
- One ICU admission for flu was reported this past week. Other clinical indicators for flu remain at summer baseline values.
- Clinical indicators for RSV remain at summer baseline levels.
- Viral concentrations in wastewater are low for all monitored pathogens. Wastewater continues to be sequenced for COVID-19 variants, but results may not be representative due to the low amount of circulating virus.

Is anything else going around?

- [Parainfluenza viruses](#) often have a summer wave, and percent positivity continued to be elevated this week. These viruses are typically mild; some types are associated with croup in young children.
- Percent positivity for [rhinovirus/enterovirus](#), common cold viruses, continued to increase this week. It is typical for these viruses to have a fall wave and a spring wave.

Recommendations

- Some steps for protection from respiratory viruses should be practiced year-round, regardless of the current activity level. These steps include staying up to date with all recommended respiratory [vac-cines](#), practicing good respiratory hygiene (covering your cough, washing your hands), taking steps for cleaner [air](#), and staying home when you're sick until you've been fever-free for 24 hours and your symptoms are getting better. People who are at [high risk](#) for severe outcomes should be familiar with treatment options for flu and COVID-19. Organizations can support these recommendations by offering time off when employees are sick, hosting vaccination clinics, maintaining adequate ventilation systems, and encouraging good respiratory hygiene with posters and adequate hand-washing supplies. (Note that CDC offers separate, specific guidance for healthcare settings for reducing transmission of [flu](#), [COVID-19](#), and other [pathogens](#)).
- All three monitored pathogens - COVID-19, flu, and RSV - remain near baseline levels; but COVID-19 metrics are trending up and viruses that cause the common cold are circulating. Residents should continue to practice year-round prevention activities, such as washing your hands and staying home when sick.

We would like to thank all of our surveillance partners for their help in collecting this information! Additional details on our methods can be found [here](#).

RESPIRATORY VIRUS SURVEILLANCE REPORT


Week 33: Aug 16-Aug 22, 2026




Cook County
Public Health

**BUILDING
HEALTHIER
COMMUNITIES**

Emergency Rooms Visits by Respiratory Diagnosis



Cumulative ICU Admission Rate for Reportable Respiratory Viruses



RESPIRATORY VIRUS SURVEILLANCE REPORT

Week 33: Aug 16-Aug 22, 2026




Cook County DEPT. of
Public Health

BUILDING
HEALTHIER
COMMUNITIES


Percent Positivity by Respiratory Virus

Laboratories contributing data differ by pathogen. Lab data may not be comparable between viruses. Graphics are better used to look at trajectory for a given virus over time.



CDC Acute Respiratory Illness Activity Levels by State

Data for the week ending 2026-08-22, most recent CDC data available



RESPIRATORY VIRUS SURVEILLANCE REPORT


Week 33: Aug 16-Aug 22, 2026



Cook County DEPT. of
Public Health

BUILDING
HEALTHIER
COMMUNITIES

Emergency Rooms Visits by Season and Diagnosis



Emergency Room Visits by Age and Diagnosis

